





Ergebnis:	355	(372.7)			
Serien:	88	88	88	91	
Zähler:	10	16	13	1	0 0 0 0 0 0
Innenzehner:	5				
weiteste:	2554 (3), 2392 (30), 2291 (29)				
beste Teiler	221.0 (26.) 245.0 (23.) 271.9 (36.)				
Trefferlage	4.06 mm links, 2.76 mm tief				
Streuwert	9.89, horizontal: 10.59, vertikal: 9.14				




Serie 1:	8.6 ←	10.3 ↘	7.8 ↘	10.5 *	9.3 ↓
	8.6 ↘	10.3 ←	8.3 ↓	8.8 ↘	10.3 ↘
beste Teiler	329.5 (4.) 540.6 (7.) 546.1 (2.)				
Trefferlage	4.83 mm links, 9.88 mm tief				
Streuwert	8.00, horizontal: 8.64, vertikal: 7.31				



Serie 2:	9.9 →	10.5 *	8.5 ↑	9.2 ↓	9.5 ←
	8.1 ↗	8.3 ←	9.1 ←	9.6 ↘	9.5 →
beste Teiler	333.9 (12.) 840.2 (11.) 1052.8 (19.)				
Trefferlage	1.74 mm links, 3.73 mm hoch				
Streuwert	10.69, horizontal: 12.38, vertikal: 8.69				





Serie 3:	9.2 ↘	8.5 ←	10.6 *	9.1 ↓	9.5 ←
	10.7 *	9.8 ←	8.8 ↘	8.1 ↓	8.0 ←
beste Teiler	221.0 (26.) 245.0 (23.) 942.0 (27.)				
Trefferlage	5.14 mm links, 5.38 mm tief				
Streuwert	10.18, horizontal: 11.48, vertikal: 8.68				




Serie 4:	9.3 ↖	10.2 →	9.7 ↖	10.0 ↑	8.8 ←
	10.6 *	9.3 ↘	8.2 ←	9.4 →	9.9 ↑
beste Teiler	271.9 (36.) 617.8 (32.) 751.0 (34.)				
Trefferlage	4.52 mm links, 0.45 mm hoch				
Streuwert	8.77, horizontal: 10.89, vertikal: 5.93				

Unterschrift des Schützen


Ergebnis:	369	(389.0)
Serien:	93 90 92 94	
Zähler:	13 23 4 0 0 0 0 0 0 0	
Innenzehner:	6	
weiteste:	2367 (14), 2007 (31), 1728 (23)	
beste Teiler	131.0 (2.) 143.6 (8.) 229.9 (39.)	
Trefferlage	1.95 mm rechts, 0.82 mm hoch	
Streuwert	7.75, horizontal: 8.36, vertikal: 7.10	




Serie 1:	10.2 ←	10.8 *	9.4 ↗	9.7 ←	9.7 ↗
	9.9 ↓	9.2 ↖	10.8 *	9.8 ↖	9.7 ↗
beste Teiler	131.0 (2.)	143.6 (8.)	606.3 (1.)		
Trefferlage	2.65 mm links, 2.58 mm hoch				
Streuwert	6.31, horizontal: 6.98, vertikal: 5.55				



Serie 2:	10.3 ←	9.7 ↑	9.9 ↑	8.0 ↗	9.5 ↗
	8.9 ↓	10.0 ↗	9.7 →	9.0 ←	9.7 ↙
beste Teiler	557.1 (11.)	792.7 (17.)	870.3 (13.)		
Trefferlage	1.59 mm rechts, 1.60 mm hoch				
Streuwert	9.46, horizontal: 8.93, vertikal: 9.97				



Serie 3:	10.0 →	9.7 ↗	8.8 ↑	10.2 ←	10.5 *
	9.6 ↘	9.4 →	9.1 ↓	9.5 →	9.0 ←
beste Teiler	378.0 (25.)	601.5 (24.)	800.8 (21.)		
Trefferlage	2.78 mm rechts, 0.15 mm hoch				
Streuwert	8.49, horizontal: 8.99, vertikal: 7.96				





Serie 4:	8.4 →	10.5 *	9.1 →	10.6 *	9.9 →
	9.8 →	10.2 →	10.3 ↓	10.7 *	9.8 ↓
beste Teiler	229.9 (39.)	320.1 (34.)	328.2 (32.)		
Trefferlage	6.09 mm rechts, 1.03 mm tief				
Streuwert	5.76, horizontal: 7.08, vertikal: 4.04				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (378.3)
 Serien: 91 92 89 87
 Zähler: 9 24 4 3 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2582 (21), 2553 (25), 2443 (31)
 beste Teiler 285.3 (6.) 385.7 (8.) 402.8 (24.)
 Trefferlage 2.41 mm links, 1.27 mm hoch
 Streuwert 9.23, horizontal: 10.43, vertikal: 7.84




Serie 1:
 8.6 ↑ 9.8 ← 9.3 ← 10.0 ↓ 9.7 ↘
 10.6 * 9.6 ↖ 10.5 * 8.4 ↑ 9.0 ←
 beste Teiler 285.3 (6.) 385.7 (8.) 752.4 (4.)
 Trefferlage 4.33 mm links, 2.39 mm hoch
 Streuwert 8.47, horizontal: 6.76, vertikal: 9.88



Serie 2:
 9.9 ↓ 9.3 → 10.2 ← 9.9 ↖ 10.0 ↖
 9.7 → 9.4 ← 9.6 ↖ 9.0 ↑ 9.8 →
 beste Teiler 590.0 (13.) 723.5 (15.) 850.8 (14.)
 Trefferlage 0.66 mm rechts, 2.73 mm hoch
 Streuwert 7.64, horizontal: 8.56, vertikal: 6.59



Serie 3:
 7.7 ← 10.2 ↖ 9.1 ↙ 10.4 * 7.8 ←
 9.0 → 9.8 ↑ 9.5 ← 9.8 ← 10.2 ←
 beste Teiler 402.8 (24.) 570.4 (22.) 617.6 (30.)
 Trefferlage 7.69 mm links, 0.17 mm tief
 Streuwert 9.37, horizontal: 12.40, vertikal: 4.69





Serie 4:
 7.9 → 9.3 ↑ 10.1 ↙ 9.3 ↗ 9.5 ↗
 9.8 ↗ 8.8 ← 9.7 ↓ 9.6 ↖ 8.5 ↓
 beste Teiler 654.7 (33.) 924.1 (36.) 1027.5 (38.)
 Trefferlage 1.69 mm rechts, 0.16 mm hoch
 Streuwert 10.73, horizontal: 11.59, vertikal: 9.79


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (378.1)
 Serien: 88 91 91 89
 Zähler: 10 19 11 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2161 (9), 2010 (31), 1997 (25)
 beste Teiler 164.9 (14.) 210.8 (23.) 220.8 (34.)
 Trefferlage 0.83 mm links, 0.11 mm tief
 Streuwert 9.41, horizontal: 10.39, vertikal: 8.32




Serie 1:
 9.7 ↙ 9.7 ↘ 9.3 → 8.9 ← 9.8 ↓
 9.2 ↑ 8.9 ↑ 10.0 ↓ 8.2 ← 9.3 ←
 beste Teiler 739.5 (8.) 898.1 (5.) 963.9 (2.)
 Trefferlage 3.54 mm links, 0.52 mm hoch
 Streuwert 9.88, horizontal: 10.92, vertikal: 8.71



Serie 2:
 10.2 ↓ 9.4 ↙ 10.4 * 10.7 * 10.5 *
 8.6 ↓ 9.1 → 8.5 → 8.5 ↗ 9.4 ←
 beste Teiler 164.9 (14.) 358.3 (15.) 447.1 (13.)
 Trefferlage 3.33 mm rechts, 1.98 mm tief
 Streuwert 9.38, horizontal: 9.54, vertikal: 9.21



Serie 3:
 9.3 ↘ 9.3 ↗ 10.7 * 9.1 ↘ 8.5 ↖
 10.0 → 9.2 ← 9.8 ↘ 8.6 ← 10.4 *
 beste Teiler 210.8 (23.) 420.0 (30.) 723.8 (26.)
 Trefferlage 0.32 mm links, 1.43 mm tief
 Streuwert 9.66, horizontal: 11.69, vertikal: 7.08





Serie 4:
 8.4 ← 9.7 ↗ 8.9 ↖ 10.7 * 9.0 ↓
 9.5 ↖ 8.9 ↗ 9.8 ← 9.7 ↗ 10.3 ↖
 beste Teiler 220.8 (34.) 500.4 (40.) 889.1 (38.)
 Trefferlage 2.82 mm links, 2.44 mm hoch
 Streuwert 9.07, horizontal: 9.43, vertikal: 8.70

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	368	(385.6)
Serien:	93 88 94 93	
Zähler:	14 20 6 0 0 0 0 0 0 0	
Innenzehner:	5	
weiteste:	2393 (16), 2325 (14), 1954 (21)	
beste Teiler	173.0 (35.) 210.2 (24.) 216.4 (19.)	
Trefferlage	0.36 mm links, 0.89 mm hoch	
Streuwert	8.45, horizontal: 8.66, vertikal: 8.23	




Serie 1:

9.8 ←	9.0 ↖	9.8 ↗	9.2 →	9.9 ↘
10.1 ↓	9.6 ↗	10.4 *	10.0 ↑	9.8 ↘
beste Teiler	459.6 (8.) 655.2 (6.) 734.2 (9.)			
Trefferlage	0.07 mm rechts, 1.91 mm hoch			
Streuwert	7.34, horizontal: 7.27, vertikal: 7.40			




Serie 2:

10.3 →	9.8 ↖	8.5 ←	8.0 ↗	8.7 ←
8.0 ↓	9.5 ↖	9.5 ↗	10.7 *	9.6 ↖
beste Teiler	216.4 (19.) 490.6 (11.) 931.2 (12.)			
Trefferlage	5.34 mm links, 0.21 mm hoch			
Streuwert	10.65, horizontal: 9.75, vertikal: 11.48			



Serie 3:

8.5 →	9.7 ↗	10.3 ←	10.7 *	9.0 ↖
10.2 ↘	9.2 ↗	9.4 ←	10.1 →	10.1 ↓
beste Teiler	210.2 (24.) 547.2 (23.) 636.0 (26.)			
Trefferlage	0.72 mm rechts, 1.05 mm hoch			
Streuwert	8.22, horizontal: 9.99, vertikal: 5.96			





Serie 4:


10.2 ↓	9.9 ↓	9.9 ↗	8.6 ↑	10.7 *
10.4 *	9.8 ↘	10.2 ↘	9.0 ↗	9.5 ←
beste Teiler	173.0 (35.) 462.0 (36.) 613.5 (38.)			
Trefferlage	3.08 mm rechts, 0.40 mm hoch			
Streuwert	7.24, horizontal: 5.94, vertikal: 8.34			

Unterschrift des Schützen


Ergebnis: **345** (362.0)
 Serien: 82 90 83 90
 Zähler: 8 18 8 4 1 1 0 0 0 0
 Innenzehner: 2
 weiteste: 4104 (27), 3954 (1), 2922 (37)
 beste Teiler 451.9 (15.) 457.5 (9.) 542.5 (23.)
 Trefferlage 3.53 mm rechts, 3.68 mm hoch
 Streuwert 11.92, horizontal: 13.10, vertikal: 10.60




Serie 1:
 6.0 ↘ 9.5 ↗ 8.8 → 7.8 ↘ 9.4 ↑
 9.9 ↗ 9.3 ↗ 7.9 ↑ 10.4 * 8.4 →
 beste Teiler 457.5 (9.) 825.5 (6.) 1170.5 (2.)
 Trefferlage 4.58 mm rechts, 6.86 mm hoch
 Streuwert 13.74, horizontal: 16.19, vertikal: 10.75



Serie 2:
 9.0 ← 9.3 ↘ 10.2 ↘ 10.1 → 10.4 *
 8.2 ↓ 8.3 ← 9.7 ↘ 9.6 ↗ 8.2 →
 beste Teiler 451.9 (15.) 582.2 (13.) 689.0 (14.)
 Trefferlage 0.66 mm rechts, 1.01 mm tief
 Streuwert 10.99, horizontal: 12.47, vertikal: 9.26





Serie 3:
 8.5 ↗ 10.2 ↘ 10.3 → 7.8 ↗ 9.8 ↑
 8.8 ↙ 5.8 ↗ 9.2 ↗ 9.4 ↘ 8.9 →
 beste Teiler 542.5 (23.) 638.5 (22.) 911.6 (25.)
 Trefferlage 7.69 mm rechts, 7.93 mm hoch
 Streuwert 11.85, horizontal: 13.76, vertikal: 9.56




Serie 4:
 9.2 ← 9.6 ← 9.1 ↗ 9.8 ↓ 9.1 ↙
 9.5 ↘ 7.3 ↗ 10.0 ↓ 9.3 ↗ 10.0 ↘
 beste Teiler 721.8 (38.) 725.1 (40.) 926.1 (34.)
 Trefferlage 1.19 mm rechts, 0.93 mm hoch
 Streuwert 10.74, horizontal: 10.04, vertikal: 11.40

Unterschrift des Schützen


Ergebnis: **346** (365.4)
 Serien: 89 87 85 85
 Zähler: 7 18 10 4 1 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3569 (28), 2843 (37), 2653 (4)
 beste Teiler 208.6 (9.) 413.6 (8.) 469.9 (6.)
 Trefferlage 0.13 mm rechts, 1.38 mm hoch
 Streuwert 11.63, horizontal: 13.22, vertikal: 9.79




Serie 1:
 9.3 → 9.3 → 8.4 ↑ 7.6 ↓ 9.7 ↘
 10.4 * 8.3 ↖ 10.4 * 10.7 * 9.8 ↘
 beste Teiler 208.6 (9.) 413.6 (8.) 469.9 (6.)
 Trefferlage 1.29 mm links, 0.85 mm tief
 Streuwert 10.89, horizontal: 9.54, vertikal: 12.09



Serie 2:
 8.4 ↑ 10.1 ← 7.8 ← 10.1 ↓ 9.7 ↘
 9.2 ← 8.0 ← 9.6 ↗ 9.9 ← 8.7 ←
 beste Teiler 684.9 (14.) 692.8 (12.) 825.4 (19.)
 Trefferlage 7.53 mm links, 0.99 mm hoch
 Streuwert 10.42, horizontal: 12.49, vertikal: 7.83



Serie 3:
 8.8 ↘ 8.9 ↗ 9.8 ← 10.1 ← 8.0 ←
 9.4 ↘ 9.0 → 6.5 ↘ 10.2 ↖ 8.8 ↑
 beste Teiler 569.7 (29.) 705.8 (24.) 914.0 (23.)
 Trefferlage 3.46 mm rechts, 1.07 mm tief
 Streuwert 13.19, horizontal: 15.64, vertikal: 10.16





Serie 4:
 9.8 ↑ 8.9 ↖ 9.5 ↗ 9.4 ↗ 9.7 →
 7.8 ↗ 7.4 ↗ 9.3 ← 9.3 → 9.4 ↑
 beste Teiler 895.9 (31.) 1039.0 (35.) 1163.1 (33.)
 Trefferlage 5.91 mm rechts, 6.47 mm hoch
 Streuwert 10.30, horizontal: 12.21, vertikal: 7.95


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	342	(356.9)
Serien:	88 88 85 81	
Zähler:	12 11 8 6 2 1 0 0 0 0	
Innenzehner:	4	
weiteste:	4515 (30), 3440 (35), 3336 (40)	
beste Teiler	215.0 (12.) 418.3 (29.) 438.2 (37.)	
Trefferlage	1.66 mm links, 9.55 mm tief	
Streuwert	11.83, horizontal: 11.64, vertikal: 12.02	




Serie 1:	8.7 ↙	9.0 ↓	7.1 ↘	9.3 ↘	8.8 ↘
	9.4 →	10.0 →	10.0 →	9.7 ↘	9.8 ←
beste Teiler	766.1 (8.) 798.1 (7.) 927.9 (10.)				
Trefferlage	2.06 mm links, 8.82 mm tief				
Streuwert	9.53, horizontal: 10.17, vertikal: 8.84				



Serie 2:	8.5 ↘	10.7 *	10.2 ↗	7.1 ↘	8.1 ↗
	10.0 ↓	7.5 ↖	10.1 →	9.3 ↓	9.1 ↗
beste Teiler	215.0 (12.) 567.0 (13.) 713.1 (18.)				
Trefferlage	0.52 mm links, 2.60 mm tief				
Streuwert	13.17, horizontal: 13.66, vertikal: 12.67				



Serie 3:	10.3 ↓	10.3 ↓	8.5 ↓	8.9 ↖	8.7 ↖
	9.4 ↗	10.4 *	7.5 ↓	10.4 *	5.3 ↗
beste Teiler	418.3 (29.) 469.1 (27.) 517.2 (21.)				
Trefferlage	6.86 mm links, 12.14 mm tief				
Streuwert	10.83, horizontal: 11.38, vertikal: 10.24				



Serie 4:	9.2 →	9.0 ↘	8.4 ↘	7.3 ↘	6.7 ↘
	7.6 ↓	10.4 *	9.2 ↘	10.2 ↗	6.8 ↓
beste Teiler	438.2 (37.) 611.5 (39.) 1364.2 (31.)				
Trefferlage	2.79 mm rechts, 14.65 mm tief				
Streuwert	12.36, horizontal: 10.65, vertikal: 13.86				

Unterschrift des Schützen