





Ergebnis: **371** (387.6)
 Serien: 91 90 94 96
 Zähler: 17 18 4 1 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2652 (36), 2054 (12), 1981 (4)
 beste Teiler 226.4 (33.) 299.9 (16.) 329.8 (39.)
 Trefferlage 0.22 mm links, 0.02 mm tief
 Streuwert 8.11, horizontal: 8.76, vertikal: 7.41




Serie 1:
 9.4 ↖ 8.9 → 9.8 ← 8.5 ↗ 10.2 ↘
 10.3 ↘ 9.6 ← 9.5 ↗ 9.0 ↖ 10.2 ↘
 beste Teiler 527.0 (6.) 600.2 (5.) 637.8 (10.)
 Trefferlage 1.34 mm links, 1.37 mm hoch
 Streuwert 8.99, horizontal: 9.39, vertikal: 8.57



Serie 2:
 10.0 ← 8.4 ↓ 9.4 → 8.8 ↓ 9.8 ↓
 10.6 * 9.8 ↓ 9.9 ↓ 9.3 ← 9.3 ↑
 beste Teiler 299.9 (16.) 728.9 (11.) 826.9 (18.)
 Trefferlage 0.82 mm rechts, 5.15 mm tief
 Streuwert 8.28, horizontal: 7.34, vertikal: 9.12



Serie 3:
 9.4 ↗ 9.5 ← 9.3 ← 9.7 → 9.3 ↗
 10.5 * 10.1 ↖ 10.2 ↘ 10.1 ↓ 9.9 →
 beste Teiler 345.5 (26.) 619.8 (28.) 669.0 (27.)
 Trefferlage 0.21 mm rechts, 1.52 mm hoch
 Streuwert 7.15, horizontal: 8.93, vertikal: 4.75





Serie 4:
 9.0 ↖ 10.1 ↘ 10.7 * 10.1 ↑ 10.1 ←
 7.6 → 10.3 ↑ 10.0 ↓ 10.5 * 10.5 *
 beste Teiler 226.4 (33.) 329.8 (39.) 337.4 (40.)
 Trefferlage 0.58 mm links, 2.13 mm hoch
 Streuwert 7.97, horizontal: 10.38, vertikal: 4.38


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **353** (370.5)
 Serien: 85 91 89 88
 Zähler: 11 16 8 5 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 3056 (9), 2883 (2), 2806 (21)
 beste Teiler 246.2 (6.) 309.1 (22.) 311.5 (36.)
 Trefferlage 2.60 mm rechts, 0.65 mm tief
 Streuwert 10.94, horizontal: 11.57, vertikal: 10.27




Serie 1:
 9.4 ↗ 7.3 ↗ 9.4 ↘ 10.5 * 8.7 ↙
 10.6 * 8.0 ↘ 8.7 ↘ 7.1 → 9.8 ↓
 beste Teiler 246.2 (6.) 385.2 (4.) 881.9 (10.)
 Trefferlage 8.44 mm rechts, 2.08 mm tief
 Streuwert 12.08, horizontal: 11.89, vertikal: 12.26



Serie 2:
 10.2 ↖ 8.5 ↑ 9.8 → 9.2 ↘ 9.5 ↙
 10.0 ← 9.1 ↘ 8.7 ↖ 10.5 * 9.3 ↙
 beste Teiler 384.7 (19.) 617.2 (11.) 731.0 (16.)
 Trefferlage 0.24 mm rechts, 0.13 mm tief
 Streuwert 9.50, horizontal: 8.03, vertikal: 10.78





Serie 3:
 7.4 ↗ 10.6 * 10.0 ↓ 9.5 ↗ 9.8 ↙
 10.5 * 9.5 ↙ 7.6 → 9.3 → 9.6 ←
 beste Teiler 309.1 (22.) 332.8 (26.) 799.6 (23.)
 Trefferlage 4.48 mm rechts, 0.99 mm hoch
 Streuwert 10.63, horizontal: 12.59, vertikal: 8.20




Serie 4:
 7.6 ↙ 8.8 ← 9.0 ↑ 10.3 → 8.9 ←
 10.6 * 8.7 → 9.1 ↘ 10.3 ↙ 9.1 ↖
 beste Teiler 311.5 (36.) 483.3 (39.) 513.3 (34.)
 Trefferlage 2.74 mm links, 1.38 mm tief
 Streuwert 11.24, horizontal: 11.63, vertikal: 10.83

Unterschrift des Schützen


Ergebnis: **358** (373.8)
 Serien: 88 88 91 91
 Zähler: 11 19 7 3 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2916 (2), 2702 (12), 2431 (18)
 beste Teiler 172.4 (5.) 413.0 (16.) 493.0 (24.)
 Trefferlage 4.16 mm links, 1.71 mm tief
 Streuwert 9.79, horizontal: 10.30, vertikal: 9.25




Serie 1:
 9.2 ↗ 7.3 ← 8.9 ↖ 8.9 ↓ 10.7 *
 10.1 ↑ 9.1 ↓ 9.0 ↙ 8.9 → 10.2 ↘
 beste Teiler 172.4 (5.) 591.8 (10.) 649.5 (6.)
 Trefferlage 2.46 mm links, 1.61 mm tief
 Streuwert 11.35, horizontal: 12.40, vertikal: 10.20



Serie 2:
 9.7 ↑ 7.6 ← 8.4 ↘ 9.6 ↓ 9.9 ←
 10.4 * 10.0 ← 7.9 ← 10.1 ↘ 9.0 ↓
 beste Teiler 413.0 (16.) 707.2 (19.) 761.9 (17.)
 Trefferlage 4.54 mm links, 3.65 mm tief
 Streuwert 10.69, horizontal: 12.95, vertikal: 7.79





Serie 3:
 9.0 ↘ 9.3 ↖ 10.1 ↑ 10.3 ↘ 8.7 ↘
 10.0 ↗ 8.0 ↙ 9.0 ↖ 10.2 ↑ 8.2 ←
 beste Teiler 493.0 (24.) 588.3 (29.) 700.5 (23.)
 Trefferlage 6.05 mm links, 1.63 mm hoch
 Streuwert 10.07, horizontal: 9.10, vertikal: 10.96




Serie 4:
 9.5 ← 9.5 → 10.2 ↙ 9.8 ↓ 9.9 ↘
 9.1 ↘ 9.6 ↙ 9.9 ↖ 9.6 ↙ 9.0 ↑
 beste Teiler 616.5 (33.) 831.9 (38.) 863.0 (35.)
 Trefferlage 3.61 mm links, 3.22 mm tief
 Streuwert 7.55, horizontal: 6.89, vertikal: 8.16

Unterschrift des Schützen


Ergebnis: **356** (377.0)
 Serien: 90 91 86 89
 Zähler: 8 20 12 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2335 (39), 2169 (24), 2117 (4)
 beste Teiler 229.9 (5.) 302.6 (9.) 310.6 (11.)
 Trefferlage 2.47 mm links, 0.79 mm hoch
 Streuwert 9.41, horizontal: 8.17, vertikal: 10.50




Serie 1:
 9.3 ↖ 9.2 ↘ 8.8 ↙ 8.3 ↑ 10.7 *
 9.3 ↗ 10.3 ← 8.7 ↑ 10.6 * 9.4 ↘
 beste Teiler 229.9 (5.) 302.6 (9.) 554.5 (7.)
 Trefferlage 4.44 mm links, 4.81 mm hoch
 Streuwert 8.80, horizontal: 5.22, vertikal: 11.30



Serie 2:
 10.6 * 9.0 ↗ 10.5 * 9.8 ↑ 9.6 ↖
 8.7 ↗ 9.9 ↑ 9.9 ↘ 9.5 ↘ 9.4 ↑
 beste Teiler 310.6 (11.) 400.1 (13.) 829.0 (17.)
 Trefferlage 2.68 mm rechts, 4.63 mm hoch
 Streuwert 7.29, horizontal: 6.62, vertikal: 7.90



Serie 3:
 9.7 ↗ 8.9 ↖ 9.5 ↖ 8.2 ↖ 9.9 ↓
 8.8 ↘ 9.3 ↓ 9.7 ↖ 8.8 ↑ 9.6 →
 beste Teiler 866.7 (25.) 985.0 (28.) 1018.7 (21.)
 Trefferlage 4.75 mm links, 1.20 mm tief
 Streuwert 10.03, horizontal: 8.66, vertikal: 11.23





Serie 4:
 8.5 ↖ 9.4 ↖ 9.2 ↓ 8.9 ↗ 10.1 ↓
 9.6 ↓ 10.4 * 10.1 ↖ 8.0 ↖ 8.9 ↘
 beste Teiler 441.1 (37.) 677.5 (38.) 701.0 (35.)
 Trefferlage 3.38 mm links, 5.09 mm tief
 Streuwert 9.67, horizontal: 10.12, vertikal: 9.19


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **339** (356.4)
 Serien: 82 87 86 84
 Zähler: 7 14 13 4 1 1 0 0 0 0
 Innenzehner: 3
 weiteste: 4003 (20), 3438 (38), 2892 (1)
 beste Teiler 137.7 (17.) 353.3 (11.) 454.6 (24.)
 Trefferlage 5.68 mm rechts, 1.46 mm tief
 Streuwert 12.53, horizontal: 12.65, vertikal: 12.40




Serie 1:
 7.3 → 7.5 ↘ 8.5 ↘ 9.8 ↘ 9.1 →
 8.6 → 8.0 ↘ 8.0 ↘ 9.2 ↙ 9.6 ←
 beste Teiler 926.0 (4.) 1092.2 (10.) 1406.1 (9.)
 Trefferlage 12.58 mm rechts, 6.89 mm tief
 Streuwert 10.55, horizontal: 12.71, vertikal: 7.81



Serie 2:
 10.5 * 9.6 ↖ 9.4 ↘ 9.5 ↗ 8.7 →
 9.9 ← 10.8 * 10.2 ↑ 8.1 ↘ 5.9 ↗
 beste Teiler 137.7 (17.) 353.3 (11.) 586.9 (18.)
 Trefferlage 5.11 mm rechts, 2.93 mm hoch
 Streuwert 12.07, horizontal: 10.48, vertikal: 13.48



Serie 3:
 7.5 → 9.2 ↑ 8.9 ↓ 10.4 * 9.9 →
 8.5 ← 9.2 → 10.3 ↓ 8.1 ← 8.4 ↓
 beste Teiler 454.6 (24.) 484.0 (28.) 802.7 (25.)
 Trefferlage 0.97 mm rechts, 2.74 mm tief
 Streuwert 12.41, horizontal: 14.20, vertikal: 10.31





Serie 4:
 9.1 → 10.3 ↗ 8.9 ↗ 8.4 ↘ 10.1 ↘
 8.0 ↖ 7.7 ↘ 6.7 ↑ 9.3 ↙ 9.3 ↗
 beste Teiler 528.5 (32.) 694.6 (35.) 1289.4 (39.)
 Trefferlage 4.06 mm rechts, 0.82 mm hoch
 Streuwert 14.06, horizontal: 11.82, vertikal: 16.00

Unterschrift des Schützen


Meyton Elektronik

Ergebnis: **343** (361.7)
 Serien: 79 84 90 90
 Zähler: 7 17 11 3 1 1 0 0 0 0
 Innenzehner: 3
 weiteste: 4362 (4), 3283 (12), 2862 (10)
 beste Teiler 112.7 (36.) 136.8 (40.) 291.8 (24.)
 Trefferlage 4.02 mm rechts, 3.60 mm tief
 Streuwert 11.89, horizontal: 12.95, vertikal: 10.73




Serie 1:
 9.7 ← 8.9 ↘ 7.5 ↙ 5.5 ↘ 9.6 ↓
 8.6 → 9.4 ↘ 8.0 ↗ 9.8 ↗ 7.4 →

beste Teiler 899.1 (9.) 1002.7 (1.) 1050.7 (5.)
 Trefferlage 2.40 mm rechts, 5.59 mm tief
 Streuwert 16.22, horizontal: 18.72, vertikal: 13.27




Serie 2:
 8.6 ↘ 6.8 ↗ 9.5 ↖ 9.8 ↖ 7.6 →
 9.1 ↑ 10.0 ↖ 9.8 ↘ 9.0 ↘ 8.8 ↑

beste Teiler 737.5 (17.) 893.9 (14.) 957.1 (18.)
 Trefferlage 6.56 mm rechts, 3.79 mm hoch
 Streuwert 12.26, horizontal: 12.75, vertikal: 11.75



Serie 3:
 8.4 ↘ 9.5 ↓ 8.2 ↘ 10.6 * 9.7 ↘
 8.5 ↘ 10.0 → 9.5 ↙ 10.3 ↓ 9.0 ↖

beste Teiler 291.8 (24.) 494.3 (29.) 781.9 (27.)
 Trefferlage 4.24 mm rechts, 4.95 mm tief
 Streuwert 9.27, horizontal: 9.85, vertikal: 8.65





Serie 4:
 9.6 ↘ 9.1 ↙ 8.9 → 8.1 ↘ 10.0 ↙
 10.8 * 8.8 ↙ 9.3 → 9.2 ↓ 10.8 *

beste Teiler 112.7 (36.) 136.8 (40.) 731.5 (35.)
 Trefferlage 2.88 mm rechts, 7.67 mm tief
 Streuwert 8.05, horizontal: 10.26, vertikal: 4.92


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **364** (380.5)
 Serien: 92 86 95 91
 Zähler: 12 22 4 2 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2652 (11), 2410 (40), 2153 (34)
 beste Teiler 231.0 (32.) 305.0 (5.) 364.0 (29.)
 Trefferlage 2.08 mm rechts, 0.90 mm tief
 Streuwert 9.04, horizontal: 9.43, vertikal: 8.64




Serie 1:
 9.6 ↙ 9.2 ↓ 10.1 → 9.7 ← 10.6 *
 9.3 ↗ 9.7 ↘ 9.2 ↑ 9.2 ↗ 9.7 ↘
 beste Teiler 305.0 (5.) 718.7 (3.) 971.1 (10.)
 Trefferlage 1.71 mm rechts, 0.60 mm tief
 Streuwert 8.20, horizontal: 7.30, vertikal: 9.01



Serie 2:
 7.6 → 9.6 → 8.7 ← 9.4 ↓ 9.5 ↗
 10.2 ↓ 9.5 ↘ 8.5 ↓ 8.4 → 9.0 ↗
 beste Teiler 562.5 (16.) 1118.1 (12.) 1141.0 (15.)
 Trefferlage 6.15 mm rechts, 2.90 mm tief
 Streuwert 10.98, horizontal: 12.57, vertikal: 9.11



Serie 3:
 10.2 ↑ 9.7 ↘ 9.2 ↑ 9.7 ↘ 10.4 *
 9.1 → 9.8 ↘ 10.3 ↘ 10.5 * 10.3 ↘
 beste Teiler 364.0 (29.) 432.3 (25.) 500.3 (28.)
 Trefferlage 3.23 mm rechts, 0.96 mm hoch
 Streuwert 6.24, horizontal: 5.65, vertikal: 6.78





Serie 4:
 10.0 ← 10.7 * 9.1 → 8.3 ↘ 9.8 ↓
 9.3 ↓ 10.4 * 9.0 ↑ 10.1 ↓ 7.9 ↗
 beste Teiler 231.0 (32.) 474.9 (37.) 662.8 (39.)
 Trefferlage 2.76 mm links, 1.06 mm tief
 Streuwert 10.01, horizontal: 9.79, vertikal: 10.22


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **304** (316.5)
 Serien: 74 81 73 76
 Zähler: 3 8 12 9 4 3 1 0 0 0
 Innenzehner: 1
 weiteste: 5461 (2), 4501 (9), 4436 (26)
 beste Teiler 418.1 (18.) 560.4 (5.) 723.4 (37.)
 Trefferlage 9.07 mm rechts, 5.63 mm tief
 Streuwert 17.60, horizontal: 18.08, vertikal: 17.11




Serie 1:
 8.8 → 4.1 ↘ 8.5 ↗ 9.2 ✓ 10.3 →
 8.7 ↓ 7.4 ↓ 7.3 → 5.3 ↓ 8.1 →
 beste Teiler 560.4 (5.) 1410.0 (4.) 1757.2 (1.)
 Trefferlage 8.44 mm rechts, 12.12 mm tief
 Streuwert 18.61, horizontal: 20.39, vertikal: 16.63



Serie 2:
 8.0 ↘ 9.2 ← 8.0 ✓ 7.3 → 8.3 →
 8.3 ← 7.3 → 10.4 * 9.8 → 7.0 ↗
 beste Teiler 418.1 (18.) 892.7 (19.) 1379.6 (12.)
 Trefferlage 7.40 mm rechts, 0.45 mm tief
 Streuwert 15.69, horizontal: 18.73, vertikal: 11.90



Serie 3:
 6.3 ↗ 8.1 ↓ 9.0 ↑ 6.1 → 7.6 →
 5.4 ↘ 9.6 ↘ 8.1 ← 9.0 ↗ 6.1 →
 beste Teiler 1112.2 (27.) 1522.1 (23.) 1527.7 (29.)
 Trefferlage 17.01 mm rechts, 1.89 mm tief
 Streuwert 17.90, horizontal: 20.08, vertikal: 15.41



Serie 4:
 8.1 ↓ 9.5 ↖ 7.3 ↘ 9.4 ↘ 8.1 ↓
 6.9 ↓ 10.0 ← 7.0 ↑ 7.9 ↑ 5.7 ↘
 beste Teiler 723.4 (37.) 1159.1 (32.) 1229.4 (34.)
 Trefferlage 3.43 mm rechts, 8.05 mm tief
 Streuwert 18.05, horizontal: 11.72, vertikal: 22.67

Unterschrift des Schützen

Meyton Elektronik