





Ergebnis: **375** (391.6)
 Serien: 92 94 93 96
 Zähler: 18 19 3 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2010 (3), 1944 (30), 1923 (23)
 beste Teiler 356.1 (33.) 363.5 (21.) 412.9 (27.)
 Trefferlage 0.21 mm rechts, 0.29 mm hoch
 Streuwert 7.30, horizontal: 8.20, vertikal: 6.27




Serie 1:
 9.4 ↗ 10.2 ↑ 8.4 ← 9.8 ↓ 9.2 ↘
 10.2 ← 9.6 ↘ 10.0 ↗ 9.2 ← 9.5 ↗
 beste Teiler 567.0 (6.) 623.0 (2.) 783.1 (8.)
 Trefferlage 1.65 mm links, 4.00 mm hoch
 Streuwert 8.29, horizontal: 9.47, vertikal: 6.91



Serie 2:
 10.1 ↖ 9.9 ↗ 9.4 ↓ 9.6 ↘ 10.2 ↘
 9.8 ↑ 10.0 → 10.4 * 9.1 ← 9.7 →
 beste Teiler 468.7 (18.) 603.2 (15.) 697.0 (11.)
 Trefferlage 0.33 mm rechts, 1.05 mm tief
 Streuwert 7.03, horizontal: 7.16, vertikal: 6.91



Serie 3:
 10.5 * 10.3 ↖ 8.5 ← 10.1 ↗ 9.8 →
 10.4 * 10.4 * 9.5 ↓ 9.8 ↘ 8.5 →
 beste Teiler 363.5 (21.) 412.9 (27.) 445.2 (26.)
 Trefferlage 1.20 mm rechts, 0.09 mm tief
 Streuwert 8.02, horizontal: 10.20, vertikal: 4.98





Serie 4:
 9.9 ↘ 10.2 ↖ 10.5 * 10.4 * 10.4 *
 9.5 ↓ 9.9 ← 9.2 ↗ 10.1 ↓ 10.0 ←
 beste Teiler 356.1 (33.) 429.7 (35.) 454.6 (34.)
 Trefferlage 0.95 mm rechts, 1.69 mm tief
 Streuwert 5.90, horizontal: 6.42, vertikal: 5.32


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (385.8)
 Serien: 93 93 93 92
 Zähler: 18 16 5 1 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2853 (28), 2342 (11), 2110 (35)
 beste Teiler 331.4 (36.) 385.5 (40.) 474.0 (26.)
 Trefferlage 1.53 mm links, 2.27 mm tief
 Streuwert 8.25, horizontal: 9.53, vertikal: 6.73




Serie 1:
 9.5 ↓ 9.4 ↘ 10.3 ↗ 10.0 → 10.2 →
 9.5 ↙ 9.8 ↗ 9.0 ↗ 9.8 ← 9.2 ↖
 beste Teiler 503.7 (3.) 577.7 (5.) 760.3 (4.)
 Trefferlage 2.76 mm rechts, 0.21 mm tief
 Streuwert 7.77, horizontal: 7.12, vertikal: 8.37



Serie 2:
 8.0 ← 10.0 ↙ 10.3 ← 9.5 ← 10.3 ↖
 10.3 ↘ 10.0 → 9.7 → 8.8 ← 9.1 ↙
 beste Teiler 488.9 (13.) 507.6 (15.) 508.0 (16.)
 Trefferlage 6.18 mm links, 2.26 mm tief
 Streuwert 7.68, horizontal: 10.05, vertikal: 4.12



Serie 3:
 9.7 ↙ 9.7 ↗ 10.2 ↗ 10.1 → 10.0 ↓
 10.4 * 9.5 ↙ 7.4 ↙ 9.6 ← 10.3 ↓
 beste Teiler 474.0 (26.) 481.1 (30.) 613.2 (23.)
 Trefferlage 2.28 mm links, 3.64 mm tief
 Streuwert 8.45, horizontal: 9.46, vertikal: 7.29





Serie 4:
 9.1 → 10.1 ↗ 10.2 ↘ 8.9 ↙ 8.3 ←
 10.5 * 10.3 ↙ 9.4 ↙ 8.9 ↘ 10.5 *
 beste Teiler 331.4 (36.) 385.5 (40.) 529.5 (37.)
 Trefferlage 0.42 mm links, 2.98 mm tief
 Streuwert 8.79, horizontal: 10.29, vertikal: 6.97


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **351** (368.1)
 Serien: 87 90 90 84
 Zähler: 13 12 9 5 1 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3573 (22), 2889 (35), 2660 (38)
 beste Teiler 231.0 (28.) 264.4 (11.) 506.5 (25.)
 Trefferlage 0.85 mm links, 4.79 mm tief
 Streuwert 11.05, horizontal: 11.14, vertikal: 10.95




Serie 1:
 9.1 ← 8.0 ↘ 8.7 ↙ 8.0 ↓ 9.1 →
 8.4 ↘ 9.9 ↑ 10.0 ← 10.1 ↗ 8.9 ↓
 beste Teiler 663.4 (9.) 740.1 (8.) 831.1 (7.)
 Trefferlage 4.24 mm links, 3.75 mm tief
 Streuwert 11.63, horizontal: 10.00, vertikal: 13.05



Serie 2:
 10.6 * 7.7 ↘ 9.5 ↘ 8.9 → 9.2 ←
 9.7 ↘ 10.3 ↘ 10.1 ↑ 8.3 ↙ 10.2 ↓
 beste Teiler 264.4 (11.) 551.5 (17.) 620.3 (20.)
 Trefferlage 0.70 mm links, 4.67 mm tief
 Streuwert 9.86, horizontal: 11.73, vertikal: 7.54





Serie 3:
 10.0 ↓ 6.5 ↓ 8.9 ↘ 9.8 ↘ 10.3 ↓
 9.4 ↘ 9.5 ↙ 10.7 * 9.7 → 10.1 ↗
 beste Teiler 231.0 (28.) 506.5 (25.) 650.8 (30.)
 Trefferlage 0.21 mm links, 6.76 mm tief
 Streuwert 9.69, horizontal: 5.65, vertikal: 12.49




Serie 4:
 10.0 ↘ 10.1 ↘ 10.2 → 7.7 ↗ 7.3 ↘
 8.8 ← 7.7 ↘ 7.6 ← 9.6 ↘ 9.5 ↘
 beste Teiler 595.4 (33.) 649.8 (32.) 741.2 (31.)
 Trefferlage 1.74 mm rechts, 3.99 mm tief
 Streuwert 13.75, horizontal: 15.74, vertikal: 11.42

Unterschrift des Schützen


Ergebnis: **375** (394.5)
 Serien: 93 94 95 93
 Zähler: 18 19 3 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 1993 (32), 1655 (9), 1625 (30)
 beste Teiler 122.4 (33.) 239.4 (29.) 248.8 (4.)
 Trefferlage 0.93 mm links, 0.83 mm hoch
 Streuwert 6.99, horizontal: 6.40, vertikal: 7.52




Serie 1:
 9.1 ↙ 9.7 ↘ 10.4 ↘ 10.6 * 9.8 ↗
 9.6 ↓ 10.5 * 10.2 ↗ 8.9 ↗ 9.1 ↓
 beste Teiler 248.8 (4.) 400.0 (7.) 478.8 (3.)
 Trefferlage 1.20 mm links, 0.76 mm hoch
 Streuwert 7.76, horizontal: 6.39, vertikal: 8.92



Serie 2:
 9.9 → 9.7 ← 9.0 ← 9.5 ↑ 10.2 →
 10.5 * 9.8 ↓ 10.0 → 9.6 ← 10.5 *
 beste Teiler 340.6 (20.) 357.0 (16.) 567.0 (15.)
 Trefferlage 1.13 mm links, 0.79 mm hoch
 Streuwert 6.92, horizontal: 8.09, vertikal: 5.51



Serie 3:
 10.4 * 9.9 ← 10.0 ↓ 10.4 * 9.7 ↓
 9.5 ↗ 10.4 * 10.0 ↓ 10.7 * 8.9 ↘
 beste Teiler 239.4 (29.) 410.3 (27.) 441.6 (21.)
 Trefferlage 1.07 mm links, 2.73 mm tief
 Streuwert 6.08, horizontal: 5.28, vertikal: 6.78





Serie 4:
 9.4 ↗ 8.5 ↑ 10.8 * 9.8 ← 10.1 ↗
 9.8 ← 9.1 ↗ 10.6 * 9.9 ↑ 10.0 ↘
 beste Teiler 122.4 (33.) 319.0 (38.) 652.7 (35.)
 Trefferlage 0.32 mm links, 4.51 mm hoch
 Streuwert 7.18, horizontal: 6.56, vertikal: 7.75


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **355** (373.3)
 Serien: 89 87 90 89
 Zähler: 12 18 5 3 2 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3371 (10), 3223 (20), 2615 (16)
 beste Teiler 250.5 (24.) 282.5 (23.) 496.6 (7.)
 Trefferlage 0.79 mm rechts, 1.36 mm hoch
 Streuwert 10.70, horizontal: 11.56, vertikal: 9.76




Serie 1:
 10.0 ↙ 8.2 ↑ 9.9 ↘ 7.9 → 9.3 ↗
 10.2 ↘ 10.3 ↗ 10.1 ↖ 10.0 ↓ 6.7 ↗
 beste Teiler 496.6 (7.) 621.7 (6.) 649.2 (8.)
 Trefferlage 4.90 mm rechts, 4.57 mm hoch
 Streuwert 11.13, horizontal: 10.65, vertikal: 11.60



Serie 2:
 9.3 ↘ 10.1 ↗ 9.9 ↗ 9.5 ↖ 9.4 ↗
 7.7 → 10.2 ↑ 9.8 ↖ 9.1 ↖ 6.9 →
 beste Teiler 616.7 (17.) 667.5 (12.) 853.2 (13.)
 Trefferlage 2.87 mm rechts, 2.56 mm hoch
 Streuwert 11.83, horizontal: 14.45, vertikal: 8.43



Serie 3:
 8.5 ← 8.8 ↘ 10.6 * 10.6 * 9.0 ↘
 9.2 ↗ 9.6 ↘ 10.0 → 9.9 ↗ 8.5 ↓
 beste Teiler 250.5 (24.) 282.5 (23.) 762.5 (28.)
 Trefferlage 1.37 mm links, 1.40 mm tief
 Streuwert 9.78, horizontal: 9.81, vertikal: 9.75





Serie 4:
 7.9 ← 10.2 ← 8.1 ↑ 9.4 → 9.5 ↗
 9.5 ↘ 9.8 ← 10.2 ↑ 9.6 ↖ 9.9 →
 beste Teiler 601.6 (32.) 618.8 (38.) 868.2 (40.)
 Trefferlage 3.22 mm links, 0.27 mm tief
 Streuwert 10.03, horizontal: 10.65, vertikal: 9.36


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **368** (385.7)
 Serien: 89 95 94 90
 Zähler: 16 17 6 1 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2794 (9), 2232 (5), 2191 (26)
 beste Teiler 233.6 (12.) 276.7 (8.) 313.5 (25.)
 Trefferlage 0.86 mm links, 1.46 mm tief
 Streuwert 8.50, horizontal: 8.55, vertikal: 8.44




Serie 1:
 8.9 ↘ 9.7 ↓ 9.3 ↘ 9.9 ↘ 8.2 ↗
 10.0 ↘ 10.2 → 10.6 * 7.5 ↗ 9.8 ↓
 beste Teiler 276.7 (8.) 573.0 (7.) 788.8 (6.)
 Trefferlage 1.46 mm rechts, 2.47 mm hoch
 Streuwert 10.51, horizontal: 10.69, vertikal: 10.33



Serie 2:
 10.4 * 10.7 * 10.0 ↙ 9.9 ↙ 10.0 ↘
 9.8 ↓ 9.7 ↑ 10.5 * 9.4 ← 9.3 ↙
 beste Teiler 233.6 (12.) 353.1 (18.) 455.7 (11.)
 Trefferlage 3.77 mm links, 1.54 mm tief
 Streuwert 5.70, horizontal: 4.97, vertikal: 6.35



Serie 3:
 9.6 ↙ 10.0 ↘ 10.2 ↘ 10.2 → 10.6 *
 8.2 ← 8.6 ↘ 10.4 * 9.8 ↘ 10.1 ↑
 beste Teiler 313.5 (25.) 448.4 (28.) 584.0 (23.)
 Trefferlage 2.55 mm links, 0.50 mm tief
 Streuwert 8.08, horizontal: 9.03, vertikal: 7.00





Serie 4:
 8.8 ↓ 9.6 → 10.3 ↘ 9.0 ↓ 9.5 ↙
 9.3 ↓ 9.2 → 10.4 * 8.9 ↗ 9.2 ↓
 beste Teiler 437.8 (38.) 538.7 (33.) 1114.8 (32.)
 Trefferlage 1.41 mm rechts, 6.29 mm tief
 Streuwert 8.39, horizontal: 8.49, vertikal: 8.29


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **351** (369.2)
 Serien: 90 90 83 88
 Zähler: 5 22 12 1 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2479 (23), 2376 (1), 2318 (19)
 beste Teiler 155.0 (15.) 271.1 (2.) 389.6 (34.)
 Trefferlage 5.76 mm links, 0.52 mm tief
 Streuwert 9.84, horizontal: 10.21, vertikal: 9.44




Serie 1:
 8.0 ↙ 10.6 * 9.5 ↙ 9.1 ↙ 10.0 ↗
 9.1 ↘ 9.1 ← 9.8 ↙ 9.6 ↙ 8.8 ←
 beste Teiler 271.1 (2.) 781.9 (5.) 899.2 (8.)
 Trefferlage 9.12 mm links, 3.70 mm tief
 Streuwert 7.28, horizontal: 7.41, vertikal: 7.15



Serie 2:
 9.0 ↙ 9.0 ← 8.8 ↘ 9.4 ↗ 10.8 *
 9.4 ↑ 9.8 ← 10.3 ↗ 8.1 ↙ 9.3 ↓
 beste Teiler 155.0 (15.) 498.2 (18.) 886.4 (17.)
 Trefferlage 6.36 mm links, 0.49 mm hoch
 Streuwert 9.07, horizontal: 9.14, vertikal: 9.00





Serie 3:
 8.2 ↙ 9.2 ← 7.9 ↙ 8.2 ↙ 8.8 →
 8.6 ↗ 9.9 ↙ 9.6 ↙ 9.2 ↘ 8.7 ←
 beste Teiler 856.5 (27.) 1105.2 (28.) 1386.8 (22.)
 Trefferlage 8.64 mm links, 2.22 mm tief
 Streuwert 11.47, horizontal: 12.24, vertikal: 10.64




Serie 4:
 9.7 ← 9.3 ↑ 9.7 ← 10.5 * 9.9 →
 9.2 ↗ 8.3 ↗ 8.5 ↑ 8.8 ↓ 9.5 ←
 beste Teiler 389.6 (34.) 847.3 (35.) 993.4 (31.)
 Trefferlage 1.06 mm rechts, 3.33 mm hoch
 Streuwert 9.97, horizontal: 9.48, vertikal: 10.44

Unterschrift des Schützen


Ergebnis: **356** (373.4)
 Serien: 89 89 87 91
 Zähler: 10 18 10 2 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2794 (18), 2736 (4), 2175 (27)
 beste Teiler 96.0 (19.) 221.3 (16.) 379.8 (3.)
 Trefferlage 0.04 mm links, 2.45 mm tief
 Streuwert 10.09, horizontal: 10.69, vertikal: 9.45




Serie 1:
 8.7 ↘ 10.1 ↙ 10.5 * 7.5 ↘ 9.0 →
 8.8 ↘ 9.2 ↘ 9.2 ↗ 9.9 → 10.0 →
 beste Teiler 379.8 (3.) 706.8 (2.) 797.0 (10.)
 Trefferlage 3.48 mm rechts, 1.06 mm tief
 Streuwert 10.70, horizontal: 10.60, vertikal: 10.79



Serie 2:
 10.2 ↖ 8.9 ↓ 8.8 ↘ 9.4 ← 9.4 ←
 10.7 * 9.2 → 7.5 ← 10.8 * 9.6 ↘
 beste Teiler 96.0 (19.) 221.3 (16.) 563.1 (11.)
 Trefferlage 3.08 mm links, 4.28 mm tief
 Streuwert 9.74, horizontal: 12.20, vertikal: 6.40



Serie 3:
 8.8 → 9.9 ↙ 8.4 ↙ 9.2 ↓ 9.1 ↓
 9.5 ↙ 8.2 ↓ 10.1 ← 8.4 ↑ 9.3 ↘
 beste Teiler 704.3 (28.) 861.4 (22.) 1159.9 (26.)
 Trefferlage 4.00 mm links, 5.20 mm tief
 Streuwert 10.60, horizontal: 8.68, vertikal: 12.22



Serie 4:
 10.4 * 9.0 ↘ 9.3 → 8.9 ↗ 9.0 ↓
 8.6 → 9.8 ← 10.0 ↘ 10.3 ↖ 9.8 ↘
 beste Teiler 434.6 (31.) 513.4 (39.) 740.8 (38.)
 Trefferlage 3.41 mm rechts, 0.72 mm hoch
 Streuwert 8.91, horizontal: 10.18, vertikal: 7.42

Unterschrift des Schützen

Meyton Elektronik