





Ergebnis: **380** (395.0)  
 Serien: 95 94 97 94  
 Zähler: 23 14 3 0 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 2163 (3), 1732 (7), 1656 (14)  
 beste Teiler 75.9 (29.) 227.7 (8.) 269.0 (15.)  
 Trefferlage 2.11 mm links, 0.10 mm tief  
 Streuwert 6.81, horizontal: 7.41, vertikal: 6.15




Serie 1:  
 10.4 \*                      9.6 ←                      8.2 ←                      10.4 \*                      10.3 ↖  
 10.1 ↙                      8.8 ↘                      10.7 \*                      10.2 ↖                      10.2 ↗  
 beste Teiler 227.7 (8.) 424.2 (1.) 437.9 (4.)  
 Trefferlage 3.10 mm links, 0.42 mm tief  
 Streuwert 7.34, horizontal: 9.35, vertikal: 4.50



Serie 2:  
 10.1 ↖                      10.3 ↖                      10.3 ↙                      8.9 ←                      10.6 \*  
 10.1 ↖                      9.5 →                      9.4 ↖                      9.7 ↙                      9.4 ↗  
 beste Teiler 269.0 (15.) 484.5 (12.) 556.6 (13.)  
 Trefferlage 3.91 mm links, 0.32 mm hoch  
 Streuwert 6.70, horizontal: 8.30, vertikal: 4.57



Serie 3:  
 9.2 ↘                      9.8 ↘                      9.4 ←                      10.3 ↘                      10.5 \*  
 10.3 ↗                      10.2 ↑                      10.1 ↑                      10.9 \*                      10.2 ←  
 beste Teiler 75.9 (29.) 343.6 (25.) 482.9 (26.)  
 Trefferlage 0.40 mm rechts, 1.70 mm tief  
 Streuwert 5.66, horizontal: 5.40, vertikal: 5.92





Serie 4:  
 10.0 ↓                      9.4 ↑                      10.6 \*                      9.1 ↓                      10.1 ↑  
 9.7 ↑                      9.2 ←                      10.2 ↗                      9.2 ←                      9.4 ↑  
 beste Teiler 275.9 (33.) 577.6 (38.) 667.5 (35.)  
 Trefferlage 1.85 mm links, 1.39 mm hoch  
 Streuwert 7.83, horizontal: 6.37, vertikal: 9.07


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367** (386.2)  
 Serien: 93 87 95 92  
 Zähler: 16 17 5 2 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 2889 (10), 2837 (18), 2027 (11)  
 beste Teiler 43.3 (39.) 59.8 (6.) 135.0 (28.)  
 Trefferlage 0.02 mm links, 3.88 mm tief  
 Streuwert 8.43, horizontal: 8.06, vertikal: 8.79




Serie 1:  
 9.2 ↙ 10.6 \* 10.8 \* 9.8 ← 10.6 \*  
 10.9 \* 10.8 \* 9.8 ↘ 9.4 ↑ 7.3 ↘  
 beste Teiler 59.8 (6.) 137.0 (7.) 144.2 (3.)  
 Trefferlage 4.00 mm links, 3.45 mm tief  
 Streuwert 7.84, horizontal: 6.02, vertikal: 9.30



Serie 2:  
 8.4 ↘ 8.5 ↗ 8.8 ↙ 10.0 → 9.6 ↘  
 10.7 \* 9.8 ↓ 7.4 ↘ 9.3 → 9.4 ↖  
 beste Teiler 239.5 (16.) 726.8 (14.) 930.2 (17.)  
 Trefferlage 0.42 mm rechts, 1.58 mm tief  
 Streuwert 11.64, horizontal: 11.41, vertikal: 11.85



Serie 3:  
 9.2 → 9.6 ↗ 10.0 ↓ 10.1 ↓ 9.8 ↘  
 10.0 → 9.1 ↘ 10.8 \* 10.4 ← 9.2 ↓  
 beste Teiler 135.0 (28.) 479.4 (29.) 649.9 (24.)  
 Trefferlage 2.33 mm rechts, 3.57 mm tief  
 Streuwert 6.74, horizontal: 5.82, vertikal: 7.55





Serie 4:  
 10.1 ↓ 10.4 \* 9.8 ↓ 9.6 ↘ 8.7 ↘  
 9.6 ← 8.8 ↓ 10.0 ↓ 10.9 \* 9.0 ↘  
 beste Teiler 43.3 (39.) 456.0 (32.) 702.3 (31.)  
 Trefferlage 1.13 mm rechts, 6.92 mm tief  
 Streuwert 6.72, horizontal: 7.46, vertikal: 5.89


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **374** (396.3)  
 Serien: 94 94 92 94  
 Zähler: 17 20 3 0 0 0 0 0 0 0  
 Innenzehner: 13  
 weiteste: 2309 (23), 2105 (36), 1833 (10)  
 beste Teiler 124.4 (9.) 191.3 (32.) 191.7 (2.)  
 Trefferlage 2.33 mm links, 0.54 mm tief  
 Streuwert 6.77, horizontal: 6.90, vertikal: 6.64




Serie 1:  
 10.6 \*                      10.7 \*                      10.5 \*                      9.9 ↓                      9.5 ↓  
 10.3 ↗                      9.6 ↑                      9.9 ↓                      10.8 \*                      8.7 ↖  
 beste Teiler 124.4 (9.) 191.7 (2.) 250.6 (1.)  
 Trefferlage 1.99 mm links, 1.63 mm tief  
 Streuwert 6.26, horizontal: 5.38, vertikal: 7.02



Serie 2:  
 10.4 \*                      9.7 ↘                      9.9 ↙                      9.6 ←                      9.7 ↓  
 10.4 \*                      9.8 ↘                      10.6 \*                      10.2 ↘                      9.7 ↑  
 beste Teiler 256.9 (18.) 407.4 (11.) 470.9 (16.)  
 Trefferlage 4.75 mm links, 0.45 mm hoch  
 Streuwert 4.95, horizontal: 3.79, vertikal: 5.89



Serie 3:  
 10.4 \*                      9.9 ↓                      8.1 ↙                      10.6 \*                      9.9 ↓  
 9.5 ↘                      9.5 ←                      9.8 ↓                      10.4 \*                      9.9 →  
 beste Teiler 307.0 (24.) 433.5 (29.) 434.6 (21.)  
 Trefferlage 1.56 mm links, 2.27 mm tief  
 Streuwert 7.75, horizontal: 9.10, vertikal: 6.11





Serie 4:  
 10.3 ↑                      10.7 \*                      9.7 ↑                      9.0 ↙                      10.4 \*  
 8.3 ↘                      10.5 \*                      9.6 ↑                      10.1 ↑                      9.2 ←  
 beste Teiler 191.3 (32.) 322.4 (37.) 431.9 (35.)  
 Trefferlage 1.03 mm links, 1.29 mm hoch  
 Streuwert 8.09, horizontal: 8.42, vertikal: 7.75


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **353** (370.9)  
 Serien: 88 87 90 88  
 Zähler: 14 8 15 3 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 2761 (30), 2515 (31), 2478 (11)  
 beste Teiler 96.3 (1.) 135.0 (39.) 218.4 (29.)  
 Trefferlage 2.04 mm rechts, 0.60 mm hoch  
 Streuwert 11.22, horizontal: 12.41, vertikal: 9.89




Serie 1:  
 10.8 \*                      8.7 ↖                      8.1 →                      8.0 ↗                      8.5 ↘  
 8.0 ↙                      9.2 ↘                      10.3 ↗                      9.7 ↙                      10.3 ↑  
 beste Teiler 96.3 (1.) 540.0 (10.) 551.4 (8.)  
 Trefferlage 2.41 mm links, 1.06 mm tief  
 Streuwert 12.00, horizontal: 11.94, vertikal: 12.05



Serie 2:  
 7.9 →                      9.1 ↗                      8.1 ↖                      10.6 \*                      10.5 \*  
 8.1 ↙                      8.5 ←                      8.2 ↗                      10.5 \*                      9.5 →  
 beste Teiler 272.7 (14.) 390.4 (19.) 393.2 (15.)  
 Trefferlage 1.19 mm rechts, 0.47 mm hoch  
 Streuwert 12.72, horizontal: 15.43, vertikal: 9.26



Serie 3:  
 9.7 ↙                      10.4 \*                      9.8 ←                      8.7 ↓                      8.8 →  
 9.6 ↓                      10.5 \*                      10.4 \*                      10.7 \*                      7.5 ↗  
 beste Teiler 218.4 (29.) 346.0 (27.) 426.4 (28.)  
 Trefferlage 1.79 mm rechts, 1.23 mm tief  
 Streuwert 9.69, horizontal: 9.64, vertikal: 9.74





Serie 4:  
 7.8 ↗                      10.1 ↘                      8.1 ↗                      10.1 ↗                      9.9 →  
 10.5 \*                      8.5 ←                      8.2 ↗                      10.8 \*                      8.2 →  
 beste Teiler 135.0 (39.) 353.9 (36.) 656.3 (34.)  
 Trefferlage 7.60 mm rechts, 4.23 mm hoch  
 Streuwert 10.31, horizontal: 11.68, vertikal: 8.74


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (388.0)  
 Serien: 92 92 94 92  
 Zähler: 15 20 5 0 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 2074 (15), 2069 (29), 2058 (38)  
 beste Teiler 144.6 (25.) 209.4 (13.) 286.5 (31.)  
 Trefferlage 2.96 mm links, 0.32 mm tief  
 Streuwert 7.75, horizontal: 7.42, vertikal: 8.05




Serie 1:  
 10.0 ↑                      9.5 ↖                      8.5 ↓                      9.4 ↘                      10.5 \*  
    9.5 ↖                      9.4 ←                      9.7 ↗                      9.9 ←                      10.1 ↖  
 beste Teiler 394.4 (5.) 690.9 (10.) 769.3 (1.)  
 Trefferlage 4.79 mm links, 0.78 mm hoch  
 Streuwert 7.48, horizontal: 6.66, vertikal: 8.23



Serie 2:  
 10.5 \*                      9.7 →                      10.7 \*                      9.2 ↙                      8.4 ←  
    9.3 ↓                      8.9 ↑                      10.2 ↙                      10.4 \*                      9.5 ↙  
 beste Teiler 209.4 (13.) 341.5 (11.) 405.1 (19.)  
 Trefferlage 1.75 mm links, 1.78 mm tief  
 Streuwert 8.46, horizontal: 9.24, vertikal: 7.59



Serie 3:  
 9.5 ↓                      10.2 ↖                      9.6 ↖                      9.5 ↑                      10.8 \*  
    10.3 ↗                      9.1 ↖                      10.2 ↘                      8.4 ↙                      10.2 ↘  
 beste Teiler 144.6 (25.) 511.9 (26.) 571.4 (22.)  
 Trefferlage 2.61 mm links, 0.13 mm hoch  
 Streuwert 7.82, horizontal: 7.85, vertikal: 7.79





Serie 4:  
 10.6 \*                      9.7 ↙                      10.4 \*                      10.3 ↑                      9.2 ↑  
    9.9 ↓                      9.3 ↖                      8.4 ↙                      9.6 ↓                      9.5 ↖  
 beste Teiler 286.5 (31.) 418.8 (33.) 522.6 (34.)  
 Trefferlage 2.70 mm links, 0.40 mm tief  
 Streuwert 8.16, horizontal: 6.48, vertikal: 9.55


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **356** (374.2)  
 Serien: 89 89 87 91  
 Zähler: 12 16 8 4 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 2946 (34), 2880 (30), 2665 (5)  
 beste Teiler 119.5 (36.) 298.2 (8.) 308.0 (26.)  
 Trefferlage 2.23 mm links, 1.07 mm tief  
 Streuwert 10.35, horizontal: 12.00, vertikal: 8.38




Serie 1:  
 9.8 ↖ 9.8 ↖ 10.3 ↗ 8.9 ↓ 7.6 ↙  
 10.5 \* 8.6 ↘ 10.6 \* 9.8 ↑ 9.8 →  
 beste Teiler 298.2 (8.) 322.9 (6.) 531.6 (3.)  
 Trefferlage 0.41 mm rechts, 1.22 mm tief  
 Streuwert 9.73, horizontal: 9.55, vertikal: 9.91



Serie 2:  
 9.3 ↗ 9.1 ← 8.6 ↙ 9.6 ↖ 10.6 \*  
 9.4 ← 8.2 ↖ 9.2 ↗ 10.2 ↖ 8.6 ←  
 beste Teiler 308.3 (15.) 631.1 (19.) 1076.5 (14.)  
 Trefferlage 6.61 mm links, 1.66 mm hoch  
 Streuwert 9.52, horizontal: 9.89, vertikal: 9.14





Serie 3:  
 9.3 ← 7.8 ← 9.5 ↓ 9.6 ↑ 9.6 ←  
 10.6 \* 10.0 ↑ 9.0 ↘ 8.5 ← 7.4 ↙  
 beste Teiler 308.0 (26.) 777.2 (27.) 1044.3 (25.)  
 Trefferlage 7.21 mm links, 3.61 mm tief  
 Streuwert 10.66, horizontal: 12.72, vertikal: 8.09




Serie 4:  
 10.1 → 8.9 ↘ 9.1 ← 7.3 → 9.0 ←  
 10.8 \* 10.0 ↘ 10.2 ↗ 10.2 ↓ 8.8 →  
 beste Teiler 119.5 (36.) 627.2 (38.) 639.3 (39.)  
 Trefferlage 4.48 mm rechts, 1.10 mm tief  
 Streuwert 10.19, horizontal: 12.89, vertikal: 6.44

Unterschrift des Schützen


Ergebnis: **368** (386.5)  
 Serien: 91 93 91 93  
 Zähler: 18 14 7 0 1 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 3210 (33), 2281 (24), 2193 (19)  
 beste Teiler 16.1 (40.) 81.0 (8.) 196.0 (17.)  
 Trefferlage 1.69 mm links, 1.88 mm tief  
 Streuwert 8.54, horizontal: 6.70, vertikal: 10.05




Serie 1:  
 8.7 ↗ 8.7 ↓ 9.7 ← 8.8 ↘ 10.4 \*  
 10.0 ← 9.2 ↙ 10.8 \* 10.0 ← 9.7 ↓  
 beste Teiler 81.0 (8.) 409.2 (5.) 769.5 (9.)  
 Trefferlage 5.07 mm links, 3.45 mm tief  
 Streuwert 7.89, horizontal: 5.08, vertikal: 9.94



Serie 2:  
 10.5 \* 10.0 ↓ 9.0 ↓ 9.9 ↘ 10.1 ↗  
 9.8 ↙ 10.7 \* 9.7 ↘ 8.2 ↗ 9.1 ↓  
 beste Teiler 196.0 (17.) 355.8 (11.) 703.5 (15.)  
 Trefferlage 1.09 mm rechts, 0.19 mm hoch  
 Streuwert 8.57, horizontal: 6.39, vertikal: 10.30



Serie 3:  
 10.3 ↓ 8.9 ↓ 10.0 ↓ 8.1 ← 9.3 ↘  
 8.9 ↙ 9.6 ↓ 9.8 ← 10.1 → 10.4 \*  
 beste Teiler 405.6 (30.) 530.2 (21.) 690.0 (29.)  
 Trefferlage 4.39 mm links, 5.52 mm tief  
 Streuwert 7.83, horizontal: 8.27, vertikal: 7.38





Serie 4:  
 9.9 ↘ 10.3 → 6.9 ↑ 9.8 ↑ 10.0 →  
 10.1 → 10.3 ← 10.5 \* 9.4 ↓ 10.9 \*  
 beste Teiler 16.1 (40.) 396.1 (38.) 542.5 (37.)  
 Trefferlage 1.61 mm rechts, 1.24 mm hoch  
 Streuwert 9.03, horizontal: 4.25, vertikal: 12.04

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	<b>362</b>	(380.5)			
Serien:	91	92	90	89	
Zähler:	15	15	8	1	1
Innenzehner:	8				
weiteste:	3554 (35), 2611 (39), 2313 (27)				
beste Teiler	71.5 (12.) 247.7 (26.) 279.5 (34.)				
Trefferlage	2.24 mm links, 1.79 mm hoch				
Streuwert	9.61, horizontal: 9.14, vertikal: 10.05				




Serie 1:

10.0 ↘	8.9 ↓	10.1 ↗	10.3 ←	9.8 ↘
8.1 ←	9.5 ↙	9.5 ↗	9.5 ↑	9.8 ↙
beste Teiler	549.9 (4.) 646.3 (3.) 765.8 (1.)			
Trefferlage	2.16 mm links, 1.96 mm tief			
Streuwert	8.80, horizontal: 9.38, vertikal: 8.17			




Serie 2:

10.4 *	10.9 *	9.3 ↙	9.8 →	8.5 ↗
9.4 ←	9.9 ←	9.3 ↙	9.5 ↙	10.0 ↑
beste Teiler	71.5 (12.) 434.8 (11.) 758.0 (20.)			
Trefferlage	3.02 mm links, 0.14 mm hoch			
Streuwert	8.03, horizontal: 8.64, vertikal: 7.37			



Serie 3:

9.4 ↙	8.5 ↗	9.3 ↗	10.1 ↗	8.4 ↘
10.6 *	8.1 ←	10.3 ↙	9.4 ←	9.8 ↘
beste Teiler	247.7 (26.) 555.0 (28.) 652.5 (24.)			
Trefferlage	3.07 mm links, 1.41 mm hoch			
Streuwert	10.23, horizontal: 12.50, vertikal: 7.28			



Serie 4:

10.5 *	10.3 ←	8.2 ↑	10.6 *	6.5 ↑
10.5 *	8.8 ↙	10.5 *	7.7 ↑	10.5 *
beste Teiler	279.5 (34.) 327.2 (40.) 336.2 (31.)			
Trefferlage	0.72 mm links, 7.58 mm hoch			
Streuwert	11.11, horizontal: 6.28, vertikal: 14.39			

Unterschrift des Schützen