

Ergebnis: **605.2** (577)

Serien: 100.6 102.4 98.8 101.2 101.8 100.4

Zähler: 38 21 1 0 0 0 0 0 0 0



Innenzehner: 22

weiteste: 1879 (6), 1427 (52), 1376 (53)

beste Teiler 158.2 (37.) 190.1 (49.) 239.7 (59.)

Trefferlage 0.10 mm rechts, 0.31 mm tief

Streuwert 5.49, horizontal: 6.06, vertikal: 4.85




Serie 1:

10.0 ↗	10.3 *	10.3 *	9.7 ↓	10.4 *
8.6 ←	10.6 *	10.3 ↗	10.5 *	9.9 ↘

beste Teiler 266.9 (7.) 385.1 (9.) 472.8 (5.)

Trefferlage 2.70 mm links, 0.16 mm tief

Streuwert 5.88, horizontal: 6.66, vertikal: 4.99




Serie 2:

10.2 ↘	10.4 *	10.5 *	10.6 *	10.3 ↗
9.5 ↘	10.1 ↘	10.4 *	9.9 ↑	10.5 *

beste Teiler 266.1 (14.) 345.1 (20.) 374.3 (13.)

Trefferlage 0.92 mm rechts, 2.83 mm tief

Streuwert 4.11, horizontal: 3.44, vertikal: 4.68




Serie 3:

9.5 ↘	9.9 ↗	9.5 ↘	9.7 ←	10.3 ↑
10.2 ↘	10.1 ↘	9.4 ↘	10.0 ↘	10.2 →

beste Teiler 546.4 (25.) 571.6 (30.) 594.3 (26.)

Trefferlage 1.72 mm rechts, 1.75 mm hoch

Streuwert 6.39, horizontal: 7.67, vertikal: 4.78




Serie 4:

10.4 *	9.6 ↑	10.1 ↑	9.9 →	10.3 *
9.7 ←	10.8 *	9.8 ↗	10.1 ←	10.5 *

beste Teiler 158.2 (37.) 347.4 (40.) 413.8 (31.)

Trefferlage 0.37 mm rechts, 2.81 mm hoch

Streuwert 4.81, horizontal: 5.55, vertikal: 3.94




Serie 5:

9.9 ↘	10.6 *	10.2 ←	10.5 *	9.9 →
9.6 ↗	10.2 ↓	9.9 ↓	10.7 *	10.3 *

beste Teiler 190.1 (49.) 279.7 (42.) 398.1 (44.)

Trefferlage 0.18 mm rechts, 3.54 mm tief

Streuwert 4.37, horizontal: 5.34, vertikal: 3.12



Serie 6:

10.5 *	9.2 ↘	9.2 →	9.7 ↗	10.6 *
9.9 ↑	10.0 ↑	10.3 ←	10.7 *	10.3 *

beste Teiler 239.7 (59.) 283.2 (55.) 339.4 (51.)

Trefferlage 0.13 mm rechts, 0.11 mm hoch

Streuwert 6.25, horizontal: 7.32, vertikal: 4.95

Meyton Elektronik

**ISSF Prone Men** – *Wertung* – **Männer**

StandNr: 28

**Schweizer, Andreas** #70817234

**StartNr: 145**

21. Juli 2017 15:14



St. Gallen

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>598.7</b>	(570)
Serien:	98.8 97.3 101.5 102.2 99.4 99.5	
Zähler:	33 24 3 0 0 0 0 0 0	
Innenzehner:	16	
weiteste:	1757 (17), 1712 (58), 1655 (12)	
beste Teiler	98.7 (25.) 126.1 (22.) 130.7 (41.)	
Trefferlage	1.20 mm links, 0.20 mm tief	
Streuwert	6.17, horizontal: 6.64, vertikal: 5.67	




Serie 1:				
9.4 ↘	10.4 *	9.7 ↓	9.4 ↘	9.8 ↗
10.1 ↗	10.1 ↗	10.2 ←	9.2 ↖	10.5 *
beste Teiler	377.7 (10.) 445.1 (2.) 616.6 (8.)			
Trefferlage	0.08 mm rechts, 0.45 mm tief			
Streuwert	6.86, horizontal: 7.30, vertikal: 6.38			




Serie 2:				
10.1 ↘	8.9 ↓	9.7 ←	10.6 *	10.8 *
10.0 ←	8.8 ↘	9.5 ↘	9.5 ←	9.4 ←
beste Teiler	138.0 (15.) 267.8 (14.) 713.7 (11.)			
Trefferlage	2.11 mm links, 2.48 mm tief			
Streuwert	7.89, horizontal: 8.54, vertikal: 7.19			




Serie 3:				
10.4 *	10.8 *	10.0 ↘	10.0 ↓	10.8 *
9.3 ↖	10.0 ↘	9.8 ↓	10.2 →	10.2 ←
beste Teiler	98.7 (25.) 126.1 (22.) 412.1 (21.)			
Trefferlage	0.10 mm rechts, 2.08 mm tief			
Streuwert	5.15, horizontal: 6.07, vertikal: 4.02			



Serie 4:				
10.3 ↗	10.6 *	10.2 ↘	10.3 *	10.3 *
9.7 ←	10.0 ↓	10.2 ↓	10.6 *	10.0 ↗
beste Teiler	286.1 (32.) 286.7 (39.) 503.9 (35.)			
Trefferlage	0.36 mm links, 0.68 mm hoch			
Streuwert	4.60, horizontal: 4.27, vertikal: 4.90			



Serie 5:				
10.8 *	9.8 ↗	10.6 *	10.0 ↗	9.7 ↖
9.7 ↖	9.8 ↖	9.6 ↖	9.9 ↗	9.5 ↗
beste Teiler	130.7 (41.) 273.6 (43.) 746.3 (44.)			
Trefferlage	1.63 mm links, 4.43 mm hoch			
Streuwert	5.51, horizontal: 7.11, vertikal: 3.18			



Serie 6:				
9.8 ↗	10.4 *	9.8 ←	10.7 *	10.6 *
10.2 ←	9.6 ↘	8.8 ←	9.9 ↘	9.7 ↓
beste Teiler	222.8 (54.) 279.0 (55.) 476.8 (52.)			
Trefferlage	3.27 mm links, 1.32 mm tief			
Streuwert	6.28, horizontal: 6.85, vertikal: 5.66			

Meyton Elektronik

**ISSF Prone Men – Wertung – Männer**

StandNr: 29

**Meraner, Karlheinz** #70817267

**StartNr: 146**

21. Juli 2017 15:20



Südtirol

---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	<b>592.2</b>	(569)						
Serien:	98.3	98.3	101.1	99.9	97.1	97.5		
Zähler:	30	29	1	0	0	0	0	0
Innenzehner:	10							
weiteste:	1740 (4),	1487 (13),	1445 (55)					
beste Teiler	241.3 (33.)	278.6 (30.)	280.8 (29.)					
Trefferlage	0.66 mm rechts, 0.36 mm tief							
Streuwert	6.64, horizontal: 7.25, vertikal: 5.96							



Serie 1:

9.4 ↘	10.1 ←	9.2 ←	8.8 ↖	10.5 *
10.6 *	10.1 ↑	10.0 →	10.0 ↗	9.6 ↓
beste Teiler	317.2 (6.) 357.6 (5.) 669.3 (2.)			
Trefferlage	1.59 mm links, 0.65 mm tief			
Streuwert	7.36, horizontal: 8.59, vertikal: 5.88			




Serie 2:

9.5 ↓	9.9 ↓	9.1 →	10.0 ↓	9.3 ↙
10.3 ←	9.9 ↖	10.4 *	9.9 →	10.0 ↓
beste Teiler	431.6 (18.) 556.6 (16.) 733.0 (14.)			
Trefferlage	1.08 mm rechts, 4.12 mm tief			
Streuwert	6.39, horizontal: 7.33, vertikal: 5.29			




Serie 3:

10.1 ↗	10.0 ↓	10.0 →	9.3 ↗	10.4 *
10.2 ↗	10.0 ↓	9.9 ↘	10.6 *	10.6 *
beste Teiler	278.6 (30.) 280.8 (29.) 453.2 (25.)			
Trefferlage	3.93 mm rechts, 0.53 mm tief			
Streuwert	4.46, horizontal: 3.47, vertikal: 5.27			




Serie 4:

9.9 ←	10.0 ←	10.6 *	9.7 ↘	10.2 ←
9.7 ↖	10.0 ↑	9.2 ←	10.0 ↓	10.6 *
beste Teiler	241.3 (33.) 296.7 (40.) 585.7 (35.)			
Trefferlage	4.45 mm links, 0.05 mm tief			
Streuwert	5.26, horizontal: 5.68, vertikal: 4.80			



Serie 5:

9.2 ↘	10.2 ↘	10.2 ↘	9.6 ↘	9.2 →
9.8 ↓	10.3 *	10.1 ↘	9.2 ↑	9.3 ↑
beste Teiler	502.5 (47.) 577.8 (42.) 610.5 (43.)			
Trefferlage	1.48 mm rechts, 1.98 mm hoch			
Streuwert	7.68, horizontal: 6.81, vertikal: 8.47			



Serie 6:

9.7 ←	10.0 ←	9.8 →	9.8 ↗	9.1 →
9.3 →	9.8 ↗	9.8 ↑	9.9 ↙	10.3 *
beste Teiler	505.8 (60.) 789.9 (52.) 803.7 (59.)			
Trefferlage	3.56 mm rechts, 1.19 mm hoch			
Streuwert	6.80, horizontal: 8.36, vertikal: 4.76			

Meyton Elektronik

**ISSF Prone Men** – *Wertung* – **Männer**

StandNr: 30

**Guerra, Omar** #70817261

**StartNr: 147**

21. Juli 2017 15:20



Tessin

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>592.2</b>	(562)
Serien:	99.7 98.7 97.1 99.4 97.9 99.4	
Zähler:	29 24 7 0 0 0 0 0 0	
Innenzehner:	19	
weiteste:	2141 (27), 1911 (7), 1719 (13)	
beste Teiler	211.2 (50.) 303.2 (32.) 313.7 (46.)	
Trefferlage	2.56 mm rechts, 0.41 mm tief	
Streuwert	6.68, horizontal: 5.84, vertikal: 7.43	




Serie 1:				
10.5 *	10.1 ←	10.3 *	10.1 ↘	9.9 ↙
10.0 ↓	8.6 ↓	10.1 ↓	9.7 ↓	10.4 *
beste Teiler	381.7 (1.)	419.0 (10.)	481.0 (3.)	
Trefferlage	0.15 mm rechts, 4.66 mm tief			
Streuwert	5.63, horizontal: 4.22, vertikal: 6.75			




Serie 2:				
10.5 *	9.7 ↙	8.8 →	9.9 ↓	9.3 ↘
9.6 ↗	9.8 ↗	10.3 *	10.5 *	10.3 *
beste Teiler	332.0 (19.)	386.0 (11.)	497.1 (20.)	
Trefferlage	1.51 mm rechts, 1.11 mm tief			
Streuwert	6.95, horizontal: 7.82, vertikal: 5.95			




Serie 3:				
10.3 *	10.1 ↖	9.7 →	10.5 *	9.2 →
9.4 ↗	8.3 ↑	8.9 ↑	10.5 *	10.2 ↘
beste Teiler	325.7 (24.)	378.3 (29.)	520.1 (21.)	
Trefferlage	3.60 mm rechts, 5.30 mm hoch			
Streuwert	7.10, horizontal: 6.66, vertikal: 7.51			



Serie 4:				
9.9 ↑	10.6 *	9.9 ↗	9.9 ↘	8.8 ↗
9.8 →	10.1 ↗	10.4 *	10.3 *	9.7 ↗
beste Teiler	303.2 (32.)	479.3 (38.)	519.6 (39.)	
Trefferlage	4.22 mm rechts, 3.70 mm hoch			
Streuwert	5.16, horizontal: 4.58, vertikal: 5.68			



Serie 5:				
8.9 ↗	9.8 →	9.4 ↓	9.9 ↓	10.3 *
10.6 *	9.7 ↘	8.9 →	9.7 ↑	10.7 *
beste Teiler	211.2 (50.)	313.7 (46.)	504.9 (45.)	
Trefferlage	3.21 mm rechts, 0.08 mm hoch			
Streuwert	7.37, horizontal: 6.74, vertikal: 7.96			



Serie 6:				
10.4 *	10.1 ↘	10.4 *	9.6 ↘	9.9 ↓
9.2 ↓	10.2 ↘	9.1 ↘	10.1 ←	10.4 *
beste Teiler	432.0 (60.)	458.5 (51.)	472.8 (53.)	
Trefferlage	2.69 mm rechts, 5.81 mm tief			
Streuwert	4.59, horizontal: 4.61, vertikal: 4.56			

Meyton Elektronik

**ISSF Prone Men – Wertung – Männer**

StandNr: 31

**Schrüfer,, Sandro** #70817248

**StartNr: 148**

21. Juli 2017 15:26

Bayern



---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik




Ergebnis:	<b>605.5</b>	(581)
Serien:	101.2 100.3 100.1 98.3 103.4 102.2	
Zähler:	43 15 2 0 0 0 0 0 0	
Innenzehner:	25	
weiteste:	1815 (27), 1659 (34), 1581 (40)	
beste Teiler	173.1 (49.) 205.3 (44.) 221.0 (38.)	
Trefferlage	1.34 mm links, 0.99 mm hoch	
Streuwert	5.46, horizontal: 4.70, vertikal: 6.12	



Serie 1:	10.1 ←	10.4 *	9.4 ←	9.9 ↑	10.3 *
	10.4 *	9.3 ↑	10.5 *	10.4 *	10.5 *
beste Teiler	355.4 (8.) 358.7 (10.) 423.0 (6.)				
Trefferlage	3.73 mm links, 2.69 mm hoch				
Streuwert	4.24, horizontal: 4.01, vertikal: 4.46				




Serie 2:	10.4 *	10.6 *	10.3 *	10.0 ↓	10.0 ↑
	9.5 ↘	9.6 ↓	10.4 *	9.4 →	10.1 ↘
beste Teiler	246.9 (12.) 424.6 (11.) 433.2 (18.)				
Trefferlage	2.13 mm rechts, 1.30 mm tief				
Streuwert	5.59, horizontal: 5.14, vertikal: 6.01				




Serie 3:	10.0 ↑	10.5 *	10.3 ↘	10.1 ↑	10.0 ↑
	9.9 ↑	8.7 ↓	10.1 ↘	9.8 ↘	10.7 *
beste Teiler	232.3 (30.) 380.2 (22.) 553.3 (23.)				
Trefferlage	0.82 mm links, 3.12 mm hoch				
Streuwert	6.00, horizontal: 3.38, vertikal: 7.78				



Serie 4:	10.4 *	10.0 ↙	9.9 ←	8.9 ↑	9.4 ←
	10.5 *	9.1 ↘	10.7 *	10.4 *	9.0 ↘
beste Teiler	221.0 (38.) 374.2 (36.) 451.9 (39.)				
Trefferlage	5.88 mm links, 3.29 mm hoch				
Streuwert	5.91, horizontal: 4.65, vertikal: 6.95				



Serie 5:	10.5 *	10.2 ↓	10.2 ↑	10.7 *	9.5 ↓
	10.4 *	10.3 ↑	10.7 *	10.7 *	10.2 ↓
beste Teiler	173.1 (49.) 205.3 (44.) 223.2 (48.)				
Trefferlage	0.14 mm rechts, 1.26 mm tief				
Streuwert	4.08, horizontal: 2.07, vertikal: 5.39				



Serie 6:	10.2 ↓	10.1 ↓	10.5 *	10.5 *	9.9 ←
	10.5 *	9.8 ↓	10.1 ↑	10.2 ↓	10.4 *
beste Teiler	324.1 (54.) 338.1 (56.) 339.5 (53.)				
Trefferlage	0.08 mm rechts, 0.59 mm tief				
Streuwert	4.51, horizontal: 4.18, vertikal: 4.82				

Meyton Elektronik

**ISSF Prone Men – Wertung – Männer**

StandNr: 32

**Holznecht, Wolfgang #262**

**StartNr: 149**

21. Juli 2017 15:14



Tirol

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>609.9</b>	(583)
Serien:	102.6	100.1 99.7 102.6 101.4 103.5
Zähler:	43	17 0 0 0 0 0 0 0 0
Innenzehner:	27	
weiteste:	1543 (16), 1538 (17), 1349 (44)	
beste Teiler	112.6 (36.)	144.1 (37.) 177.3 (40.)
Trefferlage	0.24 mm links, 0.01 mm hoch	
Streuwert	5.12, horizontal: 5.77, vertikal: 4.38	




Serie 1:	9.9 ↖	9.6 ←	10.4 *	10.3 *	10.4 *
	10.0 →	10.6 *	10.3 *	10.6 *	10.5 *
beste Teiler	264.4 (7.) 264.5 (9.) 348.1 (10.)				
Trefferlage	1.62 mm links, 1.06 mm tief				
Streuwert	4.23, horizontal: 5.19, vertikal: 2.97				




Serie 2:	10.2 ↙	10.3 *	9.9 ↖	10.7 *	10.2 ↘
	9.0 →	9.0 →	9.9 ↘	10.2 →	10.7 *
beste Teiler	221.3 (20.) 233.1 (14.) 528.7 (12.)				
Trefferlage	0.72 mm rechts, 0.78 mm hoch				
Streuwert	6.47, horizontal: 8.46, vertikal: 3.49				




Serie 3:	10.7 *	9.9 →	10.5 *	9.5 ←	10.0 →
	10.0 ↖	9.3 ↑	10.2 ↙	9.8 ↘	9.8 ↘
beste Teiler	202.2 (21.) 371.3 (23.) 610.1 (28.)				
Trefferlage	0.20 mm links, 2.74 mm hoch				
Streuwert	5.97, horizontal: 6.23, vertikal: 5.71				



Serie 4:	9.5 ↓	10.4 *	10.2 ↙	10.2 ↑	9.5 ↗
	10.8 *	10.8 *	10.4 *	10.1 ←	10.7 *
beste Teiler	112.6 (36.) 144.1 (37.) 177.3 (40.)				
Trefferlage	0.96 mm rechts, 1.18 mm tief				
Streuwert	4.74, horizontal: 4.54, vertikal: 4.92				



Serie 5:	10.0 ←	10.6 *	10.7 *	9.3 ←	10.2 ↘
	10.4 *	9.5 ←	10.2 →	10.6 *	9.9 ↑
beste Teiler	239.0 (43.) 312.8 (49.) 318.2 (42.)				
Trefferlage	2.17 mm links, 0.58 mm tief				
Streuwert	5.30, horizontal: 6.25, vertikal: 4.14				



Serie 6:	9.9 ↘	10.2 ↓	10.5 *	10.4 *	10.5 *
	10.7 *	10.0 ↗	10.3 ↑	10.6 *	10.4 *
beste Teiler	228.4 (56.) 318.8 (59.) 343.1 (55.)				
Trefferlage	0.84 mm rechts, 0.63 mm tief				
Streuwert	3.83, horizontal: 3.33, vertikal: 4.26				

Meyton Elektronik

**ISSF Prone Men – Wertung – Männer**

StandNr: 2

**Von, Dellemann Eduard** #70817268

**StartNr: 150**

21. Juli 2017 16:58



Südtirol / Südtirol

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>613.6</b>	(585)
Serien:	101.5	102.0 104.3 102.7 102.1 101.0
Zähler:	45	15 0 0 0 0 0 0 0 0
Innenzehner:	31	
weiteste:	1584	(42), 1543 (5), 1341 (60)
beste Teiler	52.8	(54.) 85.8 (9.) 121.5 (22.)
Trefferlage	0.62 mm	rechts, 1.07 mm tief
Streuwert	4.67,	horizontal: 4.24, vertikal: 5.07




Serie 1:	9.9 ↘	9.6 ↘	10.6 *	10.5 *	9.0 ↓
	10.4 *	10.1 →	10.1 ←	10.8 *	10.5 *
beste Teiler	85.8	(9.) 308.7 (3.)	330.8 (4.)		
Trefferlage	0.76 mm	rechts, 1.02 mm tief			
Streuwert	5.61,	horizontal: 5.09, vertikal: 6.08			




Serie 2:	9.9 ↘	10.3 ↗	10.6 *	10.3 *	10.3 *
	9.8 →	10.1 ↓	9.8 ↘	10.6 *	10.3 *
beste Teiler	275.6	(13.) 289.6 (19.)	481.2 (15.)		
Trefferlage	2.73 mm	rechts, 1.58 mm tief			
Streuwert	4.15,	horizontal: 3.97, vertikal: 4.32			




Serie 3:	10.3 ↖	10.8 *	10.3 *	10.4 *	10.3 ↓
	10.3 *	10.7 *	10.5 *	10.1 ↑	10.6 *
beste Teiler	121.5	(22.) 212.4 (27.)	256.4 (30.)		
Trefferlage	0.08 mm	links, 1.75 mm hoch			
Streuwert	3.13,	horizontal: 2.73, vertikal: 3.49			



Serie 4:	10.5 *	9.9 ↘	10.3 *	10.4 *	10.6 *
	10.3 *	10.4 *	9.6 ↘	10.8 *	9.9 ↘
beste Teiler	155.9	(39.) 310.5 (35.)	337.8 (31.)		
Trefferlage	0.05 mm	rechts, 1.28 mm tief			
Streuwert	4.48,	horizontal: 4.10, vertikal: 4.83			



Serie 5:	10.2 ←	9.0 ↓	10.2 ↗	10.6 *	10.7 *
	9.9 ↓	10.6 *	10.4 *	10.2 ↗	10.3 *
beste Teiler	167.5	(45.) 274.8 (47.)	275.3 (44.)		
Trefferlage	0.81 mm	links, 2.10 mm tief			
Streuwert	4.95,	horizontal: 3.70, vertikal: 5.95			



Serie 6:	9.9 ↗	9.9 ↘	9.8 ↑	10.9 *	10.6 *
	10.0 ↓	10.2 ↖	10.3 →	10.1 →	9.3 ↘
beste Teiler	52.8	(54.) 288.7 (55.)	534.7 (58.)		
Trefferlage	1.12 mm	rechts, 2.22 mm tief			
Streuwert	5.45,	horizontal: 5.44, vertikal: 5.45			

Meyton Elektronik

**ISSF Prone Men – Wertung – Männer**

StandNr: 4

**Beranek, Werner** #161

**StartNr: 151**

21. Juli 2017 17:02



Vorarlberg / Vorarlberg

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>592.5</b>	(565)
Serien:	100.3	101.2 98.6 98.3 95.2 98.9
Zähler:	28 29 3 0 0 0 0 0 0	
Innenzehner:	18	
weiteste:	1709 (19), 1701 (32), 1645 (10)	
beste Teiler	67.4 (20.) 127.9 (55.) 136.6 (38.)	
Trefferlage	0.08 mm rechts, 1.07 mm tief	
Streuwert	6.90, horizontal: 7.53, vertikal: 6.22	




Serie 1:	9.8 ↘	10.6 *	9.5 ←	10.4 *	10.4 *
	9.8 ↘	10.6 *	9.8 ↘	10.5 *	8.9 ←
beste Teiler	278.3 (7.)	301.4 (2.)	342.4 (9.)		
Trefferlage	4.18 mm links, 1.95 mm hoch				
Streuwert	5.34, horizontal: 6.38, vertikal: 4.03				




Serie 2:	10.0 ←	10.5 *	10.7 *	9.9 ←	9.5 ↘
	10.6 *	10.0 ↓	10.3 *	8.8 ↘	10.9 *
beste Teiler	67.4 (20.)	205.9 (13.)	286.8 (16.)		
Trefferlage	0.02 mm links, 3.31 mm tief				
Streuwert	5.58, horizontal: 6.77, vertikal: 4.07				




Serie 3:	9.3 ↘	9.4 ↘	10.0 ↘	10.1 ←	9.3 ←
	10.7 *	9.7 ←	10.2 ←	9.3 ←	10.6 *
beste Teiler	205.5 (26.)	298.8 (30.)	586.8 (28.)		
Trefferlage	2.94 mm links, 3.04 mm tief				
Streuwert	6.47, horizontal: 8.44, vertikal: 3.52				



Serie 4:	10.0 ↓	8.8 ↗	10.5 *	9.4 ↓	9.7 ↓
	9.5 ↓	9.0 ↗	10.8 *	9.9 →	10.7 *
beste Teiler	136.6 (38.)	231.8 (40.)	372.7 (33.)		
Trefferlage	4.94 mm rechts, 2.17 mm tief				
Streuwert	6.52, horizontal: 5.51, vertikal: 7.40				



Serie 5:	9.5 ←	10.4 *	9.3 ↑	9.1 ↘	9.0 ↘
	9.5 →	9.5 ↑	9.2 ↓	10.6 *	9.1 ↓
beste Teiler	261.3 (49.)	471.6 (42.)	1137.0 (46.)		
Trefferlage	1.64 mm links, 1.63 mm hoch				
Streuwert	8.83, horizontal: 8.27, vertikal: 9.36				



Serie 6:	9.2 →	10.2 ↗	9.4 ↘	10.1 ↓	10.8 *
	9.7 ↓	10.2 ↑	9.9 ↘	10.0 ↗	9.4 →
beste Teiler	127.9 (55.)	579.7 (52.)	594.1 (57.)		
Trefferlage	4.38 mm rechts, 1.53 mm tief				
Streuwert	5.93, horizontal: 5.86, vertikal: 6.00				

Meyton Elektronik

**ISSF Prone Men – Wertung – Männer**

StandNr: 5

**Tomaschett, Andri** #70817239

**StartNr: 153**

21. Juli 2017 17:01

Graubünden / Graubünden



---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik




Ergebnis:	<b>618.6</b>	(588)
Serien:	103.3	101.7 103.6 104.2 103.0 102.8
Zähler:	48	12 0 0 0 0 0 0 0 0
Innenzehner:	34	
weiteste:	1463 (50),	1401 (16), 1194 (15)
beste Teiler	44.4 (44.)	70.5 (12.) 129.4 (40.)
Trefferlage	0.92 mm rechts, 0.34 mm hoch	
Streuwert	4.20, horizontal: 4.33, vertikal: 4.06	




Serie 1:

10.4 *	10.6 *	10.1 ↗	10.0 ↗	10.3 ↑
10.2 ↘	10.2 ↗	10.8 *	10.3 ↑	10.4 *
beste Teiler	153.0 (8.)	278.6 (2.)	406.0 (10.)	
Trefferlage	1.45 mm rechts, 2.62 mm hoch			
Streuwert	3.25, horizontal: 3.52, vertikal: 2.96			




Serie 2:

10.6 *	10.9 *	9.9 ↓	9.7 ↗	9.5 ↑
9.2 →	10.2 ↘	10.6 *	10.7 *	10.4 *
beste Teiler	70.5 (12.)	175.3 (19.)	271.0 (11.)	
Trefferlage	2.18 mm rechts, 0.84 mm hoch			
Streuwert	5.46, horizontal: 5.22, vertikal: 5.69			




Serie 3:

9.8 ↘	9.9 ←	10.5 *	10.5 *	10.8 *
9.9 ↘	10.6 *	10.6 *	10.4 *	10.6 *
beste Teiler	133.6 (25.)	265.0 (28.)	302.0 (27.)	
Trefferlage	1.25 mm rechts, 0.82 mm tief			
Streuwert	3.87, horizontal: 4.74, vertikal: 2.73			




Serie 4:

10.2 ←	10.3 *	10.6 *	10.7 *	10.1 ↗
10.5 *	10.3 *	10.1 ↓	10.6 *	10.8 *
beste Teiler	129.4 (40.)	239.5 (34.)	264.2 (39.)	
Trefferlage	0.05 mm rechts, 0.32 mm hoch			
Streuwert	3.46, horizontal: 3.47, vertikal: 3.45			



Serie 5:

10.6 *	10.1 ↗	10.6 *	10.9 *	10.5 *
9.9 ↓	9.9 ↑	10.7 *	10.7 *	9.1 ↓
beste Teiler	44.4 (44.)	204.1 (48.)	211.5 (49.)	
Trefferlage	2.03 mm rechts, 0.53 mm tief			
Streuwert	4.61, horizontal: 3.55, vertikal: 5.46			



Serie 6:

10.6 *	9.9 ↘	10.2 ↘	10.0 ↘	10.6 *
10.4 *	9.8 ←	10.6 *	10.4 *	10.3 ↓
beste Teiler	273.3 (58.)	292.1 (51.)	296.0 (55.)	
Trefferlage	1.43 mm links, 0.34 mm tief			
Streuwert	4.14, horizontal: 5.03, vertikal: 2.99			

Meyton Elektronik

**ISSF Prone Men – Wertung – Männer**

StandNr: 31

**Höllwarth, Michael** #30

**StartNr: 154**

21. Juli 2017 16:57



Tirol / Tirol

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>597.0</b>	(569)
Serien:	99.7 99.4 99.8 100.8 97.0 100.3	
Zähler:	30 29 1 0 0 0 0 0 0	
Innenzehner:	20	
weiteste:	1793 (14), 1559 (1), 1505 (42)	
beste Teiler	38.0 (4.) 99.0 (38.) 136.6 (32.)	
Trefferlage	0.35 mm rechts, 1.95 mm hoch	
Streuwert	6.31, horizontal: 6.96, vertikal: 5.59	



Serie 1:

9.0 ↘	10.1 →	9.3 ↑	10.9 *	10.2 ↗
10.5 *	9.2 ↘	10.1 ↑	10.1 ↗	10.3 *


beste Teiler 38.0 (4.) 374.8 (6.) 513.0 (10.)  
 Trefferlage 0.07 mm links, 4.94 mm hoch  
 Streuwert 5.74, horizontal: 4.43, vertikal: 6.80



Serie 2:

10.0 ←	10.7 *	10.6 *	8.7 ↖	10.1 ↓
10.6 *	9.9 ↑	9.2 →	9.8 ↘	9.8 ↗


beste Teiler 193.3 (12.) 273.3 (13.) 296.5 (16.)  
 Trefferlage 0.26 mm links, 1.62 mm hoch  
 Streuwert 6.82, horizontal: 8.22, vertikal: 5.05



Serie 3:

10.5 *	9.6 ↖	9.7 →	10.5 *	10.4 *
9.7 ↗	9.8 ↗	10.4 *	9.8 →	9.4 ←


beste Teiler 335.0 (24.) 394.3 (21.) 415.4 (28.)  
 Trefferlage 0.25 mm rechts, 2.17 mm hoch  
 Streuwert 6.06, horizontal: 7.85, vertikal: 3.44



Serie 4:

9.8 ←	10.8 *	10.0 ↗	9.2 ↘	10.7 *
9.3 ↗	10.4 *	10.8 *	9.1 ↖	10.7 *


beste Teiler 99.0 (38.) 136.6 (32.) 185.9 (35.)  
 Trefferlage 0.64 mm rechts, 0.21 mm hoch  
 Streuwert 6.48, horizontal: 7.19, vertikal: 5.67



Serie 5:

9.4 ↖	9.1 →	10.4 *	9.9 →	9.5 →
9.9 →	9.7 ↗	9.8 →	9.3 ↖	10.0 ↑

beste Teiler 456.2 (43.) 731.1 (50.) 801.4 (46.)  
 Trefferlage 3.49 mm rechts, 2.64 mm hoch  
 Streuwert 6.99, horizontal: 8.61, vertikal: 4.85



Serie 6:

10.4 *	9.9 ↗	9.2 ↑	10.2 ←	10.4 *
9.3 ↓	9.5 ←	10.3 ←	10.4 *	10.7 *

beste Teiler 186.8 (60.) 432.6 (59.) 444.2 (51.)  
 Trefferlage 1.91 mm links, 0.15 mm hoch  
 Streuwert 6.06, horizontal: 5.03, vertikal: 6.94

Meyton Elektronik

**ISSF Prone Men – Wertung – Männer**

StandNr: 7

**Schwendeler, Ruedi** #70817242

**StartNr: 155**

21. Juli 2017 16:56



Graubünden / Graubünden

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **603.7** (577)  
 Serien: 100.0 100.5 100.5 101.0 99.9 101.8  
 Zähler: 37 23 0 0 0 0 0 0 0 0  
 Innenzehner: 18  
 weiteste: 1476 (60), 1471 (6), 1440 (50)  
 beste Teiler 99.4 (4.) 132.2 (49.) 153.5 (25.)  
 Trefferlage 0.59 mm rechts, 0.10 mm hoch  
 Streuwert 5.59, horizontal: 5.66, vertikal: 5.51




Serie 1:  
 9.9 ↙                      10.5 \*                      10.2 ↑                      10.8 \*                      10.2 ↖  
 9.1 ↑                      10.4 \*                      9.7 ↘                      9.3 ↑                      9.9 ↗  
 beste Teiler 99.4 (4.) 327.2 (2.) 442.2 (7.)  
 Trefferlage 1.54 mm links, 5.43 mm hoch  
 Streuwert 4.79, horizontal: 4.76, vertikal: 4.81




Serie 2:  
 10.2 ↑                      9.9 ↗                      10.0 ↗                      10.3 \*                      9.9 ↓  
 10.4 \*                      10.1 ↗                      9.7 ↘                      10.4 \*                      9.6 ↘  
 beste Teiler 433.0 (19.) 444.1 (16.) 514.5 (14.)  
 Trefferlage 3.79 mm rechts, 1.11 mm hoch  
 Streuwert 4.74, horizontal: 4.43, vertikal: 5.04




Serie 3:  
 10.1 ↙                      10.4 \*                      9.9 →                      9.5 ↙                      10.8 \*  
 9.8 →                      10.1 ↘                      9.7 ↓                      10.1 ↘                      10.1 ↓  
 beste Teiler 153.5 (25.) 468.2 (22.) 661.3 (30.)  
 Trefferlage 1.31 mm rechts, 3.96 mm tief  
 Streuwert 4.85, horizontal: 6.04, vertikal: 3.25



Serie 4:  
 10.2 ↖                      10.6 \*                      9.8 ↘                      9.9 ↙                      10.6 \*  
 10.1 ↑                      10.0 ↖                      10.1 ↗                      10.1 ↑                      9.6 ↘  
 beste Teiler 260.5 (32.) 280.2 (35.) 630.9 (31.)  
 Trefferlage 1.24 mm links, 0.78 mm hoch  
 Streuwert 5.27, horizontal: 5.60, vertikal: 4.93



Serie 5:  
 10.5 \*                      10.1 ↘                      9.8 ↗                      9.9 ↖                      9.2 ↓  
 10.3 \*                      10.0 ↙                      10.1 ↘                      10.8 \*                      9.2 ↓  
 beste Teiler 132.2 (49.) 345.1 (41.) 496.2 (46.)  
 Trefferlage 0.92 mm rechts, 2.68 mm tief  
 Streuwert 6.10, horizontal: 6.19, vertikal: 6.02



Serie 6:  
 9.7 ↘                      10.4 \*                      10.0 ↗                      10.6 \*                      10.1 ↓  
 9.9 ↖                      10.7 \*                      10.7 \*                      10.6 \*                      9.1 ↖  
 beste Teiler 207.2 (58.) 216.6 (57.) 261.7 (59.)  
 Trefferlage 0.35 mm rechts, 0.06 mm tief  
 Streuwert 5.47, horizontal: 6.38, vertikal: 4.38

Meyton Elektronik

**ISSF Prone Men – Wertung – Männer**

StandNr: 1

**Verdi, Michele** #70817245

**StartNr: 156**

21. Juli 2017 16:39



Tessin / Tessin

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik

Ergebnis:	<b>616.6</b>	(589)							
Serien:	102.4	103.8	102.7	103.1	102.1	102.5			
Zähler:	49	11	0	0	0	0	0	0	0
Innenzehner:	32								
weiteste:	1319 (43), 1243 (4), 1130 (9)								
beste Teiler	109.0 (60.)	109.4 (6.)	138.1 (41.)						
Trefferlage	0.71 mm links, 0.63 mm hoch								
Streuwert	4.35, horizontal: 4.81, vertikal: 3.85								




Serie 1:	10.5 *	10.3 ↗	10.6 *	9.4 ↘	10.3 ↗
	10.8 *	10.0 ↑	10.8 *	9.5 ↘	10.2 ↑
beste Teiler	109.4 (6.)	140.2 (8.)	274.0 (3.)		
Trefferlage	0.52 mm links, 2.07 mm hoch				
Streuwert	4.79, horizontal: 4.56, vertikal: 5.00				




Serie 2:	10.1 ↘	10.2 ↗	10.7 *	10.6 *	10.3 ↗
	10.1 ↘	10.4 *	10.5 *	10.7 *	10.2 ←
beste Teiler	178.8 (19.)	185.3 (13.)	297.8 (14.)		
Trefferlage	0.67 mm links, 1.50 mm hoch				
Streuwert	3.53, horizontal: 4.10, vertikal: 2.86				




Serie 3:	10.1 ↘	10.7 *	9.8 ←	10.6 *	10.1 ↘
	10.0 ↘	10.6 *	9.8 ↑	10.7 *	10.3 *
beste Teiler	194.8 (29.)	217.3 (22.)	259.4 (27.)		
Trefferlage	0.25 mm rechts, 0.80 mm tief				
Streuwert	4.50, horizontal: 4.60, vertikal: 4.40				



Serie 4:	10.6 *	10.6 *	10.5 *	9.6 ↘	10.3 *
	10.5 *	9.7 ↘	10.5 *	10.4 *	10.4 *
beste Teiler	270.9 (31.)	272.1 (32.)	354.8 (33.)		
Trefferlage	2.95 mm links, 1.67 mm hoch				
Streuwert	3.54, horizontal: 3.46, vertikal: 3.61				



Serie 5:	10.8 *	9.6 ↘	9.3 ←	10.5 *	10.3 →
	10.6 *	10.4 *	10.7 *	9.6 ←	10.3 *
beste Teiler	138.1 (41.)	209.3 (48.)	282.1 (46.)		
Trefferlage	2.97 mm links, 0.48 mm tief				
Streuwert	4.77, horizontal: 6.04, vertikal: 3.02				



Serie 6:	10.5 *	10.0 ↘	10.4 *	9.9 →	10.5 *
	10.3 ↘	10.1 →	10.2 ←	9.8 ↑	10.8 *
beste Teiler	109.0 (60.)	344.3 (55.)	349.6 (51.)		
Trefferlage	2.60 mm rechts, 0.16 mm tief				
Streuwert	4.08, horizontal: 4.42, vertikal: 3.69				

Meyton Elektronik

**ISSF Prone Men** – *Wertung* – **Männer**

StandNr: 9

**Gufler, Hannes** #191

**StartNr: 157**

21. Juli 2017 16:57

Tirol / Tirol



---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik




Ergebnis:	<b>605.1</b>	(576)
Serien:	100.7 102.9 100.6 103.2 98.3 99.4	
Zähler:	38 20 2 0 0 0 0 0 0 0	
Innenzehner:	25	
weiteste:	2078 (6), 1730 (23), 1600 (58)	
beste Teiler	122.8 (27.) 141.1 (7.) 151.3 (1.)	
Trefferlage	2.36 mm links, 0.76 mm hoch	
Streuwert	5.47, horizontal: 6.08, vertikal: 4.78	




Serie 1:	10.8 *	9.6 ↓	10.5 *	9.6 ↗	10.7 *
	8.4 ←	10.8 *	10.2 →	10.3 *	9.8 ←
beste Teiler	141.1 (7.)	151.3 (1.)	222.9 (5.)		
Trefferlage	2.85 mm links, 0.66 mm hoch				
Streuwert	6.52, horizontal: 7.70, vertikal: 5.09				




Serie 2:	10.0 ↓	10.3 ↖	10.5 *	10.6 *	9.8 ↗
	10.1 →	10.5 *	10.3 *	10.4 *	10.4 *
beste Teiler	242.6 (14.)	366.7 (17.)	379.0 (13.)		
Trefferlage	1.69 mm links, 0.81 mm hoch				
Streuwert	3.97, horizontal: 3.96, vertikal: 3.98				




Serie 3:	10.1 ←	9.8 ↖	8.8 ↖	10.5 *	9.8 ↖
	10.4 *	10.8 *	10.3 *	10.1 →	10.0 ↓
beste Teiler	122.8 (27.)	333.7 (24.)	412.4 (26.)		
Trefferlage	3.66 mm links, 0.31 mm tief				
Streuwert	5.41, horizontal: 5.91, vertikal: 4.86				



Serie 4:	10.5 *	10.6 *	9.8 ↗	9.9 ←	10.6 *
	10.4 *	9.8 ↓	10.7 *	10.2 ↖	10.7 *
beste Teiler	166.7 (38.)	224.9 (40.)	285.7 (32.)		
Trefferlage	1.84 mm links, 1.92 mm tief				
Streuwert	3.82, horizontal: 4.15, vertikal: 3.47				



Serie 5:	10.0 ↗	9.6 ↖	9.8 ↖	9.5 ←	9.9 ↓
	9.4 ←	10.5 *	9.9 →	10.4 *	9.3 ←
beste Teiler	371.7 (47.)	438.7 (49.)	770.4 (41.)		
Trefferlage	2.62 mm links, 0.53 mm hoch				
Streuwert	6.72, horizontal: 8.12, vertikal: 4.93				



Serie 6:	10.5 *	10.1 ↑	9.6 ↑	9.4 ↑	10.2 ↖
	10.1 ↗	10.7 *	9.0 ←	10.1 ↖	9.7 ↗
beste Teiler	188.8 (57.)	388.8 (51.)	630.1 (55.)		
Trefferlage	1.50 mm links, 4.84 mm hoch				
Streuwert	5.73, horizontal: 6.74, vertikal: 4.49				

Meyton Elektronik

**ISSF Prone Men – Wertung – Männer**

StandNr: 11

**Zöggeler, Johann** #70817269

**StartNr: 159**

21. Juli 2017 16:54



Südtirol / Südtirol

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **603.2** (577)  
 Serien: 100.1 99.0 102.4 100.7 100.5 100.5  
 Zähler: 38 21 1 0 0 0 0 0 0  
 Innenzehner: 18  
 weiteste: 1604 (14), 1520 (13), 1411 (34)  
 beste Teiler 90.6 (37.) 145.3 (12.) 181.3 (30.)  
 Trefferlage 0.09 mm rechts, 0.14 mm tief  
 Streuwert 5.69, horizontal: 5.82, vertikal: 5.54




Serie 1:  
 10.3 ↙ 10.6 \* 10.0 ↘ 10.2 ↓ 9.7 ↗  
 9.9 ↑ 10.0 ↑ 9.6 ↓ 9.9 ↓ 9.9 ↑  
 beste Teiler 308.8 (2.) 536.6 (1.) 606.9 (4.)  
 Trefferlage 1.87 mm rechts, 0.72 mm tief  
 Streuwert 5.64, horizontal: 3.89, vertikal: 6.96




Serie 2:  
 10.1 → 10.8 \* 9.1 ↘ 8.9 ↘ 9.2 →  
 10.4 \* 10.1 ↓ 10.4 \* 10.2 ← 9.8 ↓  
 beste Teiler 145.3 (12.) 416.2 (18.) 465.1 (16.)  
 Trefferlage 3.72 mm rechts, 3.61 mm tief  
 Streuwert 6.06, horizontal: 7.44, vertikal: 4.26




Serie 3:  
 10.2 → 10.0 ↗ 9.5 ↑ 10.5 \* 10.2 ↘  
 9.6 ↓ 10.4 \* 10.6 \* 10.7 \* 10.7 \*  
 beste Teiler 181.3 (30.) 198.3 (29.) 251.8 (28.)  
 Trefferlage 0.93 mm rechts, 1.41 mm hoch  
 Streuwert 4.70, horizontal: 3.56, vertikal: 5.62



Serie 4:  
 9.4 ← 9.6 ↙ 10.3 \* 9.2 ↙ 10.2 ↘  
 10.5 \* 10.8 \* 10.2 ↗ 10.7 \* 9.8 ↘  
 beste Teiler 90.6 (37.) 236.5 (39.) 322.2 (36.)  
 Trefferlage 3.48 mm links, 0.09 mm hoch  
 Streuwert 5.51, horizontal: 5.90, vertikal: 5.09



Serie 5:  
 9.3 → 10.5 \* 9.6 → 10.0 ↑ 10.5 \*  
 10.2 ← 10.2 ↓ 9.6 ↓ 10.3 \* 10.3 ←  
 beste Teiler 340.8 (45.) 384.8 (42.) 482.5 (49.)  
 Trefferlage 1.04 mm rechts, 1.43 mm tief  
 Streuwert 5.68, horizontal: 6.43, vertikal: 4.81



Serie 6:  
 10.6 \* 10.1 ↑ 10.2 ↘ 10.0 ↓ 9.8 ↘  
 10.1 ↘ 9.8 ↘ 9.6 ↘ 10.4 \* 9.9 ←  
 beste Teiler 290.1 (51.) 407.8 (59.) 607.5 (53.)  
 Trefferlage 3.51 mm links, 3.38 mm hoch  
 Streuwert 4.27, horizontal: 3.80, vertikal: 4.69

Meyton Elektronik

**ISSF Prone Men – Wertung – Männer**

StandNr: 12

**Ulbrich, Johannes** #70817243

**StartNr: 160**

21. Juli 2017 16:51



Bayern / Bayern

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>605.3</b>	(580)
Serien:	102.1 98.5	100.1 100.7 101.4 102.5
Zähler:	40 20 0 0 0 0 0 0 0	
Innenzehner:	23	
weiteste:	1505 (3), 1344 (11), 1342 (36)	
beste Teiler	75.1 (4.) 271.6 (38.) 293.4 (41.)	
Trefferlage	1.48 mm rechts, 2.12 mm tief	
Streuwert	5.11, horizontal: 5.18, vertikal: 5.04	




Serie 1:	10.0 ↘	10.2 ↘	9.1 ↘	10.9 *	10.5 *
	10.5 *	9.8 ↘	10.5 *	10.4 *	10.2 ↙
beste Teiler	75.1 (4.)	323.0 (5.)	391.2 (6.)		
Trefferlage	2.50 mm rechts, 3.12 mm tief				
Streuwert	4.42, horizontal: 4.53, vertikal: 4.30				




Serie 2:	9.3 ↘	10.0 →	10.0 ↓	9.7 →	9.5 ↘
	9.9 ↘	10.5 *	10.3 *	9.7 ↖	9.6 ↖
beste Teiler	370.3 (17.)	517.0 (18.)	724.0 (12.)		
Trefferlage	2.61 mm rechts, 1.69 mm tief				
Streuwert	6.51, horizontal: 6.14, vertikal: 6.86				




Serie 3:	9.7 ↘	10.4 *	9.8 ↙	10.1 ↘	10.3 *
	10.1 →	9.6 ↙	10.1 ↑	9.8 ↙	10.2 ↖
beste Teiler	406.9 (22.)	499.0 (25.)	621.8 (30.)		
Trefferlage	0.73 mm links, 1.62 mm tief				
Streuwert	5.58, horizontal: 5.94, vertikal: 5.19				



Serie 4:	10.3 ↑	9.3 ↘	10.1 ↘	10.5 *	10.2 ↗
	9.3 ↘	10.4 *	10.6 *	9.8 ↘	10.2 →
beste Teiler	271.6 (38.)	350.8 (34.)	453.4 (37.)		
Trefferlage	4.28 mm rechts, 2.46 mm tief				
Streuwert	4.53, horizontal: 3.81, vertikal: 5.16				



Serie 5:	10.6 *	10.5 *	9.9 ↙	9.3 ↘	9.8 ↓
	10.5 *	10.4 *	10.5 *	10.1 ↙	9.8 ↑
beste Teiler	293.4 (41.)	353.5 (42.)	356.2 (46.)		
Trefferlage	1.61 mm links, 2.35 mm tief				
Streuwert	4.99, horizontal: 3.48, vertikal: 6.13				



Serie 6:	10.6 *	10.3 *	10.0 →	10.3 ↘	10.6 *
	10.5 *	10.3 *	10.0 ↙	10.3 *	9.6 →
beste Teiler	303.4 (55.)	307.6 (51.)	378.3 (56.)		
Trefferlage	1.84 mm rechts, 1.50 mm tief				
Streuwert	4.24, horizontal: 5.31, vertikal: 2.77				

Meyton Elektronik

**ISSF Prone Men – Wertung – Männer**

StandNr: 13

**Roffler, Claudio** #70817237

**StartNr: 161**

21. Juli 2017 16:57



Graubünden / Graubünden

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>606.4</b>	(574)
Serien:	100.2 101.0 99.3	102.8 100.2 102.9
Zähler:	34 26 0 0 0 0 0 0 0 0	
Innenzehner:	20	
weiteste:	1349 (44), 1342 (6), 1180 (47)	
beste Teiler	45.2 (57.) 88.2 (46.)	117.0 (3.)
Trefferlage	1.07 mm links, 0.39 mm hoch	
Streuwert	5.30, horizontal: 6.09, vertikal: 4.38	




Serie 1:	9.8 ↗	9.6 ↗	10.8 *	9.6 ↘	10.6 *
	9.3 ←	10.4 *	9.9 ↘	10.3 ↘	9.9 ↘
beste Teiler	117.0 (3.) 306.3 (5.) 454.0 (7.)				
Trefferlage	1.60 mm rechts, 0.83 mm hoch				
Streuwert	6.09, horizontal: 7.54, vertikal: 4.18				




Serie 2:	10.6 *	9.6 ↘	10.4 *	9.9 ←	10.5 *
	9.9 ↘	10.3 ↘	9.8 ←	10.1 →	9.9 ←
beste Teiler	304.2 (11.) 391.6 (15.) 440.2 (13.)				
Trefferlage	1.90 mm links, 0.69 mm tief				
Streuwert	5.18, horizontal: 6.55, vertikal: 3.28				




Serie 3:	9.9 ↗	9.8 ←	9.5 →	10.3 ↑	10.2 ↑
	10.2 ↘	10.0 ↗	9.6 →	10.1 ↑	9.7 ←
beste Teiler	557.9 (24.) 582.7 (26.) 638.9 (25.)				
Trefferlage	1.08 mm rechts, 2.73 mm hoch				
Streuwert	5.92, horizontal: 7.08, vertikal: 4.46				



Serie 4:	9.6 ↘	10.4 *	10.2 ↘	10.5 *	10.7 *
	10.7 *	10.0 ↘	9.7 →	10.8 *	10.2 ↘
beste Teiler	155.8 (39.) 237.2 (35.) 239.7 (36.)				
Trefferlage	0.68 mm links, 0.67 mm hoch				
Streuwert	4.69, horizontal: 4.68, vertikal: 4.71				



Serie 5:	9.9 ↘	10.7 *	10.1 ↘	9.3 ←	9.8 ↘
	10.8 *	9.5 ↘	9.7 ↘	10.5 *	9.9 ↘
beste Teiler	88.2 (46.) 223.6 (42.) 339.8 (49.)				
Trefferlage	4.07 mm links, 1.36 mm tief				
Streuwert	5.39, horizontal: 5.22, vertikal: 5.56				



Serie 6:	9.7 ←	10.1 ↗	10.4 *	10.5 *	9.8 ↗
	10.2 ←	10.9 *	10.4 *	10.5 *	10.4 *
beste Teiler	45.2 (57.) 325.9 (54.) 385.2 (59.)				
Trefferlage	2.50 mm links, 0.15 mm hoch				
Streuwert	3.94, horizontal: 4.23, vertikal: 3.63				

Meyton Elektronik

**ISSF Prone Men – Wertung – Männer**

StandNr: 14

**Widmer, Hanspeter** #70817241

**StartNr: 162**

21. Juli 2017 16:59

St. Gallen / St. Gallen

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik



Ergebnis: **608.5** (580)

Serien: 100.5 103.0 101.4 100.3 101.6 101.7

Zähler: 41 18 1 0 0 0 0 0 0 0



Innenzehner: 23

weiteste: 2397 (5), 1447 (51), 1238 (22)

beste Teiler 42.5 (13.) 70.4 (11.) 90.5 (18.)

Trefferlage 1.27 mm links, 0.90 mm hoch

Streuwert 5.38, horizontal: 6.35, vertikal: 4.19




Serie 1:

10.1 ↗	10.1 ←	10.8 *	10.3 ↖	8.0 ←
10.8 *	9.8 ↙	9.6 ←	10.4 *	10.6 *

beste Teiler 116.5 (6.) 132.3 (3.) 303.2 (10.)

Trefferlage 5.24 mm links, 0.33 mm hoch

Streuwert 6.05, horizontal: 7.78, vertikal: 3.58




Serie 2:

10.9 *	10.1 ↖	10.9 *	9.5 ←	10.0 ↓
10.4 *	10.6 *	10.8 *	9.7 ↓	10.1 ←

beste Teiler 42.5 (13.) 70.4 (11.) 90.5 (18.)

Trefferlage 1.66 mm links, 1.47 mm tief

Streuwert 4.54, horizontal: 5.01, vertikal: 4.01




Serie 3:

10.1 ↖	9.4 ↘	10.0 →	9.7 ↖	10.3 ←
10.7 *	10.6 *	10.8 *	10.1 ←	9.7 ↖

beste Teiler 100.8 (28.) 221.6 (26.) 281.3 (27.)

Trefferlage 1.55 mm links, 1.03 mm hoch

Streuwert 5.33, horizontal: 5.83, vertikal: 4.78




Serie 4:

9.8 ↖	9.7 ←	9.5 ↗	10.7 *	9.9 →
10.5 *	10.0 ↗	10.2 →	10.5 *	9.5 ←

beste Teiler 184.0 (34.) 323.8 (39.) 400.3 (36.)

Trefferlage 0.18 mm rechts, 2.05 mm hoch

Streuwert 5.83, horizontal: 7.07, vertikal: 4.24




Serie 5:

9.6 ↖	10.3 ↙	10.0 ↙	10.5 *	9.7 ↗
9.9 →	10.8 *	10.6 *	10.1 ↗	10.1 ↖

beste Teiler 158.3 (47.) 303.4 (48.) 399.2 (44.)

Trefferlage 0.29 mm links, 0.88 mm hoch

Streuwert 5.13, horizontal: 5.32, vertikal: 4.93



Serie 6:

9.1 ↖	10.1 →	10.2 ↗	10.4 *	10.7 *
10.3 *	10.4 *	10.8 *	9.9 →	9.8 ↖

beste Teiler 96.8 (58.) 201.6 (55.) 426.0 (57.)

Trefferlage 0.91 mm rechts, 2.59 mm hoch

Streuwert 5.00, horizontal: 6.33, vertikal: 3.15

Meyton Elektronik

**ISSF Prone Men – Wertung – Männer**

StandNr: 15

**Karg,, Daniel** #70817240

**StartNr: 163**

21. Juli 2017 16:56



Bayern / Bayern

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **621.2** (591)  
 Serien: 104.7 104.0 102.6 102.5 103.7 103.7  
 Zähler: 51 9 0 0 0 0 0 0 0 0  
 Innenzehner: 40  
 weiteste: 1153 (42), 1070 (8), 1027 (40)  
 beste Teiler 69.4 (34.) 83.9 (6.) 86.0 (19.)  
 Trefferlage 1.40 mm rechts, 0.31 mm hoch  
 Streuwert 3.73, horizontal: 3.61, vertikal: 3.86




Serie 1:  
 10.7 \*                      10.4 \*                      10.8 \*                      10.6 \*                      10.8 \*  
 10.8 \*                      10.7 \*                      9.6 →                      10.5 \*                      9.8 ↗  
 beste Teiler 83.9 (6.) 99.0 (3.) 107.7 (5.)  
 Trefferlage 2.12 mm rechts, 0.67 mm hoch  
 Streuwert 3.41, horizontal: 3.68, vertikal: 3.12




Serie 2:  
 10.5 \*                      10.1 ↗                      9.9 ↖                      10.8 \*                      10.1 ↗  
 10.6 \*                      10.4 \*                      10.4 \*                      10.8 \*                      10.4 \*  
 beste Teiler 86.0 (19.) 125.6 (14.) 289.7 (16.)  
 Trefferlage 0.06 mm rechts, 0.99 mm hoch  
 Streuwert 3.52, horizontal: 3.87, vertikal: 3.14




Serie 3:  
 9.8 ↗                      9.8 ↗                      10.6 \*                      10.5 \*                      9.8 ↖  
 10.2 ↘                      10.6 \*                      10.6 \*                      10.3 \*                      10.4 \*  
 beste Teiler 267.2 (28.) 278.2 (23.) 290.8 (27.)  
 Trefferlage 1.46 mm rechts, 2.68 mm hoch  
 Streuwert 3.94, horizontal: 4.50, vertikal: 3.28



Serie 4:  
 10.3 \*                      9.7 ↓                      10.3 \*                      10.9 \*                      10.6 \*  
 10.5 \*                      10.2 ↓                      10.1 ↓                      10.2 ←                      9.7 ↘  
 beste Teiler 69.4 (34.) 274.1 (35.) 333.6 (36.)  
 Trefferlage 0.84 mm rechts, 4.07 mm tief  
 Streuwert 3.47, horizontal: 3.38, vertikal: 3.55



Serie 5:  
 10.7 \*                      9.5 ↗                      10.5 \*                      10.4 \*                      10.2 ↖  
 10.3 \*                      10.5 \*                      10.4 \*                      10.6 \*                      10.6 \*  
 beste Teiler 186.4 (41.) 298.9 (50.) 306.4 (49.)  
 Trefferlage 1.29 mm rechts, 1.55 mm hoch  
 Streuwert 3.66, horizontal: 3.98, vertikal: 3.30



Serie 6:  
 10.2 ↘                      10.6 \*                      10.6 \*                      10.2 ↗                      10.4 \*  
 10.3 \*                      10.2 ↘                      10.4 \*                      10.6 \*                      10.2 →  
 beste Teiler 253.5 (53.) 270.1 (59.) 296.7 (52.)  
 Trefferlage 2.62 mm rechts, 0.04 mm hoch  
 Streuwert 3.03, horizontal: 2.18, vertikal: 3.69

**ISSF Prone Men** – *Wertung* – **Männer**

StandNr: 39

**Schilliger, Marcel** #70817238

**StartNr: 164**

21. Juli 2017 16:56



St. Gallen / St. Gallen

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **612.3** (583)  
 Serien: 103.2 101.1 101.7 99.5 104.2 102.6  
 Zähler: 43 17 0 0 0 0 0 0 0  
 Innenzehner: 31  
 weiteste: 1527 (37), 1454 (56), 1379 (28)  
 beste Teiler 157.5 (25.) 173.7 (41.) 187.6 (9.)  
 Trefferlage 1.74 mm links, 0.09 mm tief  
 Streuwert 4.71, horizontal: 5.62, vertikal: 3.57




Serie 1:  
 10.1 ↙ 9.9 ← 10.6 \* 10.6 \* 10.6 \*  
 10.2 ↘ 9.9 ↗ 10.1 ↓ 10.7 \* 10.5 \*  
 beste Teiler 187.6 (9.) 243.6 (3.) 266.5 (5.)  
 Trefferlage 2.50 mm links, 1.60 mm tief  
 Streuwert 3.47, horizontal: 3.53, vertikal: 3.41




Serie 2:  
 10.2 ← 9.9 → 9.9 ↗ 9.9 ← 10.3 \*  
 10.6 \* 10.1 ← 10.6 \* 10.1 ↙ 9.5 →  
 beste Teiler 270.2 (16.) 286.8 (18.) 505.2 (15.)  
 Trefferlage 0.38 mm links, 0.92 mm tief  
 Streuwert 5.23, horizontal: 6.51, vertikal: 3.53




Serie 3:  
 9.9 → 10.6 \* 10.4 \* 10.4 \* 10.8 \*  
 10.2 → 9.9 ↘ 9.2 ← 10.0 ↗ 10.3 ↗  
 beste Teiler 157.5 (25.) 267.8 (22.) 468.7 (24.)  
 Trefferlage 0.80 mm rechts, 1.21 mm hoch  
 Streuwert 5.13, horizontal: 6.22, vertikal: 3.75



Serie 4:  
 10.7 \* 9.7 ↗ 10.4 \* 9.3 ← 9.9 ↘  
 9.7 ↓ 9.0 ↘ 10.7 \* 10.4 \* 9.7 ←  
 beste Teiler 228.2 (38.) 230.1 (31.) 457.2 (33.)  
 Trefferlage 4.47 mm links, 1.63 mm tief  
 Streuwert 5.74, horizontal: 6.74, vertikal: 4.52



Serie 5:  
 10.7 \* 9.4 ← 10.6 \* 10.4 \* 10.6 \*  
 10.6 \* 10.6 \* 10.4 \* 10.3 \* 10.6 \*  
 beste Teiler 173.7 (41.) 248.1 (50.) 270.3 (43.)  
 Trefferlage 1.90 mm links, 0.92 mm hoch  
 Streuwert 3.43, horizontal: 4.28, vertikal: 2.27



Serie 6:  
 10.2 ← 10.4 \* 10.5 \* 10.2 ← 10.2 →  
 9.1 ↘ 10.6 \* 10.4 \* 10.3 \* 10.7 \*  
 beste Teiler 240.1 (60.) 277.2 (57.) 397.0 (53.)  
 Trefferlage 2.03 mm links, 1.43 mm hoch  
 Streuwert 4.45, horizontal: 5.59, vertikal: 2.88

Meyton Elektronik

**ISSF Prone Men – Wertung – Männer**

StandNr: 17

**Rudingsdorfer,, Ferdinand** #70817236

**StartNr: 165**

21. Juli 2017 16:55



Bayern / Bayern

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **602.0** (574)  
 Serien: 98.9 101.1 102.1 101.6 100.3 98.0  
 Zähler: 36 22 2 0 0 0 0 0 0 0  
 Innenzehner: 19  
 weiteste: 2080 (52), 1670 (8), 1583 (13)  
 beste Teiler 62.9 (2.) 83.7 (17.) 143.0 (21.)  
 Trefferlage 1.59 mm links, 0.79 mm tief  
 Streuwert 5.92, horizontal: 6.51, vertikal: 5.27




Serie 1:  
 9.9 → 10.9 \* 10.2 ← 9.6 ← 10.1 →  
 10.6 \* 9.5 ↙ 8.9 ← 9.8 ↗ 9.4 ↓  
 beste Teiler 62.9 (2.) 244.2 (6.) 640.8 (3.)  
 Trefferlage 3.58 mm links, 2.52 mm tief  
 Streuwert 6.40, horizontal: 7.70, vertikal: 4.75




Serie 2:  
 10.5 \* 10.3 \* 9.0 ← 10.2 ↗ 10.6 \*  
 10.2 ↓ 10.8 \* 9.9 ↘ 9.0 ↓ 10.6 \*  
 beste Teiler 83.7 (17.) 250.4 (15.) 279.1 (20.)  
 Trefferlage 1.43 mm links, 2.29 mm tief  
 Streuwert 5.84, horizontal: 5.87, vertikal: 5.81




Serie 3:  
 10.8 \* 9.9 ↓ 9.6 ↑ 10.5 \* 10.7 \*  
 10.5 \* 10.1 ↙ 10.2 ← 10.5 \* 9.3 →  
 beste Teiler 143.0 (21.) 239.2 (25.) 333.5 (29.)  
 Trefferlage 0.69 mm rechts, 0.45 mm hoch  
 Streuwert 5.10, horizontal: 5.11, vertikal: 5.09



Serie 4:  
 10.5 \* 10.3 → 10.0 ← 9.9 ↑ 10.2 ↓  
 10.2 ↖ 10.5 \* 10.1 ↗ 10.7 \* 9.2 ↓  
 beste Teiler 218.8 (39.) 362.5 (31.) 394.7 (37.)  
 Trefferlage 0.10 mm links, 1.01 mm tief  
 Streuwert 5.33, horizontal: 3.82, vertikal: 6.49



Serie 5:  
 10.3 \* 9.9 → 10.5 \* 9.0 ← 9.7 ←  
 9.9 ↓ 10.3 ↓ 10.3 ↓ 10.2 ↘ 10.2 →  
 beste Teiler 385.3 (43.) 482.6 (41.) 554.0 (48.)  
 Trefferlage 0.02 mm links, 2.07 mm tief  
 Streuwert 5.82, horizontal: 6.94, vertikal: 4.41



Serie 6:  
 9.9 ← 8.4 ↖ 9.2 ← 9.9 ↗ 9.9 ←  
 10.2 ↖ 10.4 \* 10.2 → 9.6 ← 10.3 \*  
 beste Teiler 422.5 (57.) 482.9 (60.) 563.8 (56.)  
 Trefferlage 5.13 mm links, 2.67 mm hoch  
 Streuwert 6.35, horizontal: 8.09, vertikal: 3.92

Meyton Elektronik

**ISSF Prone Men** – *Wertung* – **Männer**

StandNr: 18

**Bauer, Markus** #180

**StartNr: 166**

21. Juli 2017 16:52

Vorarlberg / Vorarlberg



---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik




Ergebnis:	<b>601.4</b>	(577)
Serien:	101.0 101.9 100.3 101.0 97.9 99.3	
Zähler:	38 21 1 0 0 0 0 0 0	
Innenzehner:	19	
weiteste:	1672 (47), 1474 (52), 1448 (42)	
beste Teiler	103.3 (12.) 172.9 (60.) 275.9 (26.)	
Trefferlage	0.03 mm rechts, 0.33 mm hoch	
Streuwert	5.85, horizontal: 5.55, vertikal: 6.14	




Serie 1:					
	9.9 ↗	9.9 ↖	10.1 ↘	10.5 *	10.5 *
	9.9 ←	10.3 ↘	10.0 ←	10.1 ↗	9.8 ↘
beste Teiler	334.8 (4.)	336.1 (5.)	552.5 (7.)		
Trefferlage	1.75 mm links, 0.68 mm tief				
Streuwert	5.11, horizontal: 5.49, vertikal: 4.71				




Serie 2:					
	10.1 ↗	10.8 *	10.4 *	10.4 *	10.0 ↖
	10.5 *	9.6 →	10.3 *	10.3 *	9.5 ↘
beste Teiler	103.3 (12.)	341.5 (16.)	447.0 (14.)		
Trefferlage	1.90 mm rechts, 1.59 mm tief				
Streuwert	4.71, horizontal: 5.69, vertikal: 3.46				




Serie 3:					
	10.0 ↘	10.0 ↗	9.2 ↖	9.2 ←	10.2 ↓
	10.6 *	10.1 ↘	10.5 *	10.0 ←	10.5 *
beste Teiler	275.9 (26.)	336.0 (28.)	358.1 (30.)		
Trefferlage	2.69 mm links, 0.02 mm tief				
Streuwert	5.81, horizontal: 5.60, vertikal: 6.02				



Serie 4:					
	9.9 →	10.1 →	10.5 *	10.4 *	10.2 ↗
	9.9 →	9.4 ↗	9.6 ↘	10.6 *	10.4 *
beste Teiler	276.6 (39.)	350.5 (33.)	459.9 (34.)		
Trefferlage	3.25 mm rechts, 2.11 mm hoch				
Streuwert	4.78, horizontal: 4.43, vertikal: 5.11				



Serie 5:					
	10.4 *	9.1 ↖	9.4 ↘	10.3 ↖	10.1 ↗
	10.0 ↖	8.9 ↘	9.9 →	10.4 *	9.4 ↓
beste Teiler	425.6 (41.)	455.5 (49.)	554.2 (44.)		
Trefferlage	0.32 mm rechts, 1.30 mm tief				
Streuwert	7.56, horizontal: 6.23, vertikal: 8.69				



Serie 6:					
	9.6 ↗	9.1 ↖	10.1 ↓	10.4 *	10.2 ↖
	9.8 ↗	10.2 ↘	9.6 ↖	9.6 ↗	10.7 *
beste Teiler	172.9 (60.)	402.1 (54.)	626.1 (57.)		
Trefferlage	0.81 mm links, 3.48 mm hoch				
Streuwert	6.07, horizontal: 4.64, vertikal: 7.23				

Meyton Elektronik

**ISSF Prone Men** – *Wertung* – **Männer**

StandNr: 19

**Schweizer, Michael** #70817249

**StartNr: 167**

21. Juli 2017 16:58



St. Gallen / St. Gallen

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>608.8</b>	(585)
Serien:	100.1 99.5	101.7 103.6 100.8 103.1
Zähler:	45 15 0 0 0 0 0 0 0	
Innenzehner:	26	
weiteste:	1472 (26), 1426 (18), 1363 (46)	
beste Teiler	87.0 (4.) 110.8 (48.) 209.7 (55.)	
Trefferlage	2.60 mm rechts, 0.54 mm hoch	
Streuwert	4.78, horizontal: 4.26, vertikal: 5.26	




Serie 1:	9.7 ↗	10.2 ↑	9.7 ↗	10.8 *	9.9 →
	9.5 ↗	10.5 *	9.8 →	9.4 ↘	10.6 *
beste Teiler	87.0 (4.) 286.5 (10.) 337.4 (7.)				
Trefferlage	3.85 mm rechts, 1.70 mm hoch				
Streuwert	5.32, horizontal: 5.01, vertikal: 5.62				




Serie 2:	9.3 ↘	10.0 →	10.4 *	10.1 ↘	10.1 ↗
	9.4 ↗	10.2 ↑	9.2 ↘	10.6 *	10.2 ↘
beste Teiler	275.0 (19.) 410.1 (13.) 607.0 (20.)				
Trefferlage	1.92 mm rechts, 1.20 mm hoch				
Streuwert	6.36, horizontal: 5.11, vertikal: 7.41				




Serie 3:	10.4 *	10.4 *	10.2 ↘	9.7 ↑	10.5 *
	9.1 ↗	10.6 *	10.5 *	9.9 ↓	10.4 *
beste Teiler	305.2 (27.) 363.2 (25.) 377.0 (28.)				
Trefferlage	1.80 mm rechts, 1.04 mm hoch				
Streuwert	5.15, horizontal: 5.02, vertikal: 5.28				



Serie 4:	10.7 *	10.6 *	10.5 *	10.0 ↗	10.5 *
	10.0 →	10.4 *	10.4 *	10.5 *	10.0 ↘
beste Teiler	213.8 (31.) 285.1 (32.) 336.7 (35.)				
Trefferlage	2.27 mm rechts, 0.21 mm tief				
Streuwert	3.40, horizontal: 3.09, vertikal: 3.68				



Serie 5:	10.4 *	10.2 ↑	10.4 *	10.0 ↑	9.9 ↘
	9.2 →	10.0 ↘	10.8 *	9.8 →	10.1 ↘
beste Teiler	110.8 (48.) 414.9 (41.) 472.6 (43.)				
Trefferlage	3.91 mm rechts, 0.84 mm tief				
Streuwert	4.86, horizontal: 4.83, vertikal: 4.89				



Serie 6:	10.1 ↗	10.0 ↘	10.2 ↗	10.5 *	10.7 *
	10.3 *	10.4 *	10.0 ↑	10.6 *	10.3 ↘
beste Teiler	209.7 (55.) 273.0 (59.) 341.2 (54.)				
Trefferlage	1.85 mm rechts, 0.37 mm hoch				
Streuwert	3.75, horizontal: 1.97, vertikal: 4.93				

Meyton Elektronik

**ISSF Prone Men** – *Wertung* – **Männer**

StandNr: 20

**Walder, Markus** #99

**StartNr: 168**

21. Juli 2017 16:49



Tirol / Tirol

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>599.3</b>	(573)
Serien:	99.0 100.4 98.3 100.9 102.6 98.1	
Zähler:	34 25 1 0 0 0 0 0 0	
Innenzehner:	20	
weiteste:	1694 (6), 1555 (35), 1526 (29)	
beste Teiler	101.0 (48.) 191.2 (42.) 274.4 (36.)	
Trefferlage	2.06 mm rechts, 0.19 mm hoch	
Streuwert	5.94, horizontal: 6.13, vertikal: 5.75	




Serie 1:				
9.9 ←	10.5 *	9.5 ←	9.1 ↓	10.1 ↘
8.8 →	10.4 *	10.6 *	9.8 →	10.3 *
beste Teiler	283.9 (8.) 369.0 (2.) 465.7 (7.)			
Trefferlage	0.57 mm rechts, 1.23 mm tief			
Streuwert	7.01, horizontal: 8.55, vertikal: 5.02			




Serie 2:				
9.2 →	10.6 *	10.5 *	9.7 ↓	10.6 *
9.8 ↗	10.2 ←	10.1 ↘	9.5 ↘	10.2 ↖
beste Teiler	279.3 (12.) 300.0 (15.) 335.2 (13.)			
Trefferlage	1.76 mm rechts, 0.78 mm tief			
Streuwert	5.85, horizontal: 6.42, vertikal: 5.22			




Serie 3:				
10.0 ↑	10.5 *	10.3 *	10.2 ↓	9.6 ↗
9.9 ←	9.8 →	9.4 ↘	9.0 ↗	9.6 ↘
beste Teiler	377.3 (22.) 482.0 (23.) 575.1 (24.)			
Trefferlage	3.60 mm rechts, 0.54 mm hoch			
Streuwert	6.59, horizontal: 5.99, vertikal: 7.14			



Serie 4:				
10.3 *	9.8 ←	10.6 *	10.2 ↗	9.0 ↗
10.6 *	10.2 →	9.4 ↗	10.5 *	10.3 *
beste Teiler	274.4 (36.) 281.8 (33.) 372.7 (39.)			
Trefferlage	2.15 mm rechts, 2.91 mm hoch			
Streuwert	5.28, horizontal: 6.13, vertikal: 4.26			



Serie 5:				
10.6 *	10.7 *	9.7 ↗	10.0 ↗	10.0 ↓
10.1 ↘	9.7 ↘	10.8 *	10.5 *	10.5 *
beste Teiler	101.0 (48.) 191.2 (42.) 305.3 (41.)			
Trefferlage	0.33 mm rechts, 0.36 mm hoch			
Streuwert	4.64, horizontal: 3.07, vertikal: 5.80			



Serie 6:				
9.7 ↓	10.1 ↘	9.9 ↗	9.6 →	10.3 ↓
9.4 ↗	10.3 ↗	9.3 ↘	9.2 ↗	10.3 *
beste Teiler	512.8 (60.) 538.1 (55.) 543.3 (57.)			
Trefferlage	3.93 mm rechts, 0.63 mm tief			
Streuwert	6.55, horizontal: 6.08, vertikal: 6.99			

Meyton Elektronik

**ISSF Prone Men – Wertung – Männer**

StandNr: 21

**Frei, Arnold** #70817270

**StartNr: 169**

21. Juli 2017 16:42



Südtirol / Südtirol

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **616.0** (585)  
 Serien: 101.7 98.6 99.8 105.7 104.9 105.3  
 Zähler: 45 15 0 0 0 0 0 0 0  
 Innenzehner: 34  
 weiteste: 1402 (23), 1315 (17), 1217 (27)  
 beste Teiler 56.6 (43.) 79.0 (3.) 90.0 (24.)  
 Trefferlage 1.21 mm links, 0.96 mm tief  
 Streuwert 4.51, horizontal: 3.93, vertikal: 5.01




Serie 1:  
 10.2 ↗ 9.9 ↑ 10.9 \* 10.4 \* 10.6 \*  
 9.7 ↘ 9.7 ← 9.5 ↙ 10.8 \* 10.0 ↓  
 beste Teiler 79.0 (3.) 104.6 (9.) 296.8 (5.)  
 Trefferlage 0.63 mm links, 0.81 mm tief  
 Streuwert 5.34, horizontal: 5.15, vertikal: 5.52




Serie 2:  
 9.7 ↓ 9.9 ↘ 10.2 ← 9.8 ↙ 9.5 →  
 10.0 ↓ 9.3 ↗ 9.6 ↑ 10.4 \* 10.2 ↑  
 beste Teiler 412.7 (19.) 590.2 (20.) 621.7 (13.)  
 Trefferlage 0.28 mm links, 0.16 mm hoch  
 Streuwert 6.82, horizontal: 5.97, vertikal: 7.57




Serie 3:  
 9.8 ↓ 10.6 \* 9.2 ↓ 10.8 \* 9.8 ↓  
 9.9 ↘ 9.4 ↙ 10.0 ← 10.1 ↓ 10.2 ↗  
 beste Teiler 90.0 (24.) 320.4 (22.) 571.4 (30.)  
 Trefferlage 1.32 mm links, 5.14 mm tief  
 Streuwert 5.00, horizontal: 4.48, vertikal: 5.47



Serie 4:  
 10.6 \* 10.6 \* 10.7 \* 10.1 ← 10.6 \*  
 10.8 \* 10.6 \* 10.5 \* 10.6 \* 10.6 \*  
 beste Teiler 153.1 (36.) 190.5 (33.) 249.1 (39.)  
 Trefferlage 1.42 mm links, 0.03 mm tief  
 Streuwert 2.32, horizontal: 2.89, vertikal: 1.55



Serie 5:  
 10.4 \* 10.6 \* 10.9 \* 10.4 \* 10.4 \*  
 10.6 \* 10.5 \* 10.0 ↘ 10.7 \* 10.4 \*  
 beste Teiler 56.6 (43.) 232.1 (49.) 264.7 (42.)  
 Trefferlage 1.76 mm links, 0.11 mm tief  
 Streuwert 2.92, horizontal: 2.09, vertikal: 3.56



Serie 6:  
 10.4 \* 10.0 ↘ 10.7 \* 10.8 \* 10.3 \*  
 10.6 \* 10.5 \* 10.8 \* 10.7 \* 10.5 \*  
 beste Teiler 102.6 (54.) 112.4 (58.) 206.2 (59.)  
 Trefferlage 1.85 mm links, 0.12 mm hoch  
 Streuwert 2.47, horizontal: 2.05, vertikal: 2.83

Meyton Elektronik

**ISSF Prone Men** – *Wertung* – **Männer**

StandNr: 22

**Diem, Klaus** #208

**StartNr: 170**

21. Juli 2017 16:41

Vorarlberg / Vorarlberg

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik