





Ergebnis:	578.4	(546)
Serien:	96.4 95.8 94.7 91.8 99.4 100.3	
Zähler:	20 27 12 1 0 0 0 0 0 0	
Innenzehner:	13	
weiteste:	2452 (35), 2257 (37), 2190 (29)	
beste Teiler	185.8 (8.) 217.8 (54.) 296.4 (28.)	
Trefferlage	2.90 mm rechts, 3.53 mm tief	
Streuwert	7.78, horizontal: 8.70, vertikal: 6.73	




Serie 1:	10.5 *	10.6 *	8.9 ↓	8.9 ↘	9.5 ↙
	9.2 ↓	9.9 ↓	10.7 *	8.3 →	9.9 →
beste Teiler	185.8 (8.)	309.6 (2.)	368.3 (1.)		
Trefferlage	3.99 mm rechts, 4.59 mm tief				
Streuwert	7.85, horizontal: 9.01, vertikal: 6.48				




Serie 2:	10.5 *	8.9 →	8.8 →	10.3 *	9.8 →
	8.8 ↘	9.3 →	10.1 ←	9.7 ↓	9.6 →
beste Teiler	336.2 (11.)	490.0 (14.)	705.8 (18.)		
Trefferlage	8.23 mm rechts, 2.04 mm tief				
Streuwert	6.30, horizontal: 7.78, vertikal: 4.34				




Serie 3:	10.0 →	9.8 →	8.7 ↓	8.8 ↘	8.9 ↙
	10.0 ↓	10.2 ↙	10.6 *	8.2 ↓	9.5 ↓
beste Teiler	296.4 (28.)	623.0 (27.)	728.1 (21.)		
Trefferlage	3.37 mm rechts, 7.86 mm tief				
Streuwert	7.53, horizontal: 8.56, vertikal: 6.32				



Serie 4:	9.8 ←	8.7 ←	9.4 ←	9.6 ↓	7.9 ↘
	9.5 ↘	8.1 ↓	9.7 ↘	9.3 →	9.8 ↙
beste Teiler	891.7 (40.)	894.1 (31.)	966.3 (38.)		
Trefferlage	1.21 mm rechts, 7.04 mm tief				
Streuwert	9.88, horizontal: 11.78, vertikal: 7.52				



Serie 5:	10.5 *	9.8 ↗	10.4 *	10.5 *	9.3 →
	10.4 *	9.9 ↓	9.6 ↗	9.1 ↘	9.9 ↓
beste Teiler	321.8 (44.)	393.9 (41.)	426.5 (43.)		
Trefferlage	3.36 mm rechts, 0.65 mm hoch				
Streuwert	6.14, horizontal: 6.46, vertikal: 5.81				



Serie 6:	10.0 ↙	9.6 ↘	10.3 ↘	10.7 *	10.3 *
	10.4 *	9.3 ↙	9.8 ↑	10.2 ↘	9.7 ↘
beste Teiler	217.8 (54.)	443.0 (56.)	501.1 (55.)		
Trefferlage	2.78 mm links, 0.32 mm tief				
Streuwert	5.70, horizontal: 5.36, vertikal: 6.01				

Meyton Elektronik

ISSF Prone Women – Wertung – Frauen

StandNr: 17

Kitzbichler, Jasmin #70804337

StartNr: 111



21. Juli 2017 13:43

Tirol / Tirol


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	606.1	(581)
Serien:	101.5 99.9 99.3 102.6 100.2 102.6	
Zähler:	41 19 0 0 0 0 0 0 0 0	
Innenzehner:	21	
weiteste:	1300 (4), 1276 (13), 1247 (23)	
beste Teiler	113.6 (19.) 290.6 (22.) 293.7 (53.)	
Trefferlage	0.24 mm rechts, 1.12 mm hoch	
Streuwert	5.21, horizontal: 5.31, vertikal: 5.10	




Serie 1:					
	10.0 ↘	10.1 ←	10.5 *	9.3 ↑	10.1 ↗
	10.2 ↓	10.4 *	10.1 ↖	10.3 *	10.5 *
beste Teiler	353.8 (3.)	385.1 (10.)	477.8 (7.)		
Trefferlage	2.46 mm links, 1.63 mm hoch				
Streuwert	4.64, horizontal: 3.20, vertikal: 5.73				




Serie 2:					
	9.9 ↑	10.2 →	9.4 →	10.0 ↑	9.9 ↓
	10.0 →	9.8 ↘	9.6 ↘	10.8 *	10.3 *
beste Teiler	113.6 (19.)	517.9 (20.)	575.6 (12.)		
Trefferlage	2.25 mm rechts, 3.39 mm hoch				
Streuwert	5.39, horizontal: 5.21, vertikal: 5.56				




Serie 3:					
	10.2 ↑	10.6 *	9.4 ↑	9.6 ↓	9.5 →
	10.2 →	9.7 →	9.6 ↖	10.6 *	9.9 ↓
beste Teiler	290.6 (22.)	299.9 (29.)	587.8 (26.)		
Trefferlage	2.08 mm rechts, 0.25 mm hoch				
Streuwert	6.51, horizontal: 6.38, vertikal: 6.64				



Serie 4:					
	10.5 *	10.5 *	9.9 ↘	10.5 *	9.5 ↖
	10.2 ↖	10.3 ←	10.4 *	10.4 *	10.4 *
beste Teiler	387.5 (31.)	388.2 (34.)	396.9 (32.)		
Trefferlage	2.17 mm links, 0.38 mm hoch				
Streuwert	4.22, horizontal: 4.03, vertikal: 4.39				



Serie 5:					
	10.2 ↓	9.9 →	9.5 ↗	9.8 ←	10.2 ↑
	10.1 ↘	9.9 ↑	10.1 ←	10.4 *	10.1 ↗
beste Teiler	409.4 (49.)	586.7 (41.)	633.6 (45.)		
Trefferlage	2.06 mm rechts, 1.06 mm hoch				
Streuwert	5.41, horizontal: 5.87, vertikal: 4.92				



Serie 6:					
	9.7 →	10.0 ←	10.6 *	10.5 *	10.0 ←
	10.4 *	10.2 →	10.5 *	10.3 *	10.4 *
beste Teiler	293.7 (53.)	385.1 (54.)	393.8 (58.)		
Trefferlage	0.26 mm links, 0.01 mm hoch				
Streuwert	4.46, horizontal: 5.41, vertikal: 3.24				

Meyton Elektronik

ISSF Prone Women – Wertung – Frauen

StandNr: 18

Kaiser, Martina #70817217

StartNr: 112



21. Juli 2017 13:39

St. Gallen / St. Gallen


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	585.6	(556)
Serien:	95.7 100.9 97.2 93.8 100.1 97.9	
Zähler:	18 40 2 0 0 0 0 0 0 0	
Innenzehner:	10	
weiteste:	1861 (2), 1676 (31), 1595 (29)	
beste Teiler	120.5 (53.) 254.1 (20.) 270.0 (16.)	
Trefferlage	0.57 mm rechts, 1.01 mm hoch	
Streuwert	7.39, horizontal: 7.32, vertikal: 7.46	




Serie 1:					
	9.8 ↘	8.6 ↖	9.7 ↙	9.5 ↑	9.6 ↗
	10.2 ↗	9.7 ↖	9.3 ↘	9.5 ↓	9.8 ↗
beste Teiler	561.1 (6.)	947.6 (10.)	953.3 (1.)		
Trefferlage	1.17 mm links, 2.76 mm hoch				
Streuwert	8.28, horizontal: 6.21, vertikal: 9.93				




Serie 2:					
	9.7 ↓	9.4 ↖	10.2 ↙	9.3 →	9.9 →
	10.6 *	10.3 ←	10.6 *	10.3 *	10.6 *
beste Teiler	254.1 (20.)	270.0 (16.)	308.1 (18.)		
Trefferlage	1.33 mm rechts, 1.28 mm hoch				
Streuwert	5.65, horizontal: 5.93, vertikal: 5.35				




Serie 3:					
	9.7 ↗	9.8 →	9.8 ↗	9.8 ↑	9.5 ↖
	9.0 ↘	10.6 *	10.2 ←	9.0 ↑	9.8 ↗
beste Teiler	292.0 (27.)	579.1 (28.)	892.9 (30.)		
Trefferlage	1.78 mm rechts, 5.82 mm hoch				
Streuwert	6.41, horizontal: 6.45, vertikal: 6.38				



Serie 4:					
	8.9 →	10.2 ↗	9.3 ↑	9.7 ↑	9.4 →
	9.2 ↘	9.0 →	9.0 ↓	9.6 ↙	9.5 ↓
beste Teiler	591.3 (32.)	1018.1 (34.)	1075.4 (39.)		
Trefferlage	4.66 mm rechts, 2.28 mm tief				
Streuwert	8.86, horizontal: 8.65, vertikal: 9.06				



Serie 5:					
	9.5 ←	10.1 ↙	9.5 ↗	9.6 →	10.6 *
	9.8 ↙	10.6 *	10.6 *	9.9 ↙	9.9 ↙
beste Teiler	279.1 (48.)	297.0 (47.)	314.8 (45.)		
Trefferlage	1.95 mm links, 1.09 mm hoch				
Streuwert	6.03, horizontal: 7.42, vertikal: 4.19				



Serie 6:					
	10.3 ↓	10.2 ↗	10.8 *	9.1 ←	9.8 ↑
	9.4 ↘	9.5 ↙	9.1 ↓	9.2 ←	10.5 *
beste Teiler	120.5 (53.)	372.1 (60.)	545.6 (51.)		
Trefferlage	1.20 mm links, 2.62 mm tief				
Streuwert	7.50, horizontal: 8.46, vertikal: 6.41				

Meyton Elektronik

ISSF Prone Women – Wertung – Frauen

StandNr: 19

Scipioni, Sabrina #70817210

StartNr: 113

21. Juli 2017 13:48

Südtirol / Südtirol

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **607.6** (581)

Serien: 101.3 102.6 100.7 101.7 101.2 100.1

Zähler: 42 17 1 0 0 0 0 0 0 0



Innenzehner: 26

weiteste: 2120 (45), 1467 (51), 1355 (31)

beste Teiler 140.2 (59.) 140.9 (38.) 153.5 (41.)

Trefferlage 0.60 mm rechts, 1.08 mm hoch

Streuwert 5.44, horizontal: 6.41, vertikal: 4.24




Serie 1:

9.3 ↘	10.2 →	10.5 *	9.7 ↙	10.6 *
10.4 *	10.6 *	10.1 ←	10.3 *	9.6 ↘

beste Teiler 246.0 (5.) 254.6 (7.) 390.8 (3.)

Trefferlage 1.67 mm links, 0.88 mm hoch

Streuwert 5.31, horizontal: 5.96, vertikal: 4.58




Serie 2:

9.6 →	10.2 ←	10.6 *	10.7 *	10.0 ↗
10.0 ←	10.5 *	10.7 *	10.1 ↘	10.2 ↑

beste Teiler 223.4 (18.) 226.0 (14.) 267.1 (13.)

Trefferlage 0.61 mm links, 1.91 mm hoch

Streuwert 4.23, horizontal: 5.36, vertikal: 2.65




Serie 3:

10.3 ↑	9.8 ↑	9.8 ↘	10.2 ↘	9.6 ←
10.0 →	9.9 →	9.9 ↘	10.7 *	10.5 *

beste Teiler 234.0 (29.) 336.7 (30.) 552.2 (21.)

Trefferlage 1.74 mm rechts, 1.64 mm hoch

Streuwert 5.31, horizontal: 6.20, vertikal: 4.24




Serie 4:

9.3 ↘	10.6 *	9.4 ↗	10.6 *	9.5 ←
10.7 *	10.2 →	10.8 *	10.0 ↘	10.6 *

beste Teiler 140.9 (38.) 212.2 (36.) 288.0 (34.)

Trefferlage 0.83 mm links, 2.12 mm hoch

Streuwert 5.56, horizontal: 6.28, vertikal: 4.73




Serie 5:

10.8 *	10.6 *	10.1 ↘	10.6 *	8.3 →
10.3 *	10.4 *	9.4 →	10.2 ↑	10.5 *

beste Teiler 153.5 (41.) 270.9 (42.) 291.2 (44.)

Trefferlage 3.60 mm rechts, 1.43 mm hoch

Streuwert 5.89, horizontal: 7.62, vertikal: 3.38



Serie 6:

9.1 ↘	9.5 ↓	9.4 ↗	10.4 *	10.4 *
10.0 ←	10.4 *	9.9 ↗	10.8 *	10.2 ↘

beste Teiler 140.2 (59.) 436.8 (55.) 452.7 (54.)

Trefferlage 1.37 mm rechts, 1.52 mm tief

Streuwert 6.16, horizontal: 6.91, vertikal: 5.30

Meyton Elektronik

ISSF Prone Women – Wertung – Frauen

StandNr: 20

Köb, Brigitte #177

StartNr: 114



21. Juli 2017 13:46

Vorarlberg / Vorarlberg


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	567.6	(542)
Serien:	92.1 96.7 99.4 89.7 93.0 96.7	
Zähler:	20 27 9 3 1 0 0 0 0 0	
Innenzehner:	8	
weiteste:	3518 (39), 3009 (35), 2584 (4)	
beste Teiler	190.2 (28.) 274.0 (17.) 321.7 (36.)	
Trefferlage	0.80 mm links, 1.49 mm hoch	
Streuwert	9.74, horizontal: 10.05, vertikal: 9.41	




Serie 1:	9.4 ↙	10.0 ➡	8.3 ↙	7.7 ➡	8.6 ↙
	8.6 ←	9.1 ←	10.3 ←	9.6 ↖	10.5 *
beste Teiler	328.2 (10.) 546.0 (8.) 740.4 (2.)				
Trefferlage	4.77 mm links, 5.64 mm tief				
Streuwert	10.14, horizontal: 12.40, vertikal: 7.19				




Serie 2:	9.5 ↗	10.1 ↘	9.9 ↗	9.4 ↗	10.1 →
	9.0 ↘	10.6 *	9.2 ↗	9.5 ←	9.4 →
beste Teiler	274.0 (17.) 665.5 (15.) 719.4 (12.)				
Trefferlage	3.14 mm rechts, 4.43 mm hoch				
Streuwert	7.10, horizontal: 7.23, vertikal: 6.97				




Serie 3:	10.2 ➡	9.4 →	10.2 ↓	9.7 ↘	9.7 ↘
	10.3 *	9.4 ↘	10.7 *	9.5 ➡	10.3 ↘
beste Teiler	190.2 (28.) 492.0 (26.) 555.9 (30.)				
Trefferlage	1.60 mm rechts, 0.59 mm hoch				
Streuwert	6.43, horizontal: 7.30, vertikal: 5.42				



Serie 4:	9.0 ↘	8.8 ➡	9.8 ↗	8.4 ↗	7.2 ↘
	10.5 *	9.3 ↗	10.5 *	6.6 ↗	9.6 ↗
beste Teiler	321.7 (36.) 393.8 (38.) 901.4 (33.)				
Trefferlage	0.20 mm links, 9.95 mm hoch				
Streuwert	11.80, horizontal: 12.85, vertikal: 10.64				



Serie 5:	9.0 ↗	9.8 →	9.8 ↗	9.8 ←	8.6 ↘
	8.3 ➡	9.8 ←	10.4 *	8.3 ↙	9.2 ←
beste Teiler	475.8 (48.) 898.2 (47.) 911.1 (44.)				
Trefferlage	0.75 mm links, 0.86 mm hoch				
Streuwert	10.60, horizontal: 11.13, vertikal: 10.05				



Serie 6:	10.0 ←	10.3 ➡	7.9 ↙	9.6 ↓	10.2 ↓
	9.6 ↓	8.5 ↘	10.1 ↘	10.1 ↘	10.4 *
beste Teiler	472.6 (60.) 536.3 (52.) 569.6 (55.)				
Trefferlage	3.83 mm links, 1.23 mm tief				
Streuwert	8.48, horizontal: 7.91, vertikal: 9.01				

ISSF Prone Women – Wertung – Frauen

StandNr: 21

Tomaschett, Gianna #70817211

StartNr: 115

21. Juli 2017 13:36

Graubünden / Graubünden

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **605.3** (580)

Serien: 101.3 103.3 99.1 101.9 99.7 100.0

Zähler: 41 18 1 0 0 0 0 0 0 0



Innenzehner: 19

weiteste: 1613 (29), 1455 (48), 1379 (25)

beste Teiler 56.6 (33.) 72.2 (12.) 106.5 (49.)

Trefferlage 0.76 mm links, 0.44 mm tief

Streuwert 5.51, horizontal: 6.10, vertikal: 4.85




Serie 1:

10.3 →	10.0 ↑	10.0 ↖	9.9 ↖	9.8 ←
10.1 ↖	10.2 →	10.4 *	10.3 *	10.3 *

beste Teiler 443.7 (8.) 487.1 (9.) 499.9 (10.)

Trefferlage 1.76 mm links, 1.75 mm hoch

Streuwert 4.73, horizontal: 5.68, vertikal: 3.55



Serie 2:

10.1 ↗	10.9 *	10.6 *	10.8 *	10.7 *
10.1 ↙	9.6 ↙	10.4 *	10.2 ↗	9.9 ↘

beste Teiler 72.2 (12.) 145.0 (14.) 193.6 (15.)

Trefferlage 0.16 mm links, 1.27 mm tief

Streuwert 4.22, horizontal: 4.04, vertikal: 4.40



Serie 3:

10.3 ↑	10.3 *	10.4 *	9.9 ↖	9.2 ↑
10.0 ↗	10.2 →	10.3 *	8.9 ↗	9.6 ↖

beste Teiler 424.7 (23.) 512.1 (28.) 521.1 (22.)

Trefferlage 0.04 mm links, 4.24 mm hoch

Streuwert 6.09, horizontal: 7.21, vertikal: 4.72




Serie 4:

10.2 ←	10.2 ←	10.9 *	10.8 *	10.5 *
9.5 ↘	9.8 ←	9.9 ↗	10.0 ↙	10.1 ↓

beste Teiler 56.6 (33.) 139.9 (34.) 378.4 (35.)

Trefferlage 0.86 mm links, 1.47 mm tief

Streuwert 5.02, horizontal: 5.67, vertikal: 4.28




Serie 5:

10.0 →	10.0 ↙	10.1 ↘	9.6 ↘	10.1 ↖
9.8 ←	10.1 ←	9.1 ↗	10.8 *	10.1 ←

beste Teiler 106.5 (49.) 660.9 (50.) 671.6 (45.)

Trefferlage 2.41 mm links, 1.86 mm tief

Streuwert 5.91, horizontal: 6.90, vertikal: 4.72



Serie 6:

9.6 ←	10.3 ↙	10.8 *	9.4 ↘	9.2 ↘
10.4 *	10.6 *	9.7 ←	10.5 *	9.5 ↘

beste Teiler 113.7 (53.) 318.0 (57.) 323.8 (59.)

Trefferlage 0.65 mm rechts, 4.03 mm tief

Streuwert 5.81, horizontal: 7.50, vertikal: 3.37

Meyton Elektronik

ISSF Prone Women – Wertung – Frauen

StandNr: 22

Waibel, Daniela #225

StartNr: 116



21. Juli 2017 13:51

Vorarlberg / Vorarlberg


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **606.5** (578)
 Serien: 100.5 103.1 101.8 101.0 100.4 99.7
 Zähler: 39 20 1 0 0 0 0 0 0
 Innenzehner: 27
 weiteste: 1626 (60), 1541 (59), 1346 (7)
 beste Teiler 77.8 (11.) 131.9 (36.) 149.8 (29.)
 Trefferlage 0.99 mm rechts, 0.51 mm tief
 Streuwert 5.35, horizontal: 5.18, vertikal: 5.51




Serie 1:
 10.3 ↗ 10.4 * 10.3 * 10.0 ← 9.8 ↑
 9.9 ↗ 9.3 ↗ 9.9 ↑ 10.0 ↗ 10.6 *
 beste Teiler 263.2 (10.) 473.6 (2.) 527.7 (3.)
 Trefferlage 2.12 mm rechts, 3.37 mm hoch
 Streuwert 5.01, horizontal: 5.66, vertikal: 4.28




Serie 2:
 10.9 * 10.4 * 10.4 * 9.8 ↘ 10.4 *
 10.4 * 10.4 * 9.7 ↓ 10.4 * 10.3 *
 beste Teiler 77.8 (11.) 411.1 (12.) 428.2 (19.)
 Trefferlage 2.48 mm rechts, 2.00 mm tief
 Streuwert 3.52, horizontal: 3.29, vertikal: 3.74




Serie 3:
 9.6 ↓ 9.5 ← 9.9 ↘ 9.7 ↗ 10.4 *
 10.3 * 10.5 * 10.5 * 10.8 * 10.6 *
 beste Teiler 149.8 (29.) 279.6 (30.) 327.0 (27.)
 Trefferlage 0.18 mm links, 0.38 mm tief
 Streuwert 5.22, horizontal: 5.58, vertikal: 4.83



Serie 4:
 10.1 ↘ 10.3 * 10.6 * 9.5 ↓ 9.5 ↓
 10.8 * 10.6 * 10.0 ↓ 9.9 ↓ 9.7 ↘
 beste Teiler 131.9 (36.) 285.5 (37.) 286.5 (33.)
 Trefferlage 1.17 mm rechts, 5.55 mm tief
 Streuwert 3.89, horizontal: 3.72, vertikal: 4.06



Serie 5:
 9.4 → 9.9 ↓ 9.6 ↘ 10.5 * 10.3 ↗
 10.4 * 9.6 ↗ 10.3 * 10.0 → 10.4 *
 beste Teiler 340.1 (44.) 463.4 (50.) 471.6 (46.)
 Trefferlage 3.78 mm rechts, 0.73 mm hoch
 Streuwert 5.21, horizontal: 5.64, vertikal: 4.73



Serie 6:
 10.5 * 10.2 ↘ 10.2 ↘ 10.0 ↓ 10.6 *
 9.9 ← 10.2 ↗ 10.2 ↓ 9.0 ↘ 8.9 ↑
 beste Teiler 310.9 (55.) 361.2 (51.) 567.3 (57.)
 Trefferlage 3.43 mm links, 0.74 mm hoch
 Streuwert 6.08, horizontal: 4.49, vertikal: 7.32

Meyton Elektronik

ISSF Prone Women – Wertung – Frauen

StandNr: 23

Leopold, Magdalena #93

StartNr: 117



21. Juli 2017 13:33

Tirol / Tirol


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	604.3	(581)
Serien:	99.0	102.1 98.3 101.6 101.6 101.7
Zähler:	41	19 0 0 0 0 0 0 0 0
Innenzehner:	24	
weiteste:	1558	(27), 1514 (8), 1505 (50)
beste Teiler	52.4	(12.) 115.3 (39.) 133.2 (49.)
Trefferlage	0.18 mm	rechts, 1.21 mm hoch
Streuwert	5.63,	horizontal: 5.68, vertikal: 5.57




Serie 1:	9.2 ↙	10.6 *	10.0 ←	9.6 ↘	10.2 ↑
	10.0 ↙	9.5 →	9.1 ↗	10.1 ↗	10.7 *
beste Teiler	224.6	(10.) 263.4 (2.) 585.0 (5.)			
Trefferlage	1.05 mm	links, 1.35 mm hoch			
Streuwert	6.97,	horizontal: 8.80, vertikal: 4.46			




Serie 2:	9.4 ↗	10.9 *	10.2 ↘	10.6 *	9.7 ↘
	10.6 *	10.2 ↘	10.6 *	10.0 ←	9.9 ←
beste Teiler	52.4	(12.) 274.4 (14.) 283.3 (18.)			
Trefferlage	0.67 mm	rechts, 1.26 mm tief			
Streuwert	4.98,	horizontal: 5.48, vertikal: 4.43			




Serie 3:	10.1 ↗	10.6 *	9.3 ↑	9.7 →	9.9 ↘
	9.5 ↘	9.0 ↗	10.0 ↑	10.2 ↑	10.0 ↗
beste Teiler	293.7	(22.) 585.6 (29.) 650.8 (21.)			
Trefferlage	2.20 mm	rechts, 6.27 mm hoch			
Streuwert	5.21,	horizontal: 5.34, vertikal: 5.08			



Serie 4:	10.3 *	10.0 ↙	10.4 *	10.5 *	10.0 →
	10.3 *	9.1 ↗	9.8 ↗	10.8 *	10.4 *
beste Teiler	115.3	(39.) 358.2 (34.) 441.4 (40.)			
Trefferlage	0.87 mm	rechts, 1.22 mm hoch			
Streuwert	5.25,	horizontal: 5.60, vertikal: 4.87			



Serie 5:	10.4 *	10.6 *	10.3 *	10.4 *	10.2 ↑
	9.4 ↘	10.1 ↑	10.3 *	10.8 *	9.1 ↓
beste Teiler	133.2	(49.) 257.6 (42.) 430.1 (44.)			
Trefferlage	0.93 mm	links, 1.04 mm hoch			
Streuwert	5.54,	horizontal: 3.03, vertikal: 7.22			



Serie 6:	9.9 ↙	10.2 →	10.0 ↘	10.3 *	10.3 *
	9.7 ↙	10.4 *	10.4 *	9.9 ↘	10.6 *
beste Teiler	305.4	(60.) 440.3 (58.) 463.4 (57.)			
Trefferlage	0.66 mm	links, 1.31 mm tief			
Streuwert	4.77,	horizontal: 5.08, vertikal: 4.44			

Meyton Elektronik

ISSF Prone Women – Wertung – Frauen

StandNr: 24

Tomaschett, Elena #70817207

StartNr: 118



21. Juli 2017 13:40

Graubünden / Graubünden


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	591.3	(561)
Serien:	98.5 98.4 100.1 99.8 97.9 96.6	
Zähler:	26 29 5 0 0 0 0 0 0	
Innenzehner:	15	
weiteste:	1945 (47), 1881 (57), 1737 (28)	
beste Teiler	55.3 (43.) 97.0 (26.) 128.0 (39.)	
Trefferlage	1.39 mm links, 0.08 mm hoch	
Streuwert	7.01, horizontal: 7.03, vertikal: 6.99	




Serie 1:	9.5 ↓	10.3 *	10.3 ↖	9.3 ←	9.4 ↑
	9.1 ↓	9.8 ←	10.3 *	9.7 ↑	10.8 *
beste Teiler	135.4 (10.)	516.4 (8.)	526.5 (2.)		
Trefferlage	2.36 mm links, 0.00 mm				
Streuwert	7.09, horizontal: 5.48, vertikal: 8.40				




Serie 2:	9.8 ↘	10.3 *	9.6 ↙	9.6 ↘	10.6 *
	10.3 ↗	9.1 →	9.6 ↘	10.5 *	9.0 ↘
beste Teiler	296.7 (15.)	378.0 (19.)	481.9 (12.)		
Trefferlage	3.43 mm rechts, 0.97 mm tief				
Streuwert	6.81, horizontal: 8.02, vertikal: 5.32				




Serie 3:	10.3 ←	10.4 *	8.9 ←	10.5 *	10.0 ←
	10.8 *	10.6 *	8.8 ↓	9.7 ↙	10.1 ↑
beste Teiler	97.0 (26.)	306.7 (27.)	357.2 (24.)		
Trefferlage	3.71 mm links, 2.12 mm tief				
Streuwert	6.08, horizontal: 5.42, vertikal: 6.68				



Serie 4:	9.9 ↑	9.9 ↓	10.0 ↓	9.4 ↑	9.9 ←
	9.9 ↘	10.2 ↖	9.6 ↘	10.8 *	10.2 ←
beste Teiler	128.0 (39.)	620.2 (37.)	635.0 (40.)		
Trefferlage	1.11 mm links, 0.96 mm tief				
Streuwert	6.04, horizontal: 4.51, vertikal: 7.25				



Serie 5:	9.8 ↓	9.9 ↖	10.9 *	10.1 ↖	9.1 ↘
	10.6 *	8.5 ↘	10.2 ↑	9.6 ←	9.2 ↗
beste Teiler	55.3 (43.)	316.9 (46.)	602.6 (48.)		
Trefferlage	3.02 mm links, 4.33 mm hoch				
Streuwert	7.08, horizontal: 6.68, vertikal: 7.45				



Serie 6:	8.8 ↗	10.5 *	10.4 *	9.4 →	10.2 ↘
	9.5 ←	8.6 ←	9.9 ←	9.8 ↑	9.5 ↓
beste Teiler	343.7 (52.)	439.1 (53.)	588.7 (55.)		
Trefferlage	1.61 mm links, 0.22 mm hoch				
Streuwert	8.34, horizontal: 9.95, vertikal: 6.35				

Meyton Elektronik

ISSF Prone Women – Wertung – Frauen

StandNr: 25

Gsell, Natalie #70817205

StartNr: 119



21. Juli 2017 13:50

St. Gallen / St. Gallen


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **614.6** (587)
 Serien: 104.6 101.3 103.1 102.1 101.7 101.8
 Zähler: 47 13 0 0 0 0 0 0 0
 Innenzehner: 29
 weiteste: 1360 (60), 1321 (41), 1251 (36)
 beste Teiler 92.6 (46.) 112.8 (31.) 133.2 (56.)
 Trefferlage 0.18 mm rechts, 0.68 mm hoch
 Streuwert 4.56, horizontal: 4.94, vertikal: 4.15




Serie 1:
 10.3 * 10.5 * 10.0 ↗ 10.8 * 10.3 *
 10.7 * 10.5 * 10.1 ↗ 10.8 * 10.6 *
 beste Teiler 136.6 (4.) 160.6 (9.) 220.0 (6.)
 Trefferlage 0.29 mm rechts, 1.48 mm hoch
 Streuwert 3.14, horizontal: 3.22, vertikal: 3.05




Serie 2:
 9.5 ← 10.5 * 10.5 * 9.8 → 9.9 ↘
 10.4 * 10.1 ↑ 10.5 * 9.8 ← 10.3 ←
 beste Teiler 323.3 (12.) 325.4 (18.) 387.8 (13.)
 Trefferlage 0.98 mm links, 2.27 mm hoch
 Streuwert 4.94, horizontal: 6.50, vertikal: 2.58




Serie 3:
 10.3 * 10.5 * 10.2 ↗ 10.6 * 10.2 ↘
 10.4 * 10.2 → 10.2 ← 10.3 * 10.2 ↑
 beste Teiler 314.1 (24.) 327.1 (22.) 406.5 (26.)
 Trefferlage 0.11 mm links, 0.51 mm tief
 Streuwert 3.81, horizontal: 3.88, vertikal: 3.74



Serie 4:
 10.8 * 10.1 ↘ 10.2 ← 9.9 ↑ 9.9 ↖
 9.4 ↘ 9.8 ↗ 10.8 * 10.6 * 10.6 *
 beste Teiler 112.8 (31.) 157.6 (38.) 290.6 (39.)
 Trefferlage 0.47 mm links, 1.38 mm hoch
 Streuwert 5.04, horizontal: 5.45, vertikal: 4.60



Serie 5:
 9.3 ↓ 9.8 → 9.8 → 10.6 * 10.6 *
 10.8 * 10.2 → 10.5 * 10.1 → 10.0 ↗
 beste Teiler 92.6 (46.) 248.4 (45.) 300.2 (44.)
 Trefferlage 3.58 mm rechts, 0.85 mm tief
 Streuwert 4.64, horizontal: 4.28, vertikal: 4.97



Serie 6:
 10.1 ↑ 10.1 ↘ 9.5 ↖ 10.5 * 10.1 ←
 10.8 * 10.6 * 10.7 * 10.1 ↑ 9.3 ↘
 beste Teiler 133.2 (56.) 192.5 (58.) 320.9 (57.)
 Trefferlage 1.17 mm links, 0.34 mm hoch
 Streuwert 5.29, horizontal: 5.24, vertikal: 5.33

Meyton Elektronik

ISSF Prone Women – Wertung – Frauen

StandNr: 26

Ladner, Sonja #221

StartNr: 120

21. Juli 2017 13:46

Vorarlberg / Vorarlberg

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **607.8** (581)

Serien: 102.3 102.0 101.1 102.4 101.2 98.8

Zähler: 42 17 1 0 0 0 0 0 0 0



Innenzehner: 26

weiteste: 1625 (55), 1390 (49), 1365 (51)

beste Teiler 112.5 (9.) 218.1 (35.) 233.5 (12.)

Trefferlage 0.05 mm links, 1.25 mm hoch

Streuwert 5.14, horizontal: 5.17, vertikal: 5.11




Serie 1:

10.0 ←	9.8 ↑	10.1 ↑	10.2 ↗	10.3 *
10.2 ↖	10.5 *	10.5 *	10.8 *	9.9 ←

beste Teiler 112.5 (9.) 346.0 (7.) 376.9 (8.)

Trefferlage 2.24 mm links, 1.45 mm hoch

Streuwert 4.11, horizontal: 3.90, vertikal: 4.31




Serie 2:

9.9 ↓	10.7 *	10.3 *	10.0 ↗	10.6 *
10.2 →	10.3 *	9.9 →	10.2 ↙	9.9 →

beste Teiler 233.5 (12.) 279.7 (15.) 490.0 (17.)

Trefferlage 2.84 mm rechts, 1.33 mm tief

Streuwert 4.12, horizontal: 3.62, vertikal: 4.57




Serie 3:

10.6 *	10.4 *	9.9 ↖	9.9 ↖	9.4 ↖
10.4 *	10.3 *	9.4 ↓	10.3 *	10.5 *

beste Teiler 269.1 (21.) 382.1 (30.) 428.7 (26.)

Trefferlage 1.61 mm links, 1.28 mm hoch

Streuwert 5.38, horizontal: 4.81, vertikal: 5.90




Serie 4:

10.2 ↗	10.1 ↑	10.3 *	10.5 *	10.7 *
9.9 ↖	9.5 ↗	10.3 *	10.6 *	10.3 ↘

beste Teiler 218.1 (35.) 318.5 (39.) 376.5 (34.)

Trefferlage 0.38 mm links, 1.18 mm hoch

Streuwert 4.65, horizontal: 4.28, vertikal: 5.00




Serie 5:

9.5 ↗	10.0 →	10.7 *	10.4 *	10.0 ↓
10.6 *	10.1 ↘	10.1 ↓	9.2 ↖	10.6 *

beste Teiler 235.3 (43.) 268.4 (46.) 305.0 (50.)

Trefferlage 0.51 mm rechts, 0.40 mm hoch

Streuwert 5.66, horizontal: 5.60, vertikal: 5.72



Serie 6:

9.2 ↖	10.4 *	9.9 ↖	10.4 *	8.9 →
9.5 ↗	10.5 *	10.2 →	10.0 ↗	9.8 ←

beste Teiler 328.0 (57.) 411.5 (54.) 452.9 (52.)

Trefferlage 0.57 mm rechts, 4.51 mm hoch

Streuwert 6.12, horizontal: 7.47, vertikal: 4.37

Meyton Elektronik

ISSF Prone Women – Wertung – Frauen

StandNr: 27

Lechner,, Sara #70817206

StartNr: 121



21. Juli 2017 13:36

Bayern / Bayern


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	573.7	(546)
Serien:	92.9 96.9 95.6 92.6 98.9 96.8	
Zähler:	21 26 11 2 0 0 0 0 0 0	
Innenzehner:	10	
weiteste:	2640 (32), 2513 (1), 2301 (10)	
beste Teiler	301.2 (39.) 305.8 (27.) 319.0 (59.)	
Trefferlage	2.19 mm links, 3.11 mm hoch	
Streuwert	8.62, horizontal: 8.54, vertikal: 8.71	




Serie 1:	7.8 ↙	9.4 ↑	9.7 ↓	8.9 ←	8.3 ↘
	10.2 ↑	10.0 ↗	10.3 *	10.2 ↖	8.1 ↘
beste Teiler	483.0 (8.)	563.8 (9.)	601.7 (6.)		
Trefferlage	6.64 mm links, 3.60 mm hoch				
Streuwert	9.75, horizontal: 8.82, vertikal: 10.60				




Serie 2:	9.5 ↗	9.7 ↘	10.1 ↓	10.5 *	9.8 ↗
	9.8 ←	10.1 ↓	9.8 ↓	9.5 →	8.1 ↘
beste Teiler	381.1 (14.)	704.3 (13.)	720.0 (17.)		
Trefferlage	0.92 mm rechts, 1.76 mm hoch				
Streuwert	8.17, horizontal: 7.72, vertikal: 8.59				




Serie 3:	10.3 ↘	9.9 ↘	8.5 ↖	8.2 ↗	9.3 ←
	10.1 ←	10.6 *	9.8 ↓	9.6 ↖	9.3 ↑
beste Teiler	305.8 (27.)	537.5 (21.)	693.8 (26.)		
Trefferlage	2.40 mm links, 1.58 mm hoch				
Streuwert	9.17, horizontal: 10.22, vertikal: 7.98				



Serie 4:	9.1 ↖	7.7 ↑	9.9 ↗	9.5 ←	10.3 *
	8.3 ↖	9.1 ↑	8.7 ↙	10.6 *	9.4 ↑
beste Teiler	301.2 (39.)	528.1 (35.)	864.8 (33.)		
Trefferlage	4.31 mm links, 6.39 mm hoch				
Streuwert	9.80, horizontal: 9.29, vertikal: 10.28				



Serie 5:	10.0 ↘	8.9 ↖	9.7 ↑	10.4 *	9.6 ↑
	9.7 ↗	10.4 *	10.4 *	10.1 ↑	9.7 ←
beste Teiler	428.3 (44.)	470.9 (48.)	471.6 (47.)		
Trefferlage	2.19 mm links, 4.54 mm hoch				
Streuwert	5.76, horizontal: 6.68, vertikal: 4.67				



Serie 6:	8.1 ↓	10.4 *	8.6 ↗	9.7 ↗	9.5 ↘
	9.9 ↖	9.9 ↘	10.0 ↖	10.6 *	10.1 ↘
beste Teiler	319.0 (59.)	449.1 (52.)	671.0 (60.)		
Trefferlage	1.45 mm rechts, 0.78 mm hoch				
Streuwert	8.57, horizontal: 7.26, vertikal: 9.71				

Meyton Elektronik

ISSF Prone Women – Wertung – Frauen

StandNr: 28

Casari, Ylenia #70817214

StartNr: 122



21. Juli 2017 13:45

Tessin / Tessin


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	591.4	(561)
Serien:	97.8 101.8 101.4 97.6 94.4 98.4	
Zähler:	24 33 3 0 0 0 0 0 0	
Innenzehner:	13	
weiteste:	1702 (45), 1672 (18), 1625 (60)	
beste Teiler	34.0 (12.) 64.0 (20.) 105.9 (36.)	
Trefferlage	0.80 mm links, 0.21 mm hoch	
Streuwert	6.94, horizontal: 7.93, vertikal: 5.79	




Serie 1:	10.2 ↓	9.0 ↖	10.8 *	9.3 ↗	9.9 ↘
	9.6 ←	9.4 ↗	9.3 →	9.7 ↘	10.6 *
beste Teiler	123.4 (3.)	300.1 (10.)	616.5 (1.)		
Trefferlage	2.54 mm links, 2.81 mm hoch				
Streuwert	7.20, horizontal: 8.88, vertikal: 4.99				




Serie 2:	9.8 ↘	10.9 *	9.9 ↑	10.3 *	10.5 *
	9.9 ←	10.2 ←	8.9 ↖	10.5 *	10.9 *
beste Teiler	34.0 (12.)	64.0 (20.)	367.7 (19.)		
Trefferlage	2.55 mm links, 1.60 mm hoch				
Streuwert	5.28, horizontal: 5.84, vertikal: 4.65				




Serie 3:	10.6 *	10.4 *	9.9 ↖	10.3 ↑	9.7 ↘
	10.7 *	10.0 →	9.7 ↘	9.8 ↘	10.3 →
beste Teiler	232.1 (26.)	292.8 (21.)	431.8 (22.)		
Trefferlage	1.33 mm rechts, 0.30 mm hoch				
Streuwert	5.23, horizontal: 5.39, vertikal: 5.07				



Serie 4:	9.3 ←	9.0 ↓	9.6 ↘	9.4 →	10.3 *
	10.8 *	9.9 ←	9.8 ↘	9.7 ←	9.8 ↓
beste Teiler	105.9 (36.)	482.5 (35.)	829.2 (37.)		
Trefferlage	2.23 mm links, 2.57 mm tief				
Streuwert	7.25, horizontal: 7.92, vertikal: 6.51				



Serie 5:	9.1 →	9.3 ↘	9.3 →	9.5 →	8.8 ←
	10.2 ↙	9.4 ↘	10.0 ↓	9.5 ↗	9.3 ↑
beste Teiler	629.9 (46.)	757.2 (48.)	1157.3 (49.)		
Trefferlage	2.98 mm rechts, 0.64 mm tief				
Streuwert	8.98, horizontal: 10.03, vertikal: 7.78				



Serie 6:	10.2 ←	9.6 ↙	10.8 *	9.7 ←	9.5 →
	10.0 ↘	9.7 ↘	10.0 ↗	10.0 ↖	8.9 ↖
beste Teiler	149.2 (53.)	631.3 (51.)	735.4 (56.)		
Trefferlage	1.80 mm links, 0.23 mm tief				
Streuwert	7.09, horizontal: 8.67, vertikal: 5.03				

Meyton Elektronik

ISSF Prone Women – Wertung – Frauen

StandNr: 29

Hagmann, Maria #70817209

StartNr: 123



21. Juli 2017 13:48

St. Gallen / St. Gallen

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	596.7	(570)
Serien:	98.1 98.2 100.9 101.3 99.0 99.2	
Zähler:	34 22 4 0 0 0 0 0 0	
Innenzehner:	18	
weiteste:	1844 (60), 1769 (8), 1688 (43)	
beste Teiler	59.0 (55.) 74.8 (4.) 180.3 (6.)	
Trefferlage	1.62 mm rechts, 0.46 mm tief	
Streuwert	6.33, horizontal: 6.47, vertikal: 6.18	




Serie 1:

9.5 ↙	10.2 ↗	9.7 ↘	10.9 *	9.7 ↓
10.7 *	9.7 ↓	8.7 ←	9.8 ↘	9.2 ↘
beste Teiler	74.8 (4.)	180.3 (6.)	612.5 (2.)	
Trefferlage	0.78 mm rechts, 4.12 mm tief			
Streuwert	7.04, horizontal: 8.10, vertikal: 5.78			




Serie 2:

10.2 ↘	10.5 *	9.5 ↖	9.9 ↗	9.5 →
9.5 ↗	9.3 →	9.7 →	10.0 ↖	10.1 ↑
beste Teiler	338.6 (12.)	608.1 (11.)	657.7 (20.)	
Trefferlage	3.07 mm rechts, 4.11 mm hoch			
Streuwert	5.91, horizontal: 8.25, vertikal: 1.40			




Serie 3:

9.6 →	10.0 ↓	10.3 *	10.3 *	10.4 *
9.6 →	10.2 →	10.2 ↑	10.1 ↓	10.2 ↑
beste Teiler	471.8 (25.)	491.9 (23.)	494.2 (24.)	
Trefferlage	3.74 mm rechts, 1.42 mm hoch			
Streuwert	4.44, horizontal: 4.26, vertikal: 4.61			




Serie 4:

10.1 ↖	10.4 *	10.2 ↖	10.4 *	10.5 *
10.4 *	9.4 ↗	10.1 ↘	10.2 ↘	9.6 →
beste Teiler	321.7 (35.)	445.8 (32.)	458.7 (34.)	
Trefferlage	1.15 mm rechts, 0.62 mm hoch			
Streuwert	5.10, horizontal: 4.91, vertikal: 5.29			



Serie 5:

10.4 *	10.5 *	8.8 ↖	9.4 ↓	8.9 ↘
10.5 *	9.9 ↘	10.6 *	10.1 ↓	9.9 ↗
beste Teiler	282.1 (48.)	371.9 (46.)	396.6 (42.)	
Trefferlage	2.13 mm rechts, 1.77 mm tief			
Streuwert	6.99, horizontal: 6.22, vertikal: 7.69			



Serie 6:

9.6 ←	10.2 ↖	9.2 ↘	10.0 ↙	10.9 *
10.4 *	10.4 *	10.6 *	9.3 ↘	8.6 ↓
beste Teiler	59.0 (55.)	279.1 (58.)	419.8 (57.)	
Trefferlage	1.16 mm links, 3.05 mm tief			
Streuwert	6.95, horizontal: 6.53, vertikal: 7.35			

Meyton Elektronik

ISSF Prone Women – Wertung – Frauen

StandNr: 30

Mahlknecht, Manuela #70804290

StartNr: 124



21. Juli 2017 13:29

Südtirol / Südtirol


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **607.1** (576)
 Serien: 101.7 103.7 101.1 102.2 97.9 100.5
 Zähler: 37 22 1 0 0 0 0 0 0
 Innenzehner: 27
 weiteste: 1728 (49), 1447 (33), 1379 (7)
 beste Teiler 50.0 (1.) 123.0 (37.) 153.2 (16.)
 Trefferlage 1.66 mm links, 0.22 mm tief
 Streuwert 5.30, horizontal: 5.11, vertikal: 5.49




Serie 1:
 10.9 * 10.1 → 10.2 ↑ 9.6 ↓ 10.6 *
 10.6 * 9.2 ↗ 10.3 * 10.1 ↘ 10.1 ↑
 beste Teiler 50.0 (1.) 258.1 (5.) 285.3 (6.)
 Trefferlage 0.39 mm links, 0.20 mm hoch
 Streuwert 5.38, horizontal: 3.44, vertikal: 6.78




Serie 2:
 10.6 * 10.1 ↑ 9.7 ↗ 10.5 * 10.4 *
 10.8 * 10.6 * 10.2 → 10.1 ↘ 10.7 *
 beste Teiler 153.2 (16.) 200.9 (20.) 258.2 (11.)
 Trefferlage 1.90 mm rechts, 1.04 mm hoch
 Streuwert 3.57, horizontal: 2.90, vertikal: 4.13



Serie 3:
 10.3 * 10.5 * 9.4 ← 9.7 ← 9.7 ↑
 10.3 * 9.9 ↖ 10.3 * 10.5 * 10.5 *
 beste Teiler 350.7 (22.) 369.0 (29.) 397.5 (30.)
 Trefferlage 2.80 mm links, 0.93 mm hoch
 Streuwert 5.03, horizontal: 5.57, vertikal: 4.43



Serie 4:
 10.5 * 10.6 * 9.1 ↘ 10.6 * 9.9 ↑
 9.6 ← 10.8 * 10.2 ↘ 10.4 * 10.5 *
 beste Teiler 123.0 (37.) 271.3 (34.) 286.2 (32.)
 Trefferlage 2.47 mm links, 0.94 mm tief
 Streuwert 4.87, horizontal: 5.20, vertikal: 4.51



Serie 5:
 9.9 ↑ 9.8 ↖ 10.7 * 9.7 ← 9.8 ↖
 9.9 ↓ 9.4 → 9.3 ↓ 8.8 ↘ 10.6 *
 beste Teiler 167.3 (43.) 283.0 (50.) 824.3 (41.)
 Trefferlage 2.32 mm links, 1.83 mm tief
 Streuwert 7.30, horizontal: 7.11, vertikal: 7.49



Serie 6:
 9.9 ↓ 10.4 * 9.7 ↑ 9.7 ↘ 10.5 *
 9.7 ← 10.1 ↓ 9.7 ← 10.8 * 10.0 ↖
 beste Teiler 155.2 (59.) 326.8 (55.) 453.2 (52.)
 Trefferlage 3.90 mm links, 0.76 mm tief
 Streuwert 4.96, horizontal: 4.21, vertikal: 5.61

Meyton Elektronik

ISSF Prone Women – Wertung – Frauen

StandNr: 31

Herbst, Anja #70817215

StartNr: 125



21. Juli 2017 13:43

Bayern / Bayern


Unterschrift des Schützen

Meyton Elektronik

Ergebnis:	593.1	(565)
Serien:	100.3 98.8 99.8 98.4 98.6 97.2	
Zähler:	27 31 2 0 0 0 0 0 0 0	
Innenzehner:	13	
weiteste:	1658 (9), 1657 (41), 1441 (20)	
beste Teiler	266.5 (44.) 302.5 (45.) 304.5 (17.)	
Trefferlage	1.43 mm links, 0.72 mm hoch	
Streuwert	6.42, horizontal: 6.03, vertikal: 6.79	




Serie 1:				
10.0 ↙	10.1 ↘	9.7 ↗	9.7 ↓	10.3 *
10.5 *	10.3 *	10.2 →	8.9 ↖	10.6 *
beste Teiler	306.9 (10.)	349.1 (6.)	496.7 (7.)	
Trefferlage	1.50 mm links, 0.51 mm hoch			
Streuwert	6.08, horizontal: 6.22, vertikal: 5.93			




Serie 2:				
10.0 →	9.9 ↖	9.7 ↑	9.8 →	10.2 ←
10.0 ↘	10.6 *	9.4 ←	10.1 ↓	9.1 ↙
beste Teiler	304.5 (17.)	617.2 (15.)	684.7 (19.)	
Trefferlage	3.02 mm links, 0.63 mm hoch			
Streuwert	6.37, horizontal: 7.09, vertikal: 5.57			




Serie 3:				
10.5 *	9.6 ↙	9.4 ←	10.4 *	10.4 *
10.0 ↑	10.0 ↓	10.2 ↗	10.1 ↑	9.2 →
beste Teiler	342.2 (21.)	433.6 (25.)	434.5 (24.)	
Trefferlage	0.89 mm links, 0.92 mm hoch			
Streuwert	6.16, horizontal: 7.06, vertikal: 5.11			



Serie 4:				
10.3 *	9.9 ↖	9.6 ↘	9.6 ↖	9.9 ↓
10.0 ↓	9.8 →	9.5 ↑	9.9 ↑	9.9 ↑
beste Teiler	493.6 (31.)	772.2 (36.)	809.0 (39.)	
Trefferlage	1.10 mm links, 0.29 mm hoch			
Streuwert	6.67, horizontal: 5.68, vertikal: 7.53			



Serie 5:				
8.9 ↘	9.6 ↙	9.3 ↓	10.6 *	10.6 *
10.2 ↖	9.4 ↘	9.9 ←	10.4 *	9.7 ↑
beste Teiler	266.5 (44.)	302.5 (45.)	458.8 (49.)	
Trefferlage	1.54 mm links, 0.06 mm tief			
Streuwert	7.25, horizontal: 4.62, vertikal: 9.15			



Serie 6:				
9.3 ↑	9.5 ↘	10.0 →	10.4 *	9.6 ←
9.6 ↓	9.9 ↙	9.7 ↑	9.4 ↑	9.8 ↖
beste Teiler	458.7 (54.)	790.8 (53.)	819.0 (57.)	
Trefferlage	0.53 mm links, 2.06 mm hoch			
Streuwert	7.38, horizontal: 6.49, vertikal: 8.17			

Meyton Elektronik

ISSF Prone Women – Wertung – Frauen

StandNr: 32

Pandiscia, Daniela #70817208

StartNr: 126



21. Juli 2017 13:41

Tessin / Tessin


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **611.0** (583)
 Serien: 100.3 101.2 101.9 103.0 103.0 101.6
 Zähler: 43 17 0 0 0 0 0 0 0
 Innenzehner: 29
 weiteste: 1475 (37), 1381 (2), 1324 (14)
 beste Teiler 7.0 (52.) 59.2 (3.) 110.3 (32.)
 Trefferlage 0.68 mm links, 0.59 mm tief
 Streuwert 4.96, horizontal: 5.15, vertikal: 4.76




Serie 1:
 9.6 ↓ 9.2 ↘ 10.9 * 10.2 ↙ 10.5 *
 10.1 ← 10.4 * 10.3 * 9.4 ← 9.7 ↘
 beste Teiler 59.2 (3.) 324.6 (5.) 438.0 (7.)
 Trefferlage 3.77 mm links, 0.98 mm hoch
 Streuwert 5.47, horizontal: 5.15, vertikal: 5.78




Serie 2:
 10.5 * 10.5 * 10.1 ↗ 9.3 → 10.1 ↘
 10.6 * 10.3 * 9.6 ↓ 9.7 ↓ 10.5 *
 beste Teiler 300.0 (16.) 347.9 (12.) 366.3 (20.)
 Trefferlage 0.67 mm rechts, 3.47 mm tief
 Streuwert 4.91, horizontal: 5.30, vertikal: 4.49




Serie 3:
 10.5 * 9.5 ↓ 10.6 * 9.7 ↑ 10.7 *
 10.5 * 10.4 * 10.0 → 10.1 ↘ 9.9 ↓
 beste Teiler 197.4 (25.) 270.5 (23.) 339.6 (21.)
 Trefferlage 1.20 mm rechts, 1.24 mm tief
 Streuwert 4.87, horizontal: 3.84, vertikal: 5.72



Serie 4:
 10.5 * 10.8 * 9.6 → 10.5 * 10.5 *
 10.3 * 9.1 ↘ 10.7 * 10.5 * 10.5 *
 beste Teiler 110.3 (32.) 203.3 (38.) 324.4 (31.)
 Trefferlage 2.39 mm rechts, 0.79 mm tief
 Streuwert 4.50, horizontal: 5.63, vertikal: 2.96



Serie 5:
 9.8 ↖ 10.3 ← 9.8 ↙ 10.4 * 10.1 ↗
 10.4 * 10.3 ↓ 10.6 * 10.7 * 10.6 *
 beste Teiler 177.5 (49.) 284.3 (48.) 296.8 (50.)
 Trefferlage 1.90 mm links, 0.21 mm tief
 Streuwert 4.07, horizontal: 4.31, vertikal: 3.83



Serie 6:
 9.8 ↙ 10.9 * 10.8 * 10.0 ↗ 10.0 ←
 10.0 ↘ 9.7 ↑ 9.9 ← 10.2 ↑ 10.3 ↑
 beste Teiler 7.0 (52.) 147.8 (53.) 534.9 (60.)
 Trefferlage 2.73 mm links, 1.17 mm hoch
 Streuwert 4.68, horizontal: 4.59, vertikal: 4.77

Meyton Elektronik

ISSF Prone Women – Wertung – Frauen

StandNr: 33

Schnaidt,, Rebecca #70817204

StartNr: 127



21. Juli 2017 13:44

Bayern / Bayern


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	601.9	(576)
Serien:	101.2	101.6 101.5 100.0 99.7 97.9
Zähler:	37 22 1 0 0 0 0 0 0	
Innenzehner:	19	
weiteste:	1844 (58), 1546 (59), 1539 (44)	
beste Teiler	47.3 (53.)	135.5 (1.) 187.0 (12.)
Trefferlage	1.35 mm links,	1.11 mm hoch
Streuwert	5.79,	horizontal: 6.16, vertikal: 5.39




Serie 1:	10.8 *	10.2 →	9.2 ←	9.9 ←	10.1 ↙
	10.3 ↘	9.9 ↘	10.5 *	10.6 *	9.7 ↑
beste Teiler	135.5 (1.)	292.8 (9.)	382.9 (8.)		
Trefferlage	3.52 mm links, 0.49 mm hoch				
Streuwert	5.06, horizontal: 5.43, vertikal: 4.65				




Serie 2:	9.7 ↘	10.7 *	10.1 ↗	10.5 *	10.0 ↑
	9.9 ↗	10.3 *	10.4 *	9.9 ↘	10.1 ←
beste Teiler	187.0 (12.)	328.3 (14.)	440.2 (18.)		
Trefferlage	0.60 mm rechts, 2.31 mm hoch				
Streuwert	4.67, horizontal: 4.13, vertikal: 5.16				




Serie 3:	10.0 ↘	10.5 *	10.2 ↘	10.5 *	9.9 ↘
	10.1 ←	10.3 *	9.4 ←	9.9 ←	10.7 *
beste Teiler	218.4 (30.)	333.9 (24.)	377.8 (22.)		
Trefferlage	1.17 mm links, 0.99 mm tief				
Streuwert	5.07, horizontal: 6.09, vertikal: 3.79				



Serie 4:	10.2 ↘	10.7 *	10.2 ↑	10.0 →	10.0 ↘
	9.3 ↑	10.2 ↗	9.6 ↘	10.4 *	9.4 ←
beste Teiler	229.2 (32.)	436.0 (39.)	568.7 (37.)		
Trefferlage	1.14 mm rechts, 1.81 mm hoch				
Streuwert	5.97, horizontal: 5.84, vertikal: 6.10				



Serie 5:	9.7 ←	9.7 ↓	10.0 ↑	9.0 ↑	9.8 ↗
	9.7 ↗	10.6 *	10.2 ↘	10.4 *	10.6 *
beste Teiler	287.2 (50.)	290.9 (47.)	417.4 (49.)		
Trefferlage	0.47 mm rechts, 1.95 mm hoch				
Streuwert	6.25, horizontal: 5.18, vertikal: 7.17				



Serie 6:	9.1 ←	10.3 *	10.9 *	10.7 *	10.1 →
	9.9 ←	10.0 ↘	8.6 ↘	9.0 ↘	9.3 ↘
beste Teiler	47.3 (53.)	203.8 (54.)	526.3 (52.)		
Trefferlage	5.65 mm links, 1.10 mm hoch				
Streuwert	6.88, horizontal: 7.97, vertikal: 5.57				

Meyton Elektronik

ISSF Prone Women – Wertung – Frauen

StandNr: 34

Valentin, Cornelia #70817216

StartNr: 128



21. Juli 2017 13:41

Graubünden / Graubünden


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	605.2	(575)
Serien:	98.3	102.4 101.5 101.7 100.7 100.6
Zähler:	36	23 1 0 0 0 0 0 0 0
Innenzehner:	25	
weiteste:	1858	(2), 1585 (13), 1434 (7)
beste Teiler	104.2	(30.) 107.9 (21.) 166.5 (43.)
Trefferlage	0.55 mm	rechts, 0.44 mm hoch
Streuwert	5.69,	horizontal: 4.71, vertikal: 6.53




Serie 1:	10.0 →	8.6 ↑	9.3 ↘	9.5 ←	10.6 *
	10.4 *	9.2 ↓	9.9 ↗	10.5 *	10.3 →
beste Teiler	279.8	(5.) 371.8 (9.)	433.8 (6.)		
Trefferlage	0.04 mm	links, 2.28 mm hoch			
Streuwert	7.46,	horizontal: 5.99, vertikal: 8.68			




Serie 2:	10.7 *	10.6 *	9.0 ←	10.5 *	10.6 *
	10.0 ←	10.6 *	10.4 *	10.5 *	9.5 ↙
beste Teiler	229.7	(11.) 252.6 (17.)	284.3 (12.)		
Trefferlage	2.83 mm	links, 1.23 mm tief			
Streuwert	4.76,	horizontal: 5.31, vertikal: 4.14			




Serie 3:	10.8 *	10.5 *	9.8 →	9.7 ↓	10.1 ↓
	10.4 *	10.6 *	9.4 ↗	9.4 ↑	10.8 *
beste Teiler	104.2	(30.) 107.9 (21.)	271.6 (27.)		
Trefferlage	1.17 mm	rechts, 0.01 mm tief			
Streuwert	5.63,	horizontal: 3.67, vertikal: 7.07			



Serie 4:	9.9 ↓	9.7 ↑	10.2 ↗	9.6 ↑	10.1 ↘
	10.5 *	10.7 *	10.3 ↙	10.0 ↓	10.7 *
beste Teiler	208.7	(40.) 234.1 (37.)	354.8 (36.)		
Trefferlage	1.35 mm	rechts, 0.31 mm hoch			
Streuwert	5.08,	horizontal: 2.71, vertikal: 6.65			



Serie 5:	10.5 *	9.6 ↙	10.7 *	9.9 ←	9.4 ↗
	10.5 *	10.3 ↓	10.6 *	9.5 ↗	9.7 ↗
beste Teiler	166.5	(43.) 270.7 (48.)	351.5 (46.)		
Trefferlage	0.97 mm	rechts, 1.14 mm hoch			
Streuwert	5.83,	horizontal: 5.39, vertikal: 6.25			



Serie 6:	9.9 ↓	9.7 →	9.3 ↗	9.9 ↑	10.5 *
	10.3 ↓	10.2 ↓	10.4 *	10.5 *	9.9 ↓
beste Teiler	337.8	(59.) 357.7 (55.)	409.1 (58.)		
Trefferlage	2.72 mm	rechts, 0.17 mm hoch			
Streuwert	5.36,	horizontal: 3.44, vertikal: 6.75			

Meyton Elektronik

ISSF Prone Women – Wertung – Frauen

StandNr: 35

Rossi, Sara #70817219

StartNr: 129



21. Juli 2017 13:41

Tessin / Tessin


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	603.0	(578)
Serien:	100.1 101.6 101.4 100.4 99.1 100.4	
Zähler:	38 22 0 0 0 0 0 0 0 0	
Innenzehner:	24	
weiteste:	1535 (60), 1385 (47), 1374 (27)	
beste Teiler	200.0 (24.) 214.2 (10.) 217.4 (58.)	
Trefferlage	0.52 mm links, 0.27 mm hoch	
Streuwert	5.63, horizontal: 5.47, vertikal: 5.78	




Serie 1:	9.7 ↖	10.4 *	10.1 ←	9.2 ↘	10.4 *
	10.0 ↖	9.5 ↑	9.8 ↘	10.3 *	10.7 *
beste Teiler	214.2 (10.)	403.5 (2.)	424.2 (5.)		
Trefferlage	3.95 mm links, 3.35 mm hoch				
Streuwert	4.78, horizontal: 5.00, vertikal: 4.55				




Serie 2:	9.8 ←	9.7 ↙	10.6 *	10.6 *	10.1 ←
	10.3 *	10.5 *	10.4 *	9.7 ↘	9.9 ↘
beste Teiler	243.8 (13.)	314.9 (14.)	354.7 (17.)		
Trefferlage	1.63 mm links, 0.97 mm tief				
Streuwert	4.85, horizontal: 5.00, vertikal: 4.70				




Serie 3:	10.4 *	10.1 ↑	10.4 *	10.7 *	10.3 *
	9.4 ↓	9.2 →	10.5 *	10.5 *	9.9 ↑
beste Teiler	200.0 (24.)	322.7 (29.)	349.7 (28.)		
Trefferlage	1.79 mm rechts, 0.05 mm tief				
Streuwert	5.36, horizontal: 4.83, vertikal: 5.85				



Serie 4:	10.1 ↑	10.6 *	9.6 ↘	9.2 ↑	10.6 *
	10.0 ↓	9.5 ↑	10.5 *	10.0 ↗	10.3 *
beste Teiler	271.0 (32.)	271.5 (35.)	373.8 (38.)		
Trefferlage	1.50 mm rechts, 1.79 mm hoch				
Streuwert	5.71, horizontal: 3.15, vertikal: 7.44				



Serie 5:	10.5 *	10.2 ↑	9.9 ↓	9.8 ↘	10.0 ↘
	9.3 ↙	9.2 →	10.1 ↘	10.1 →	10.0 ←
beste Teiler	360.5 (41.)	570.1 (42.)	675.5 (48.)		
Trefferlage	2.19 mm rechts, 2.63 mm tief				
Streuwert	6.02, horizontal: 5.95, vertikal: 6.08				



Serie 6:	10.3 *	10.5 *	10.0 ↘	9.8 ↙	10.1 ←
	9.6 ↘	10.5 *	10.7 *	9.9 ↓	9.0 ↘
beste Teiler	217.4 (58.)	338.2 (52.)	347.5 (57.)		
Trefferlage	3.06 mm links, 0.18 mm hoch				
Streuwert	5.61, horizontal: 6.10, vertikal: 5.07				

Meyton Elektronik

ISSF Prone Women – Wertung – Frauen

StandNr: 36

Gufler, Edith #70817264

StartNr: 130



21. Juli 2017 13:45

Südtirol / Südtirol


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **599.0** (572)
 Serien: 100.8 100.7 100.5 102.2 99.7 95.1
 Zähler: 35 22 3 0 0 0 0 0 0 0
 Innenzehner: 22
 weiteste: 2375 (58), 2086 (54), 1637 (49)
 beste Teiler 84.3 (41.) 173.1 (3.) 190.0 (43.)
 Trefferlage 1.47 mm links, 0.80 mm hoch
 Streuwert 6.31, horizontal: 6.37, vertikal: 6.25




Serie 1:
 10.2 ↓ 9.9 ← 10.7 * 10.3 ✓ 10.4 *
 9.6 ← 10.4 * 9.8 ✓ 9.5 ✓ 10.0 ↑
 beste Teiler 173.1 (3.) 406.7 (5.) 479.8 (7.)
 Trefferlage 4.19 mm links, 2.74 mm tief
 Streuwert 4.19, horizontal: 3.49, vertikal: 4.79




Serie 2:
 10.6 * 9.8 ↘ 9.7 ← 10.6 * 10.1 ↓
 10.2 ← 9.9 ↓ 10.0 ↓ 9.8 ← 10.0 ↘
 beste Teiler 274.2 (14.) 306.2 (11.) 606.4 (16.)
 Trefferlage 1.82 mm links, 1.73 mm tief
 Streuwert 5.28, horizontal: 5.89, vertikal: 4.60




Serie 3:
 9.5 ↑ 9.5 → 10.3 ↗ 9.6 ↗ 10.5 *
 10.3 * 10.3 * 10.6 * 9.5 ↑ 10.4 *
 beste Teiler 285.8 (28.) 398.8 (25.) 467.1 (30.)
 Trefferlage 2.20 mm rechts, 3.01 mm hoch
 Streuwert 5.33, horizontal: 5.32, vertikal: 5.35



Serie 4:
 9.9 ↘ 10.6 * 10.0 ↘ 10.4 * 9.8 ↗
 10.2 ↓ 10.3 * 10.5 * 10.5 * 10.0 ✓
 beste Teiler 301.7 (32.) 370.4 (39.) 374.2 (38.)
 Trefferlage 0.09 mm links, 2.55 mm hoch
 Streuwert 4.33, horizontal: 3.81, vertikal: 4.79



Serie 5:
 10.8 * 10.6 * 10.7 * 9.0 ↑ 9.2 ↘
 10.0 ↗ 9.5 → 10.7 * 8.9 ← 10.3 *
 beste Teiler 84.3 (41.) 190.0 (43.) 219.9 (48.)
 Trefferlage 1.11 mm rechts, 1.47 mm hoch
 Streuwert 7.13, horizontal: 7.63, vertikal: 6.60



Serie 6:
 9.6 ↘ 9.5 ↓ 10.0 ↑ 8.3 ↘ 9.8 ←
 10.5 * 9.1 ↘ 8.0 ← 10.5 * 9.8 ↘
 beste Teiler 325.2 (56.) 336.6 (59.) 758.3 (53.)
 Trefferlage 6.02 mm links, 2.27 mm hoch
 Streuwert 8.56, horizontal: 7.90, vertikal: 9.17

Meyton Elektronik

ISSF Prone Women – Wertung – Frauen

StandNr: 37

Rangger, Patricia #131

StartNr: 131



21. Juli 2017 13:30

Tirol / Tirol


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	613.7	(584)
Serien:	100.2	102.6 104.0 103.5 100.2 103.2
Zähler:	44	16 0 0 0 0 0 0 0 0
Innenzehner:	31	
weiteste:	1322 (4), 1233 (22), 1166 (6)	
beste Teiler	92.3 (18.)	126.7 (3.) 142.2 (60.)
Trefferlage	1.52 mm links,	0.38 mm hoch
Streuwert	4.59,	horizontal: 5.00, vertikal: 4.15




Serie 1:	10.3 *	10.5 *	10.8 *	9.3 ←	9.8 ↘
	9.5 ↘	9.7 ↗	9.5 ←	10.3 *	10.5 *
beste Teiler	126.7 (3.)	369.0 (10.)	383.5 (2.)		
Trefferlage	4.26 mm links, 1.15 mm hoch				
Streuwert	5.37, horizontal: 6.07, vertikal: 4.55				




Serie 2:	9.8 ←	10.2 ←	10.2 ↙	10.6 *	10.5 *
	9.6 ↘	10.4 *	10.8 *	10.1 ↗	10.4 *
beste Teiler	92.3 (18.)	281.8 (14.)	365.9 (15.)		
Trefferlage	3.91 mm links, 0.40 mm hoch				
Streuwert	3.45, horizontal: 3.32, vertikal: 3.58				




Serie 3:	10.4 *	9.4 ↘	10.7 *	10.5 *	10.6 *
	10.0 ↘	10.6 *	10.5 *	10.6 *	10.7 *
beste Teiler	217.5 (23.)	239.2 (30.)	268.4 (25.)		
Trefferlage	0.61 mm links, 0.15 mm hoch				
Streuwert	4.04, horizontal: 3.72, vertikal: 4.33				



Serie 4:	10.5 *	10.3 *	10.5 *	10.2 ↘	10.6 *
	10.0 ↙	10.1 ←	10.0 ↘	10.6 *	10.7 *
beste Teiler	212.4 (40.)	293.2 (39.)	316.9 (35.)		
Trefferlage	1.85 mm links, 0.46 mm tief				
Streuwert	3.68, horizontal: 3.88, vertikal: 3.46				



Serie 5:	10.5 *	10.1 ↓	9.8 →	10.3 ←	9.7 ↑
	9.9 ↘	9.9 ↘	10.3 *	9.8 ↘	9.9 ↘
beste Teiler	381.1 (41.)	523.5 (48.)	542.5 (44.)		
Trefferlage	1.62 mm rechts, 1.00 mm hoch				
Streuwert	5.71, horizontal: 6.24, vertikal: 5.12				



Serie 6:	10.7 *	10.1 ↑	9.6 ←	9.8 ↘	10.7 *
	10.6 *	10.2 ↓	10.3 ↑	10.4 *	10.8 *
beste Teiler	142.2 (60.)	203.0 (55.)	240.6 (51.)		
Trefferlage	0.15 mm links, 0.04 mm hoch				
Streuwert	4.43, horizontal: 4.37, vertikal: 4.50				

Meyton Elektronik

ISSF Prone Women – Wertung – Frauen

StandNr: 11

Juriga, Nadja #223

StartNr: 132



21. Juli 2017 15:26

Salzburg


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	567.5	(540)
Serien:	94.2 96.3 94.8 97.0 89.8 95.4	
Zähler:	21 22 14 2 1 0 0 0 0 0	
Innenzehner:	9	
weiteste:	3760 (45), 3157 (41), 2440 (40)	
beste Teiler	14.2 (50.) 256.0 (51.) 305.2 (35.)	
Trefferlage	1.81 mm rechts, 2.66 mm tief	
Streuwert	9.66, horizontal: 7.37, vertikal: 11.49	




Serie 1:	8.9 ↓	9.6 ↖	8.9 ↗	10.0 ←	9.8 ↖
	9.2 ↑	9.4 ↗	10.4 *	8.5 ↘	9.5 ↗
beste Teiler	478.8 (8.) 791.8 (4.) 940.5 (5.)				
Trefferlage	1.94 mm links, 6.04 mm hoch				
Streuwert	8.60, horizontal: 7.24, vertikal: 9.77				




Serie 2:	10.1 ←	9.7 ↓	10.2 →	9.2 →	10.5 *
	10.0 ↘	9.5 ↖	9.1 ↓	9.8 ↓	8.2 ↓
beste Teiler	369.2 (15.) 632.2 (13.) 688.2 (11.)				
Trefferlage	1.05 mm rechts, 3.70 mm tief				
Streuwert	8.33, horizontal: 7.44, vertikal: 9.14				




Serie 3:	10.3 ↗	9.6 ↗	8.8 ↓	9.3 ↘	8.5 ↓
	9.4 →	9.7 ↗	10.2 ↗	10.2 →	8.8 ↓
beste Teiler	558.1 (21.) 572.9 (28.) 627.9 (29.)				
Trefferlage	6.41 mm rechts, 4.56 mm tief				
Streuwert	7.44, horizontal: 3.11, vertikal: 10.05				



Serie 4:	10.3 ↖	10.2 ↘	10.4 *	9.9 ↑	10.6 *
	8.9 ↓	10.3 *	9.9 →	8.6 ↗	7.9 ↘
beste Teiler	305.2 (35.) 456.0 (33.) 486.3 (37.)				
Trefferlage	1.52 mm rechts, 4.59 mm tief				
Streuwert	8.31, horizontal: 7.15, vertikal: 9.33				



Serie 5:	7.0 ↓	8.1 ↗	8.8 ↓	9.6 ↖	6.3 ↓
	9.7 ↓	9.5 ↖	9.4 ↓	10.5 *	10.9 *
beste Teiler	14.2 (50.) 344.9 (49.) 1036.9 (46.)				
Trefferlage	0.90 mm rechts, 8.71 mm tief				
Streuwert	12.91, horizontal: 9.91, vertikal: 15.33				



Serie 6:	10.6 *	8.2 ↓	8.8 ↗	9.1 ↑	9.7 ↗
	10.0 →	10.3 *	8.6 ↓	10.1 ←	10.0 →
beste Teiler	256.0 (51.) 488.2 (57.) 708.4 (59.)				
Trefferlage	2.93 mm rechts, 0.43 mm tief				
Streuwert	9.26, horizontal: 6.89, vertikal: 11.14				

Meyton Elektronik

ISSF Prone Women – Wertung – Frauen

StandNr: 12

Miraglia, Valentina #70817212

StartNr: 133



21. Juli 2017 15:14

Südtirol


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	589.8	(561)
Serien:	100.3 96.3 99.4 99.3 98.8 95.7	
Zähler:	25 31 4 0 0 0 0 0 0 0	
Innenzehner:	14	
weiteste:	2291 (12), 2243 (57), 1684 (39)	
beste Teiler	175.8 (28.) 177.0 (9.) 246.9 (49.)	
Trefferlage	0.85 mm links, 0.37 mm hoch	
Streuwert	7.14, horizontal: 7.65, vertikal: 6.60	




Serie 1:	10.6 *	10.0 ↘	10.3 ↑	10.1 ↓	10.1 ↓
	9.6 ↑	9.2 ↙	9.7 ↗	10.7 *	10.0 ↖
beste Teiler	177.0 (9.)	297.6 (1.)	555.0 (3.)		
Trefferlage	0.79 mm links, 0.33 mm hoch				
Streuwert	6.11, horizontal: 6.05, vertikal: 6.16				




Serie 2:	9.6 ↗	8.1 ←	9.5 ↑	9.6 ↖	10.6 *
	10.3 ↘	9.7 ↓	9.7 ↙	9.9 ↘	9.3 ↖
beste Teiler	247.3 (15.)	535.8 (16.)	862.9 (19.)		
Trefferlage	1.62 mm links, 1.45 mm hoch				
Streuwert	8.54, horizontal: 9.41, vertikal: 7.58				




Serie 3:	9.7 ↗	10.6 *	9.7 ↙	9.2 ↗	10.1 ↗
	9.8 ↑	9.3 ↙	10.7 *	9.9 ↙	10.4 *
beste Teiler	175.8 (28.)	270.4 (22.)	461.6 (30.)		
Trefferlage	0.20 mm links, 1.20 mm hoch				
Streuwert	6.68, horizontal: 6.21, vertikal: 7.11				



Serie 4:	10.6 *	10.1 ↗	10.0 ↗	10.5 *	8.9 ↓
	9.9 →	9.9 ↖	10.0 ←	8.8 ↓	10.6 *
beste Teiler	250.6 (31.)	266.4 (40.)	327.4 (34.)		
Trefferlage	0.32 mm links, 1.82 mm tief				
Streuwert	6.84, horizontal: 5.92, vertikal: 7.65				



Serie 5:	9.4 ↓	9.5 ←	9.9 ↘	9.5 →	9.2 ←
	10.0 →	10.4 *	9.9 ↓	10.6 *	10.4 *
beste Teiler	246.9 (49.)	423.9 (47.)	434.1 (50.)		
Trefferlage	0.08 mm links, 2.71 mm tief				
Streuwert	6.67, horizontal: 8.05, vertikal: 4.90				



Serie 6:	9.3 ↖	9.9 ←	9.2 ↖	10.3 *	9.8 ↖
	9.9 ↗	8.1 →	9.9 ↖	9.0 ↖	10.3 *
beste Teiler	501.0 (54.)	524.5 (60.)	804.2 (56.)		
Trefferlage	2.11 mm links, 3.80 mm hoch				
Streuwert	8.42, horizontal: 10.76, vertikal: 5.09				

Meyton Elektronik

ISSF Prone Women – Wertung – Frauen

StandNr: 13

Scherrer, Martina #70817213

StartNr: 134

21. Juli 2017 15:24

St. Gallen

Unterschrift des Schützen

Meyton Elektronik