





Ergebnis: **397** (415.8)
 Serien: 99 99 100 99
 Zähler: 37 3 0 0 0 0 0 0 0 0
 Innenzehner: 32
 weiteste: 419 (12), 376 (3), 278 (39)
 beste Teiler 2.0 (30.) 3.0 (11.) 4.1 (23.)
 Trefferlage 0.21 mm rechts, 0.22 mm hoch
 Streuwert 1.18, horizontal: 1.21, vertikal: 1.14




Serie 1:
 10.2 * 10.5 * 9.4 ↗ 10.0 → 10.7 *
 10.8 * 10.4 * 10.6 * 10.4 * 10.5 *
 beste Teiler 31.2 (6.) 59.2 (5.) 88.1 (8.)
 Trefferlage 0.09 mm rechts, 0.63 mm hoch
 Streuwert 1.24, horizontal: 1.33, vertikal: 1.14



Serie 2:
 10.9 * 9.3 ↗ 10.7 * 10.8 * 10.5 *
 10.7 * 10.2 * 10.4 * 10.7 * 10.8 *
 beste Teiler 3.0 (11.) 32.6 (14.) 50.5 (20.)
 Trefferlage 0.60 mm rechts, 0.52 mm hoch
 Streuwert 1.03, horizontal: 0.96, vertikal: 1.09



Serie 3:
 10.6 * 10.4 * 10.9 * 10.0 → 10.6 *
 10.1 ↑ 10.2 * 10.3 * 10.6 * 10.9 *
 beste Teiler 2.0 (30.) 4.1 (23.) 83.1 (25.)
 Trefferlage 0.21 mm rechts, 0.12 mm hoch
 Streuwert 1.05, horizontal: 0.98, vertikal: 1.11





Serie 4:
 10.2 * 10.6 * 10.2 * 10.4 * 10.1 →
 10.3 * 10.0 ↓ 10.4 * 9.8 → 10.7 *
 beste Teiler 73.7 (40.) 98.8 (32.) 136.0 (34.)
 Trefferlage 0.06 mm links, 0.37 mm tief
 Streuwert 1.36, horizontal: 1.57, vertikal: 1.10


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **387** (406.6)
 Serien: 96 97 96 98
 Zähler: 27 13 0 0 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 426 (19), 398 (6), 356 (25)
 beste Teiler 36.3 (34.) 48.3 (12.) 48.6 (5.)
 Trefferlage 0.05 mm rechts, 0.08 mm tief
 Streuwert 1.60, horizontal: 1.46, vertikal: 1.72




Serie 1:
 10.6 * 9.9 ↘ 10.5 * 9.7 ↘ 10.8 *
 9.4 ↗ 10.6 * 9.7 ↗ 10.1 ↓ 10.3 *
 beste Teiler 48.6 (5.) 81.6 (7.) 82.4 (1.)
 Trefferlage 0.35 mm links, 1.06 mm hoch
 Streuwert 1.48, horizontal: 1.31, vertikal: 1.63



Serie 2:
 9.7 ↑ 10.8 * 10.5 * 10.1 ← 9.7 ↓
 10.1 ↑ 10.3 * 10.6 * 9.2 ↘ 10.2 *
 beste Teiler 48.3 (12.) 83.9 (18.) 120.9 (13.)
 Trefferlage 0.15 mm rechts, 0.41 mm tief
 Streuwert 1.73, horizontal: 1.53, vertikal: 1.92



Serie 3:
 10.1 ↓ 10.0 ↑ 9.8 ↘ 10.3 * 9.5 ↓
 9.7 ← 9.5 → 10.3 * 10.5 * 10.6 *
 beste Teiler 80.6 (30.) 119.5 (29.) 152.8 (28.)
 Trefferlage 0.24 mm rechts, 0.92 mm tief
 Streuwert 1.68, horizontal: 1.74, vertikal: 1.61





Serie 4:
 10.1 ↗ 10.4 * 10.1 ← 10.8 * 10.7 *
 10.5 * 10.7 * 10.6 * 9.8 → 9.8 ↓
 beste Teiler 36.3 (34.) 56.0 (37.) 74.4 (35.)
 Trefferlage 0.16 mm rechts, 0.07 mm tief
 Streuwert 1.31, horizontal: 1.36, vertikal: 1.25


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	389	(405.9)
Serien:	97 98 96 98	
Zähler:	29 11 0 0 0 0 0 0 0 0	
Innenzehner:	23	
weiteste:	396 (31), 392 (19), 380 (20)	
beste Teiler	36.2 (17.) 36.2 (28.) 41.0 (14.)	
Trefferlage	0.24 mm rechts, 0.45 mm hoch	
Streuwert	1.60, horizontal: 1.61, vertikal: 1.58	




Serie 1:	10.1 ↘	10.2 *	9.7 ↘	10.0 ↓	9.8 ↙
	9.5 →	10.5 *	10.0 →	10.8 *	10.2 *
beste Teiler	48.8 (9.)	110.9 (7.)	181.6 (2.)		
Trefferlage	0.72 mm rechts, 0.53 mm tief				
Streuwert	1.62, horizontal: 1.62, vertikal: 1.62				



Serie 2:	10.0 ↘	10.3 *	10.7 *	10.8 *	10.2 *
	10.7 *	10.8 *	10.2 *	9.4 ↑	9.4 ↗
beste Teiler	36.2 (17.)	41.0 (14.)	57.0 (13.)		
Trefferlage	0.07 mm rechts, 0.68 mm hoch				
Streuwert	1.54, horizontal: 1.44, vertikal: 1.64				





Serie 3:	10.2 *	9.5 ↗	10.1 ↓	10.3 *	9.9 →
	9.7 ←	9.5 ↑	10.8 *	10.5 *	10.3 *
beste Teiler	36.2 (28.)	101.9 (29.)	152.0 (30.)		
Trefferlage	0.25 mm rechts, 0.82 mm hoch				
Streuwert	1.70, horizontal: 1.91, vertikal: 1.45				




Serie 4:	9.4 ↑	9.5 ↖	10.3 *	10.2 *	10.5 *
	10.1 ↗	10.3 *	10.6 *	10.6 *	10.3 *
beste Teiler	79.8 (38.)	86.1 (39.)	124.1 (35.)		
Trefferlage	0.06 mm links, 0.83 mm hoch				
Streuwert	1.49, horizontal: 1.56, vertikal: 1.41				

Unterschrift des Schützen


Ergebnis: **380** (398.5)
 Serien: 95 92 97 96
 Zähler: 20 20 0 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 446 (16), 408 (38), 405 (18)
 beste Teiler 34.4 (34.) 62.2 (9.) 78.5 (10.)
 Trefferlage 0.08 mm links, 0.07 mm tief
 Streuwert 1.91, horizontal: 1.91, vertikal: 1.90




Serie 1:
 10.1 → 9.5 ↓ 9.9 → 9.9 → 10.3 *
 9.8 ↗ 9.5 ← 10.3 * 10.7 * 10.6 *
 beste Teiler 62.2 (9.) 78.5 (10.) 160.2 (8.)
 Trefferlage 0.27 mm rechts, 0.25 mm tief
 Streuwert 1.78, horizontal: 1.91, vertikal: 1.63



Serie 2:
 9.4 ↓ 9.6 ↙ 9.9 ↑ 9.6 → 9.9 ↖
 9.2 ↗ 9.9 ← 9.3 ↗ 10.2 * 10.0 ↓
 beste Teiler 187.0 (19.) 241.5 (20.) 254.1 (15.)
 Trefferlage 0.23 mm rechts, 0.06 mm tief
 Streuwert 2.40, horizontal: 2.37, vertikal: 2.43



Serie 3:
 10.1 ↘ 9.9 ↗ 9.7 ← 10.2 * 9.6 ↗
 10.3 * 10.5 * 10.0 ↓ 10.6 * 10.1 ↘
 beste Teiler 88.1 (29.) 117.3 (27.) 161.5 (26.)
 Trefferlage 0.01 mm rechts, 0.30 mm hoch
 Streuwert 1.66, horizontal: 1.67, vertikal: 1.66





Serie 4:
 10.4 * 9.5 ↖ 10.1 ↘ 10.8 * 9.6 ←
 10.2 * 10.2 * 9.3 ↓ 10.1 ↘ 9.7 ↗
 beste Teiler 34.4 (34.) 150.8 (31.) 186.2 (36.)
 Trefferlage 0.84 mm links, 0.29 mm tief
 Streuwert 1.86, horizontal: 1.70, vertikal: 2.01


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **391** (409.7)
 Serien: 96 98 98 99
 Zähler: 31 9 0 0 0 0 0 0 0 0
 Innenzehner: 28
 weiteste: 442 (12), 401 (6), 322 (25)
 beste Teiler 30.0 (31.) 51.6 (5.) 60.8 (34.)
 Trefferlage 0.12 mm rechts, 0.18 mm hoch
 Streuwert 1.42, horizontal: 1.41, vertikal: 1.44




Serie 1:
 9.9 ← 9.7 ↑ 10.2 * 9.9 ↓ 10.7 *
 9.3 ↙ 10.2 * 10.4 * 10.3 * 10.4 *
 beste Teiler 51.6 (5.) 143.0 (8.) 146.6 (10.)
 Trefferlage 0.32 mm links, 0.15 mm tief
 Streuwert 1.72, horizontal: 1.70, vertikal: 1.73



Serie 2:
 10.3 * 9.2 ↗ 10.4 * 10.6 * 10.2 *
 10.4 * 10.4 * 10.6 * 10.7 * 9.9 ↑
 beste Teiler 67.3 (19.) 78.6 (18.) 82.4 (14.)
 Trefferlage 0.28 mm rechts, 0.05 mm hoch
 Streuwert 1.48, horizontal: 1.57, vertikal: 1.39



Serie 3:
 10.3 * 10.2 * 10.4 * 10.5 * 9.7 ↗
 10.1 → 10.3 * 10.6 * 10.0 ↘ 9.9 ↑
 beste Teiler 77.7 (28.) 117.5 (24.) 133.7 (23.)
 Trefferlage 0.20 mm rechts, 0.48 mm hoch
 Streuwert 1.43, horizontal: 1.43, vertikal: 1.43





Serie 4:
 10.8 * 9.8 ↖ 10.0 ↗ 10.7 * 10.3 *
 10.2 * 10.5 * 10.7 * 10.6 * 10.4 *
 beste Teiler 30.0 (31.) 60.8 (34.) 75.0 (38.)
 Trefferlage 0.32 mm rechts, 0.36 mm hoch
 Streuwert 1.14, horizontal: 0.92, vertikal: 1.32


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **393** (410.5)
 Serien: 99 98 99 97
 Zähler: 33 7 0 0 0 0 0 0 0 0
 Innenzehner: 25
 weiteste: 316 (10), 311 (32), 299 (12)
 beste Teiler 27.0 (9.) 46.3 (38.) 54.1 (13.)
 Trefferlage 0.02 mm links, 0.31 mm hoch
 Streuwert 1.35, horizontal: 1.39, vertikal: 1.30




Serie 1:
 10.6 * 10.4 * 10.0 ↓ 10.1 ↑ 10.1 ↖
 10.7 * 10.4 * 10.3 * 10.8 * 9.7 ↗
 beste Teiler 27.0 (9.) 56.0 (6.) 92.9 (1.)
 Trefferlage 0.02 mm rechts, 0.65 mm hoch
 Streuwert 1.25, horizontal: 0.82, vertikal: 1.56



Serie 2:
 9.9 ↗ 9.8 ↖ 10.7 * 10.2 * 10.7 *
 10.3 * 10.0 ↘ 10.3 * 10.4 * 10.3 *
 beste Teiler 54.1 (13.) 61.4 (15.) 149.7 (19.)
 Trefferlage 0.14 mm rechts, 0.48 mm hoch
 Streuwert 1.38, horizontal: 1.42, vertikal: 1.34



Serie 3:
 9.8 → 10.0 ↖ 10.7 * 10.6 * 10.2 *
 10.4 * 10.5 * 10.4 * 10.6 * 10.0 ↖
 beste Teiler 59.1 (23.) 86.9 (29.) 92.7 (24.)
 Trefferlage 0.12 mm links, 0.07 mm hoch
 Streuwert 1.30, horizontal: 1.48, vertikal: 1.08





Serie 4:
 10.0 ↗ 9.7 ↖ 9.8 → 10.2 * 10.4 *
 10.5 * 10.4 * 10.8 * 9.8 ← 10.0 ↘
 beste Teiler 46.3 (38.) 103.8 (36.) 127.7 (35.)
 Trefferlage 0.13 mm links, 0.03 mm hoch
 Streuwert 1.59, horizontal: 1.85, vertikal: 1.29


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **389** (410.7)
 Serien: 97 96 98 98
 Zähler: 29 11 0 0 0 0 0 0 0 0
 Innenzehner: 25
 weiteste: 358 (40), 345 (10), 314 (13)
 beste Teiler 26.9 (27.) 36.4 (35.) 42.7 (31.)
 Trefferlage 0.05 mm links, 0.30 mm tief
 Streuwert 1.38, horizontal: 1.73, vertikal: 0.90




Serie 1:
 9.9 ↘ 10.5 * 9.9 → 10.1 ↘ 10.4 *
 10.0 ← 10.5 * 10.6 * 10.2 * 9.6 →
 beste Teiler 89.6 (8.) 107.0 (7.) 119.9 (2.)
 Trefferlage 0.23 mm rechts, 0.39 mm tief
 Streuwert 1.53, horizontal: 1.93, vertikal: 0.97



Serie 2:
 10.3 * 9.9 ↖ 9.7 ← 9.7 ← 10.3 *
 10.0 → 10.8 * 9.9 ↘ 10.6 * 10.4 *
 beste Teiler 50.9 (17.) 92.0 (19.) 140.2 (20.)
 Trefferlage 0.76 mm links, 0.25 mm tief
 Streuwert 1.49, horizontal: 1.89, vertikal: 0.94





Serie 3:
 9.9 → 10.0 ← 10.7 * 10.6 * 10.5 *
 9.8 ↘ 10.8 * 10.8 * 10.7 * 10.3 *
 beste Teiler 26.9 (27.) 43.3 (28.) 51.9 (23.)
 Trefferlage 0.22 mm rechts, 0.30 mm tief
 Streuwert 1.20, horizontal: 1.42, vertikal: 0.93



Serie 4:
 10.8 * 10.3 * 10.3 * 10.5 * 10.8 *
 10.2 * 10.3 * 9.9 ↘ 10.7 * 9.5 ←
 beste Teiler 36.4 (35.) 42.7 (31.) 52.0 (39.)
 Trefferlage 0.07 mm rechts, 0.28 mm tief
 Streuwert 1.35, horizontal: 1.68, vertikal: 0.90


Unterschrift des Schützen

Ergebnis:	369	(386.4)
Serien:	91 92 92 94	
Zähler:	15 19 6 0 0 0 0 0 0 0	
Innenzehner:	7	
weiteste:	705 (1), 625 (38), 613 (3)	
beste Teiler	35.2 (13.) 75.6 (36.) 94.5 (8.)	
Trefferlage	0.15 mm rechts, 0.34 mm hoch	
Streuwert	2.57, horizontal: 2.81, vertikal: 2.30	




Serie 1:

8.1 →	9.6 ←	8.5 ↑	9.5 ↗	9.2 →
9.8 ↑	10.1 ↘	10.6 *	10.0 ←	9.9 ←
beste Teiler	94.5 (8.)	213.5 (7.)	244.4 (9.)	
Trefferlage	0.82 mm rechts, 1.19 mm hoch			
Streuwert	2.76, horizontal: 3.04, vertikal: 2.45			




Serie 2:

8.8 →	9.1 ↑	10.8 *	9.9 →	10.2 *
9.5 ↓	9.7 ↙	10.4 *	10.5 *	8.8 ↙
beste Teiler	35.2 (13.)	121.4 (19.)	142.6 (18.)	
Trefferlage	0.21 mm rechts, 0.35 mm tief			
Streuwert	2.53, horizontal: 2.72, vertikal: 2.32			



Serie 3:

8.6 ←	9.9 ↖	10.1 ↑	9.5 ←	10.0 ↑
9.9 →	9.9 ↑	10.0 ↖	9.0 →	9.7 ↑
beste Teiler	213.1 (23.)	236.8 (28.)	249.6 (25.)	
Trefferlage	0.58 mm links, 1.52 mm hoch			
Streuwert	2.23, horizontal: 2.90, vertikal: 1.25			



Serie 4:

9.6 →	10.4 *	10.0 ←	9.2 ↙	10.1 ↗
10.7 *	9.0 ←	8.5 ↓	9.3 ↘	10.0 ↓
beste Teiler	75.6 (36.)	141.1 (32.)	201.3 (35.)	
Trefferlage	0.15 mm rechts, 0.97 mm tief			
Streuwert	2.57, horizontal: 2.82, vertikal: 2.28			

Unterschrift des Schützen