





Ergebnis: **603.4** (576)
 Serien: 102.7 101.5 98.7 99.5 99.7 101.3
 Zähler: 37 22 1 0 0 0 0 0 0
 Innenzehner: 28
 weiteste: 526 (43), 453 (27), 431 (8)
 beste Teiler 36.2 (7.) 47.8 (4.) 50.8 (22.)
 Trefferlage 0.13 mm links, 0.17 mm hoch
 Streuwert 1.75, horizontal: 1.87, vertikal: 1.62




Serie 1:
 10.7 * 10.3 * 10.1 ↖ 10.8 * 9.7 ↙
 10.4 * 10.8 * 9.2 ↘ 10.3 * 10.4 *
 beste Teiler 36.2 (7.) 47.8 (4.) 64.7 (1.)
 Trefferlage 0.40 mm links, 0.53 mm hoch
 Streuwert 1.44, horizontal: 1.31, vertikal: 1.56




Serie 2:
 10.4 * 9.9 ↗ 10.3 * 10.3 * 10.6 *
 10.2 * 10.2 * 9.3 ↗ 10.2 * 10.1 ↘
 beste Teiler 92.2 (15.) 148.2 (11.) 152.8 (13.)
 Trefferlage 0.71 mm rechts, 0.00 mm
 Streuwert 1.53, horizontal: 1.52, vertikal: 1.53




Serie 3:
 9.8 → 10.8 * 9.8 ← 9.9 ↘ 9.6 ↘
 10.2 * 9.1 ↙ 9.6 ↘ 9.9 ↘ 10.0 ↓
 beste Teiler 50.8 (22.) 196.0 (26.) 238.6 (30.)
 Trefferlage 0.07 mm links, 0.25 mm tief
 Streuwert 2.16, horizontal: 2.45, vertikal: 1.82



Serie 4:
 10.4 * 9.5 ↖ 9.6 ↑ 9.6 ↖ 10.2 *
 10.5 * 9.6 ↓ 9.8 ↓ 10.4 * 9.9 →
 beste Teiler 122.8 (36.) 127.1 (39.) 132.8 (31.)
 Trefferlage 0.42 mm links, 0.08 mm hoch
 Streuwert 1.98, horizontal: 1.89, vertikal: 2.06



Serie 5:
 9.8 ↙ 10.2 * 8.8 ↖ 10.3 * 10.6 *
 10.0 ↗ 10.0 ↖ 10.0 ↙ 9.8 ↗ 10.2 *
 beste Teiler 89.9 (45.) 153.0 (44.) 177.3 (50.)
 Trefferlage 0.47 mm links, 0.57 mm hoch
 Streuwert 1.88, horizontal: 2.15, vertikal: 1.56



Serie 6:
 10.1 ↘ 10.2 * 10.4 * 10.5 * 10.6 *
 9.8 ↖ 9.9 ↘ 10.1 → 10.1 → 9.6 ↖
 beste Teiler 92.6 (55.) 118.1 (54.) 141.4 (53.)
 Trefferlage 0.12 mm links, 0.08 mm hoch
 Streuwert 1.65, horizontal: 1.91, vertikal: 1.34

LG 60 ZR – Wertung – Juniorinnen

StandNr: 119

Poschinger, Christina #70406113

StartNr: 51



23. Februar 2020 13:13

SG_Bruckhäusl / SG Bruckhäusl 1


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **615.6** (586)
 Serien: 102.0 102.4 103.0 103.1 102.8 102.3
 Zähler: 46 14 0 0 0 0 0 0 0
 Innenzehner: 42
 weiteste: 450 (44), 395 (58), 367 (17)
 beste Teiler 28.1 (36.) 43.4 (46.) 53.4 (26.)
 Trefferlage 0.36 mm links, 0.14 mm hoch
 Streuwert 1.39, horizontal: 1.56, vertikal: 1.20




Serie 1:
 10.3 * 10.5 * 10.6 * 10.2 * 10.3 *
 10.4 * 9.9 ↗ 9.9 ↘ 10.3 * 9.6 ↘
 beste Teiler 100.6 (3.) 112.1 (2.) 135.4 (6.)
 Trefferlage 0.49 mm links, 1.49 mm hoch
 Streuwert 0.96, horizontal: 1.04, vertikal: 0.88




Serie 2:
 10.2 * 10.7 * 9.9 ← 10.4 * 10.7 *
 10.5 * 9.5 ← 10.4 * 9.9 ↓ 10.2 *
 beste Teiler 57.3 (15.) 74.3 (12.) 104.8 (16.)
 Trefferlage 0.39 mm links, 0.23 mm tief
 Streuwert 1.45, horizontal: 1.58, vertikal: 1.31




Serie 3:
 10.7 * 10.2 * 10.2 * 10.4 * 10.0 ↘
 10.7 * 9.8 → 10.2 * 10.4 * 10.4 *
 beste Teiler 53.4 (26.) 59.4 (21.) 130.9 (30.)
 Trefferlage 0.37 mm links, 0.06 mm hoch
 Streuwert 1.29, horizontal: 1.40, vertikal: 1.17



Serie 4:
 9.5 ← 10.2 * 10.6 * 10.5 * 9.9 ↘
 10.8 * 10.6 * 10.0 ↘ 10.6 * 10.4 *
 beste Teiler 28.1 (36.) 80.2 (33.) 96.5 (37.)
 Trefferlage 0.57 mm links, 0.13 mm tief
 Streuwert 1.31, horizontal: 1.39, vertikal: 1.21



Serie 5:
 10.6 * 10.4 * 10.6 * 9.2 → 10.0 ←
 10.8 * 10.6 * 10.2 * 10.7 * 9.7 ←
 beste Teiler 43.4 (46.) 63.4 (49.) 82.0 (47.)
 Trefferlage 0.01 mm rechts, 0.03 mm hoch
 Streuwert 1.57, horizontal: 2.07, vertikal: 0.80



Serie 6:
 10.6 * 9.6 ← 10.7 * 10.5 * 10.7 *
 9.8 ↘ 10.4 * 9.4 → 10.6 * 10.0 ←
 beste Teiler 57.3 (53.) 71.1 (55.) 93.9 (51.)
 Trefferlage 0.35 mm links, 0.34 mm tief
 Streuwert 1.57, horizontal: 2.00, vertikal: 0.96

LG 60 ZR – Wertung – **Juniorinnen**

StartNr: 52

StandNr: 120

23. Februar 2020 13:04



Vogl, Jana #70225055

SG_Wattens–Rettenberg / SG Wattens–Rettenberg 1


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **623.1** (596)
 Serien: 103.2 102.8 104.5 104.3 104.2 104.1
 Zähler: 56 4 0 0 0 0 0 0 0
 Innenzehner: 49
 weiteste: 352 (17), 302 (1), 271 (57)
 beste Teiler 26.6 (27.) 38.2 (15.) 53.8 (18.)
 Trefferlage 0.17 mm links, 0.20 mm hoch
 Streuwert 1.11, horizontal: 1.20, vertikal: 1.01




Serie 1:
 9.7 ↙ 10.3 * 10.7 * 10.4 * 10.3 *
 10.4 * 10.4 * 10.0 ↙ 10.7 * 10.3 *
 beste Teiler 55.0 (9.) 73.5 (3.) 133.4 (4.)
 Trefferlage 0.42 mm links, 0.22 mm tief
 Streuwert 1.25, horizontal: 1.30, vertikal: 1.20




Serie 2:
 10.0 ↖ 10.4 * 10.0 ↙ 10.6 * 10.8 *
 9.9 → 9.5 → 10.7 * 10.5 * 10.4 *
 beste Teiler 38.2 (15.) 53.8 (18.) 98.3 (14.)
 Trefferlage 0.29 mm links, 0.08 mm tief
 Streuwert 1.42, horizontal: 1.91, vertikal: 0.61




Serie 3:
 10.4 * 10.7 * 10.1 ↑ 10.4 * 10.5 *
 10.3 * 10.8 * 10.4 * 10.5 * 10.4 *
 beste Teiler 26.6 (27.) 65.0 (22.) 108.2 (25.)
 Trefferlage 0.00 mm , 0.51 mm hoch
 Streuwert 0.90, horizontal: 0.80, vertikal: 1.00



Serie 4:
 10.6 * 10.2 * 10.7 * 10.6 * 10.3 *
 10.5 * 10.2 * 10.5 * 10.2 * 10.5 *
 beste Teiler 59.0 (33.) 83.2 (34.) 98.6 (31.)
 Trefferlage 0.40 mm links, 0.74 mm hoch
 Streuwert 0.82, horizontal: 0.91, vertikal: 0.72



Serie 5:
 10.5 * 10.1 ↘ 10.5 * 10.3 * 10.3 *
 10.1 ↙ 10.4 * 10.7 * 10.7 * 10.6 *
 beste Teiler 60.1 (49.) 63.0 (48.) 88.6 (50.)
 Trefferlage 0.24 mm links, 0.34 mm hoch
 Streuwert 1.06, horizontal: 1.00, vertikal: 1.12



Serie 6:
 10.6 * 10.1 → 10.2 * 10.4 * 10.7 *
 10.7 * 9.9 ↘ 10.6 * 10.6 * 10.3 *
 beste Teiler 63.6 (55.) 64.3 (56.) 76.6 (51.)
 Trefferlage 0.30 mm rechts, 0.05 mm tief
 Streuwert 1.11, horizontal: 1.12, vertikal: 1.11

Meyton Elektronik

LG 60 ZR – Wertung – **Juniorinnen**

StandNr: 121

Hafner, Lisa #70119027

StartNr: 53



23. Februar 2020 13:18

SG_Umhausen


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	614.9	(590)
Serien:	103.1	102.7 102.2 101.9 102.4 102.6
Zähler:	50	10 0 0 0 0 0 0 0 0
Innenzehner:	40	
weiteste:	370	(6), 345 (52), 337 (20)
beste Teiler	18.6	(3.) 24.3 (56.) 47.3 (18.)
Trefferlage	0.32 mm links, 0.74 mm tief	
Streuwert	1.26, horizontal: 1.44, vertikal: 1.04	




Serie 1:	10.2 *	9.8 ↙	10.9 *	10.4 *	10.4 *
	9.5 ↘	10.6 *	10.4 *	10.5 *	10.4 *
beste Teiler	18.6	(3.) 85.4 (7.)	104.0 (9.)		
Trefferlage	0.81 mm links, 0.74 mm tief				
Streuwert	1.12, horizontal: 1.16, vertikal: 1.08				




Serie 2:	10.3 *	10.4 *	10.3 *	10.6 *	10.0 ↓
	10.4 *	10.3 *	10.8 *	10.0 ↘	9.6 →
beste Teiler	47.3	(18.) 95.2 (14.)	141.4 (12.)		
Trefferlage	0.40 mm rechts, 0.59 mm tief				
Streuwert	1.31, horizontal: 1.49, vertikal: 1.12				




Serie 3:	10.6 *	10.6 *	9.8 ←	10.1 ↘	10.5 *
	10.3 *	9.7 ←	10.0 ↘	10.7 *	9.9 ↘
beste Teiler	68.0	(29.) 78.5 (21.)	91.1 (22.)		
Trefferlage	0.45 mm links, 0.64 mm tief				
Streuwert	1.40, horizontal: 1.77, vertikal: 0.88				



Serie 4:	10.3 *	10.4 *	10.3 *	9.6 ↓	10.4 *
	9.9 ↓	10.3 *	10.3 *	10.1 ←	10.3 *
beste Teiler	133.7	(32.) 142.6 (35.)	153.2 (31.)		
Trefferlage	0.04 mm rechts, 0.90 mm tief				
Streuwert	1.34, horizontal: 1.33, vertikal: 1.34				



Serie 5:	10.1 ←	10.5 *	10.5 *	10.5 *	10.2 *
	10.2 *	10.1 ←	10.2 *	9.9 ↓	10.2 *
beste Teiler	106.0	(42.) 120.8 (44.)	122.0 (43.)		
Trefferlage	0.58 mm links, 0.63 mm tief				
Streuwert	1.24, horizontal: 1.53, vertikal: 0.86				



Serie 6:	10.4 *	9.6 ←	10.4 *	10.3 *	10.3 *
	10.9 *	10.0 ↘	10.0 ↓	10.7 *	10.0 ↓
beste Teiler	24.3	(56.) 58.7 (59.)	139.4 (51.)		
Trefferlage	0.53 mm links, 0.96 mm tief				
Streuwert	1.23, horizontal: 1.31, vertikal: 1.14				

Meyton Elektronik

LG 60 ZR – Wertung – **Juniorinnen**

StandNr: 122

Patka, Anna #70421005

StartNr: 54



23. Februar 2020 13:16

SG_Thierberger_Schützen


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	584.5	(557)
Serien:	96.2 94.6 98.9 99.6 98.1 97.1	
Zähler:	27 25 6 2 0 0 0 0 0 0	
Innenzehner:	19	
weiteste:	937 (3), 913 (14), 608 (12)	
beste Teiler	64.8 (1.) 67.0 (47.) 80.7 (50.)	
Trefferlage	0.99 mm links, 0.45 mm hoch	
Streuwert	2.39, horizontal: 2.71, vertikal: 2.02	




Serie 1:	10.7 *	10.6 *	7.2 ↙	9.4 ↘	10.0 ↗
	10.0 ↓	8.8 ↖	10.1 →	8.9 ↑	10.5 *
beste Teiler	64.8 (1.)	92.2 (2.)	113.0 (10.)		
Trefferlage	1.48 mm links, 0.07 mm tief				
Streuwert	2.94, horizontal: 2.92, vertikal: 2.97				




Serie 2:	10.3 *	8.5 ←	10.3 *	7.3 ←	9.9 ↓
	9.7 ↖	9.3 →	10.4 *	8.7 ↗	10.2 *
beste Teiler	150.2 (18.)	151.4 (11.)	170.8 (13.)		
Trefferlage	2.09 mm links, 0.87 mm hoch				
Streuwert	2.84, horizontal: 3.67, vertikal: 1.63				




Serie 3:	9.9 ↗	10.5 *	9.1 →	10.1 ↖	10.4 *
	10.3 *	9.4 ↘	9.1 ←	9.7 →	10.4 *
beste Teiler	110.0 (22.)	137.0 (30.)	141.7 (25.)		
Trefferlage	0.08 mm links, 0.20 mm tief				
Streuwert	2.22, horizontal: 2.79, vertikal: 1.45				



Serie 4:	10.0 ↗	10.4 *	9.8 ↗	9.8 ↖	10.5 *
	9.8 ↓	9.3 ↖	9.7 ←	10.3 *	10.0 ↘
beste Teiler	116.9 (35.)	134.3 (32.)	174.0 (39.)		
Trefferlage	0.83 mm links, 0.25 mm tief				
Streuwert	1.85, horizontal: 1.78, vertikal: 1.91				



Serie 5:	9.4 ←	10.1 ↘	8.8 ↖	9.9 ↑	9.8 ↑
	9.0 ←	10.7 *	10.2 *	9.6 ↖	10.6 *
beste Teiler	67.0 (47.)	80.7 (50.)	178.1 (48.)		
Trefferlage	1.28 mm links, 1.06 mm hoch				
Streuwert	2.05, horizontal: 2.23, vertikal: 1.86				



Serie 6:	10.4 *	9.8 ↑	9.1 ↖	9.7 ↘	10.3 *
	8.6 ←	9.8 ←	9.9 ↑	9.5 ↗	10.0 →
beste Teiler	140.5 (51.)	157.0 (55.)	226.3 (60.)		
Trefferlage	0.18 mm links, 1.32 mm hoch				
Streuwert	2.26, horizontal: 2.60, vertikal: 1.85				

Meyton Elektronik

LG 60 ZR – Wertung – **Juniorinnen**

StandNr: 123

Szeke, **Berta** #70108184

StartNr: 55

23. Februar 2020 13:26

SG_Mieming / Mieming 1

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **606.4** (576)

Serien: 101.2 101.3 102.7 102.3 98.9 100.0

Zähler: 37 22 1 0 0 0 0 0 0



Innenzehner: 32

weiteste: 526 (41), 500 (42), 417 (54)

beste Teiler 16.0 (22.) 19.1 (10.) 29.0 (48.)

Trefferlage 0.02 mm links, 0.04 mm hoch

Streuwert 1.74, horizontal: 1.84, vertikal: 1.62




Serie 1:

10.4 *	9.7 ↘	9.7 ↓	9.9 ↑	10.6 *
10.3 *	10.1 ↓	9.3 ↙	10.3 *	10.9 *

beste Teiler 19.1 (10.) 99.2 (5.) 141.5 (1.)

Trefferlage 0.00 mm , 0.21 mm tief

Streuwert 1.75, horizontal: 1.62, vertikal: 1.88




Serie 2:

10.5 *	9.8 ↙	10.5 *	9.3 ←	10.4 *
9.9 ↘	10.0 →	10.6 *	9.9 ←	10.4 *

beste Teiler 78.5 (18.) 104.8 (13.) 124.1 (11.)

Trefferlage 0.90 mm links, 0.77 mm tief

Streuwert 1.43, horizontal: 1.76, vertikal: 0.99




Serie 3:

9.8 ↗	10.9 *	10.4 *	10.8 *	10.3 *
9.9 ↑	10.4 *	9.7 ↘	10.7 *	9.8 ↗

beste Teiler 16.0 (22.) 50.6 (24.) 59.0 (29.)

Trefferlage 0.56 mm rechts, 0.53 mm hoch

Streuwert 1.38, horizontal: 1.33, vertikal: 1.42




Serie 4:

10.3 *	10.0 →	10.4 *	9.5 ←	10.6 *
9.7 ↓	10.3 *	10.6 *	10.6 *	10.3 *

beste Teiler 77.1 (38.) 90.3 (35.) 92.4 (39.)

Trefferlage 0.37 mm rechts, 0.23 mm tief

Streuwert 1.45, horizontal: 1.65, vertikal: 1.23




Serie 5:

8.8 ↘	9.0 ↑	10.4 *	10.8 *	10.0 →
10.4 *	10.0 →	10.8 *	9.4 ↘	9.3 ↘

beste Teiler 29.0 (48.) 49.4 (44.) 130.6 (43.)

Trefferlage 0.41 mm rechts, 1.08 mm hoch

Streuwert 2.17, horizontal: 2.33, vertikal: 2.00



Serie 6:

10.2 *	10.4 *	10.7 *	9.3 ↙	10.2 *
10.5 *	9.3 ↘	9.6 ↘	9.9 ↑	9.9 ←

beste Teiler 59.9 (53.) 108.5 (56.) 132.0 (52.)

Trefferlage 0.56 mm links, 0.11 mm tief

Streuwert 1.93, horizontal: 2.15, vertikal: 1.69

LG 60 ZR – Wertung – **Juniorinnen**

StandNr: 124

Larch, Laura #70410023

StartNr: 56



23. Februar 2020 13:18

SG_Kramsach


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	609.0	(580)					
Serien:	101.9	101.2	103.4	100.6	99.3	102.6	
Zähler:	40	20	0	0	0	0	0
Innenzehner:	31						
weiteste:	460 (20), 411 (50), 381 (44)						
beste Teiler	34.1 (59.) 34.7 (58.) 40.5 (23.)						
Trefferlage	0.18 mm rechts, 0.61 mm hoch						
Streuwert	1.53, horizontal: 1.88, vertikal: 1.08						




Serie 1:	10.7 *	10.0 ←	10.2 *	10.4 *	10.2 *
	9.8 →	10.0 →	9.9 →	10.5 *	10.2 *
beste Teiler	58.3 (1.) 116.3 (9.) 147.5 (4.)				
Trefferlage	0.39 mm rechts, 0.03 mm hoch				
Streuwert	1.48, horizontal: 1.98, vertikal: 0.71				




Serie 2:	10.5 *	10.3 *	10.0 ↑	9.9 ↖	10.5 *
	9.8 ←	9.7 ←	10.7 *	10.7 *	9.1 →
beste Teiler	54.1 (18.) 74.0 (19.) 111.1 (15.)				
Trefferlage	0.51 mm links, 0.57 mm hoch				
Streuwert	1.72, horizontal: 2.18, vertikal: 1.08				




Serie 3:	10.5 *	10.4 *	10.8 *	9.6 ↖	10.7 *
	10.6 *	10.1 ↗	10.2 *	10.6 *	9.9 ↑
beste Teiler	40.5 (23.) 58.8 (25.) 89.0 (26.)				
Trefferlage	0.39 mm links, 0.82 mm hoch				
Streuwert	1.10, horizontal: 1.15, vertikal: 1.05				



Serie 4:	10.2 *	9.8 ↗	10.0 ↑	9.7 ↗	9.7 ↗
	10.5 *	10.3 *	10.2 *	10.1 ↘	10.1 ↑
beste Teiler	106.3 (36.) 158.7 (37.) 179.1 (31.)				
Trefferlage	0.32 mm rechts, 1.57 mm hoch				
Streuwert	1.25, horizontal: 1.49, vertikal: 0.95				



Serie 5:	10.2 *	9.6 →	10.8 *	9.4 →	10.1 ↓
	9.8 ↖	10.1 ←	9.7 →	10.3 *	9.3 ↗
beste Teiler	50.6 (43.) 152.1 (49.) 178.3 (41.)				
Trefferlage	0.87 mm rechts, 0.04 mm tief				
Streuwert	1.95, horizontal: 2.51, vertikal: 1.15				



Serie 6:	9.8 ←	9.8 ↑	9.8 ↗	10.5 *	10.3 *
	10.5 *	9.7 →	10.8 *	10.8 *	10.6 *
beste Teiler	34.1 (59.) 34.7 (58.) 82.5 (60.)				
Trefferlage	0.43 mm rechts, 0.73 mm hoch				
Streuwert	1.35, horizontal: 1.73, vertikal: 0.80				

Meyton Elektronik

LG 60 ZR – Wertung – **Juniorinnen**

StandNr: 126

Wachtler, Manuela #70804069

StartNr: 58



23. Februar 2020 13:16

SG_Fügenberg / SG Fügenberg 1


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	600.4	(573)							
Serien:	99.5	99.7	101.1	98.9	99.4	101.8			
Zähler:	34	25	1	0	0	0	0	0	0
Innenzehner:	29								
weiteste:	551 (55), 498 (35), 494 (47)								
beste Teiler	8.0 (32.)	30.0 (49.)	52.3 (40.)						
Trefferlage	0.22 mm rechts, 0.53 mm tief								
Streuwert	1.85, horizontal: 1.85, vertikal: 1.86								




Serie 1:	10.5 *	9.8 ↖	10.4 *	9.8 ↖	10.3 *
	10.1 ↙	10.2 *	9.7 →	9.0 ↙	9.7 →
beste Teiler	117.4 (1.) 137.8 (3.) 171.0 (5.)				
Trefferlage	0.66 mm links, 0.26 mm tief				
Streuwert	1.94, horizontal: 2.27, vertikal: 1.53				




Serie 2:	9.2 ↑	10.1 ↗	9.9 →	9.9 ↓	10.6 *
	10.3 *	9.5 ↘	9.6 ↗	10.3 *	10.3 *
beste Teiler	78.7 (15.) 153.5 (20.) 153.7 (16.)				
Trefferlage	1.28 mm rechts, 0.10 mm hoch				
Streuwert	1.69, horizontal: 1.03, vertikal: 2.16				




Serie 3:	10.2 *	9.9 ↑	10.4 *	10.3 *	9.9 ↘
	10.6 *	10.2 *	9.9 →	10.3 *	9.4 ↓
beste Teiler	98.2 (26.) 126.7 (23.) 171.4 (29.)				
Trefferlage	0.38 mm rechts, 0.56 mm tief				
Streuwert	1.63, horizontal: 1.37, vertikal: 1.85				



Serie 4:	9.2 ↘	10.9 *	9.4 ↘	9.8 ↘	9.0 ↓
	9.4 ↘	10.3 *	10.0 ↙	10.2 *	10.7 *
beste Teiler	8.0 (32.) 52.3 (40.) 162.5 (37.)				
Trefferlage	0.91 mm rechts, 1.89 mm tief				
Streuwert	1.68, horizontal: 1.32, vertikal: 1.98				



Serie 5:	10.6 *	9.8 →	9.6 ←	9.9 ↑	9.6 ↓
	9.5 ←	9.0 ←	10.0 →	10.8 *	10.6 *
beste Teiler	30.0 (49.) 85.9 (50.) 95.0 (41.)				
Trefferlage	0.40 mm links, 0.26 mm tief				
Streuwert	2.14, horizontal: 2.61, vertikal: 1.54				



Serie 6:	10.5 *	10.3 *	10.3 *	10.3 *	8.7 ↙
	10.5 *	10.3 *	10.2 *	10.1 ↓	10.6 *
beste Teiler	77.4 (60.) 111.8 (56.) 113.6 (51.)				
Trefferlage	0.16 mm links, 0.36 mm tief				
Streuwert	1.69, horizontal: 1.57, vertikal: 1.81				

Meyton Elektronik

LG 60 ZR – Wertung – **Juniorinnen**

StartNr: 59

StandNr: 127

23. Februar 2020 13:34



Schrödl, Julia #70407043

SG_Ebbser_Schützen / SG Ebbser Schützen 1


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	599.6	(575)
Serien:	101.0 100.3 100.9 101.2 98.5 97.7	
Zähler:	38 19 3 0 0 0 0 0 0 0	
Innenzehner:	25	
weiteste:	516 (42), 506 (43), 503 (53)	
beste Teiler	42.5 (41.) 51.2 (50.) 51.4 (29.)	
Trefferlage	0.36 mm rechts, 0.59 mm hoch	
Streuwert	1.86, horizontal: 1.82, vertikal: 1.90	




Serie 1:	10.5 *	9.2 ↗	9.4 ↗	10.6 *	10.5 *
	10.1 ↓	10.4 *	10.0 ↘	10.1 ↗	10.2 *
beste Teiler	99.9 (4.) 107.3 (5.) 119.5 (1.)				
Trefferlage	0.99 mm rechts, 0.52 mm hoch				
Streuwert	1.58, horizontal: 1.18, vertikal: 1.90				




Serie 2:	9.9 ↘	9.9 ↘	10.2 *	9.5 ↗	10.0 ↗
	10.3 *	10.1 ↖	10.0 ↓	10.5 *	9.9 ↘
beste Teiler	113.3 (19.) 156.9 (16.) 200.8 (13.)				
Trefferlage	0.57 mm rechts, 0.66 mm tief				
Streuwert	1.66, horizontal: 1.37, vertikal: 1.90				




Serie 3:	10.0 ↖	10.4 *	10.2 *	10.4 *	10.0 ↘
	10.1 ↖	10.0 ↗	9.3 ↘	10.7 *	9.8 ↗
beste Teiler	51.4 (29.) 131.5 (24.) 149.1 (22.)				
Trefferlage	0.30 mm rechts, 0.02 mm hoch				
Streuwert	1.73, horizontal: 1.79, vertikal: 1.67				



Serie 4:	10.4 *	10.1 ↘	10.4 *	10.3 *	10.1 ↑
	10.6 *	10.1 →	9.6 ↖	9.9 →	9.7 ↗
beste Teiler	76.4 (36.) 132.7 (33.) 145.6 (31.)				
Trefferlage	0.16 mm links, 0.12 mm hoch				
Streuwert	1.67, horizontal: 1.85, vertikal: 1.46				



Serie 5:	10.8 *	8.9 ↗	8.9 ↖	9.3 ↗	10.5 *
	9.3 ↑	9.5 ↖	10.4 *	10.2 *	10.7 *
beste Teiler	42.5 (41.) 51.2 (50.) 113.0 (45.)				
Trefferlage	0.19 mm rechts, 1.79 mm hoch				
Streuwert	2.05, horizontal: 2.19, vertikal: 1.90				



Serie 6:	10.5 *	9.2 ↑	8.9 ↗	10.3 *	9.2 ↖
	9.5 ↖	9.7 ↑	10.5 *	10.4 *	9.5 ↗
beste Teiler	119.1 (58.) 119.2 (51.) 139.7 (59.)				
Trefferlage	0.31 mm rechts, 1.75 mm hoch				
Streuwert	2.08, horizontal: 2.48, vertikal: 1.56				

LG 60 ZR – Wertung – Juniorinnen

StandNr: 128

Leopold, Magdalena #70802029

StartNr: 60

23. Februar 2020 13:15

SG_Aschau

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **599.1** (573)

Serien: 101.8 97.9 101.9 101.3 98.3 97.9

Zähler: 35 23 2 0 0 0 0 0 0 0



Innenzehner: 28

weiteste: 549 (18), 505 (46), 482 (29)

beste Teiler 21.0 (55.) 46.0 (1.) 46.0 (24.)

Trefferlage 0.28 mm rechts, 0.08 mm hoch

Streuwert 1.97, horizontal: 2.42, vertikal: 1.37




Serie 1:

10.8 *	10.0 →	9.6 →	10.2 *	10.7 *
10.6 *	9.8 ↑	10.4 *	10.3 *	9.4 →

beste Teiler 46.0 (1.) 64.0 (5.) 97.0 (6.)

Trefferlage 1.22 mm rechts, 0.71 mm hoch

Streuwert 1.28, horizontal: 1.43, vertikal: 1.12




Serie 2:

10.4 *	10.1 ↗	9.3 ↑	9.3 ←	10.4 *
10.3 *	9.5 ↑	8.8 →	10.1 ↘	9.7 ←

beste Teiler 140.9 (15.) 147.2 (11.) 166.8 (16.)

Trefferlage 0.17 mm links, 1.00 mm hoch

Streuwert 2.25, horizontal: 2.72, vertikal: 1.64




Serie 3:

10.2 *	10.6 *	10.4 *	10.8 *	10.4 *
10.2 *	10.4 *	10.0 ←	9.0 →	9.9 ↓

beste Teiler 46.0 (24.) 79.6 (22.) 126.2 (27.)

Trefferlage 0.19 mm rechts, 0.67 mm tief

Streuwert 1.58, horizontal: 1.93, vertikal: 1.12




Serie 4:

9.8 ↓	10.1 ←	9.4 ↙	10.5 *	10.6 *
9.5 →	10.4 *	10.0 ↘	10.6 *	10.4 *

beste Teiler 81.6 (35.) 81.7 (39.) 122.9 (34.)

Trefferlage 0.25 mm links, 0.27 mm tief

Streuwert 1.72, horizontal: 1.87, vertikal: 1.56




Serie 5:

10.5 *	9.0 →	10.6 *	10.2 *	9.4 ↙
8.9 →	9.9 ←	9.7 →	9.5 ←	10.6 *

beste Teiler 79.0 (43.) 80.5 (50.) 111.6 (41.)

Trefferlage 0.50 mm rechts, 0.15 mm tief

Streuwert 2.32, horizontal: 3.06, vertikal: 1.18



Serie 6:

9.5 ↖	9.4 ←	9.9 ←	9.0 →	10.9 *
9.2 →	9.4 →	10.1 ↘	10.2 *	10.3 *

beste Teiler 21.0 (55.) 164.2 (60.) 195.0 (59.)

Trefferlage 0.19 mm rechts, 0.08 mm tief

Streuwert 2.43, horizontal: 3.28, vertikal: 1.01

Meyton Elektronik

LG 60 ZR – Wertung – **Juniorinnen**

StandNr: 129

Messner, Helena #70201125

StartNr: 61

23. Februar 2020 13:55

SG_Absam

Unterschrift des Schützen

Meyton Elektronik