





Ergebnis: **360** (377.2)
 Serien: 89 90 93 88
 Zähler: 12 18 8 2 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2916 (9), 2522 (40), 2193 (29)
 beste Teiler 77.1 (28.) 215.6 (1.) 318.2 (16.)
 Trefferlage 0.68 mm links, 2.06 mm tief
 Streuwert 9.67, horizontal: 9.26, vertikal: 10.07




Serie 1:
 10.7 * 10.3 ↙ 10.0 ↖ 9.8 ↑ 9.1 →
 8.6 ↘ 9.8 ↓ 8.4 ↗ 7.3 ↓ 9.5 ↘
 beste Teiler 215.6 (1.) 554.1 (2.) 793.4 (3.)
 Trefferlage 1.82 mm links, 4.03 mm tief
 Streuwert 10.63, horizontal: 7.83, vertikal: 12.83



Serie 2:
 8.6 ↓ 9.3 ↘ 10.3 ↘ 10.3 ↑ 9.4 ↘
 10.6 * 8.8 ↗ 8.6 ↑ 9.7 ↖ 9.2 →
 beste Teiler 318.2 (16.) 503.8 (13.) 518.5 (14.)
 Trefferlage 2.11 mm rechts, 0.48 mm hoch
 Streuwert 9.54, horizontal: 7.01, vertikal: 11.53



Serie 3:
 9.2 ↗ 10.4 * 8.6 ← 9.8 ← 9.5 ↓
 10.1 ↓ 10.0 ↘ 10.9 * 8.2 ↖ 10.2 ↘
 beste Teiler 77.1 (28.) 432.6 (22.) 577.8 (30.)
 Trefferlage 5.00 mm links, 3.12 mm tief
 Streuwert 7.65, horizontal: 8.88, vertikal: 6.16





Serie 4:
 9.2 ↖ 9.5 → 10.1 → 9.3 ↘ 9.5 ↗
 9.3 ↗ 8.7 ← 9.4 ↗ 9.2 → 7.8 ↘
 beste Teiler 663.0 (33.) 1146.1 (35.) 1193.4 (32.)
 Trefferlage 1.98 mm rechts, 1.58 mm tief
 Streuwert 10.83, horizontal: 11.97, vertikal: 9.56


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (390.5)
 Serien: 93 92 94 94
 Zähler: 16 21 3 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2250 (35), 1926 (20), 1655 (13)
 beste Teiler 125.8 (38.) 277.0 (28.) 288.0 (26.)
 Trefferlage 1.97 mm links, 2.20 mm hoch
 Streuwert 7.26, horizontal: 7.65, vertikal: 6.85




Serie 1:
 10.3 → 10.4 * 9.8 ↑ 9.8 ↖ 9.1 ↖
 9.6 ↘ 10.0 ↑ 9.0 ↘ 9.2 ↖ 9.9 ↑
 beste Teiler 473.1 (2.) 534.2 (1.) 784.0 (7.)
 Trefferlage 2.82 mm links, 4.22 mm hoch
 Streuwert 6.97, horizontal: 7.58, vertikal: 6.29



Serie 2:
 9.2 ↘ 10.5 * 8.9 ← 9.8 ↖ 9.7 ↖
 10.0 ↑ 10.3 ↗ 10.2 ↘ 9.7 ↗ 8.5 ↖
 beste Teiler 397.9 (12.) 535.4 (17.) 568.7 (18.)
 Trefferlage 3.36 mm links, 2.04 mm hoch
 Streuwert 7.83, horizontal: 8.97, vertikal: 6.50



Serie 3:
 10.4 * 10.0 ↓ 9.0 ↙ 9.2 ↗ 9.5 ←
 10.6 * 9.7 ↓ 10.6 * 9.5 ↑ 9.8 ↑
 beste Teiler 277.0 (28.) 288.0 (26.) 403.7 (21.)
 Trefferlage 2.20 mm links, 0.80 mm hoch
 Streuwert 7.18, horizontal: 5.36, vertikal: 8.62





Serie 4:
 10.3 ↙ 9.5 ↗ 9.6 ↗ 10.0 → 8.1 ↙
 10.2 ↑ 9.9 ↗ 10.8 * 10.3 → 9.6 ↖
 beste Teiler 125.8 (38.) 486.5 (39.) 507.2 (31.)
 Trefferlage 0.51 mm rechts, 1.74 mm hoch
 Streuwert 7.65, horizontal: 8.78, vertikal: 6.33


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (392.9)
 Serien: 93 94 95 93
 Zähler: 19 17 4 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2398 (22), 1978 (12), 1916 (6)
 beste Teiler 73.1 (24.) 201.7 (13.) 231.9 (20.)
 Trefferlage 3.34 mm links, 2.30 mm tief
 Streuwert 6.89, horizontal: 8.09, vertikal: 5.43




Serie 1:
 9.1 ↘ 9.7 → 10.4 * 9.9 ↓ 9.2 →
 8.6 → 9.7 ↖ 10.6 * 10.3 ← 10.1 ↘
 beste Teiler 313.4 (8.) 434.7 (3.) 554.9 (9.)
 Trefferlage 1.79 mm rechts, 1.77 mm tief
 Streuwert 7.78, horizontal: 9.97, vertikal: 4.64



Serie 2:
 9.1 ↙ 8.5 ↖ 10.7 * 9.9 ← 10.5 *
 10.2 ← 9.6 ↓ 9.9 ↓ 10.0 ← 10.7 *
 beste Teiler 201.7 (13.) 231.9 (20.) 364.5 (15.)
 Trefferlage 5.03 mm links, 2.64 mm tief
 Streuwert 6.06, horizontal: 5.31, vertikal: 6.73



Serie 3:
 10.3 ↘ 8.0 ← 9.3 ↙ 10.9 * 9.6 ↖
 10.6 * 10.2 ↖ 10.0 ↓ 9.5 ↙ 10.2 ↗
 beste Teiler 73.1 (24.) 303.4 (26.) 483.5 (21.)
 Trefferlage 5.01 mm links, 1.52 mm tief
 Streuwert 6.99, horizontal: 8.24, vertikal: 5.46



Serie 4:
 9.9 → 9.4 ↙ 10.3 ↙ 9.3 ← 9.3 ↓
 10.6 * 8.8 ← 9.9 ← 10.0 ↓ 10.1 ←
 beste Teiler 273.1 (36.) 485.7 (33.) 684.1 (40.)
 Trefferlage 5.14 mm links, 3.30 mm tief
 Streuwert 6.25, horizontal: 7.01, vertikal: 5.39

Unterschrift des Schützen

Meyton Elektronik

EYL Pistol – Wertung – offene Klasse

StartNr: 32



StandNr: 129

10. Juni 2018 9:17


MORASSUT, Andrea #1000000234

Italy / Italy


Ergebnis: **372** (389.5)
 Serien: 94 90 93 95
 Zähler: 16 20 4 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2184 (27), 1890 (17), 1658 (19)
 beste Teiler 101.8 (3.) 152.7 (32.) 223.9 (5.)
 Trefferlage 1.13 mm links, 5.04 mm tief
 Streuwert 6.79, horizontal: 6.69, vertikal: 6.90




Serie 1:
 10.0 ↗ 9.9 → 10.8 * 10.0 ↓ 10.7 *
 9.3 ↙ 9.9 ↓ 8.9 ↖ 10.1 ↘ 9.5 ↓
 beste Teiler 101.8 (3.) 223.9 (5.) 644.4 (9.)
 Trefferlage 0.89 mm links, 4.68 mm tief
 Streuwert 6.07, horizontal: 6.38, vertikal: 5.75



Serie 2:
 9.0 ↖ 10.0 ↙ 9.9 ↑ 9.0 → 9.6 ↓
 9.2 ↓ 8.6 ↘ 10.6 * 8.9 ↖ 9.6 ↓
 beste Teiler 285.0 (18.) 770.8 (12.) 854.1 (13.)
 Trefferlage 0.50 mm links, 6.59 mm tief
 Streuwert 8.40, horizontal: 8.93, vertikal: 7.82



Serie 3:
 9.8 ↙ 9.4 ↙ 10.0 ↘ 10.1 ↖ 9.7 ↖
 9.6 ↑ 8.2 ↓ 10.0 ↘ 10.0 ↑ 9.9 ↖
 beste Teiler 686.1 (24.) 730.7 (23.) 732.6 (28.)
 Trefferlage 2.09 mm links, 4.99 mm tief
 Streuwert 7.24, horizontal: 5.10, vertikal: 8.87





Serie 4:
 9.0 ↘ 10.8 * 9.9 ↙ 10.3 ← 10.2 ↖
 10.3 ↖ 9.6 ↓ 9.9 → 10.1 ← 9.2 ↓
 beste Teiler 152.7 (32.) 489.4 (34.) 547.9 (36.)
 Trefferlage 1.05 mm links, 3.88 mm tief
 Streuwert 6.11, horizontal: 6.77, vertikal: 5.37


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378** (394.8)
 Serien: 97 93 95 93
 Zähler: 20 18 2 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 2090 (40), 1802 (38), 1588 (18)
 beste Teiler 228.2 (1.) 285.5 (10.) 298.0 (5.)
 Trefferlage 1.03 mm links, 0.10 mm hoch
 Streuwert 6.97, horizontal: 7.27, vertikal: 6.66




Serie 1:
 10.7 * 10.4 * 10.4 * 10.4 * 10.6 *
 9.7 ↗ 10.4 * 9.1 ↓ 9.4 ↘ 10.6 *
 beste Teiler 228.2 (1.) 285.5 (10.) 298.0 (5.)
 Trefferlage 1.76 mm rechts, 0.16 mm hoch
 Streuwert 5.56, horizontal: 4.85, vertikal: 6.19



Serie 2:
 9.7 → 10.1 ↑ 10.0 ↙ 9.2 ↘ 9.2 ↑
 10.4 * 9.7 ↘ 9.0 ← 9.3 ← 9.9 ↘
 beste Teiler 441.1 (16.) 646.4 (12.) 745.0 (13.)
 Trefferlage 4.55 mm links, 3.72 mm hoch
 Streuwert 6.84, horizontal: 7.81, vertikal: 5.71



Serie 3:
 9.4 ↗ 10.5 * 10.3 ↙ 9.9 ↓ 9.3 ↓
 9.9 ↓ 9.6 ↑ 10.5 * 10.6 * 10.0 ↘
 beste Teiler 315.6 (29.) 358.7 (28.) 364.9 (22.)
 Trefferlage 0.17 mm links, 0.37 mm hoch
 Streuwert 6.22, horizontal: 3.44, vertikal: 8.10



Serie 4:
 10.3 ↘ 10.5 * 9.1 ↓ 10.1 ↙ 10.2 ↓
 10.0 ↓ 9.8 ↙ 8.7 → 9.6 ← 8.3 ←
 beste Teiler 381.1 (32.) 539.1 (31.) 621.1 (35.)
 Trefferlage 1.19 mm links, 3.84 mm tief
 Streuwert 8.17, horizontal: 10.48, vertikal: 4.89

Unterschrift des Schützen

Meyton Elektronik

EYL Pistol – Wertung – offene Klasse

StartNr: 38



StandNr: 125

10. Juni 2018 9:19


CAMPOSTRINI, Giulia #1000000231

Italy / Hungary


Ergebnis: **382** (397.5)
 Serien: 96 97 95 94
 Zähler: 23 16 1 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2247 (2), 1458 (32), 1437 (25)
 beste Teiler 73.8 (6.) 155.4 (17.) 189.6 (31.)
 Trefferlage 0.98 mm links, 3.13 mm tief
 Streuwert 6.11, horizontal: 6.98, vertikal: 5.10




Serie 1:
 10.0 ↘ 8.1 → 10.1 ↘ 10.1 ↘ 10.3 ↓
 10.9 * 10.4 * 9.7 ↑ 9.7 ↙ 10.1 ↓
 beste Teiler 73.8 (6.) 445.0 (7.) 484.0 (5.)
 Trefferlage 1.96 mm rechts, 3.37 mm tief
 Streuwert 6.62, horizontal: 7.83, vertikal: 5.13



Serie 2:
 9.6 ↖ 10.1 ↖ 9.8 ↗ 10.2 ↑ 10.2 ↓
 10.4 * 10.8 * 10.1 ↓ 10.7 * 9.4 ↙
 beste Teiler 155.4 (17.) 215.6 (19.) 441.4 (16.)
 Trefferlage 2.07 mm links, 0.12 mm hoch
 Streuwert 5.22, horizontal: 4.41, vertikal: 5.92



Serie 3:
 10.0 ↘ 10.2 ↓ 10.2 ↘ 9.9 → 9.2 ↖
 9.2 ↙ 10.0 ← 9.5 ← 10.0 ← 9.4 ↙
 beste Teiler 619.0 (22.) 637.9 (23.) 761.6 (27.)
 Trefferlage 3.76 mm links, 5.16 mm tief
 Streuwert 5.77, horizontal: 6.88, vertikal: 4.40



Serie 4:
 10.7 * 9.1 ↖ 9.5 ← 10.3 ↓ 9.8 ↘
 9.9 ↖ 10.4 * 10.7 * 9.3 → 9.5 ↓
 beste Teiler 189.6 (31.) 218.2 (38.) 425.3 (37.)
 Trefferlage 0.05 mm links, 4.12 mm tief
 Streuwert 6.20, horizontal: 7.90, vertikal: 3.81

Unterschrift des Schützen

Meyton Elektronik