





Ergebnis: **338** (354.3)  
 Serien: 83 80 89 86  
 Zähler: 8 13 11 5 3 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 3563 (8), 3472 (2), 3454 (12)  
 beste Teiler 311.5 (16.) 368.1 (3.) 399.9 (4.)  
 Trefferlage 0.06 mm rechts, 7.05 mm tief  
 Streuwert 12.67, horizontal: 9.29, vertikal: 15.32




Serie 1:  
 9.2 ↑                      6.6 ↓                      10.5 \*                      10.5 \*                      10.3 ↗  
 9.8 ↓                      8.2 ↘                      6.5 ↓                      8.2 →                      7.5 ↓  
 beste Teiler 368.1 (3.) 399.9 (4.) 490.2 (5.)  
 Trefferlage 3.15 mm rechts, 10.40 mm tief  
 Streuwert 13.68, horizontal: 8.75, vertikal: 17.26



Serie 2:  
 8.2 ↙                      6.6 ↓                      7.5 ↖                      8.6 ↓                      8.0 ↗  
 10.6 \*                      9.7 →                      9.7 ↓                      7.6 ↑                      8.3 ↓  
 beste Teiler 311.5 (16.) 973.9 (17.) 997.8 (18.)  
 Trefferlage 0.08 mm links, 6.68 mm tief  
 Streuwert 15.45, horizontal: 11.89, vertikal: 18.33



Serie 3:  
 9.4 ↘                      9.2 ↓                      10.2 ↘                      10.3 ↗                      9.7 ↖  
 8.1 ↓                      9.1 ↑                      7.9 ↖                      8.6 →                      10.4 \*  
 beste Teiler 404.1 (30.) 521.1 (24.) 635.8 (23.)  
 Trefferlage 0.59 mm rechts, 1.55 mm tief  
 Streuwert 11.13, horizontal: 9.46, vertikal: 12.58





Serie 4:  
 7.8 ↓                      9.2 ↑                      10.2 ↗                      9.0 ↓                      9.7 ↖  
 9.2 ↓                      8.2 ↖                      9.4 ↓                      8.0 ↓                      8.6 ↓  
 beste Teiler 613.1 (33.) 997.8 (35.) 1245.9 (38.)  
 Trefferlage 3.40 mm links, 9.58 mm tief  
 Streuwert 10.36, horizontal: 6.51, vertikal: 13.12


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **366** (381.5)  
 Serien: 91 94 88 93  
 Zähler: 13 21 5 1 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 2968 (30), 2347 (29), 2062 (1)  
 beste Teiler 353.4 (7.) 396.2 (40.) 454.4 (19.)  
 Trefferlage 1.50 mm links, 0.20 mm hoch  
 Streuwert 9.02, horizontal: 9.33, vertikal: 8.70




Serie 1:  
 8.4 ↗ 9.4 ↗ 9.0 ↖ 9.1 ↘ 9.8 ↖  
 9.4 ↘ 10.5 \* 10.0 ↖ 9.1 ↗ 9.7 ↘  
 beste Teiler 353.4 (7.) 757.1 (8.) 943.4 (5.)  
 Trefferlage 4.28 mm links, 5.68 mm hoch  
 Streuwert 8.01, horizontal: 7.57, vertikal: 8.43



Serie 2:  
 10.3 ↘ 10.1 ↖ 9.7 ↖ 9.9 ← 8.4 ↗  
 10.2 ↓ 9.6 ↖ 9.6 → 10.4 \* 10.1 ↖  
 beste Teiler 454.4 (19.) 502.2 (11.) 640.8 (16.)  
 Trefferlage 3.14 mm links, 2.51 mm tief  
 Streuwert 6.86, horizontal: 7.05, vertikal: 6.67



Serie 3:  
 9.1 ↘ 9.8 ↑ 9.2 ↘ 9.5 → 10.2 ↓  
 9.5 ↗ 9.8 ↑ 9.9 ↗ 8.0 ↘ 7.2 ↖  
 beste Teiler 574.9 (25.) 809.3 (28.) 910.0 (27.)  
 Trefferlage 1.85 mm rechts, 0.18 mm tief  
 Streuwert 11.38, horizontal: 12.35, vertikal: 10.33



Serie 4:  
 9.9 ↖ 9.7 ↘ 9.1 ← 10.0 → 8.4 ↓  
 8.4 → 10.2 ↓ 10.1 ↖ 10.3 ↘ 10.5 \*  
 beste Teiler 396.2 (40.) 532.3 (39.) 568.3 (37.)  
 Trefferlage 0.46 mm links, 2.17 mm tief  
 Streuwert 8.68, horizontal: 9.63, vertikal: 7.61

Unterschrift des Schützen

Meyton Elektronik

**EYL Pistol – Wertung – offene Klasse**

**StartNr: 19**



StandNr: 119

10. Juni 2018 9:13


**NAGY, Vivien** #1000000243

Hungary / Hungary


Ergebnis: **367** (387.8)  
 Serien: 95 91 91 90  
 Zähler: 16 17 5 2 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 2482 (28), 2424 (35), 2060 (32)  
 beste Teiler 152.2 (7.) 179.0 (10.) 231.8 (33.)  
 Trefferlage 0.32 mm rechts, 2.76 mm tief  
 Streuwert 8.23, horizontal: 6.55, vertikal: 9.62




Serie 1:  
 9.6 ↗ 9.6 ↑ 9.7 ↘ 10.6 \* 10.5 \*  
 9.0 ↖ 10.8 \* 10.3 ↘ 9.5 ↘ 10.7 \*  
 beste Teiler 152.2 (7.) 179.0 (10.) 255.4 (4.)  
 Trefferlage 0.95 mm links, 3.46 mm hoch  
 Streuwert 5.88, horizontal: 4.59, vertikal: 6.93



Serie 2:  
 9.9 ↙ 9.5 → 9.1 ↑ 8.6 ↘ 10.3 ↑  
 10.6 \* 9.6 ↓ 10.2 ↘ 8.7 ↓ 9.7 ↘  
 beste Teiler 291.8 (16.) 524.1 (15.) 630.3 (18.)  
 Trefferlage 3.83 mm rechts, 3.70 mm tief  
 Streuwert 7.86, horizontal: 6.25, vertikal: 9.18



Serie 3:  
 10.3 ↑ 10.2 → 10.6 \* 8.7 ↗ 10.2 ↖  
 9.7 ↘ 9.8 ↗ 7.8 ↙ 9.0 ↙ 9.9 ↓  
 beste Teiler 264.3 (23.) 497.3 (21.) 612.5 (25.)  
 Trefferlage 0.34 mm links, 2.40 mm tief  
 Streuwert 9.11, horizontal: 9.00, vertikal: 9.21





Serie 4:  
 9.6 ↓ 8.4 ↓ 10.7 \* 8.5 ↙ 7.9 ↓  
 10.2 ↘ 9.2 ↓ 10.3 ↗ 9.7 ↘ 10.6 \*  
 beste Teiler 231.8 (33.) 303.0 (40.) 559.2 (38.)  
 Trefferlage 1.23 mm links, 8.41 mm tief  
 Streuwert 8.08, horizontal: 5.09, vertikal: 10.22


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **369** (387.0)  
 Serien: 92 92 92 93  
 Zähler: 17 15 8 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 2338 (33), 2169 (35), 2123 (22)  
 beste Teiler 147.1 (4.) 231.0 (34.) 271.5 (25.)  
 Trefferlage 0.37 mm links, 0.86 mm hoch  
 Streuwert 8.37, horizontal: 7.28, vertikal: 9.34




Serie 1:  
 9.9 → 10.2 → 10.0 ↘ 10.8 \* 8.8 ↗  
 10.1 ↙ 10.0 ↓ 9.5 ↑ 8.7 ↑ 8.4 ↑  
 beste Teiler 147.1 (4.) 564.2 (2.) 673.2 (6.)  
 Trefferlage 2.92 mm rechts, 5.49 mm hoch  
 Streuwert 7.76, horizontal: 5.85, vertikal: 9.28



Serie 2:  
 8.9 ↗ 9.3 ↘ 9.6 ↑ 9.3 ↓ 9.8 ↙  
 10.1 ↗ 9.4 ↙ 10.6 \* 10.4 ↙ 9.6 ←  
 beste Teiler 318.9 (18.) 477.1 (19.) 681.4 (16.)  
 Trefferlage 0.25 mm rechts, 2.47 mm tief  
 Streuwert 7.82, horizontal: 6.74, vertikal: 8.76



Serie 3:  
 10.2 ↓ 8.3 ↙ 9.5 ↘ 8.9 ↑ 10.6 \*  
 10.4 \* 9.7 ↗ 9.1 ↙ 9.6 ↗ 10.2 ↗  
 beste Teiler 271.5 (25.) 415.3 (26.) 632.0 (30.)  
 Trefferlage 0.96 mm links, 0.71 mm hoch  
 Streuwert 8.77, horizontal: 8.41, vertikal: 9.12





Serie 4:  
 10.4 \* 10.1 ↘ 8.0 ↑ 10.7 \* 8.2 ↙  
 9.8 ↙ 9.3 ↘ 10.2 ↓ 10.5 \* 9.9 ←  
 beste Teiler 231.0 (34.) 359.0 (39.) 460.9 (31.)  
 Trefferlage 3.70 mm links, 0.28 mm tief  
 Streuwert 8.61, horizontal: 7.36, vertikal: 9.70


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (389.9)  
 Serien: 95 93 91 91  
 Zähler: 15 21 3 1 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 2412 (21), 1751 (40), 1687 (8)  
 beste Teiler 169.4 (27.) 176.5 (3.) 291.5 (24.)  
 Trefferlage 0.35 mm links, 1.74 mm tief  
 Streuwert 7.56, horizontal: 7.78, vertikal: 7.33




Serie 1:  
 9.4 ↘ 9.2 ↘ 10.7 \* 10.1 → 10.3 ↖  
 10.3 ↙ 9.1 → 8.8 ← 10.1 ← 10.4 \*  
 beste Teiler 176.5 (3.) 441.7 (10.) 522.0 (5.)  
 Trefferlage 1.73 mm links, 0.66 mm tief  
 Streuwert 7.43, horizontal: 8.98, vertikal: 5.46



Serie 2:  
 9.9 ↙ 9.0 ↙ 10.1 ↙ 10.1 ↘ 9.9 →  
 10.2 ↙ 9.5 ↑ 8.8 → 10.5 \* 9.4 ↖  
 beste Teiler 329.7 (19.) 607.1 (16.) 656.8 (14.)  
 Trefferlage 0.66 mm rechts, 3.38 mm tief  
 Streuwert 7.39, horizontal: 8.12, vertikal: 6.59



Serie 3:  
 7.9 ↙ 9.8 ↘ 9.6 → 10.6 \* 9.5 ↗  
 9.5 ↘ 10.7 \* 9.4 ↗ 9.9 ↓ 10.2 ↗  
 beste Teiler 169.4 (27.) 291.5 (24.) 584.9 (30.)  
 Trefferlage 0.99 mm rechts, 0.11 mm hoch  
 Streuwert 8.56, horizontal: 8.54, vertikal: 8.58





Serie 4:  
 9.4 ↑ 9.7 ↑ 9.8 ↙ 9.8 ↘ 10.2 ↓  
 9.5 ↙ 10.3 → 9.6 ↙ 9.9 ↖ 8.8 ↙  
 beste Teiler 553.8 (37.) 606.8 (35.) 811.3 (39.)  
 Trefferlage 1.34 mm links, 3.05 mm tief  
 Streuwert 7.50, horizontal: 6.06, vertikal: 8.71


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **361** (378.3)  
 Serien: 88 91 94 88  
 Zähler: 11 22 4 3 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 2944 (9), 2893 (38), 2793 (6)  
 beste Teiler 251.5 (24.) 303.7 (29.) 304.6 (4.)  
 Trefferlage 0.97 mm links, 1.80 mm tief  
 Streuwert 9.71, horizontal: 7.30, vertikal: 11.63




Serie 1:  
 9.8 ↙ 9.6 ↙ 9.7 ↙ 10.6 \* 9.7 ↑  
 7.5 ↙ 10.2 ← 9.4 ← 7.3 ↑ 9.5 ↓  
 beste Teiler 304.6 (4.) 639.3 (7.) 922.6 (1.)  
 Trefferlage 3.98 mm links, 2.15 mm tief  
 Streuwert 11.06, horizontal: 7.18, vertikal: 13.89



Serie 2:  
 10.0 ↘ 10.0 ← 9.3 ↑ 10.4 \* 9.8 ↙  
 9.0 ↑ 9.7 ← 8.0 ↓ 8.5 ↘ 9.8 ↘  
 beste Teiler 467.3 (14.) 783.5 (12.) 791.1 (11.)  
 Trefferlage 3.17 mm links, 0.47 mm hoch  
 Streuwert 9.67, horizontal: 7.57, vertikal: 11.39



Serie 3:  
 9.5 ← 9.4 → 10.2 → 10.6 \* 9.7 ↑  
 10.0 ↑ 9.4 ↙ 9.9 → 10.6 \* 9.4 ↗  
 beste Teiler 251.5 (24.) 303.7 (29.) 627.2 (23.)  
 Trefferlage 2.50 mm rechts, 1.94 mm hoch  
 Streuwert 6.59, horizontal: 7.09, vertikal: 6.05



Serie 4:  
 9.6 → 10.2 ↘ 8.5 ↓ 10.1 ↓ 9.2 ↓  
 9.2 ↘ 9.8 ↗ 7.3 ↓ 9.5 ↘ 8.4 ↓  
 beste Teiler 592.4 (32.) 690.7 (34.) 904.8 (37.)  
 Trefferlage 0.75 mm rechts, 7.47 mm tief  
 Streuwert 10.24, horizontal: 6.32, vertikal: 13.03

Unterschrift des Schützen

Meyton Elektronik