

EYL Rifle – Wertung – offene Klasse

StartNr: 14



StandNr: 142

10. Juni 2018 9:14


DÉNES, Eszter #1000000238

Hungary / Hungary


Ergebnis: **417.2** (396)
 Serien: 105.0 104.2 104.2 103.8
 Zähler: 36 4 0 0 0 0 0 0 0 0
 Innenzehner: 33
 weiteste: 291 (30), 266 (12), 266 (26)
 beste Teiler 22.4 (32.) 34.6 (2.) 43.2 (24.)
 Trefferlage 0.04 mm rechts, 0.17 mm tief
 Streuwert 1.07, horizontal: 1.09, vertikal: 1.04




Serie 1:
 10.7 * 10.8 * 10.0 ↓ 10.5 * 10.5 *
 10.5 * 10.6 * 10.5 * 10.6 * 10.3 *
 beste Teiler 34.6 (2.) 52.6 (1.) 81.0 (7.)
 Trefferlage 0.37 mm rechts, 0.11 mm tief
 Streuwert 0.90, horizontal: 0.74, vertikal: 1.04



Serie 2:
 10.8 * 9.9 ↙ 10.5 * 10.6 * 10.0 ↘
 10.4 * 10.3 * 10.7 * 10.2 * 10.8 *
 beste Teiler 44.2 (20.) 47.1 (11.) 59.3 (18.)
 Trefferlage 0.77 mm links, 0.08 mm tief
 Streuwert 1.01, horizontal: 0.78, vertikal: 1.19



Serie 3:
 10.3 * 10.7 * 10.5 * 10.8 * 10.6 *
 9.9 ↙ 10.4 * 10.4 * 10.8 * 9.8 ↓
 beste Teiler 43.2 (24.) 43.7 (29.) 71.0 (22.)
 Trefferlage 0.08 mm rechts, 0.67 mm tief
 Streuwert 1.07, horizontal: 0.99, vertikal: 1.16



Serie 4:
 10.5 * 10.9 * 10.5 * 10.5 * 9.9 →
 10.5 * 10.3 * 10.4 * 10.2 * 10.1 →
 beste Teiler 22.4 (32.) 108.2 (36.) 114.1 (34.)
 Trefferlage 0.50 mm rechts, 0.17 mm hoch
 Streuwert 1.09, horizontal: 1.39, vertikal: 0.66

Unterschrift des Schützen

Meyton Elektronik

EYL Rifle – Wertung – offene Klasse

StartNr: 17



StandNr: 144

10. Juni 2018 9:13


HAMMERL, Soma Richárd #1000000242

Hungary / Hungary


Ergebnis: **416.9** (396)
 Serien: 103.8 105.7 104.6 102.8
 Zähler: 36 4 0 0 0 0 0 0 0 0
 Innenzehner: 33
 weiteste: 316 (40), 300 (36), 265 (5)
 beste Teiler 33.1 (22.) 33.9 (9.) 54.3 (38.)
 Trefferlage 0.11 mm rechts, 0.20 mm hoch
 Streuwert 1.07, horizontal: 0.96, vertikal: 1.16




Serie 1:
 10.4 * 9.9 ↗ 10.1 → 10.5 * 9.9 ↖
 10.5 * 10.7 * 10.4 * 10.8 * 10.6 *
 beste Teiler 33.9 (9.) 72.1 (7.) 96.9 (10.)
 Trefferlage 0.19 mm rechts, 0.17 mm hoch
 Streuwert 1.17, horizontal: 1.36, vertikal: 0.93



Serie 2:
 10.4 * 10.7 * 10.6 * 10.5 * 10.7 *
 10.6 * 10.7 * 10.7 * 10.5 * 10.3 *
 beste Teiler 55.0 (15.) 61.8 (17.) 68.0 (18.)
 Trefferlage 0.10 mm links, 0.06 mm tief
 Streuwert 0.77, horizontal: 0.79, vertikal: 0.76



Serie 3:
 10.0 ↗ 10.8 * 10.6 * 10.6 * 10.6 *
 10.4 * 10.2 * 10.6 * 10.6 * 10.2 *
 beste Teiler 33.1 (22.) 81.0 (28.) 84.9 (29.)
 Trefferlage 0.03 mm links, 0.83 mm hoch
 Streuwert 0.79, horizontal: 0.80, vertikal: 0.78



Serie 4:
 10.5 * 10.2 * 10.0 ↓ 10.3 * 10.4 *
 9.8 ↓ 10.5 * 10.7 * 10.7 * 9.7 ↑
 beste Teiler 54.3 (38.) 62.2 (39.) 123.6 (37.)
 Trefferlage 0.40 mm rechts, 0.13 mm tief
 Streuwert 1.39, horizontal: 0.85, vertikal: 1.78

Unterschrift des Schützen

Meyton Elektronik

EYL Rifle – Wertung – offene Klasse

StartNr: 23



StandNr: 139

10. Juni 2018 9:15


WADLEGGER, Stefan #150

Austria / Austria


Ergebnis: **415.6** (395)
 Serien: 103.2 104.2 103.1 105.1
 Zähler: 35 5 0 0 0 0 0 0 0 0
 Innenzehner: 31
 weiteste: 297 (33), 280 (9), 270 (23)
 beste Teiler 39.5 (3.) 43.8 (36.) 57.0 (37.)
 Trefferlage 0.02 mm rechts, 0.10 mm tief
 Streuwert 1.14, horizontal: 1.37, vertikal: 0.85




Serie 1:
 10.7 * 10.1 ← 10.8 * 10.4 * 10.2 *
 10.6 * 10.4 * 10.2 * 9.8 ↘ 10.0 ↙
 beste Teiler 39.5 (3.) 74.0 (1.) 87.6 (6.)
 Trefferlage 0.08 mm links, 0.69 mm tief
 Streuwert 1.20, horizontal: 1.55, vertikal: 0.70



Serie 2:
 10.4 * 10.5 * 10.1 ↖ 10.2 * 10.2 *
 10.2 * 10.6 * 10.6 * 10.7 * 10.7 *
 beste Teiler 62.0 (20.) 64.6 (19.) 89.2 (18.)
 Trefferlage 0.18 mm links, 0.56 mm hoch
 Streuwert 0.98, horizontal: 1.28, vertikal: 0.52



Serie 3:
 9.9 ↗ 10.6 * 9.9 ← 9.9 → 10.6 *
 10.1 ↙ 10.6 * 10.6 * 10.4 * 10.5 *
 beste Teiler 82.3 (27.) 90.3 (22.) 96.5 (28.)
 Trefferlage 0.07 mm links, 0.01 mm hoch
 Streuwert 1.34, horizontal: 1.64, vertikal: 0.96





Serie 4:
 10.7 * 10.4 * 9.8 ↘ 10.5 * 10.6 *
 10.8 * 10.7 * 10.7 * 10.6 * 10.3 *
 beste Teiler 43.8 (36.) 57.0 (37.) 73.0 (31.)
 Trefferlage 0.43 mm rechts, 0.30 mm tief
 Streuwert 0.91, horizontal: 1.06, vertikal: 0.73


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **413.5** (395)
 Serien: 104.4 103.8 103.3 102.0
 Zähler: 35 5 0 0 0 0 0 0 0 0
 Innenzehner: 31
 weiteste: 385 (33), 299 (35), 290 (39)
 beste Teiler 3.6 (1.) 10.0 (29.) 39.6 (14.)
 Trefferlage 0.43 mm rechts, 0.25 mm tief
 Streuwert 1.20, horizontal: 1.16, vertikal: 1.24




Serie 1:
 10.9 * 10.4 * 10.3 * 10.1 ↘ 10.6 *
 10.5 * 10.5 * 10.1 ↑ 10.2 * 10.8 *
 beste Teiler 3.6 (1.) 41.2 (10.) 99.2 (5.)
 Trefferlage 0.25 mm rechts, 0.42 mm tief
 Streuwert 1.01, horizontal: 1.00, vertikal: 1.02



Serie 2:
 10.7 * 9.9 → 10.3 * 10.8 * 10.2 *
 10.4 * 10.4 * 10.1 ↗ 10.4 * 10.6 *
 beste Teiler 39.6 (14.) 58.0 (11.) 80.9 (20.)
 Trefferlage 0.42 mm rechts, 0.30 mm hoch
 Streuwert 1.10, horizontal: 1.28, vertikal: 0.88



Serie 3:
 10.3 * 10.1 → 10.4 * 10.6 * 10.2 *
 10.2 * 9.9 ↑ 10.4 * 10.9 * 10.3 *
 beste Teiler 10.0 (29.) 83.0 (24.) 138.7 (28.)
 Trefferlage 0.33 mm rechts, 0.09 mm hoch
 Streuwert 1.25, horizontal: 0.98, vertikal: 1.47



Serie 4:
 10.5 * 10.8 * 9.4 ↘ 10.6 * 9.8 ↘
 10.3 * 10.4 * 10.2 * 9.8 ↘ 10.2 *
 beste Teiler 49.2 (32.) 100.1 (34.) 124.3 (31.)
 Trefferlage 0.72 mm rechts, 0.98 mm tief
 Streuwert 1.35, horizontal: 1.45, vertikal: 1.23

Unterschrift des Schützen

Meyton Elektronik

EYL Rifle – Wertung – offene Klasse

StartNr: 25



StandNr: 141

10. Juni 2018 9:17


MAYR, Carmen #159

Austria / Austria


Ergebnis: **407.2** (388)
 Serien: 99.6 103.0 102.9 101.7
 Zähler: 30 9 0 1 0 0 0 0 0 0
 Innenzehner: 26
 weiteste: 854 (5), 390 (9), 361 (34)
 beste Teiler 12.1 (15.) 15.0 (30.) 35.5 (20.)
 Trefferlage 0.38 mm links, 0.41 mm hoch
 Streuwert 1.67, horizontal: 1.97, vertikal: 1.30




Serie 1:
 10.5 * 10.4 * 10.2 * 10.5 * 7.5 ↖
 10.2 * 10.5 * 9.6 ↗ 9.4 ↘ 10.8 *
 beste Teiler 41.2 (10.) 109.0 (7.) 113.7 (4.)
 Trefferlage 1.22 mm links, 1.21 mm hoch
 Streuwert 2.16, horizontal: 2.59, vertikal: 1.62



Serie 2:
 10.1 → 9.9 ↗ 10.3 * 10.6 * 10.9 *
 9.9 ↗ 9.9 ← 10.2 * 10.4 * 10.8 *
 beste Teiler 12.1 (15.) 35.5 (20.) 86.3 (14.)
 Trefferlage 0.67 mm rechts, 0.50 mm hoch
 Streuwert 1.25, horizontal: 1.54, vertikal: 0.87



Serie 3:
 10.2 * 10.2 * 9.7 ↗ 10.5 * 10.5 *
 10.6 * 9.9 ← 10.3 * 10.1 ↘ 10.9 *
 beste Teiler 15.0 (30.) 87.6 (26.) 110.1 (25.)
 Trefferlage 0.30 mm rechts, 0.22 mm hoch
 Streuwert 1.33, horizontal: 1.49, vertikal: 1.15



Serie 4:
 10.4 * 10.4 * 10.4 * 9.5 ↖ 10.1 ←
 10.7 * 10.0 ↗ 10.4 * 10.3 * 9.5 ↗
 beste Teiler 67.2 (36.) 126.8 (33.) 130.5 (38.)
 Trefferlage 1.27 mm links, 0.27 mm tief
 Streuwert 1.30, horizontal: 1.43, vertikal: 1.15

Unterschrift des Schützen

Meyton Elektronik