





Ergebnis: **378** (395.4)  
 Serien: 94 94 93 97  
 Zähler: 20 18 2 0 0 0 0 0 0 0  
 Innenzehner: 12  
 weiteste: 1693 (2), 1672 (14), 1578 (32)  
 beste Teiler 192.6 (37.) 239.7 (15.) 250.4 (31.)  
 Trefferlage 1.10 mm links, 2.82 mm tief  
 Streuwert 6.58, horizontal: 6.02, vertikal: 7.10




Serie 1:  
 10.2 ↘ 8.8 ↗ 10.1 → 9.2 ↙ 10.6 \*  
 9.5 ↗ 9.7 ↖ 9.9 ↘ 10.3 ↖ 10.1 ↘  
 beste Teiler 253.1 (5.) 550.8 (9.) 623.3 (1.)  
 Trefferlage 0.34 mm links, 0.45 mm hoch  
 Streuwert 7.24, horizontal: 4.92, vertikal: 8.97



Serie 2:  
 10.4 \* 9.2 ↙ 9.9 ↖ 8.9 ↘ 10.7 \*  
 10.4 \* 10.4 \* 9.4 ↘ 10.1 ↘ 9.4 ↓  
 beste Teiler 239.7 (15.) 403.5 (11.) 434.0 (16.)  
 Trefferlage 0.07 mm links, 6.28 mm tief  
 Streuwert 5.61, horizontal: 4.86, vertikal: 6.27



Serie 3:  
 9.5 ↗ 9.5 ↖ 9.9 ↖ 10.3 → 10.5 \*  
 9.0 ← 9.2 ↙ 10.0 ← 9.2 ↓ 9.6 ↖  
 beste Teiler 330.4 (25.) 501.8 (24.) 792.1 (28.)  
 Trefferlage 1.09 mm links, 2.75 mm tief  
 Streuwert 7.93, horizontal: 8.93, vertikal: 6.77





Serie 4:  
 10.6 \* 9.0 ↙ 10.4 \* 10.2 ↖ 10.5 \*  
 9.5 ← 10.7 \* 10.5 \* 10.6 \* 9.5 ↙  
 beste Teiler 192.6 (37.) 250.4 (31.) 285.6 (39.)  
 Trefferlage 2.89 mm links, 2.72 mm tief  
 Streuwert 5.05, horizontal: 4.87, vertikal: 5.21


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **362** (380.0)  
 Serien: 92 90 90 90  
 Zähler: 9 24 7 0 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 2250 (16), 1946 (39), 1930 (12)  
 beste Teiler 36.1 (25.) 155.2 (33.) 403.0 (7.)  
 Trefferlage 0.56 mm rechts, 1.54 mm hoch  
 Streuwert 8.98, horizontal: 9.13, vertikal: 8.83




Serie 1:  
 8.7 ← 10.1 ↑ 9.5 → 9.2 ↑ 9.3 →  
 9.9 ← 10.4 \* 9.5 ↙ 10.4 \* 9.8 →  
 beste Teiler 403.0 (7.) 441.0 (9.) 653.4 (2.)  
 Trefferlage 0.23 mm links, 0.40 mm hoch  
 Streuwert 8.19, horizontal: 9.48, vertikal: 6.67



Serie 2:  
 9.8 ↘ 8.5 → 9.7 ↓ 9.7 ↘ 10.1 ←  
 8.1 ↘ 9.5 ↗ 9.3 ← 9.8 ↘ 10.3 ↘  
 beste Teiler 537.3 (20.) 709.5 (15.) 881.8 (11.)  
 Trefferlage 0.60 mm links, 0.54 mm tief  
 Streuwert 9.49, horizontal: 10.23, vertikal: 8.69



Serie 3:  
 9.7 ↘ 9.6 ↑ 9.1 ↗ 8.5 ↑ 10.9 \*  
 9.7 ↗ 10.1 ↘ 9.5 ← 9.0 → 8.6 ↑  
 beste Teiler 36.1 (25.) 683.7 (27.) 986.1 (21.)  
 Trefferlage 2.39 mm rechts, 3.16 mm hoch  
 Streuwert 9.26, horizontal: 7.85, vertikal: 10.49





Serie 4:  
 9.2 ↑ 9.0 ↘ 10.8 \* 9.0 ↗ 9.5 ↗  
 9.3 ↗ 9.6 ← 8.7 ↘ 8.5 ↙ 10.1 ←  
 beste Teiler 155.2 (33.) 656.3 (40.) 1105.2 (37.)  
 Trefferlage 0.69 mm rechts, 3.16 mm hoch  
 Streuwert 9.88, horizontal: 9.96, vertikal: 9.79


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **379** (395.7)  
 Serien: 94 98 93 94  
 Zähler: 23 13 4 0 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 1976 (28), 1922 (33), 1731 (1)  
 beste Teiler 104.7 (27.) 129.1 (10.) 189.2 (9.)  
 Trefferlage 1.60 mm links, 0.47 mm hoch  
 Streuwert 6.83, horizontal: 6.43, vertikal: 7.21




Serie 1:  
 8.8 ↖ 10.1 → 9.7 ↗ 10.1 → 9.4 ↓  
 9.7 ↓ 10.3 ← 9.5 ↘ 10.7 \* 10.8 \*  
 beste Teiler 129.1 (10.) 189.2 (9.) 492.2 (7.)  
 Trefferlage 0.05 mm rechts, 0.78 mm hoch  
 Streuwert 7.09, horizontal: 5.77, vertikal: 8.20



Serie 2:  
 9.3 ↓ 10.0 ← 10.0 ↖ 10.1 ↖ 10.2 ↗  
 10.4 \* 10.1 ↘ 10.2 ↘ 9.4 ↓ 10.6 \*  
 beste Teiler 290.6 (20.) 410.8 (16.) 563.5 (15.)  
 Trefferlage 1.25 mm links, 2.92 mm tief  
 Streuwert 5.38, horizontal: 4.28, vertikal: 6.28



Serie 3:  
 10.6 \* 9.6 ↓ 8.9 ← 10.1 ↖ 9.1 ↑  
 10.2 → 10.8 \* 8.5 ← 9.3 → 10.0 ↑  
 beste Teiler 104.7 (27.) 316.8 (21.) 574.3 (26.)  
 Trefferlage 1.63 mm links, 1.36 mm hoch  
 Streuwert 8.39, horizontal: 9.49, vertikal: 7.12





Serie 4:  
 9.3 ← 9.8 ← 8.5 ↑ 10.6 \* 10.3 ↖  
 10.3 → 9.7 ↖ 10.5 \* 10.4 \* 9.8 ←  
 beste Teiler 265.1 (34.) 342.0 (38.) 416.0 (39.)  
 Trefferlage 3.60 mm links, 2.67 mm hoch  
 Streuwert 6.26, horizontal: 5.48, vertikal: 6.96


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (389.6)  
 Serien: 92 94 94 93  
 Zähler: 17 19 4 0 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 2294 (19), 2155 (18), 2082 (21)  
 beste Teiler 246.4 (12.) 295.6 (11.) 372.3 (13.)  
 Trefferlage 0.67 mm links, 1.68 mm hoch  
 Streuwert 7.77, horizontal: 8.10, vertikal: 7.43




Serie 1:  
 8.9 ↘                      9.0 →                      10.2 ↗                      9.7 ↖                      9.9 ←  
 9.8 ↙                      9.9 ←                      9.4 ↑                      10.1 ↑                      10.4 \*  
 beste Teiler 438.8 (10.) 635.2 (3.) 687.4 (9.)  
 Trefferlage 1.14 mm links, 2.11 mm hoch  
 Streuwert 7.53, horizontal: 7.90, vertikal: 7.13



Serie 2:  
 10.6 \*                      10.6 \*                      10.5 \*                      10.2 ↓                      10.4 \*  
 9.8 ↑                      10.4 \*                      8.3 ↙                      8.1 ↖                      9.4 ↙  
 beste Teiler 246.4 (12.) 295.6 (11.) 372.3 (13.)  
 Trefferlage 4.56 mm links, 0.50 mm hoch  
 Streuwert 7.89, horizontal: 5.54, vertikal: 9.68



Serie 3:  
 8.3 ↘                      10.1 ↓                      9.8 →                      9.4 ↗                      10.4 \*  
 10.3 ↙                      9.1 →                      10.0 ↑                      9.5 ↖                      10.3 ↖  
 beste Teiler 421.3 (25.) 493.4 (26.) 515.2 (30.)  
 Trefferlage 3.10 mm rechts, 1.60 mm hoch  
 Streuwert 7.80, horizontal: 9.14, vertikal: 6.18





Serie 4:  
 9.6 ↗                      9.3 ↖                      10.4 \*                      9.7 ↑                      10.3 ↗  
 9.3 ↓                      9.1 ←                      10.5 \*                      9.0 ↗                      9.6 →  
 beste Teiler 396.3 (38.) 437.1 (33.) 539.0 (35.)  
 Trefferlage 0.11 mm links, 2.52 mm hoch  
 Streuwert 8.00, horizontal: 8.62, vertikal: 7.33


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367** (385.0)  
 Serien: 93 89 92 93  
 Zähler: 16 16 7 1 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 2537 (14), 2176 (32), 2032 (37)  
 beste Teiler 126.9 (1.) 142.1 (9.) 154.7 (15.)  
 Trefferlage 0.99 mm links, 0.81 mm hoch  
 Streuwert 8.69, horizontal: 8.27, vertikal: 9.08




Serie 1:  
 10.8 \* 9.8 ↗ 10.3 ↘ 9.3 → 8.9 ↗  
 10.5 \* 8.5 ↑ 10.1 ↘ 10.8 \* 9.7 ↘  
 beste Teiler 126.9 (1.) 142.1 (9.) 346.5 (6.)  
 Trefferlage 1.01 mm rechts, 2.29 mm hoch  
 Streuwert 7.56, horizontal: 5.67, vertikal: 9.07



Serie 2:  
 9.6 → 8.5 ↑ 9.7 ↓ 7.8 ↗ 10.8 \*  
 9.3 ← 10.0 ↑ 9.9 ↑ 9.0 ↓ 9.8 ↗  
 beste Teiler 154.7 (15.) 758.7 (17.) 857.3 (18.)  
 Trefferlage 2.66 mm rechts, 3.02 mm hoch  
 Streuwert 9.85, horizontal: 8.38, vertikal: 11.13



Serie 3:  
 9.5 → 10.0 ↗ 9.8 ← 10.0 ↑ 9.2 ↘  
 9.2 ↑ 10.3 ↘ 10.5 \* 8.6 ↗ 8.7 ↓  
 beste Teiler 324.7 (28.) 497.2 (27.) 747.5 (24.)  
 Trefferlage 0.22 mm rechts, 1.16 mm hoch  
 Streuwert 8.87, horizontal: 7.27, vertikal: 10.22





Serie 4:  
 9.4 ← 8.2 ← 10.1 ↘ 10.4 \* 10.5 \*  
 9.8 ↘ 8.4 ← 9.1 ← 10.0 ↘ 10.2 →  
 beste Teiler 373.2 (35.) 419.9 (34.) 568.7 (40.)  
 Trefferlage 7.87 mm links, 3.22 mm tief  
 Streuwert 6.66, horizontal: 8.23, vertikal: 4.57


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **338** (356.0)  
 Serien: 79 84 85 90  
 Zähler: 6 16 9 8 1 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 3554 (17), 3084 (25), 3069 (27)  
 beste Teiler 185.6 (39.) 302.3 (18.) 366.7 (24.)  
 Trefferlage 1.36 mm links, 4.75 mm tief  
 Streuwert 12.87, horizontal: 9.22, vertikal: 15.69




Serie 1:  
 9.9 ↓                      8.5 ←                      7.5 ↓                      8.8 ↘                      9.4 ↑  
 7.2 ↓                      7.4 →                      8.9 ↓                      7.9 ↓                      9.2 ↑  
 beste Teiler 868.0 (1.) 1219.8 (5.) 1380.6 (10.)  
 Trefferlage 0.66 mm rechts, 9.47 mm tief  
 Streuwert 14.04, horizontal: 12.95, vertikal: 15.04



Serie 2:  
 8.3 ↓                      10.2 ↑                      9.0 ↑                      9.1 ↓                      9.6 ←  
 7.2 ↓                      6.5 ↓                      10.6 \*                      8.3 ↘                      8.9 ↑  
 beste Teiler 302.3 (18.) 634.5 (12.) 1110.6 (15.)  
 Trefferlage 2.57 mm links, 4.61 mm tief  
 Streuwert 14.28, horizontal: 7.13, vertikal: 18.89



Serie 3:  
 9.2 ↑                      9.5 ↘                      9.8 ↘                      10.5 \*                      7.1 ↓  
 7.1 ↑                      7.1 ↓                      10.2 ↑                      9.0 →                      8.2 ↙  
 beste Teiler 366.7 (24.) 624.3 (28.) 932.3 (23.)  
 Trefferlage 0.70 mm links, 0.87 mm tief  
 Streuwert 14.94, horizontal: 9.21, vertikal: 19.02



Serie 4:  
 9.8 ↙                      9.9 ←                      9.7 ↓                      8.3 ↙                      9.6 ↓  
 8.7 ↓                      9.5 ↑                      9.7 ←                      10.7 \*                      10.0 ↘  
 beste Teiler 185.6 (39.) 796.9 (40.) 860.5 (32.)  
 Trefferlage 2.86 mm links, 4.07 mm tief  
 Streuwert 8.25, horizontal: 7.47, vertikal: 8.97

Unterschrift des Schützen

Meyton Elektronik