





Ergebnis: **375** (395.6)
 Serien: 92 98 92 93
 Zähler: 19 18 2 1 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2602 (5), 2008 (27), 1970 (3)
 beste Teiler 154.9 (16.) 188.1 (6.) 194.3 (31.)
 Trefferlage 1.45 mm links, 0.19 mm hoch
 Streuwert 7.06, horizontal: 5.90, vertikal: 8.05




Serie 1:
 10.5 * 9.8 ↙ 8.5 ↑ 10.3 ↘ 7.7 ↖
 10.7 * 10.3 ↘ 9.4 ↓ 10.2 ↖ 9.8 →
 beste Teiler 188.1 (6.) 370.0 (1.) 508.3 (7.)
 Trefferlage 0.64 mm links, 4.01 mm hoch
 Streuwert 8.62, horizontal: 5.65, vertikal: 10.80



Serie 2:
 9.6 ↘ 10.6 * 10.3 → 10.5 * 10.2 ↖
 10.8 * 10.5 * 10.2 ↖ 9.4 ← 10.6 *
 beste Teiler 154.9 (16.) 243.1 (12.) 289.8 (20.)
 Trefferlage 2.81 mm links, 1.92 mm hoch
 Streuwert 3.97, horizontal: 4.54, vertikal: 3.31



Serie 3:
 9.7 ↘ 9.2 ↓ 9.3 ↘ 10.4 * 10.1 ↙
 9.7 ← 8.4 ← 9.8 ↑ 9.7 ↑ 10.2 ↓
 beste Teiler 464.5 (24.) 602.0 (30.) 680.0 (25.)
 Trefferlage 0.79 mm links, 2.58 mm tief
 Streuwert 8.06, horizontal: 8.29, vertikal: 7.82





Serie 4:
 10.7 * 9.8 ↑ 9.6 ← 9.1 ↓ 9.7 ←
 10.6 * 9.9 ↘ 10.3 ↑ 9.8 ↓ 9.7 ↙
 beste Teiler 194.3 (31.) 304.4 (36.) 552.0 (38.)
 Trefferlage 1.58 mm links, 2.57 mm tief
 Streuwert 6.39, horizontal: 5.13, vertikal: 7.43


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (392.0)
 Serien: 94 92 94 93
 Zähler: 17 19 4 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2141 (15), 1799 (38), 1770 (9)
 beste Teiler 209.0 (6.) 325.2 (32.) 347.6 (20.)
 Trefferlage 0.56 mm rechts, 3.12 mm hoch
 Streuwert 6.87, horizontal: 6.36, vertikal: 7.34




Serie 1:
 10.1 ↘ 10.0 ↗ 9.8 ↖ 9.4 ↑ 9.8 ↗
 10.7 * 10.1 ↗ 10.1 ↖ 8.7 ← 9.3 ↗
 beste Teiler 209.0 (6.) 661.1 (7.) 672.6 (8.)
 Trefferlage 0.69 mm links, 4.22 mm hoch
 Streuwert 6.84, horizontal: 8.02, vertikal: 5.41



Serie 2:
 8.9 ↑ 9.8 ↓ 9.6 ↘ 10.2 → 8.3 ↑
 9.9 ↖ 9.9 ↑ 10.5 * 10.4 * 10.5 *
 beste Teiler 347.6 (20.) 391.1 (18.) 474.9 (19.)
 Trefferlage 2.88 mm rechts, 3.70 mm hoch
 Streuwert 7.20, horizontal: 3.93, vertikal: 9.40



Serie 3:
 10.1 ↓ 10.1 ↘ 9.5 → 9.7 ↓ 9.6 ↑
 9.3 ↑ 10.5 * 9.4 ↖ 10.0 ↑ 9.7 ↑
 beste Teiler 397.8 (27.) 643.7 (22.) 681.5 (21.)
 Trefferlage 0.59 mm rechts, 3.31 mm hoch
 Streuwert 6.75, horizontal: 5.47, vertikal: 7.82





Serie 4:
 9.5 ← 10.5 * 9.8 → 9.9 → 9.7 ↑
 10.0 → 10.1 ↑ 8.7 ↖ 9.9 ↓ 10.0 ↓
 beste Teiler 325.2 (32.) 666.8 (37.) 741.1 (36.)
 Trefferlage 0.53 mm links, 1.26 mm hoch
 Streuwert 7.26, horizontal: 7.50, vertikal: 7.02


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **362** (381.9)
 Serien: 89 91 87 95
 Zähler: 14 15 10 1 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2475 (22), 2314 (14), 2307 (3)
 beste Teiler 216.6 (17.) 284.9 (39.) 291.8 (13.)
 Trefferlage 1.41 mm links, 0.34 mm tief
 Streuwert 9.20, horizontal: 8.76, vertikal: 9.63




Serie 1:
 9.4 → 10.0 ↓ 8.1 ↖ 10.0 ↓ 10.5 *
 9.7 ↗ 8.8 ↓ 8.7 ↑ 8.7 ↙ 9.5 ↘
 beste Teiler 383.1 (5.) 744.1 (2.) 799.4 (4.)
 Trefferlage 2.00 mm links, 1.02 mm hoch
 Streuwert 10.45, horizontal: 8.21, vertikal: 12.28



Serie 2:
 10.6 * 9.3 ↓ 10.6 * 8.1 ↓ 9.3 ↓
 8.1 ↖ 10.7 * 9.8 ↓ 10.1 → 8.9 ←
 beste Teiler 216.6 (17.) 291.8 (13.) 315.1 (11.)
 Trefferlage 5.53 mm links, 3.78 mm tief
 Streuwert 8.79, horizontal: 7.37, vertikal: 10.01



Serie 3:
 9.5 ↓ 7.9 ← 9.9 ↗ 10.2 ↙ 9.8 ↓
 9.4 ↗ 8.8 ↙ 9.8 ← 9.4 → 8.4 ↑
 beste Teiler 618.4 (24.) 816.2 (23.) 942.2 (25.)
 Trefferlage 3.34 mm links, 0.27 mm hoch
 Streuwert 10.33, horizontal: 10.52, vertikal: 10.14



Serie 4:
 10.4 * 9.8 → 8.5 ↗ 10.0 → 9.8 →
 10.2 ↗ 10.4 * 9.7 ↘ 10.6 * 10.5 *
 beste Teiler 284.9 (39.) 387.8 (40.) 442.3 (37.)
 Trefferlage 5.23 mm rechts, 1.10 mm hoch
 Streuwert 5.36, horizontal: 5.27, vertikal: 5.45

Unterschrift des Schützen

Meyton Elektronik

EYL Pistol – Wertung – offene Klasse

StartNr: 10



StandNr: 125

10. Juni 2018 12:11


JEDRZEJEWSKI, Camille #1000000245

France / France


Ergebnis: **376** (395.0)
 Serien: 92 95 94 95
 Zähler: 18 20 2 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 1981 (6), 1801 (18), 1555 (3)
 beste Teiler 148.6 (1.) 200.6 (34.) 210.6 (36.)
 Trefferlage 0.49 mm rechts, 0.63 mm tief
 Streuwert 6.81, horizontal: 5.94, vertikal: 7.59




Serie 1:
 10.8 * 10.3 ↘ 9.0 ↘ 9.4 ✓ 9.4 ←
 8.5 ↑ 9.8 ↓ 10.3 ↘ 9.7 ↑ 9.3 →
 beste Teiler 148.6 (1.) 528.4 (8.) 546.4 (2.)
 Trefferlage 0.21 mm rechts, 0.99 mm tief
 Streuwert 8.63, horizontal: 7.27, vertikal: 9.81



Serie 2:
 10.3 ✓ 10.5 * 10.3 ↓ 10.0 → 9.7 ↑
 10.3 ↘ 9.3 ✓ 8.7 ↘ 10.2 ↘ 9.2 ↑
 beste Teiler 396.8 (12.) 523.7 (13.) 548.2 (16.)
 Trefferlage 0.76 mm rechts, 1.63 mm tief
 Streuwert 7.26, horizontal: 5.86, vertikal: 8.44



Serie 3:
 10.1 ↘ 9.8 ↘ 9.7 ↘ 9.7 ✓ 9.4 →
 10.1 ↘ 9.8 ↑ 10.4 * 9.9 → 10.3 ↓
 beste Teiler 401.3 (28.) 508.1 (30.) 666.1 (26.)
 Trefferlage 2.46 mm rechts, 1.18 mm tief
 Streuwert 5.98, horizontal: 6.00, vertikal: 5.97





Serie 4:
 10.5 * 9.9 ↘ 9.6 ↑ 10.7 * 9.6 ←
 10.7 * 9.7 ↘ 9.7 ↘ 10.1 ↑ 10.3 ↘
 beste Teiler 200.6 (34.) 210.6 (36.) 342.4 (31.)
 Trefferlage 1.47 mm links, 1.29 mm hoch
 Streuwert 5.54, horizontal: 4.55, vertikal: 6.38


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **377** (397.4)
 Serien: 95 92 97 93
 Zähler: 19 19 2 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 2255 (16), 1631 (18), 1567 (2)
 beste Teiler 168.4 (39.) 179.2 (13.) 221.2 (23.)
 Trefferlage 0.88 mm links, 1.50 mm hoch
 Streuwert 6.53, horizontal: 5.71, vertikal: 7.27




Serie 1:
 9.6 ↘ 9.0 ↘ 9.5 ↙ 10.4 * 10.5 *
 9.6 ↑ 10.1 ← 10.2 ↙ 9.2 → 10.6 *
 beste Teiler 271.5 (10.) 357.7 (5.) 407.0 (4.)
 Trefferlage 1.67 mm links, 2.42 mm hoch
 Streuwert 6.86, horizontal: 6.41, vertikal: 7.29



Serie 2:
 9.9 ← 10.4 * 10.7 * 9.3 ↘ 9.7 ↓
 8.1 ↑ 9.6 ↘ 8.9 ↓ 10.0 ↓ 10.2 ↘
 beste Teiler 179.2 (13.) 469.6 (12.) 621.8 (20.)
 Trefferlage 2.94 mm links, 0.83 mm hoch
 Streuwert 8.41, horizontal: 5.04, vertikal: 10.78



Serie 3:
 10.1 ↙ 10.3 ↗ 10.7 * 9.8 ↗ 10.0 ↑
 10.6 * 9.9 → 10.5 * 9.9 ↑ 10.6 *
 beste Teiler 221.2 (23.) 264.1 (30.) 320.6 (26.)
 Trefferlage 1.59 mm rechts, 3.02 mm hoch
 Streuwert 3.89, horizontal: 3.72, vertikal: 4.05





Serie 4:
 9.9 ↘ 10.4 * 9.9 ← 10.4 * 9.7 ↘
 9.3 ↘ 9.8 ← 9.9 ↘ 10.7 * 9.5 ↘
 beste Teiler 168.4 (39.) 415.5 (34.) 421.9 (32.)
 Trefferlage 0.50 mm links, 0.25 mm tief
 Streuwert 6.49, horizontal: 6.97, vertikal: 5.98


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367** (386.3)
 Serien: 94 89 95 89
 Zähler: 13 23 2 2 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2760 (34), 2712 (17), 1753 (21)
 beste Teiler 88.2 (27.) 165.0 (40.) 176.7 (8.)
 Trefferlage 0.15 mm rechts, 0.19 mm tief
 Streuwert 8.46, horizontal: 7.35, vertikal: 9.45




Serie 1:
 10.1 ↙ 9.4 ↘ 9.3 ↓ 10.0 ← 8.9 →
 9.6 ↗ 10.4 * 10.7 * 9.1 ↘ 10.3 ↓
 beste Teiler 176.7 (8.) 443.9 (7.) 499.8 (10.)
 Trefferlage 1.00 mm links, 3.54 mm tief
 Streuwert 7.28, horizontal: 8.00, vertikal: 6.48



Serie 2:
 9.9 ↓ 10.2 ↘ 9.4 ↗ 9.9 ↘ 9.8 ↓
 9.9 ↙ 7.6 ↑ 9.7 → 9.1 ↑ 9.9 ↘
 beste Teiler 613.1 (12.) 850.7 (11.) 855.6 (14.)
 Trefferlage 0.59 mm rechts, 0.67 mm tief
 Streuwert 9.45, horizontal: 6.29, vertikal: 11.80



Serie 3:
 8.8 ← 10.2 ↗ 10.2 ↓ 10.2 ↑ 9.2 →
 10.4 * 10.8 * 9.8 ↘ 9.0 → 10.4 *
 beste Teiler 88.2 (27.) 437.8 (30.) 456.7 (26.)
 Trefferlage 1.09 mm rechts, 0.52 mm tief
 Streuwert 7.31, horizontal: 9.36, vertikal: 4.39



Serie 4:
 9.5 ↗ 9.0 ↑ 9.9 ↗ 7.5 ↑ 9.1 ↓
 9.2 ↘ 9.8 ← 9.7 ↓ 9.7 ↓ 10.7 *
 beste Teiler 165.0 (40.) 842.5 (33.) 883.1 (37.)
 Trefferlage 0.05 mm links, 3.94 mm hoch
 Streuwert 9.87, horizontal: 6.34, vertikal: 12.43

Unterschrift des Schützen

Meyton Elektronik