

EYL Pistol – Wertung – offene Klasse

StartNr: 18



StandNr: 119

10. Juni 2018 12:13


FÁBIÁN, Sára Ráhel #1000000229

Hungary / Hungary


Ergebnis: **372** (388.4)
 Serien: 89 97 95 91
 Zähler: 17 20 1 2 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2928 (2), 2653 (9), 2334 (34)
 beste Teiler 93.6 (15.) 355.5 (12.) 407.5 (20.)
 Trefferlage 1.54 mm links, 0.79 mm tief
 Streuwert 8.18, horizontal: 8.23, vertikal: 8.13




Serie 1:
 10.4 * 7.3 ↙ 9.9 ↘ 9.9 ← 9.1 ↘
 10.2 ↑ 10.4 * 9.9 ↗ 7.6 ← 9.6 →
 beste Teiler 414.2 (7.) 422.4 (1.) 606.9 (6.)
 Trefferlage 5.49 mm links, 4.19 mm tief
 Streuwert 9.77, horizontal: 10.45, vertikal: 9.05



Serie 2:
 9.3 ↙ 10.5 * 10.4 * 10.1 ↙ 10.8 *
 9.9 ↘ 10.3 ↓ 9.3 → 10.1 ↘ 10.4 *
 beste Teiler 93.6 (15.) 355.5 (12.) 407.5 (20.)
 Trefferlage 0.78 mm rechts, 3.63 mm tief
 Streuwert 4.89, horizontal: 6.26, vertikal: 2.96



Serie 3:
 10.0 ↓ 10.3 ← 10.4 ↖ 10.0 ↓ 9.1 ↖
 10.4 * 9.5 → 9.4 ↗ 9.7 ↘ 9.7 ↑
 beste Teiler 415.8 (26.) 476.8 (23.) 544.3 (22.)
 Trefferlage 2.62 mm links, 1.85 mm tief
 Streuwert 6.66, horizontal: 7.06, vertikal: 6.24





Serie 4:
 9.4 ↑ 10.1 ↑ 9.8 ↓ 8.0 ↑ 9.8 ↗
 9.9 ↘ 10.1 ↗ 9.1 ↗ 9.3 ↖ 9.0 ←
 beste Teiler 680.3 (37.) 718.8 (32.) 803.2 (36.)
 Trefferlage 1.17 mm rechts, 6.50 mm hoch
 Streuwert 8.28, horizontal: 7.90, vertikal: 8.64


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367** (385.4)
 Serien: 88 93 91 95
 Zähler: 16 16 7 1 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2771 (2), 2322 (5), 2224 (24)
 beste Teiler 132.9 (9.) 181.4 (34.) 271.6 (39.)
 Trefferlage 2.58 mm links, 2.13 mm tief
 Streuwert 8.57, horizontal: 9.46, vertikal: 7.59




Serie 1:
 9.8 ← 7.5 ↑ 9.5 ↘ 9.4 ↘ 8.0 ↙
 10.5 * 8.6 ↘ 10.1 ↘ 10.8 * 8.4 ←
 beste Teiler 132.9 (9.) 365.7 (6.) 706.0 (8.)
 Trefferlage 4.10 mm links, 1.46 mm hoch
 Streuwert 11.38, horizontal: 12.13, vertikal: 10.58



Serie 2:
 10.6 * 9.3 ↙ 9.2 ↙ 9.6 ↙ 10.1 ↓
 9.6 → 10.4 * 10.3 ↙ 9.1 ↓ 8.5 ↙
 beste Teiler 316.2 (11.) 460.4 (17.) 524.7 (18.)
 Trefferlage 4.18 mm links, 4.76 mm tief
 Streuwert 7.13, horizontal: 7.94, vertikal: 6.20



Serie 3:
 8.9 ← 9.9 ↑ 9.9 ↘ 8.2 ↗ 10.4 *
 9.8 ↘ 10.2 → 10.3 ↘ 9.8 ↙ 9.4 ↘
 beste Teiler 408.7 (25.) 499.9 (28.) 630.5 (27.)
 Trefferlage 1.27 mm rechts, 0.84 mm tief
 Streuwert 8.47, horizontal: 9.56, vertikal: 7.21



Serie 4:
 10.4 * 9.0 ↙ 9.4 ↓ 10.7 * 8.2 ←
 9.9 ↘ 10.3 ↓ 10.4 * 10.6 * 10.4 *
 beste Teiler 181.4 (34.) 271.6 (39.) 420.5 (31.)
 Trefferlage 3.32 mm links, 4.40 mm tief
 Streuwert 6.35, horizontal: 7.96, vertikal: 4.17

Unterschrift des Schützen

Meyton Elektronik

EYL Pistol – Wertung – offene Klasse

StartNr: 21



StandNr: 117

10. Juni 2018 12:12


POLGÁR, János #1000000226

Hungary / Hungary


Ergebnis: **372** (389.7)
 Serien: 95 93 93 91
 Zähler: 19 14 7 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2210 (34), 1857 (20), 1815 (8)
 beste Teiler 79.5 (17.) 290.0 (32.) 301.5 (13.)
 Trefferlage 1.49 mm links, 1.19 mm hoch
 Streuwert 7.72, horizontal: 7.57, vertikal: 7.87




Serie 1:
 10.3 ↗ 10.4 * 8.7 ↗ 9.7 ← 10.3 ↗
 10.4 * 10.2 ↘ 8.7 ← 10.3 ← 10.5 *
 beste Teiler 337.2 (10.) 434.6 (2.) 461.1 (6.)
 Trefferlage 3.90 mm links, 3.12 mm hoch
 Streuwert 6.01, horizontal: 6.29, vertikal: 5.72



Serie 2:
 10.1 ↗ 9.8 → 10.6 * 9.5 ↗ 9.1 ↓
 9.2 ↘ 10.9 * 10.0 ↓ 9.7 ↘ 8.6 ←
 beste Teiler 79.5 (17.) 301.5 (13.) 643.2 (11.)
 Trefferlage 0.85 mm rechts, 0.75 mm tief
 Streuwert 8.05, horizontal: 8.84, vertikal: 7.19



Serie 3:
 8.9 ↑ 10.2 ← 8.9 ↘ 10.4 * 9.6 →
 9.1 ↓ 10.1 ↘ 9.4 ↙ 10.0 ↙ 10.3 ↘
 beste Teiler 421.8 (24.) 520.0 (30.) 626.0 (22.)
 Trefferlage 0.98 mm links, 0.54 mm tief
 Streuwert 8.25, horizontal: 7.28, vertikal: 9.12





Serie 4:
 9.6 ↘ 10.6 * 10.1 ← 8.2 ↘ 9.6 ↗
 9.8 ↗ 8.8 ↙ 9.7 ↘ 9.4 ↗ 10.0 →
 beste Teiler 290.0 (32.) 647.3 (33.) 756.2 (40.)
 Trefferlage 1.94 mm links, 2.94 mm hoch
 Streuwert 8.67, horizontal: 8.04, vertikal: 9.26


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **381** (398.4)
 Serien: 98 94 95 94
 Zähler: 22 17 1 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 1654 (31), 1526 (14), 1415 (29)
 beste Teiler 261.0 (32.) 285.0 (5.) 318.0 (10.)
 Trefferlage 0.18 mm links, 0.73 mm hoch
 Streuwert 6.18, horizontal: 6.11, vertikal: 6.26




Serie 1:
 10.0 ↓ 10.1 ↓ 10.5 * 9.2 ↗ 10.6 *
 9.9 ↘ 10.4 * 10.1 ↖ 10.3 ↑ 10.6 *
 beste Teiler 285.0 (5.) 318.0 (10.) 366.8 (3.)
 Trefferlage 0.68 mm rechts, 0.18 mm hoch
 Streuwert 5.14, horizontal: 4.23, vertikal: 5.90



Serie 2:
 9.7 ↑ 10.4 ← 10.5 * 9.0 ↘ 9.8 ←
 9.8 → 10.4 * 9.8 ↓ 10.1 ↗ 9.8 ↑
 beste Teiler 352.0 (13.) 474.3 (17.) 478.0 (12.)
 Trefferlage 1.37 mm links, 0.42 mm hoch
 Streuwert 6.53, horizontal: 5.66, vertikal: 7.29



Serie 3:
 10.0 ↗ 9.7 ↑ 9.5 ↖ 10.1 ↗ 9.5 ↓
 10.3 ← 9.6 ↗ 10.2 ↑ 9.2 ↘ 10.2 ↗
 beste Teiler 527.6 (26.) 561.9 (30.) 609.9 (28.)
 Trefferlage 0.12 mm rechts, 1.81 mm hoch
 Streuwert 6.87, horizontal: 6.19, vertikal: 7.49





Serie 4:
 8.9 → 10.6 * 10.4 * 10.1 → 10.4 *
 9.2 ← 9.5 ↖ 9.9 ↑ 9.8 ↘ 10.3 ↖
 beste Teiler 261.0 (32.) 412.1 (35.) 415.9 (33.)
 Trefferlage 0.16 mm links, 0.52 mm hoch
 Streuwert 6.88, horizontal: 8.42, vertikal: 4.87


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **381** (398.9)
 Serien: 92 96 98 95
 Zähler: 23 15 2 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 1854 (1), 1621 (39), 1475 (5)
 beste Teiler 130.1 (18.) 187.8 (7.) 216.3 (12.)
 Trefferlage 1.18 mm links, 0.81 mm tief
 Streuwert 6.29, horizontal: 5.35, vertikal: 7.10




Serie 1:
 8.6 ↗ 9.6 ↗ 10.3 → 9.8 ↘ 9.1 ↘
 9.2 ↑ 10.7 * 9.9 ↓ 9.7 ↓ 10.6 *
 beste Teiler 187.8 (7.) 290.2 (10.) 554.7 (3.)
 Trefferlage 1.15 mm rechts, 0.09 mm hoch
 Streuwert 8.06, horizontal: 4.63, vertikal: 10.42



Serie 2:
 10.0 ↖ 10.7 * 10.6 * 10.1 ↓ 9.7 ↘
 9.3 ↑ 10.2 ↓ 10.8 * 9.5 ← 9.4 ↙
 beste Teiler 130.1 (18.) 216.3 (12.) 262.6 (13.)
 Trefferlage 2.21 mm links, 1.11 mm tief
 Streuwert 5.93, horizontal: 5.03, vertikal: 6.71



Serie 3:
 10.5 * 10.1 ↑ 9.3 ↙ 10.1 ↖ 10.3 ↓
 9.8 ↘ 10.2 ↘ 10.0 → 10.0 ↓ 10.6 *
 beste Teiler 257.5 (30.) 393.3 (21.) 505.6 (25.)
 Trefferlage 0.34 mm links, 1.30 mm tief
 Streuwert 5.46, horizontal: 5.55, vertikal: 5.37





Serie 4:
 10.6 * 10.6 * 10.1 ← 9.8 ↘ 10.5 *
 9.5 ↑ 10.2 ← 9.7 ↓ 8.9 ← 10.3 ←
 beste Teiler 263.9 (31.) 297.3 (32.) 327.2 (35.)
 Trefferlage 3.33 mm links, 0.92 mm tief
 Streuwert 5.85, horizontal: 5.78, vertikal: 5.91


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (391.4)
 Serien: 89 95 97 94
 Zähler: 21 15 3 0 1 0 0 0 0 0
 Innenzehner: 6
 weiteste: 3819 (2), 2153 (7), 1725 (5)
 beste Teiler 120.2 (33.) 235.9 (19.) 275.0 (14.)
 Trefferlage 2.54 mm rechts, 0.37 mm tief
 Streuwert 7.83, horizontal: 8.05, vertikal: 7.60




Serie 1:
 10.2 ↘ 6.2 ↗ 10.3 → 9.0 ↓ 8.8 →
 9.8 ↓ 8.3 ↘ 10.1 ↖ 9.9 ← 10.1 ↖
 beste Teiler 533.9 (3.) 576.6 (1.) 679.9 (8.)
 Trefferlage 6.21 mm rechts, 2.80 mm tief
 Streuwert 11.29, horizontal: 13.10, vertikal: 9.13



Serie 2:
 9.6 → 9.8 ↗ 10.1 ↓ 10.6 * 9.6 ↓
 10.3 ↓ 10.1 ← 10.1 ↘ 10.7 * 8.9 ↘
 beste Teiler 235.9 (19.) 275.0 (14.) 516.7 (16.)
 Trefferlage 2.43 mm rechts, 3.44 mm tief
 Streuwert 5.67, horizontal: 4.82, vertikal: 6.40



Serie 3:
 9.5 ↘ 10.0 ↖ 10.3 ← 10.3 ↓ 9.9 ↖
 10.1 ↑ 9.2 ↑ 10.4 * 10.0 → 10.4 *
 beste Teiler 405.9 (28.) 418.3 (30.) 510.1 (24.)
 Trefferlage 0.24 mm rechts, 0.56 mm hoch
 Streuwert 6.03, horizontal: 4.46, vertikal: 7.27



Serie 4:
 9.4 → 9.8 ↗ 10.8 * 9.5 ↗ 10.2 →
 9.8 ↘ 9.3 ↑ 10.0 ↑ 9.5 ← 10.5 *
 beste Teiler 120.2 (33.) 323.3 (40.) 629.0 (35.)
 Trefferlage 1.29 mm rechts, 4.19 mm hoch
 Streuwert 6.13, horizontal: 6.57, vertikal: 5.65

Unterschrift des Schützen

Meyton Elektronik