





Ergebnis: **413.8** (395)
 Serien: 104.0 102.5 104.0 103.3
 Zähler: 35 5 0 0 0 0 0 0 0 0
 Innenzehner: 29
 weiteste: 333 (20), 304 (39), 295 (19)
 beste Teiler 32.3 (11.) 47.0 (35.) 48.8 (40.)
 Trefferlage 0.36 mm rechts, 0.10 mm tief
 Streuwert 1.19, horizontal: 1.35, vertikal: 1.02




Serie 1:
 10.6 * 10.7 * 10.6 * 10.2 * 10.7 *
 10.6 * 10.3 * 10.1 ↘ 10.1 ↗ 10.1 ↗
 beste Teiler 53.8 (5.) 60.2 (2.) 78.6 (1.)
 Trefferlage 0.91 mm rechts, 0.10 mm hoch
 Streuwert 0.87, horizontal: 0.91, vertikal: 0.82



Serie 2:
 10.8 * 10.3 * 10.3 * 10.3 * 10.3 *
 10.2 * 10.7 * 10.2 * 9.8 ↘ 9.6 ↘
 beste Teiler 32.3 (11.) 53.1 (17.) 161.3 (15.)
 Trefferlage 0.60 mm rechts, 1.03 mm tief
 Streuwert 1.17, horizontal: 1.33, vertikal: 0.99



Serie 3:
 10.4 * 10.1 ↖ 10.5 * 10.7 * 10.7 *
 10.5 * 9.9 ↑ 10.3 * 10.7 * 10.2 *
 beste Teiler 51.9 (25.) 54.1 (24.) 69.3 (29.)
 Trefferlage 0.42 mm links, 0.59 mm hoch
 Streuwert 1.00, horizontal: 1.05, vertikal: 0.95





Serie 4:
 10.4 * 10.7 * 10.5 * 10.0 ↖ 10.8 *
 9.9 → 10.4 * 10.1 ↘ 9.7 ← 10.8 *
 beste Teiler 47.0 (35.) 48.8 (40.) 62.9 (32.)
 Trefferlage 0.35 mm rechts, 0.06 mm tief
 Streuwert 1.32, horizontal: 1.75, vertikal: 0.64


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **412.7** (395)
 Serien: 103.7 102.3 104.3 102.4
 Zähler: 35 5 0 0 0 0 0 0 0 0
 Innenzehner: 25
 weiteste: 302 (18), 282 (33), 280 (39)
 beste Teiler 5.8 (22.) 58.4 (7.) 59.1 (15.)
 Trefferlage 0.01 mm rechts, 0.15 mm tief
 Streuwert 1.24, horizontal: 1.31, vertikal: 1.16




Serie 1:
 10.1 ↗ 10.4 * 10.6 * 10.3 * 10.6 *
 10.5 * 10.7 * 10.1 ↙ 10.4 * 10.0 ↘
 beste Teiler 58.4 (7.) 79.4 (3.) 94.5 (5.)
 Trefferlage 0.01 mm links, 0.48 mm tief
 Streuwert 1.09, horizontal: 1.22, vertikal: 0.93



Serie 2:
 10.6 * 10.6 * 10.1 ↘ 10.4 * 10.7 *
 9.9 ↖ 10.3 * 9.7 ↙ 9.9 ↑ 10.1 ↖
 beste Teiler 59.1 (15.) 81.9 (11.) 86.0 (12.)
 Trefferlage 0.19 mm links, 0.20 mm hoch
 Streuwert 1.42, horizontal: 1.37, vertikal: 1.47



Serie 3:
 10.6 * 10.9 * 10.6 * 10.1 → 10.1 →
 10.7 * 10.5 * 10.0 ↗ 10.5 * 10.3 *
 beste Teiler 5.8 (22.) 65.1 (26.) 88.9 (23.)
 Trefferlage 0.79 mm rechts, 0.02 mm hoch
 Streuwert 0.95, horizontal: 1.10, vertikal: 0.77



Serie 4:
 10.7 * 10.5 * 9.8 ↓ 10.3 * 10.4 *
 10.6 * 10.2 * 10.1 ← 9.8 ← 10.0 ↘
 beste Teiler 67.4 (31.) 79.0 (36.) 102.2 (32.)
 Trefferlage 0.51 mm links, 0.34 mm tief
 Streuwert 1.35, horizontal: 1.35, vertikal: 1.35

Unterschrift des Schützen

Meyton Elektronik

EYL Rifle – Wertung – offene Klasse

StartNr: 17



StandNr: 135

10. Juni 2018 12:08


HAMMERL, Soma Richárd #1000000242

Hungary / Hungary


Ergebnis: **411.4** (394)
 Serien: 102.4 102.8 102.2 104.0
 Zähler: 34 6 0 0 0 0 0 0 0 0
 Innenzehner: 24
 weiteste: 356 (27), 292 (2), 288 (34)
 beste Teiler 8.0 (28.) 8.2 (38.) 16.2 (32.)
 Trefferlage 0.04 mm rechts, 0.15 mm tief
 Streuwert 1.33, horizontal: 1.27, vertikal: 1.38




Serie 1:
 10.3 * 9.8 ↑ 10.5 * 10.4 * 10.7 *
 10.1 ↘ 10.5 * 10.2 * 9.8 ↓ 10.1 ↓
 beste Teiler 53.0 (5.) 104.3 (3.) 107.4 (7.)
 Trefferlage 0.40 mm links, 0.17 mm hoch
 Streuwert 1.36, horizontal: 0.78, vertikal: 1.75



Serie 2:
 10.3 * 10.8 * 10.1 ✓ 10.1 → 10.2 *
 10.2 * 10.3 * 10.5 * 9.9 ↘ 10.4 *
 beste Teiler 40.0 (12.) 103.8 (18.) 141.7 (20.)
 Trefferlage 0.11 mm rechts, 0.22 mm hoch
 Streuwert 1.31, horizontal: 1.48, vertikal: 1.12



Serie 3:
 10.4 * 10.7 * 10.1 ↑ 9.9 ↘ 10.0 ↓
 10.0 ✓ 9.5 ← 10.9 * 10.5 * 10.2 *
 beste Teiler 8.0 (28.) 63.0 (22.) 123.1 (29.)
 Trefferlage 0.33 mm rechts, 0.53 mm tief
 Streuwert 1.50, horizontal: 1.61, vertikal: 1.38





Serie 4:
 10.0 ↘ 10.9 * 10.5 * 9.8 ↓ 10.6 *
 10.1 → 10.5 * 10.9 * 10.1 ← 10.6 *
 beste Teiler 8.2 (38.) 16.2 (32.) 93.4 (40.)
 Trefferlage 0.14 mm rechts, 0.49 mm tief
 Streuwert 1.18, horizontal: 1.13, vertikal: 1.22


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **411.9** (394)
 Serien: 102.3 103.7 102.6 103.3
 Zähler: 34 6 0 0 0 0 0 0 0 0
 Innenzehner: 28
 weiteste: 478 (2), 331 (37), 320 (17)
 beste Teiler 4.1 (38.) 43.0 (25.) 60.8 (20.)
 Trefferlage 0.02 mm links, 0.47 mm hoch
 Streuwert 1.28, horizontal: 1.48, vertikal: 1.05




Serie 1:
 10.3 * 9.0 ↖ 10.3 * 10.5 * 10.5 *
 10.6 * 10.6 * 9.8 → 10.3 * 10.4 *
 beste Teiler 77.4 (6.) 81.3 (7.) 117.6 (4.)
 Trefferlage 0.20 mm links, 0.54 mm hoch
 Streuwert 1.50, horizontal: 1.98, vertikal: 0.78



Serie 2:
 10.0 ↗ 10.5 * 10.6 * 10.6 * 10.5 *
 10.5 * 9.7 ↖ 10.1 ↘ 10.5 * 10.7 *
 beste Teiler 60.8 (20.) 80.8 (14.) 95.1 (13.)
 Trefferlage 0.38 mm links, 0.41 mm hoch
 Streuwert 1.17, horizontal: 1.35, vertikal: 0.96



Serie 3:
 9.9 ↖ 9.9 ↘ 10.6 * 10.0 ↘ 10.8 *
 10.2 * 10.1 ↗ 10.4 * 10.5 * 10.2 *
 beste Teiler 43.0 (25.) 83.3 (23.) 116.6 (29.)
 Trefferlage 0.67 mm rechts, 0.24 mm hoch
 Streuwert 1.29, horizontal: 1.28, vertikal: 1.29





Serie 4:
 10.4 * 10.3 * 10.1 ↘ 10.0 ↘ 10.5 *
 10.5 * 9.6 ↖ 10.9 * 10.4 * 10.6 *
 beste Teiler 4.1 (38.) 98.0 (40.) 116.4 (35.)
 Trefferlage 0.17 mm links, 0.70 mm hoch
 Streuwert 1.18, horizontal: 1.16, vertikal: 1.21


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **412.7** (393)
 Serien: 104.7 103.8 103.6 100.6
 Zähler: 34 5 1 0 0 0 0 0 0 0
 Innenzehner: 30
 weiteste: 551 (38), 325 (32), 279 (39)
 beste Teiler 40.8 (20.) 41.4 (1.) 51.6 (10.)
 Trefferlage 0.23 mm links, 0.30 mm hoch
 Streuwert 1.30, horizontal: 1.06, vertikal: 1.50




Serie 1:
 10.8 * 10.7 * 9.9 ↓ 10.4 * 10.4 *
 10.4 * 10.6 * 10.5 * 10.3 * 10.7 *
 beste Teiler 41.4 (1.) 51.6 (10.) 57.8 (2.)
 Trefferlage 0.20 mm links, 0.09 mm tief
 Streuwert 1.03, horizontal: 0.59, vertikal: 1.32



Serie 2:
 10.6 * 10.6 * 10.3 * 10.6 * 10.2 *
 10.3 * 10.0 → 10.2 * 10.2 * 10.8 *
 beste Teiler 40.8 (20.) 86.2 (11.) 94.7 (12.)
 Trefferlage 0.14 mm links, 0.44 mm hoch
 Streuwert 1.10, horizontal: 1.17, vertikal: 1.03



Serie 3:
 10.5 * 10.5 * 10.4 * 10.4 * 10.3 *
 10.2 * 10.1 ↖ 9.9 ↖ 10.7 * 10.6 *
 beste Teiler 73.2 (29.) 90.2 (30.) 103.6 (21.)
 Trefferlage 0.68 mm links, 0.16 mm hoch
 Streuwert 1.05, horizontal: 1.09, vertikal: 1.01





Serie 4:
 10.5 * 9.7 ↖ 10.6 * 10.1 ↓ 10.6 *
 10.7 * 10.1 → 8.7 ↑ 9.8 ↘ 9.8 ↑
 beste Teiler 59.9 (36.) 82.2 (35.) 99.0 (33.)
 Trefferlage 0.10 mm rechts, 0.71 mm hoch
 Streuwert 1.89, horizontal: 1.26, vertikal: 2.35


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **399.0** (383)
 Serien: 98.1 100.2 100.3 100.4
 Zähler: 23 17 0 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 413 (8), 410 (33), 393 (11)
 beste Teiler 102.2 (30.) 105.3 (23.) 106.2 (20.)
 Trefferlage 0.29 mm links, 0.68 mm hoch
 Streuwert 1.77, horizontal: 1.50, vertikal: 2.00




Serie 1:
 9.7 ↑ 9.6 ↘ 9.9 ↘ 9.8 ↑ 10.1 ↑
 10.2 * 9.6 ↘ 9.3 ↘ 10.1 ↘ 9.8 ↙
 beste Teiler 198.1 (6.) 219.3 (5.) 219.5 (9.)
 Trefferlage 0.59 mm links, 1.40 mm hoch
 Streuwert 1.90, horizontal: 1.84, vertikal: 1.96



Serie 2:
 9.4 ↑ 10.3 * 10.0 ↑ 9.5 ↘ 10.4 *
 10.2 * 9.7 ↙ 10.1 ↑ 10.1 ↑ 10.5 *
 beste Teiler 106.2 (20.) 143.0 (15.) 175.3 (12.)
 Trefferlage 0.49 mm links, 0.58 mm hoch
 Streuwert 1.77, horizontal: 1.28, vertikal: 2.15



Serie 3:
 9.8 ↘ 10.0 ↘ 10.5 * 10.0 ↑ 9.8 ↑
 9.8 ↘ 10.1 ↘ 9.7 ↑ 10.1 ↑ 10.5 *
 beste Teiler 102.2 (30.) 105.3 (23.) 210.2 (27.)
 Trefferlage 0.10 mm rechts, 0.90 mm hoch
 Streuwert 1.63, horizontal: 1.30, vertikal: 1.91



Serie 4:
 10.3 * 10.3 * 9.3 ↘ 10.3 * 10.0 ↑
 10.2 * 9.9 ↙ 10.5 * 10.1 ↑ 9.5 ↑
 beste Teiler 123.4 (38.) 151.1 (31.) 158.6 (34.)
 Trefferlage 0.21 mm links, 0.16 mm tief
 Streuwert 1.81, horizontal: 1.66, vertikal: 1.95

Unterschrift des Schützen

Meyton Elektronik