





Ergebnis: **381** (397.1)
 Serien: 93 95 97 96
 Zähler: 21 19 0 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 1594 (22), 1579 (37), 1570 (12)
 beste Teiler 66.4 (14.) 76.6 (27.) 106.0 (18.)
 Trefferlage 0.10 mm links, 1.94 mm tief
 Streuwert 6.54, horizontal: 6.15, vertikal: 6.90




Serie 1:
 10.6 * 9.1 ↘ 9.7 → 10.2 ↗ 9.5 ↘
 9.8 ← 9.2 ↙ 9.7 ↙ 9.6 ↘ 10.4 *
 beste Teiler 263.9 (1.) 469.9 (10.) 640.7 (4.)
 Trefferlage 0.50 mm links, 3.83 mm tief
 Streuwert 6.91, horizontal: 6.75, vertikal: 7.07



Serie 2:
 9.9 ↘ 9.0 ↙ 9.9 ↗ 10.9 * 9.5 ↘
 10.4 ↓ 9.9 ↓ 10.8 * 10.4 * 10.0 →
 beste Teiler 66.4 (14.) 106.0 (18.) 429.9 (19.)
 Trefferlage 0.31 mm rechts, 4.04 mm tief
 Streuwert 5.51, horizontal: 5.71, vertikal: 5.29



Serie 3:
 10.8 * 9.0 → 10.0 ↙ 10.0 ↘ 9.1 ↙
 10.3 ↓ 10.9 * 10.0 ↘ 9.2 ↑ 10.1 ↓
 beste Teiler 76.6 (27.) 109.1 (21.) 508.1 (26.)
 Trefferlage 0.18 mm rechts, 1.89 mm tief
 Streuwert 6.94, horizontal: 6.90, vertikal: 6.98





Serie 4:
 10.3 ↖ 10.2 → 9.7 ↖ 9.6 ↓ 9.2 →
 10.5 * 9.0 ↖ 10.6 * 10.1 ↖ 10.0 ↑
 beste Teiler 306.7 (38.) 384.9 (36.) 508.0 (31.)
 Trefferlage 0.43 mm links, 1.97 mm hoch
 Streuwert 6.75, horizontal: 6.11, vertikal: 7.34


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **347** (366.2)
 Serien: 90 87 86 84
 Zähler: 6 19 11 4 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3026 (1), 2785 (23), 2576 (9)
 beste Teiler 283.6 (24.) 345.4 (2.) 400.3 (8.)
 Trefferlage 1.64 mm rechts, 3.43 mm hoch
 Streuwert 11.01, horizontal: 9.02, vertikal: 12.69




Serie 1:
 7.2 ↗ 10.5 * 10.1 ↑ 9.7 → 9.4 →
 9.1 ↖ 9.9 ← 10.5 * 7.7 ↑ 10.0 ↘
 beste Teiler 345.4 (2.) 400.3 (8.) 673.5 (3.)
 Trefferlage 0.97 mm rechts, 7.65 mm hoch
 Streuwert 9.53, horizontal: 9.71, vertikal: 9.33



Serie 2:
 9.5 ↖ 9.7 ↑ 8.8 ↘ 8.1 ↓ 9.9 ↙
 9.3 ↗ 9.2 ↓ 9.4 ↑ 8.4 ↘ 9.8 ↓
 beste Teiler 843.3 (15.) 907.5 (20.) 1040.2 (12.)
 Trefferlage 0.15 mm rechts, 1.97 mm tief
 Streuwert 10.90, horizontal: 6.54, vertikal: 13.95



Serie 3:
 9.2 ↗ 9.3 ↙ 7.5 ↑ 10.6 * 8.8 ↙
 8.3 ↘ 8.2 ↗ 9.7 ↑ 10.1 ↘ 8.0 ↑
 beste Teiler 283.6 (24.) 705.1 (29.) 980.1 (28.)
 Trefferlage 4.39 mm rechts, 3.42 mm hoch
 Streuwert 12.43, horizontal: 10.36, vertikal: 14.19





Serie 4:
 9.6 → 9.5 ← 8.6 ↗ 8.8 ↘ 8.7 ↗
 8.8 ↓ 9.0 ↙ 9.7 ↑ 7.9 ↑ 9.7 ↘
 beste Teiler 979.1 (40.) 1019.5 (38.) 1049.9 (31.)
 Trefferlage 1.05 mm rechts, 4.65 mm hoch
 Streuwert 11.33, horizontal: 9.81, vertikal: 12.67

Unterschrift des Schützen


Meyton Elektronik

Ergebnis: **375** (391.1)
 Serien: 92 95 93 95
 Zähler: 19 17 4 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2285 (11), 2074 (23), 1871 (24)
 beste Teiler 175.0 (38.) 178.2 (22.) 272.0 (19.)
 Trefferlage 0.78 mm links, 0.65 mm tief
 Streuwert 7.54, horizontal: 6.97, vertikal: 8.08




Serie 1:
 9.6 ↑ 10.6 * 9.7 ↘ 9.7 ↙ 9.3 ↓
 9.4 ↗ 9.8 ↗ 9.4 ↖ 10.0 ← 9.8 →

beste Teiler 280.2 (2.) 798.9 (9.) 939.3 (7.)
 Trefferlage 0.32 mm rechts, 0.59 mm hoch
 Streuwert 7.66, horizontal: 7.23, vertikal: 8.07




Serie 2:
 8.1 ↓ 9.8 ↙ 10.0 → 9.3 ↙ 10.4 *
 10.0 ↘ 9.8 ↘ 10.3 → 10.6 * 10.4 *

beste Teiler 272.0 (19.) 425.4 (15.) 466.1 (20.)
 Trefferlage 0.79 mm links, 2.59 mm tief
 Streuwert 7.31, horizontal: 5.61, vertikal: 8.68



Serie 3:
 10.0 → 10.7 * 8.4 ← 8.6 ↓ 10.2 →
 9.6 ↙ 9.2 ↓ 9.2 ← 10.2 ↑ 10.0 ↗

beste Teiler 178.2 (22.) 582.1 (25.) 584.1 (29.)
 Trefferlage 3.12 mm links, 1.79 mm tief
 Streuwert 8.70, horizontal: 8.98, vertikal: 8.41





Serie 4:
 9.4 ↓ 10.1 ↙ 10.5 * 10.3 ↙ 9.2 ↑
 8.9 ↗ 9.7 ↙ 10.7 * 10.1 ↑ 10.1 →

beste Teiler 175.0 (38.) 395.8 (33.) 501.4 (34.)
 Trefferlage 0.44 mm rechts, 1.18 mm hoch
 Streuwert 6.97, horizontal: 6.08, vertikal: 7.76


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **379** (396.3)
 Serien: 90 98 95 96
 Zähler: 20 19 1 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 1993 (2), 1577 (30), 1523 (37)
 beste Teiler 98.2 (13.) 215.2 (27.) 241.3 (31.)
 Trefferlage 0.61 mm links, 1.20 mm tief
 Streuwert 6.70, horizontal: 6.48, vertikal: 6.90




Serie 1:
 9.3 ↘ 8.5 ↓ 10.6 * 9.5 ↗ 9.4 ←
 9.6 ↗ 9.9 ← 9.9 ↑ 9.8 ↖ 9.5 ↗
 beste Teiler 256.9 (3.) 838.1 (7.) 860.4 (8.)
 Trefferlage 0.47 mm links, 2.04 mm tief
 Streuwert 8.53, horizontal: 7.61, vertikal: 9.35



Serie 2:
 9.5 ↑ 10.5 * 10.8 * 10.1 ↗ 10.5 *
 10.3 ↘ 10.3 ← 9.3 ↘ 10.4 * 10.3 →
 beste Teiler 98.2 (13.) 343.8 (15.) 372.0 (12.)
 Trefferlage 1.30 mm rechts, 0.19 mm tief
 Streuwert 5.13, horizontal: 5.27, vertikal: 4.97



Serie 3:
 10.0 ↘ 10.2 ↘ 9.1 ← 10.3 ↗ 10.1 ↗
 9.8 ← 10.7 * 9.7 ↘ 9.1 ↗ 9.0 ↓
 beste Teiler 215.2 (27.) 522.0 (24.) 585.0 (22.)
 Trefferlage 2.32 mm links, 1.10 mm hoch
 Streuwert 7.32, horizontal: 7.63, vertikal: 7.00





Serie 4:
 10.6 * 9.9 ← 10.2 → 9.5 ↗ 9.6 ↓
 10.1 ← 9.0 ↓ 10.4 * 10.5 * 10.5 *
 beste Teiler 241.3 (31.) 351.0 (40.) 355.7 (39.)
 Trefferlage 0.98 mm links, 3.69 mm tief
 Streuwert 5.53, horizontal: 5.53, vertikal: 5.54


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **376** (393.7)
 Serien: 91 94 96 95
 Zähler: 20 16 4 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2009 (20), 1730 (7), 1689 (6)
 beste Teiler 213.6 (15.) 241.9 (5.) 299.3 (14.)
 Trefferlage 0.02 mm rechts, 1.38 mm tief
 Streuwert 7.06, horizontal: 6.55, vertikal: 7.53




Serie 1:
 10.0 ↗ 9.8 ↓ 9.2 ↗ 9.9 ↑ 10.6 *
 8.8 ↘ 8.8 ↙ 9.8 ↘ 10.3 ↙ 9.5 ↓
 beste Teiler 241.9 (5.) 547.8 (9.) 760.7 (1.)
 Trefferlage 2.21 mm rechts, 1.79 mm tief
 Streuwert 8.09, horizontal: 5.89, vertikal: 9.81



Serie 2:
 10.2 ← 8.9 ↗ 10.3 ↙ 10.6 * 10.7 *
 9.9 ↖ 9.7 ↘ 10.6 * 10.0 → 8.4 ↙
 beste Teiler 213.6 (15.) 299.3 (14.) 313.1 (18.)
 Trefferlage 0.88 mm rechts, 0.89 mm tief
 Streuwert 7.35, horizontal: 7.94, vertikal: 6.70



Serie 3:
 9.4 ↘ 10.2 ↓ 9.9 ↖ 9.1 ↓ 10.5 *
 10.1 ↙ 10.2 ← 10.0 ↓ 10.0 ↓ 9.5 ↑
 beste Teiler 364.6 (25.) 577.1 (27.) 598.1 (22.)
 Trefferlage 0.40 mm rechts, 2.59 mm tief
 Streuwert 6.44, horizontal: 3.96, vertikal: 8.20



Serie 4:
 9.7 ↙ 10.5 * 9.2 ↖ 10.5 * 9.5 ←
 9.6 ↙ 10.2 ← 9.2 → 10.1 ↙ 10.3 ↖
 beste Teiler 371.9 (34.) 399.4 (32.) 482.3 (40.)
 Trefferlage 3.42 mm links, 0.25 mm tief
 Streuwert 6.59, horizontal: 7.26, vertikal: 5.84

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **373** (391.4)

Serien: 92 93 93 95

Zähler: 19 15 6 0 0 0 0 0 0 0



Innenzehner: 10

weiteste: 2327 (20), 2015 (15), 1965 (4)

beste Teiler 56.3 (13.) 92.0 (34.) 268.6 (27.)

Trefferlage 2.65 mm rechts, 2.83 mm hoch

Streuwert 7.21, horizontal: 6.72, vertikal: 7.67




Serie 1:

9.3 ↙	10.0 ↗	10.1 ↘	8.5 ↗	10.5 *
9.3 ↘	9.0 ↙	9.2 ↙	9.7 →	9.5 ↗

beste Teiler 390.5 (5.) 642.5 (3.) 728.3 (2.)

Trefferlage 2.89 mm rechts, 0.37 mm hoch

Streuwert 8.90, horizontal: 8.84, vertikal: 8.96




Serie 2:

9.8 ↘	10.4 *	10.9 *	10.4 *	8.4 ↑
10.3 →	8.8 →	10.6 *	10.1 ↑	8.0 ↑

beste Teiler 56.3 (13.) 302.0 (18.) 401.8 (12.)

Trefferlage 4.25 mm rechts, 5.29 mm hoch

Streuwert 7.35, horizontal: 5.45, vertikal: 8.86




Serie 3:

9.7 ↑	9.9 →	9.7 ↘	9.1 ↗	8.8 ↑
10.5 *	10.6 *	10.0 ↘	10.6 *	9.8 ↑

beste Teiler 268.6 (27.) 306.6 (29.) 325.6 (26.)

Trefferlage 2.03 mm rechts, 4.97 mm hoch

Streuwert 6.15, horizontal: 4.38, vertikal: 7.52



Serie 4:

10.2 ↘	10.1 ↘	8.9 →	10.8 *	9.9 →
10.1 ↘	9.3 ↙	10.4 *	10.3 →	9.9 →

beste Teiler 92.0 (34.) 440.1 (38.) 488.8 (39.)

Trefferlage 1.45 mm rechts, 0.68 mm hoch

Streuwert 6.31, horizontal: 8.00, vertikal: 3.96

Unterschrift des Schützen

Meyton Elektronik