

EYL Rifle – Wertung – offene Klasse

StartNr: 15



StandNr: 132

9. Juni 2018 14:36


HURIA, Viktória #1000000256

Hungary / Hungary


Ergebnis: **412.3** (395)
 Serien: 103.3 103.0 102.7 103.3
 Zähler: 35 5 0 0 0 0 0 0 0 0
 Innenzehner: 32
 weiteste: 372 (2), 354 (14), 349 (13)
 beste Teiler 44.9 (25.) 56.5 (8.) 67.2 (18.)
 Trefferlage 0.25 mm rechts, 0.00 mm
 Streuwert 1.27, horizontal: 1.19, vertikal: 1.35




Serie 1:
 10.3 * 9.5 ↑ 10.3 * 10.5 * 10.3 *
 10.0 ↗ 10.6 * 10.7 * 10.6 * 10.5 *
 beste Teiler 56.5 (8.) 86.6 (7.) 95.5 (9.)
 Trefferlage 0.21 mm rechts, 0.96 mm hoch
 Streuwert 1.11, horizontal: 1.12, vertikal: 1.09



Serie 2:
 10.4 * 10.4 * 9.6 ↑ 9.5 ↓ 10.3 *
 10.5 * 10.6 * 10.7 * 10.5 * 10.5 *
 beste Teiler 67.2 (18.) 86.0 (17.) 103.2 (19.)
 Trefferlage 0.01 mm rechts, 0.14 mm tief
 Streuwert 1.41, horizontal: 0.90, vertikal: 1.77



Serie 3:
 10.1 ↘ 9.9 → 10.4 * 10.6 * 10.8 *
 10.0 ↘ 10.2 * 10.2 * 10.3 * 10.2 *
 beste Teiler 44.9 (25.) 89.4 (24.) 139.0 (23.)
 Trefferlage 0.51 mm rechts, 0.61 mm tief
 Streuwert 1.19, horizontal: 1.49, vertikal: 0.79



Serie 4:
 10.3 * 9.6 ↘ 10.3 * 10.6 * 10.4 *
 10.6 * 10.3 * 10.4 * 10.5 * 10.3 *
 beste Teiler 99.3 (34.) 100.4 (36.) 118.0 (39.)
 Trefferlage 0.27 mm rechts, 0.23 mm tief
 Streuwert 1.24, horizontal: 1.30, vertikal: 1.18

Unterschrift des Schützen

Meyton Elektronik

EYL Rifle – Wertung – offene Klasse

StartNr: 16



StandNr: 134

9. Juni 2018 14:39


MÉSZÁROS, Eszter #1000000240

Hungary / Hungary


Ergebnis: **412.6** (393)
 Serien: 103.7 102.7 102.4 103.8
 Zähler: 33 7 0 0 0 0 0 0 0 0
 Innenzehner: 30
 weiteste: 426 (36), 316 (28), 312 (2)
 beste Teiler 47.0 (35.) 49.0 (34.) 49.4 (1.)
 Trefferlage 0.04 mm links, 0.07 mm tief
 Streuwert 1.32, horizontal: 1.61, vertikal: 0.95




Serie 1:
 10.8 * 9.7 ↖ 10.7 * 10.5 * 10.6 *
 10.5 * 9.8 ↙ 9.7 ↘ 10.7 * 10.7 *
 beste Teiler 49.4 (1.) 56.2 (3.) 67.1 (10.)
 Trefferlage 0.65 mm links, 0.16 mm tief
 Streuwert 1.24, horizontal: 1.43, vertikal: 1.00



Serie 2:
 10.5 * 10.3 * 10.2 * 10.1 ↙ 10.4 *
 10.2 * 10.2 * 10.2 * 10.6 * 10.0 →
 beste Teiler 94.3 (19.) 125.7 (11.) 150.0 (15.)
 Trefferlage 0.44 mm rechts, 0.49 mm tief
 Streuwert 1.24, horizontal: 1.37, vertikal: 1.09



Serie 3:
 10.2 * 10.4 * 10.5 * 10.4 * 10.2 *
 9.7 ← 10.7 * 9.7 ↖ 10.7 * 9.9 ←
 beste Teiler 66.7 (29.) 73.7 (27.) 121.2 (23.)
 Trefferlage 0.68 mm links, 0.48 mm hoch
 Streuwert 1.35, horizontal: 1.77, vertikal: 0.72



Serie 4:
 10.4 * 10.3 * 10.0 ↗ 10.8 * 10.8 *
 9.2 → 10.7 * 10.6 * 10.4 * 10.6 *
 beste Teiler 47.0 (35.) 49.0 (34.) 55.0 (37.)
 Trefferlage 0.70 mm rechts, 0.13 mm tief
 Streuwert 1.23, horizontal: 1.54, vertikal: 0.81

Unterschrift des Schützen

Meyton Elektronik

EYL Rifle – Wertung – offene Klasse

StartNr: 17



StandNr: 136

9. Juni 2018 14:37


HAMMERL, Soma Richárd #1000000242

Hungary / Hungary


Ergebnis: **410.2** (394)
 Serien: 102.8 101.5 102.8 103.1
 Zähler: 34 6 0 0 0 0 0 0 0 0
 Innenzehner: 22
 weiteste: 311 (37), 293 (4), 269 (24)
 beste Teiler 13.4 (6.) 41.0 (33.) 49.6 (32.)
 Trefferlage 0.06 mm rechts, 0.03 mm hoch
 Streuwert 1.37, horizontal: 1.32, vertikal: 1.42




Serie 1:
 10.3 * 10.7 * 10.2 * 9.8 → 10.2 *
 10.9 * 10.0 ↙ 10.4 * 10.2 * 10.1 →
 beste Teiler 13.4 (6.) 51.7 (2.) 142.2 (8.)
 Trefferlage 0.25 mm rechts, 0.20 mm hoch
 Streuwert 1.36, horizontal: 1.43, vertikal: 1.28



Serie 2:
 10.6 * 10.4 * 10.1 ↗ 10.1 ↓ 9.9 →
 10.0 ↘ 10.0 ↙ 9.9 ↖ 10.5 * 10.0 ↘
 beste Teiler 94.8 (11.) 102.0 (19.) 148.1 (12.)
 Trefferlage 0.11 mm links, 0.35 mm hoch
 Streuwert 1.52, horizontal: 1.61, vertikal: 1.43



Serie 3:
 9.9 → 10.3 * 10.6 * 9.9 ↓ 10.5 *
 10.0 ↘ 10.2 * 10.7 * 10.0 ← 10.7 *
 beste Teiler 72.9 (30.) 75.8 (28.) 92.2 (23.)
 Trefferlage 0.03 mm rechts, 0.61 mm tief
 Streuwert 1.32, horizontal: 1.50, vertikal: 1.12



Serie 4:
 10.0 † 10.8 * 10.8 * 10.6 * 10.1 †
 10.3 * 9.7 ↓ 10.0 † 10.6 * 10.2 *
 beste Teiler 41.0 (33.) 49.6 (32.) 81.8 (39.)
 Trefferlage 0.06 mm rechts, 0.16 mm hoch
 Streuwert 1.37, horizontal: 0.78, vertikal: 1.77

Unterschrift des Schützen

Meyton Elektronik

EYL Rifle – Wertung – offene Klasse

StartNr: 38



StandNr: 133

9. Juni 2018 14:39


?NIDARI?, Nusa #1000000249

Slovenia / Slovenia


Ergebnis: **413.2** (394)
 Serien: 102.8 103.8 104.7 101.9
 Zähler: 34 6 0 0 0 0 0 0 0 0
 Innenzehner: 26
 weiteste: 479 (37), 364 (38), 314 (7)
 beste Teiler 5.0 (11.) 16.4 (35.) 47.5 (18.)
 Trefferlage 0.19 mm rechts, 0.09 mm hoch
 Streuwert 1.32, horizontal: 1.50, vertikal: 1.11




Serie 1:
 10.7 * 10.2 * 9.9 ↑ 10.0 ↑ 10.7 *
 10.4 * 9.7 ↖ 10.1 ↙ 10.5 * 10.6 *
 beste Teiler 56.3 (5.) 69.6 (1.) 76.6 (10.)
 Trefferlage 0.30 mm links, 0.88 mm hoch
 Streuwert 1.21, horizontal: 0.95, vertikal: 1.41



Serie 2:
 10.9 * 10.6 * 10.1 → 10.2 * 9.7 →
 10.7 * 10.5 * 10.8 * 10.1 ← 10.2 *
 beste Teiler 5.0 (11.) 47.5 (18.) 66.6 (16.)
 Trefferlage 0.01 mm rechts, 0.38 mm hoch
 Streuwert 1.25, horizontal: 1.58, vertikal: 0.78



Serie 3:
 10.7 * 10.7 * 10.5 * 10.1 → 10.7 *
 10.4 * 10.1 → 10.7 * 10.7 * 10.1 ↘
 beste Teiler 53.7 (21.) 64.4 (25.) 65.2 (29.)
 Trefferlage 0.52 mm rechts, 0.29 mm tief
 Streuwert 0.90, horizontal: 1.08, vertikal: 0.68



Serie 4:
 9.9 ↙ 10.6 * 10.5 * 10.6 * 10.9 *
 10.4 * 9.0 → 9.5 ↘ 10.5 * 10.0 →
 beste Teiler 16.4 (35.) 82.3 (34.) 84.2 (32.)
 Trefferlage 0.53 mm rechts, 0.58 mm tief
 Streuwert 1.64, horizontal: 2.13, vertikal: 0.91

Unterschrift des Schützen

Meyton Elektronik

EYL Rifle – Wertung – offene Klasse

StartNr: 39



StandNr: 135

9. Juni 2018 14:41


SO?I?, Jure #1000000250

Slovenia / Slovenia


Ergebnis: **408.5** (391)
 Serien: 100.3 102.5 104.3 101.4
 Zähler: 31 9 0 0 0 0 0 0 0 0
 Innenzehner: 21
 weiteste: 423 (4), 369 (15), 369 (35)
 beste Teiler 5.0 (24.) 17.2 (28.) 22.4 (26.)
 Trefferlage 0.15 mm rechts, 0.14 mm hoch
 Streuwert 1.51, horizontal: 1.60, vertikal: 1.41




Serie 1:
 10.6 * 10.3 * 9.7 ← 9.3 ↘ 10.2 *
 10.1 ↗ 10.3 * 9.9 → 9.8 → 10.1 ←
 beste Teiler 83.4 (1.) 157.8 (7.) 170.4 (2.)
 Trefferlage 0.15 mm rechts, 0.12 mm tief
 Streuwert 1.84, horizontal: 2.28, vertikal: 1.25



Serie 2:
 9.8 ↑ 10.3 * 10.5 * 10.6 * 9.5 →
 10.0 → 10.1 → 10.8 * 10.4 * 10.5 *
 beste Teiler 49.0 (18.) 82.0 (14.) 102.0 (20.)
 Trefferlage 0.76 mm rechts, 0.30 mm hoch
 Streuwert 1.35, horizontal: 1.50, vertikal: 1.18



Serie 3:
 10.1 ↑ 10.1 ← 10.5 * 10.9 * 10.2 *
 10.9 * 10.3 * 10.9 * 9.6 ↙ 10.8 *
 beste Teiler 5.0 (24.) 17.2 (28.) 22.4 (26.)
 Trefferlage 0.55 mm links, 0.28 mm tief
 Streuwert 1.19, horizontal: 0.98, vertikal: 1.36



Serie 4:
 10.1 ↓ 10.3 * 10.7 * 10.0 ↓ 9.5 →
 10.7 * 10.1 ↗ 10.0 ↑ 9.8 ↑ 10.2 *
 beste Teiler 66.7 (33.) 68.0 (36.) 170.7 (32.)
 Trefferlage 0.26 mm rechts, 0.68 mm hoch
 Streuwert 1.56, horizontal: 1.29, vertikal: 1.80

Unterschrift des Schützen

Meyton Elektronik

EYL Rifle – Wertung – offene Klasse

StartNr: 40



StandNr: 137

9. Juni 2018 14:40


JAKOPI?EK, Patrik #1000000255

Slovenia / Slovenia


Ergebnis: **401.5** (386)
 Serien: 103.0 101.5 97.4 99.6
 Zähler: 28 10 2 0 0 0 0 0 0 0
 Innenzehner: 21
 weiteste: 641 (29), 504 (20), 496 (22)
 beste Teiler 12.0 (14.) 71.2 (37.) 76.8 (33.)
 Trefferlage 0.74 mm rechts, 0.07 mm tief
 Streuwert 1.89, horizontal: 2.44, vertikal: 1.11




Serie 1:
 10.5 * 10.5 * 10.1 ↙ 10.5 * 9.0 →
 10.2 * 10.5 * 10.6 * 10.6 * 10.5 *
 beste Teiler 82.8 (8.) 94.3 (9.) 104.0 (4.)
 Trefferlage 0.11 mm rechts, 0.19 mm hoch
 Streuwert 1.47, horizontal: 1.88, vertikal: 0.88



Serie 2:
 10.0 → 10.6 * 10.4 * 10.9 * 10.4 *
 10.6 * 10.1 ↙ 10.1 ← 9.5 → 8.9 ↖
 beste Teiler 12.0 (14.) 77.3 (16.) 77.4 (12.)
 Trefferlage 0.35 mm links, 0.17 mm hoch
 Streuwert 1.80, horizontal: 2.37, vertikal: 0.93



Serie 3:
 10.1 ↖ 9.0 → 10.2 * 9.2 ↘ 10.5 *
 9.7 → 10.1 ↘ 10.0 → 8.4 → 10.2 *
 beste Teiler 119.1 (25.) 180.5 (23.) 199.8 (30.)
 Trefferlage 1.63 mm rechts, 0.01 mm tief
 Streuwert 2.25, horizontal: 2.98, vertikal: 1.12



Serie 4:
 9.0 → 9.7 ↓ 10.6 * 10.4 * 9.8 ↓
 10.6 * 10.7 * 9.4 ↘ 9.2 → 10.2 *
 beste Teiler 71.2 (37.) 76.8 (33.) 89.1 (36.)
 Trefferlage 1.56 mm rechts, 0.66 mm tief
 Streuwert 1.76, horizontal: 2.07, vertikal: 1.37

Unterschrift des Schützen

Meyton Elektronik