

Ergebnis: **391** (407.5)

Serien: 98 96 98 99

Zähler: 31 9 0 0 0 0 0 0 0 0



Innenzehner: 23

weiteste: 400 (12), 378 (23), 377 (20)

beste Teiler 32.0 (27.) 45.6 (30.) 48.0 (37.)

Trefferlage 0.01 mm links, 0.09 mm hoch

Streuwert 1.55, horizontal: 1.73, vertikal: 1.34




Serie 1:

10.7 *	10.2 *	10.1 ↘	9.7 ←	10.0 ↘
10.6 *	10.1 ↘	10.3 *	10.0 ↘	9.8 ↑

beste Teiler 55.9 (1.) 81.7 (6.) 170.0 (8.)

Trefferlage 0.41 mm links, 0.12 mm tief

Streuwert 1.54, horizontal: 1.63, vertikal: 1.45




Serie 2:

10.0 ↗	9.4 →	10.3 *	10.0 ↑	9.5 ←
9.7 ↘	10.7 *	10.5 *	10.2 *	9.4 ↘

beste Teiler 62.2 (17.) 103.7 (18.) 168.5 (13.)

Trefferlage 0.24 mm links, 1.29 mm hoch

Streuwert 1.75, horizontal: 2.32, vertikal: 0.88




Serie 3:

10.1 ↘	10.6 *	9.4 →	9.6 ✓	10.7 *
10.5 *	10.8 *	10.4 *	10.2 *	10.8 *

beste Teiler 32.0 (27.) 45.6 (30.) 54.3 (25.)

Trefferlage 0.32 mm rechts, 0.66 mm tief

Streuwert 1.35, horizontal: 1.60, vertikal: 1.05



Serie 4:

10.7 *	10.4 *	10.4 *	10.3 *	10.3 *
10.5 *	10.8 *	10.2 *	9.5 →	10.1 ↓

beste Teiler 48.0 (37.) 53.2 (31.) 102.0 (36.)



Trefferlage 0.27 mm rechts, 0.12 mm tief

Streuwert 1.30, horizontal: 1.39, vertikal: 1.21

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	380	(398.9)
Serien:	96	97 91 96
Zähler:	21 18 1	0 0 0 0 0 0 0
Innenzehner:	14	
weiteste:	537 (27), 444 (29), 413 (23)	
beste Teiler	39.6 (36.) 53.3 (16.) 105.8 (33.)	
Trefferlage	0.24 mm links, 0.55 mm hoch	
Streuwert	1.89, horizontal: 2.03, vertikal: 1.74	




Serie 1:

9.4 ↘	10.5 *	9.8 ←	9.7 ↖	10.0 ↗
9.8 ↙	10.5 *	10.3 *	10.5 *	10.4 *
beste Teiler	114.7 (2.) 116.8 (7.) 118.8 (9.)			
Trefferlage	0.88 mm links, 0.60 mm hoch			
Streuwert	1.59, horizontal: 1.82, vertikal: 1.32			




Serie 2:

9.9 ↗	9.8 ↗	10.2 *	10.1 ↙	10.4 *
10.7 *	10.5 *	9.9 ↑	10.0 →	10.0 ↖
beste Teiler	53.3 (16.) 112.2 (17.) 147.0 (15.)			
Trefferlage	0.13 mm links, 0.48 mm hoch			
Streuwert	1.55, horizontal: 1.57, vertikal: 1.52			



Serie 3:

9.5 ↘	9.8 ↘	9.3 ↖	10.0 ↓	9.4 ↙
9.6 ↖	8.8 ↗	9.5 →	9.2 ↗	10.1 ←
beste Teiler	212.1 (30.) 248.9 (24.) 278.6 (22.)			
Trefferlage	0.28 mm links, 1.11 mm hoch			
Streuwert	2.63, horizontal: 2.80, vertikal: 2.44			





Serie 4:


9.5 ↘	10.4 *	10.5 *	10.5 *	9.9 →
10.8 *	9.7 ↘	10.4 *	10.1 ↓	9.5 →
beste Teiler	39.6 (36.) 105.8 (33.) 115.8 (34.)			
Trefferlage	0.33 mm rechts, 0.01 mm hoch			
Streuwert	1.70, horizontal: 1.83, vertikal: 1.56			

Unterschrift des Schützen


Ergebnis:	380	(397.9)
Serien:	99 93 95 93	
Zähler:	22 16 2 0 0 0 0 0 0 0	
Innenzehner:	17	
weiteste:	532 (36), 507 (11), 489 (29)	
beste Teiler	43.7 (7.) 87.4 (23.) 93.1 (8.)	
Trefferlage	0.42 mm rechts, 0.60 mm hoch	
Streuwert	1.91, horizontal: 2.21, vertikal: 1.55	




Serie 1:	10.3 *	10.2 *	10.1 ↖	10.4 *	9.8 ↘
	10.3 *	10.8 *	10.6 *	10.3 *	10.5 *
beste Teiler	43.7 (7.)	93.1 (8.)	107.7 (10.)		
Trefferlage	0.24 mm rechts, 0.15 mm tief				
Streuwert	1.22, horizontal: 1.18, vertikal: 1.27				



Serie 2:	8.9 ←	9.3 ↗	9.7 ↗	9.9 →	10.5 *
	10.1 ↗	9.5 →	10.2 *	10.1 ↗	9.3 →
beste Teiler	107.0 (15.)	182.7 (18.)	212.8 (16.)		
Trefferlage	1.19 mm rechts, 0.55 mm hoch				
Streuwert	2.16, horizontal: 2.70, vertikal: 1.43				





Serie 3:	10.0 ↗	10.0 ↘	10.6 *	10.2 *	9.5 ↑
	9.4 ↖	9.9 ↖	10.2 *	9.0 ↖	9.7 ↑
beste Teiler	87.4 (23.)	190.7 (24.)	200.5 (28.)		
Trefferlage	1.10 mm links, 1.07 mm hoch				
Streuwert	1.91, horizontal: 1.82, vertikal: 2.00				




Serie 4:	10.3 *	10.3 *	9.6 ↗	9.8 ↖	9.6 →
	8.8 →	9.9 ↑	10.2 *	10.3 *	9.8 ↗
beste Teiler	166.9 (32.)	171.2 (39.)	172.0 (31.)		
Trefferlage	1.36 mm rechts, 0.91 mm hoch				
Streuwert	1.81, horizontal: 2.20, vertikal: 1.33				

Unterschrift des Schützen


Ergebnis: **371** (391.5)
 Serien: 93 98 92 88
 Zähler: 20 12 7 1 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 789 (36), 719 (1), 712 (31)
 beste Teiler 13.1 (7.) 56.6 (23.) 78.5 (8.)
 Trefferlage 0.20 mm rechts, 0.55 mm tief
 Streuwert 2.50, horizontal: 2.63, vertikal: 2.35




Serie 1:
 8.1 → 9.9 ↓ 10.6 * 10.1 → 9.7 ←
 9.8 → 10.9 * 10.6 * 9.5 ↓ 9.9 ↓
 beste Teiler 13.1 (7.) 78.5 (8.) 100.2 (3.)
 Trefferlage 0.80 mm rechts, 1.23 mm tief
 Streuwert 2.13, horizontal: 2.73, vertikal: 1.28



Serie 2:
 10.5 * 10.3 * 9.9 ↙ 9.8 ↖ 10.6 *
 10.0 ← 10.0 ↑ 10.0 ↘ 10.6 * 10.1 →
 beste Teiler 89.4 (19.) 96.2 (15.) 110.0 (11.)
 Trefferlage 0.18 mm links, 0.45 mm hoch
 Streuwert 1.52, horizontal: 1.63, vertikal: 1.41



Serie 3:
 9.3 ← 10.4 * 10.7 * 9.8 ↗ 8.7 ↗
 8.4 ↘ 10.5 * 10.4 * 8.8 ↓ 10.5 *
 beste Teiler 56.6 (23.) 108.5 (27.) 122.6 (30.)
 Trefferlage 0.51 mm rechts, 0.40 mm tief
 Streuwert 2.68, horizontal: 2.46, vertikal: 2.88





Serie 4:
 8.1 ↘ 10.6 * 10.1 ↗ 9.5 → 10.0 ←
 7.8 ↙ 9.9 ↙ 8.8 ↙ 9.6 ↓ 8.7 ↑
 beste Teiler 80.6 (32.) 225.5 (33.) 247.4 (35.)
 Trefferlage 0.32 mm links, 1.03 mm tief
 Streuwert 3.39, horizontal: 3.59, vertikal: 3.18


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378** (397.0)
 Serien: 92 96 96 94
 Zähler: 19 20 1 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 580 (10), 468 (2), 440 (34)
 beste Teiler 42.5 (39.) 53.4 (38.) 62.0 (11.)
 Trefferlage 0.15 mm rechts, 0.27 mm hoch
 Streuwert 2.04, horizontal: 2.22, vertikal: 1.84




Serie 1:
 9.9 ↘ 9.1 ← 10.1 ← 10.6 * 9.5 ←
 9.6 ← 9.9 ↖ 9.5 ↗ 10.6 * 8.6 ↘
 beste Teiler 76.4 (9.) 82.9 (4.) 206.4 (3.)
 Trefferlage 1.05 mm links, 0.08 mm hoch
 Streuwert 2.37, horizontal: 2.81, vertikal: 1.82



Serie 2:
 10.7 * 9.3 ↘ 10.3 * 10.1 ← 9.7 ↘
 10.4 * 10.2 * 9.8 ↗ 10.0 ↖ 9.8 →
 beste Teiler 62.0 (11.) 131.1 (16.) 167.2 (13.)
 Trefferlage 0.26 mm links, 1.11 mm hoch
 Streuwert 1.67, horizontal: 1.85, vertikal: 1.47





Serie 3:
 9.4 ↗ 9.7 ↑ 9.7 → 9.8 ↘ 10.1 →
 10.4 * 10.2 * 10.7 * 10.0 ↙ 10.6 *
 beste Teiler 75.0 (28.) 83.4 (30.) 130.9 (26.)
 Trefferlage 1.23 mm rechts, 0.52 mm hoch
 Streuwert 1.53, horizontal: 1.53, vertikal: 1.53




Serie 4:
 9.6 ← 9.9 → 9.3 ↘ 9.2 ↘ 9.6 ↓
 10.0 ↓ 10.3 * 10.7 * 10.8 * 9.3 ↘
 beste Teiler 42.5 (39.) 53.4 (38.) 154.2 (37.)
 Trefferlage 0.68 mm rechts, 0.62 mm tief
 Streuwert 2.17, horizontal: 2.07, vertikal: 2.26

Unterschrift des Schützen


Ergebnis: **376** (389.6)
 Serien: 97 91 96 92
 Zähler: 20 17 2 1 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 789 (18), 578 (34), 573 (31)
 beste Teiler 77.2 (25.) 104.7 (22.) 111.0 (32.)
 Trefferlage 0.59 mm rechts, 0.18 mm hoch
 Streuwert 2.41, horizontal: 2.81, vertikal: 1.92




Serie 1:
 10.3 * 10.0 ← 10.0 ↖ 10.1 ↑ 10.4 *
 9.0 → 9.6 ↙ 10.4 * 9.1 ↘ 10.4 *
 beste Teiler 139.0 (8.) 139.5 (10.) 143.2 (5.)
 Trefferlage 0.57 mm links, 0.22 mm hoch
 Streuwert 2.09, horizontal: 2.46, vertikal: 1.64



Serie 2:
 9.4 ↘ 10.0 ↖ 9.0 → 10.2 * 9.4 ↗
 10.3 * 9.2 → 7.8 → 9.4 ↘ 9.7 ↖
 beste Teiler 162.4 (16.) 177.7 (14.) 232.8 (12.)
 Trefferlage 2.06 mm rechts, 0.39 mm tief
 Streuwert 2.68, horizontal: 3.26, vertikal: 1.93



Serie 3:
 9.5 → 10.5 * 10.0 ↑ 10.3 * 10.6 *
 10.1 ↙ 10.2 * 9.4 ↘ 9.0 ↗ 9.7 ←
 beste Teiler 77.2 (25.) 104.7 (22.) 163.8 (24.)
 Trefferlage 0.62 mm rechts, 0.01 mm hoch
 Streuwert 2.05, horizontal: 2.07, vertikal: 2.03





Serie 4:
 8.7 ↗ 10.5 * 10.3 * 8.6 ↗ 9.9 ←
 9.5 ↙ 9.4 ← 9.1 ↑ 10.3 * 10.3 *
 beste Teiler 111.0 (32.) 162.0 (39.) 162.2 (33.)
 Trefferlage 0.26 mm rechts, 0.89 mm hoch
 Streuwert 2.62, horizontal: 3.04, vertikal: 2.11


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **385** (404.8)
 Serien: 97 96 94 98
 Zähler: 25 15 0 0 0 0 0 0 0 0
 Innenzehner: 21
 weiteste: 374 (27), 364 (15), 362 (32)
 beste Teiler 40.0 (16.) 68.4 (11.) 82.1 (2.)
 Trefferlage 0.24 mm rechts, 0.04 mm hoch
 Streuwert 1.63, horizontal: 1.87, vertikal: 1.35




Serie 1:
 10.3 * 10.6 * 10.3 * 9.8 ↘ 9.8 ↘
 10.6 * 9.9 ↘ 10.6 * 10.0 ↖ 10.1 ↖
 beste Teiler 82.1 (2.) 85.7 (6.) 91.3 (8.)
 Trefferlage 0.02 mm links, 0.14 mm tief
 Streuwert 1.53, horizontal: 1.80, vertikal: 1.22



Serie 2:
 10.7 * 10.5 * 10.4 * 10.5 * 9.5 ↗
 10.8 * 9.7 ↗ 9.6 ↗ 10.4 * 9.9 ↘
 beste Teiler 40.0 (16.) 68.4 (11.) 110.0 (12.)
 Trefferlage 1.06 mm rechts, 0.38 mm hoch
 Streuwert 1.39, horizontal: 1.34, vertikal: 1.44





Serie 3:
 9.6 → 10.0 ↗ 9.8 ↘ 9.8 → 10.3 *
 9.8 ↙ 9.5 ↙ 10.3 * 9.7 ↗ 10.5 *
 beste Teiler 104.0 (30.) 165.5 (28.) 175.3 (25.)
 Trefferlage 0.25 mm rechts, 0.41 mm hoch
 Streuwert 1.98, horizontal: 2.42, vertikal: 1.40




Serie 4:
 10.3 * 9.5 → 9.6 ↙ 10.2 * 10.3 *
 10.4 * 10.1 ↙ 10.5 * 10.3 * 10.3 *
 beste Teiler 122.4 (38.) 140.3 (36.) 155.6 (31.)
 Trefferlage 0.33 mm links, 0.48 mm tief
 Streuwert 1.56, horizontal: 1.76, vertikal: 1.32

Unterschrift des Schützen


Ergebnis: **372** (389.7)
 Serien: 92 94 94 92
 Zähler: 17 18 5 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 627 (12), 598 (39), 588 (10)
 beste Teiler 45.2 (35.) 68.9 (6.) 87.1 (33.)
 Trefferlage 0.22 mm links, 0.79 mm hoch
 Streuwert 2.36, horizontal: 2.37, vertikal: 2.34




Serie 1:
 9.5 ← 9.5 ↘ 10.5 * 10.0 ↘ 9.4 ↘
 10.7 * 9.9 ↗ 9.5 ← 9.7 → 8.6 ←
 beste Teiler 68.9 (6.) 115.5 (3.) 226.6 (4.)
 Trefferlage 0.51 mm links, 0.77 mm tief
 Streuwert 2.39, horizontal: 3.06, vertikal: 1.44



Serie 2:
 10.4 * 8.4 ↘ 9.8 ← 9.2 ↘ 10.4 *
 8.9 ↗ 10.1 ↘ 10.1 ↑ 10.2 * 10.5 *
 beste Teiler 123.0 (20.) 126.8 (11.) 129.7 (15.)
 Trefferlage 0.71 mm links, 1.38 mm hoch
 Streuwert 2.19, horizontal: 1.97, vertikal: 2.39



Serie 3:
 10.6 * 10.3 * 9.5 ↗ 9.9 ↗ 10.1 ↗
 10.0 ↓ 9.0 ↘ 10.3 * 9.6 ↓ 8.8 ↘
 beste Teiler 93.5 (21.) 163.4 (22.) 172.5 (28.)
 Trefferlage 0.70 mm rechts, 0.16 mm hoch
 Streuwert 2.28, horizontal: 2.30, vertikal: 2.25





Serie 4:
 9.3 ↘ 9.6 ↗ 10.6 * 9.6 ↑ 10.8 *
 10.2 * 9.0 ↗ 9.4 ↘ 8.6 ↑ 9.2 ↘
 beste Teiler 45.2 (35.) 87.1 (33.) 188.7 (36.)
 Trefferlage 0.38 mm links, 2.41 mm hoch
 Streuwert 2.11, horizontal: 2.11, vertikal: 2.11


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **380** (399.2)
 Serien: 93 95 95 97
 Zähler: 20 20 0 0 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 487 (6), 456 (14), 422 (15)
 beste Teiler 35.1 (20.) 67.2 (38.) 88.4 (40.)
 Trefferlage 0.36 mm links, 0.69 mm hoch
 Streuwert 1.87, horizontal: 2.04, vertikal: 1.68




Serie 1:
 9.9 ↖ 9.5 ↗ 9.3 ↘ 10.6 * 10.0 ↗
 9.0 ← 9.3 ← 10.4 * 9.4 ↗ 9.8 ↗
 beste Teiler 99.4 (4.) 132.2 (8.) 249.1 (5.)
 Trefferlage 1.43 mm links, 1.35 mm hoch
 Streuwert 2.00, horizontal: 1.85, vertikal: 2.14



Serie 2:
 10.3 * 10.6 * 9.7 ↗ 9.1 ↖ 9.3 ←
 9.7 → 10.3 * 10.3 * 9.6 ← 10.8 *
 beste Teiler 35.1 (20.) 94.4 (12.) 159.4 (18.)
 Trefferlage 0.66 mm links, 0.80 mm hoch
 Streuwert 1.94, horizontal: 2.45, vertikal: 1.26



Serie 3:
 9.8 ↗ 10.5 * 9.5 ↖ 10.2 * 10.6 *
 10.2 * 9.8 ↘ 9.6 ↘ 9.8 ← 10.0 ↗
 beste Teiler 94.8 (25.) 102.1 (22.) 181.3 (24.)
 Trefferlage 0.21 mm links, 0.06 mm hoch
 Streuwert 1.92, horizontal: 1.89, vertikal: 1.95





Serie 4:
 9.9 ↑ 10.4 * 9.8 → 10.5 * 10.0 →
 9.6 ↗ 10.4 * 10.7 * 10.4 * 10.6 *
 beste Teiler 67.2 (38.) 88.4 (40.) 107.4 (34.)
 Trefferlage 0.83 mm rechts, 0.57 mm hoch
 Streuwert 1.29, horizontal: 1.42, vertikal: 1.15


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	355	(371.6)
Serien:	86 92 88 89	
Zähler:	8 21 9 2 0 0 0 0 0 0	
Innenzehner:	5	
weiteste:	872 (1), 818 (37), 737 (22)	
beste Teiler	83.3 (17.) 95.2 (38.) 121.7 (20.)	
Trefferlage	1.01 mm rechts, 1.13 mm hoch	
Streuwert	3.05, horizontal: 3.98, vertikal: 1.68	




Serie 1:	7.5 →	9.5 →	8.5 →	8.6 ↘	9.5 ↗
	9.6 ↗	9.4 ↗	8.7 ↖	9.0 →	10.3 *
beste Teiler	161.0 (10.)	339.2 (6.)	352.6 (5.)		
Trefferlage	2.03 mm rechts, 1.37 mm hoch				
Streuwert	3.30, horizontal: 4.37, vertikal: 1.62				



Serie 2:	9.3 ←	9.4 ←	9.7 ←	9.0 ↑	9.1 →
	8.8 ↗	10.6 *	10.0 ↘	9.6 →	10.5 *
beste Teiler	83.3 (17.)	121.7 (20.)	245.2 (18.)		
Trefferlage	0.22 mm rechts, 0.39 mm hoch				
Streuwert	2.73, horizontal: 3.28, vertikal: 2.05				





Serie 3:	8.9 →	8.0 ↘	9.1 ↖	9.6 →	10.3 *
	9.4 →	9.2 ↘	9.2 →	8.6 →	9.7 ↑
beste Teiler	168.8 (25.)	302.0 (30.)	332.3 (24.)		
Trefferlage	0.97 mm rechts, 1.64 mm hoch				
Streuwert	3.15, horizontal: 4.10, vertikal: 1.73				




Serie 4:	9.0 ↗	10.1 ←	10.1 ↘	8.7 ↖	9.4 →
	9.8 ↗	7.7 →	10.6 *	8.6 ↖	9.0 →
beste Teiler	95.2 (38.)	202.9 (33.)	225.4 (32.)		
Trefferlage	0.80 mm rechts, 1.15 mm hoch				
Streuwert	3.27, horizontal: 4.46, vertikal: 1.22				

Unterschrift des Schützen


Ergebnis:	369	(389.3)
Serien:	91	92 92 94
Zähler:	16	17 7 0 0 0 0 0 0 0
Innenzehner:	12	
weiteste:	734	(29), 604 (14), 587 (24)
beste Teiler	48.1	(23.) 58.4 (25.) 70.9 (16.)
Trefferlage	0.33 mm	rechts, 0.12 mm hoch
Streuwert	2.50,	horizontal: 3.01, vertikal: 1.87




Serie 1:	8.9 ↙	10.5 *	8.8 →	9.7 ↑	9.7 ↘
	9.4 ↗	10.4 *	9.7 ↓	10.1 ↓	9.9 ↑
beste Teiler	115.4	(2.) 140.9 (7.)	222.7 (9.)		
Trefferlage	0.08 mm	rechts, 0.15 mm	tief		
Streuwert	2.52,	horizontal: 2.69,	vertikal: 2.33		



Serie 2:	9.9 →	9.0 ↙	8.8 ↘	8.5 →	9.7 ↖
	10.7 *	10.5 *	9.0 ↗	10.4 *	10.6 *
beste Teiler	70.9	(16.) 94.4 (20.)	103.1 (17.)		
Trefferlage	1.28 mm	rechts, 0.28 mm	hoch		
Streuwert	2.54,	horizontal: 3.14,	vertikal: 1.74		





Serie 3:	10.5 *	10.5 *	10.8 *	8.6 ←	10.7 *
	9.9 ↑	8.6 →	9.3 ↘	8.0 ↙	10.5 *
beste Teiler	48.1	(23.) 58.4 (25.)	110.1 (22.)		
Trefferlage	0.31 mm	links, 0.30 mm	tief		
Streuwert	2.88,	horizontal: 3.69,	vertikal: 1.71		




Serie 4:	9.9 ↓	9.0 →	9.7 ↑	9.7 ↘	10.0 →
	10.2 *	10.1 ←	9.9 ↗	9.2 ←	10.0 ↖
beste Teiler	199.2	(36.) 207.2 (37.)	234.0 (35.)		
Trefferlage	0.28 mm	rechts, 0.65 mm	hoch		
Streuwert	2.23,	horizontal: 2.61,	vertikal: 1.76		

Unterschrift des Schützen


Ergebnis:	360	(376.7)
Serien:	94 88 91 87	
Zähler:	15 13 9 3 0 0 0 0 0 0	
Innenzehner:	12	
weiteste:	918 (13), 767 (15), 762 (38)	
beste Teiler	49.4 (4.) 60.4 (18.) 97.1 (23.)	
Trefferlage	0.78 mm rechts, 0.43 mm hoch	
Streuwert	3.14, horizontal: 2.97, vertikal: 3.30	




Serie 1:	8.3 ↑	10.5 *	9.0 →	10.8 *	10.3 *
	10.2 *	9.2 ↓	10.5 *	9.3 ↙	9.4 ↗
beste Teiler	49.4 (4.)	121.0 (2.)	125.3 (8.)		
Trefferlage	0.43 mm rechts, 0.30 mm hoch				
Streuwert	2.64, horizontal: 2.02, vertikal: 3.14				



Serie 2:	9.0 ↑	8.2 ↗	7.3 ↘	8.4 ↑	7.9 →
	10.0 ↗	9.6 ↓	10.7 *	10.4 *	10.5 *
beste Teiler	60.4 (18.)	108.2 (20.)	139.7 (19.)		
Trefferlage	1.23 mm rechts, 0.36 mm hoch				
Streuwert	3.81, horizontal: 3.81, vertikal: 3.80				



Serie 3:	9.0 ↑	8.5 ↘	10.6 *	9.3 ↗	9.3 ↑
	8.8 →	8.7 ↗	10.3 *	10.2 *	10.1 ↘
beste Teiler	97.1 (23.)	172.6 (28.)	192.6 (29.)		
Trefferlage	0.82 mm rechts, 2.57 mm hoch				
Streuwert	2.32, horizontal: 2.50, vertikal: 2.12				





Serie 4:	9.8 ↘	10.4 *	9.8 →	8.8 ↘	8.3 ↘
	8.4 ↘	9.4 ↘	7.9 ↘	9.6 ↘	10.0 ↗
beste Teiler	136.6 (32.)	249.0 (40.)	297.0 (33.)		
Trefferlage	0.64 mm rechts, 1.49 mm tief				
Streuwert	3.33, horizontal: 3.61, vertikal: 3.04				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **369** (386.0)
 Serien: 94 93 92 90
 Zähler: 17 17 4 2 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 792 (21), 782 (20), 729 (30)
 beste Teiler 18.0 (35.) 47.4 (28.) 63.0 (22.)
 Trefferlage 0.65 mm links, 0.90 mm tief
 Streuwert 2.61, horizontal: 3.14, vertikal: 1.94




Serie 1:
 9.5 ↘ 9.0 ← 9.7 ← 9.6 ↙ 9.8 ←
 10.0 ↗ 10.1 ↘ 9.2 ↑ 10.2 * 10.1 ↘
 beste Teiler 178.1 (9.) 219.4 (10.) 220.6 (7.)
 Trefferlage 0.66 mm links, 0.56 mm tief
 Streuwert 2.31, horizontal: 2.59, vertikal: 1.99



Serie 2:
 10.0 → 9.9 ↘ 10.4 * 9.9 ← 9.7 ←
 10.6 * 10.0 → 9.7 ↗ 10.2 * 7.8 ←
 beste Teiler 78.7 (16.) 150.7 (13.) 197.0 (19.)
 Trefferlage 0.37 mm links, 0.22 mm hoch
 Streuwert 2.49, horizontal: 3.32, vertikal: 1.18



Serie 3:
 7.8 ↙ 10.7 * 10.0 ↗ 8.4 ← 10.0 ↘
 10.6 * 9.8 ↓ 10.8 * 10.3 * 8.0 ↙
 beste Teiler 47.4 (28.) 63.0 (22.) 96.4 (26.)
 Trefferlage 1.90 mm links, 1.53 mm tief
 Streuwert 2.59, horizontal: 3.07, vertikal: 2.00





Serie 4:
 9.0 ← 8.3 ↘ 9.5 ↘ 9.2 ← 10.9 *
 9.5 ↘ 10.6 * 9.4 ← 8.6 ↘ 9.2 ↘
 beste Teiler 18.0 (35.) 97.1 (37.) 359.0 (33.)
 Trefferlage 0.34 mm rechts, 1.73 mm tief
 Streuwert 2.91, horizontal: 3.57, vertikal: 2.04


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	371	(388.5)
Serien:	93 92 94 92	
Zähler:	16 19 5 0 0 0 0 0 0 0	
Innenzehner:	10	
weiteste:	748 (38), 561 (13), 523 (37)	
beste Teiler	50.2 (2.) 73.9 (22.) 82.7 (26.)	
Trefferlage	0.18 mm rechts, 0.27 mm hoch	
Streuwert	2.47, horizontal: 2.90, vertikal: 1.93	




Serie 1:	8.9 ↘	10.8 *	9.9 ↘	10.0 ↖	9.6 ↙
	10.5 *	9.1 ↓	10.0 ↘	9.8 ↑	9.8 →
beste Teiler	50.2 (2.)	109.5 (6.)	228.6 (8.)		
Trefferlage	0.44 mm rechts, 0.25 mm tief				
Streuwert	2.26, horizontal: 2.25, vertikal: 2.27				



Serie 2:	9.0 →	10.2 *	8.7 ←	10.4 *	10.0 →
	9.2 ↖	9.7 ←	8.9 ←	10.4 *	9.8 →
beste Teiler	147.8 (14.)	150.0 (19.)	193.7 (12.)		
Trefferlage	1.05 mm links, 0.16 mm hoch				
Streuwert	2.61, horizontal: 3.47, vertikal: 1.27				





Serie 3:	9.4 ↑	10.7 *	9.7 ↘	10.0 →	9.3 ↖
	10.6 *	9.6 ↖	9.6 →	9.0 ↗	10.4 *
beste Teiler	73.9 (22.)	82.7 (26.)	128.0 (30.)		
Trefferlage	0.46 mm rechts, 0.74 mm hoch				
Streuwert	2.20, horizontal: 2.48, vertikal: 1.88				




Serie 4:	10.4 *	10.1 →	9.3 ↘	9.4 ↑	9.8 ↓
	9.4 →	8.9 →	8.0 ↖	10.0 ↑	10.2 *
beste Teiler	132.6 (31.)	189.4 (40.)	217.9 (32.)		
Trefferlage	0.88 mm rechts, 0.43 mm hoch				
Streuwert	2.84, horizontal: 3.29, vertikal: 2.30				

Unterschrift des Schützen


Ergebnis:	374	(388.3)
Serien:	97 91 91 95	
Zähler:	20 16 2 2 0 0 0 0 0 0	
Innenzehner:	13	
weiteste:	805 (28), 797 (17), 584 (33)	
beste Teiler	84.0 (23.) 93.2 (5.) 101.8 (10.)	
Trefferlage	0.07 mm links, 0.67 mm hoch	
Streuwert	2.51, horizontal: 2.85, vertikal: 2.11	




Serie 1:	9.9 ↙	9.6 →	10.2 *	10.1 ↓	10.6 *
	10.1 ↓	9.6 ↘	10.1 ↓	10.2 *	10.5 *
beste Teiler	93.2 (5.)	101.8 (10.)	189.6 (9.)		
Trefferlage	0.07 mm links, 0.52 mm tief				
Streuwert	1.67, horizontal: 1.81, vertikal: 1.51				



Serie 2:	9.0 ↗	9.4 →	10.2 *	9.3 ↖	10.2 *
	9.6 ↖	7.8 ←	10.2 *	9.2 →	9.9 ↖
beste Teiler	179.0 (15.)	181.4 (13.)	195.1 (18.)		
Trefferlage	0.15 mm links, 1.00 mm hoch				
Streuwert	2.98, horizontal: 3.87, vertikal: 1.68				



Serie 3:	10.1 ↘	10.1 ↖	10.6 *	10.2 *	9.3 ↘
	9.2 ←	8.8 ↖	7.7 ↖	9.2 ↓	9.0 ↑
beste Teiler	84.0 (23.)	200.3 (24.)	208.6 (21.)		
Trefferlage	0.35 mm links, 1.14 mm hoch				
Streuwert	3.11, horizontal: 3.20, vertikal: 3.02				





Serie 4:	9.8 ←	10.1 ↖	8.6 ↗	9.0 ↖	10.3 *
	10.0 ↗	9.7 →	10.2 *	10.5 *	10.2 *
beste Teiler	125.4 (39.)	162.8 (35.)	192.0 (40.)		
Trefferlage	0.26 mm rechts, 1.06 mm hoch				
Streuwert	2.18, horizontal: 2.58, vertikal: 1.70				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	344	(364.8)
Serien:	83 86 86 89	
Zähler:	9 16 8 5 1 1 0 0 0 0	
Innenzehner:	7	
weiteste:	1395 (10), 1139 (19), 946 (25)	
beste Teiler	32.0 (12.) 69.5 (30.) 75.0 (32.)	
Trefferlage	1.00 mm rechts, 0.91 mm tief	
Streuwert	3.79, horizontal: 4.86, vertikal: 2.24	




Serie 1:	9.6 ↘	9.4 →	7.5 ←	9.6 ←	10.5 *
	9.3 →	9.3 →	8.5 ←	8.4 ↙	5.4 →
beste Teiler	104.6 (5.)	342.4 (1.)	343.2 (4.)		
Trefferlage	0.19 mm rechts, 0.51 mm tief				
Streuwert	4.83, horizontal: 6.56, vertikal: 1.93				



Serie 2:	10.0 ↘	10.8 *	9.9 ↘	8.5 ←	9.7 →
	8.3 →	9.2 ←	9.6 ←	6.4 →	8.9 →
beste Teiler	32.0 (12.)	249.1 (11.)	258.6 (13.)		
Trefferlage	1.41 mm rechts, 0.36 mm tief				
Streuwert	3.86, horizontal: 5.25, vertikal: 1.51				





Serie 3:	10.1 ↘	7.8 ↙	8.9 ↘	9.7 ↗	7.2 →
	9.2 ↗	8.5 →	8.4 →	10.6 *	10.7 *
beste Teiler	69.5 (30.)	85.8 (29.)	213.8 (21.)		
Trefferlage	2.28 mm rechts, 1.16 mm tief				
Streuwert	3.56, horizontal: 4.11, vertikal: 2.92				




Serie 4:	9.9 ↘	10.7 *	7.9 ↘	10.4 *	9.6 ↙
	9.7 ↗	10.2 *	9.2 ↙	7.9 ↙	9.4 →
beste Teiler	75.0 (32.)	148.0 (34.)	183.0 (37.)		
Trefferlage	0.11 mm rechts, 1.60 mm tief				
Streuwert	2.97, horizontal: 3.39, vertikal: 2.48				

Unterschrift des Schützen


Ergebnis:	385	(400.1)
Serien:	96 94 97 98	
Zähler:	29 8 2 1 0 0 0 0 0 0	
Innenzehner:	20	
weiteste:	762 (5), 505 (11), 504 (19)	
beste Teiler	39.9 (26.) 45.5 (33.) 96.2 (25.)	
Trefferlage	0.00 mm , 0.38 mm hoch	
Streuwert	1.94, horizontal: 1.93, vertikal: 1.96	




Serie 1:	10.4 *	10.0 ↓	9.4 ↖	10.5 *	7.9 ↙
	10.0 ↗	10.2 *	10.5 *	10.2 *	10.4 *
beste Teiler	114.4 (4.)	117.7 (8.)	131.9 (1.)		
Trefferlage	0.87 mm links, 0.45 mm hoch				
Streuwert	2.23, horizontal: 1.98, vertikal: 2.45				



Serie 2:	8.9 ↘	10.3 *	10.2 *	9.5 ↑	10.5 *
	10.2 *	9.6 ↑	10.1 ↘	8.9 →	10.2 *
beste Teiler	115.3 (15.)	161.3 (12.)	178.7 (16.)		
Trefferlage	0.75 mm rechts, 0.36 mm hoch				
Streuwert	2.20, horizontal: 2.33, vertikal: 2.06				



Serie 3:	10.2 *	10.1 ↖	9.5 ↖	10.2 *	10.6 *
	10.8 *	9.9 ↖	10.1 →	9.3 ↘	10.3 *
beste Teiler	39.9 (26.)	96.2 (25.)	152.6 (30.)		
Trefferlage	0.12 mm rechts, 0.39 mm hoch				
Streuwert	1.73, horizontal: 1.70, vertikal: 1.75				





Serie 4:	10.0 ↑	10.5 *	10.8 *	9.7 ↗	10.1 ↙
	10.1 →	10.2 *	10.0 ↓	10.3 *	9.5 ↖
beste Teiler	45.5 (33.)	118.1 (32.)	163.4 (39.)		
Trefferlage	0.01 mm rechts, 0.33 mm hoch				
Streuwert	1.69, horizontal: 1.53, vertikal: 1.83				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378** (396.1)
 Serien: 92 95 94 97
 Zähler: 20 18 2 0 0 0 0 0 0 0
 Innenzehner: 18
 weiteste: 728 (6), 573 (1), 478 (4)
 beste Teiler 7.8 (12.) 34.0 (7.) 73.6 (13.)
 Trefferlage 0.74 mm links, 0.29 mm hoch
 Streuwert 2.14, horizontal: 2.54, vertikal: 1.64




Serie 1:
 8.7 ↘ 10.3 * 9.3 → 9.0 ↖ 9.9 ↘
 8.0 ← 10.8 * 10.1 ↖ 9.7 ← 10.5 *
 beste Teiler 34.0 (7.) 123.4 (10.) 171.0 (2.)
 Trefferlage 1.73 mm links, 0.63 mm hoch
 Streuwert 2.56, horizontal: 3.37, vertikal: 1.31



Serie 2:
 9.8 ↑ 10.9 * 10.7 * 9.5 ↑ 10.3 *
 10.0 → 9.8 ↙ 9.7 ← 10.5 * 9.1 ↑
 beste Teiler 7.8 (12.) 73.6 (13.) 116.3 (19.)
 Trefferlage 0.42 mm links, 0.93 mm hoch
 Streuwert 1.82, horizontal: 1.49, vertikal: 2.10



Serie 3:
 9.2 ← 9.1 → 10.2 * 10.6 * 9.2 ↘
 9.5 ← 9.2 ↓ 9.7 → 10.5 * 10.5 *
 beste Teiler 87.0 (24.) 109.9 (29.) 113.2 (30.)
 Trefferlage 0.50 mm links, 1.01 mm tief
 Streuwert 2.30, horizontal: 2.92, vertikal: 1.45





Serie 4:
 9.9 ↗ 10.5 * 10.3 * 10.7 * 10.5 *
 9.1 ↖ 10.2 * 10.4 * 10.5 * 9.7 ←
 beste Teiler 74.8 (34.) 114.2 (32.) 117.6 (39.)
 Trefferlage 0.29 mm links, 0.64 mm hoch
 Streuwert 1.61, horizontal: 2.09, vertikal: 0.92

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	384	(401.7)
Serien:	99 97 95 93	
Zähler:	25 14 1 0 0 0 0 0 0 0	
Innenzehner:	20	
weiteste:	501 (32), 494 (37), 387 (21)	
beste Teiler	70.2 (24.) 72.2 (10.) 89.0 (3.)	
Trefferlage	1.03 mm links, 0.34 mm hoch	
Streuwert	1.60, horizontal: 1.72, vertikal: 1.46	




Serie 1:

10.2 *	10.1 ↙	10.6 *	10.2 *	9.8 ←
10.5 *	10.2 *	10.1 ↙	10.5 *	10.7 *
beste Teiler	72.2 (10.) 89.0 (3.) 101.5 (6.)			
Trefferlage	0.99 mm links, 0.32 mm hoch			
Streuwert	1.06, horizontal: 1.16, vertikal: 0.94			




Serie 2:

10.2 *	10.1 ↓	9.8 ↖	9.5 ↗	10.3 *
9.9 ←	10.4 *	10.3 *	10.4 *	10.2 *
beste Teiler	132.1 (19.) 136.4 (17.) 165.4 (18.)			
Trefferlage	0.80 mm links, 0.20 mm tief			
Streuwert	1.54, horizontal: 1.77, vertikal: 1.27			



Serie 3:

9.4 ←	10.4 *	10.3 *	10.7 *	9.4 ←
10.4 *	9.8 ←	9.6 ↑	10.1 ↙	9.9 ←
beste Teiler	70.2 (24.) 128.3 (22.) 128.8 (26.)			
Trefferlage	1.45 mm links, 0.39 mm hoch			
Streuwert	1.57, horizontal: 1.75, vertikal: 1.35			





Serie 4:


9.5 ↑	8.9 ↘	10.2 *	9.9 ↘	10.3 *
10.2 *	9.0 ←	10.0 ↓	9.8 ↗	9.9 ←
beste Teiler	152.0 (35.) 181.0 (33.) 189.4 (36.)			
Trefferlage	0.90 mm links, 0.87 mm hoch			
Streuwert	2.15, horizontal: 2.23, vertikal: 2.06			

Unterschrift des Schützen


Ergebnis: **377** (398.0)
 Serien: 93 95 97 92
 Zähler: 19 19 2 0 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 603 (6), 569 (31), 477 (18)
 beste Teiler 29.6 (25.) 44.9 (23.) 61.0 (15.)
 Trefferlage 0.07 mm links, 0.60 mm tief
 Streuwert 2.00, horizontal: 1.99, vertikal: 2.02




Serie 1:
 9.8 ↘ 10.5 * 9.7 ↘ 9.7 ↓ 9.5 →
 8.5 ← 10.6 * 10.5 * 10.2 * 9.5 ←
 beste Teiler 87.6 (7.) 114.2 (2.) 125.1 (8.)
 Trefferlage 0.80 mm links, 0.10 mm tief
 Streuwert 2.25, horizontal: 2.71, vertikal: 1.66



Serie 2:
 10.5 * 10.1 ↗ 9.7 ↙ 10.4 * 10.7 *
 9.6 ↓ 10.5 * 9.0 ↓ 9.7 ↙ 9.7 ↘
 beste Teiler 61.0 (15.) 101.8 (11.) 113.4 (17.)
 Trefferlage 0.32 mm links, 1.45 mm tief
 Streuwert 1.67, horizontal: 1.42, vertikal: 1.89



Serie 3:
 10.1 ↘ 9.6 ↑ 10.8 * 10.4 * 10.8 *
 9.8 ↘ 10.2 * 10.2 * 10.6 * 9.8 →
 beste Teiler 29.6 (25.) 44.9 (23.) 84.3 (29.)
 Trefferlage 0.45 mm rechts, 0.49 mm hoch
 Streuwert 1.47, horizontal: 1.39, vertikal: 1.56





Serie 4:
 8.7 ↓ 10.3 * 9.6 ↓ 9.3 ↗ 9.6 ←
 10.6 * 9.2 ↘ 10.4 * 9.8 ← 9.8 ↘
 beste Teiler 99.0 (36.) 146.4 (38.) 169.3 (32.)
 Trefferlage 0.38 mm rechts, 1.34 mm tief
 Streuwert 2.28, horizontal: 2.15, vertikal: 2.41


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	366	(384.0)
Serien:	90 92 93 91	
Zähler:	13 20 7 0 0 0 0 0 0 0	
Innenzehner:	6	
weiteste:	647 (9), 620 (40), 593 (23)	
beste Teiler	72.8 (13.) 72.8 (20.) 149.5 (1.)	
Trefferlage	0.73 mm links, 0.61 mm tief	
Streuwert	2.57, horizontal: 2.54, vertikal: 2.61	




Serie 1:	10.4 *	10.2 *	10.0 ↘	9.3 ↖	9.6 ↙
	9.9 ↙	8.6 ↓	8.9 ↑	8.4 ↖	9.3 ↙
beste Teiler	149.5 (1.)	198.1 (2.)	250.4 (3.)		
Trefferlage	1.29 mm links, 1.29 mm tief				
Streuwert	2.74, horizontal: 2.08, vertikal: 3.27				



Serie 2:	9.3 ↖	9.7 ↓	10.7 *	9.6 ↑	9.7 ↙
	9.3 ↖	8.6 →	9.3 ↙	10.1 →	10.7 *
beste Teiler	72.8 (13.)	72.8 (20.)	218.1 (19.)		
Trefferlage	0.61 mm links, 0.18 mm tief				
Streuwert	2.55, horizontal: 2.82, vertikal: 2.25				





Serie 3:	10.1 ←	10.3 *	8.6 →	9.8 ←	8.8 ↘
	9.6 ↓	9.0 ↙	10.1 ↖	10.0 →	10.1 →
beste Teiler	171.2 (22.)	203.9 (28.)	211.0 (21.)		
Trefferlage	0.36 mm rechts, 0.94 mm tief				
Streuwert	2.60, horizontal: 2.92, vertikal: 2.23				




Serie 4:	9.6 ↓	9.1 ←	9.8 ↑	10.1 ↖	9.7 ↙
	10.2 *	9.2 ↗	9.9 ↙	9.9 ↓	8.5 ↖
beste Teiler	189.7 (36.)	215.6 (34.)	251.7 (38.)		
Trefferlage	1.38 mm links, 0.01 mm tief				
Streuwert	2.49, horizontal: 2.22, vertikal: 2.74				

Unterschrift des Schützen


Ergebnis:	372	(390.9)
Serien:	96	90 90 96
Zähler:	17	18 5 0 0 0 0 0 0 0
Innenzehner:	14	
weiteste:	678 (30), 560 (24), 554 (13)	
beste Teiler	36.8 (32.) 40.6 (18.) 88.0 (26.)	
Trefferlage	0.04 mm rechts, 0.10 mm hoch	
Streuwert	2.39, horizontal: 2.71, vertikal: 2.00	




Serie 1:	10.5 *	10.4 *	9.0 →	9.9 ↘	10.0 ↗
	10.3 *	10.2 *	9.9 ←	10.4 *	9.8 ←
beste Teiler	125.5 (1.) 140.8 (2.) 148.0 (9.)				
Trefferlage	0.12 mm rechts, 0.25 mm hoch				
Streuwert	1.87, horizontal: 2.24, vertikal: 1.40				



Serie 2:	8.9 ↘	8.9 ↗	8.7 ↗	9.9 →	9.5 ←
	10.2 *	10.2 *	10.8 *	9.2 →	9.0 ↘
beste Teiler	40.6 (18.) 177.5 (17.) 184.6 (16.)				
Trefferlage	0.19 mm links, 1.16 mm hoch				
Streuwert	2.77, horizontal: 3.09, vertikal: 2.41				





Serie 3:	9.6 ↓	10.4 *	9.7 ↖	8.7 ←	9.7 →
	10.6 *	9.7 ↑	9.5 ↗	9.8 ↓	8.2 ↘
beste Teiler	88.0 (26.) 144.5 (22.) 288.0 (29.)				
Trefferlage	0.34 mm links, 0.59 mm tief				
Streuwert	2.77, horizontal: 3.15, vertikal: 2.32				




Serie 4:	9.8 ↖	10.8 *	10.0 ↗	10.1 ↘	9.0 →
	10.5 *	9.6 ←	9.1 →	10.2 *	10.2 *
beste Teiler	36.8 (32.) 121.4 (36.) 194.4 (40.)				
Trefferlage	0.59 mm rechts, 0.39 mm tief				
Streuwert	2.12, horizontal: 2.62, vertikal: 1.45				

Unterschrift des Schützen


Ergebnis:	356	(374.2)
Serien:	91	83 88 94
Zähler:	16 8	12 4 0 0 0 0 0 0
Innenzehner:	10	
weiteste:	857 (5), 817 (26), 793 (18)	
beste Teiler	85.2 (8.)	121.4 (11.) 128.5 (25.)
Trefferlage	2.22 mm links, 1.76 mm hoch	
Streuwert	2.54, horizontal: 2.80, vertikal: 2.25	




Serie 1:	10.3 *	8.9 ↖	9.1 ↗	10.2 *	7.5 ↘
	10.3 *	8.8 ←	10.6 *	10.0 ↗	9.9 ↘
beste Teiler	85.2 (8.)	163.4 (6.)	164.1 (1.)		
Trefferlage	1.36 mm links, 1.66 mm hoch				
Streuwert	2.65, horizontal: 3.29, vertikal: 1.79				



Serie 2:	10.5 *	9.0 ↘	8.8 ↖	8.3 ↘	7.9 ↘
	8.7 ↘	9.4 ↘	7.8 ↖	9.3 ↖	8.9 ←
beste Teiler	121.4 (11.)	381.9 (17.)	423.9 (19.)		
Trefferlage	4.03 mm links, 2.93 mm hoch				
Streuwert	1.83, horizontal: 2.11, vertikal: 1.51				



Serie 3:	10.0 ↗	8.3 ↖	10.4 *	8.9 ↘	10.4 *
	7.7 ↘	10.4 *	9.5 ↖	8.6 ↘	8.7 ↘
beste Teiler	128.5 (25.)	130.2 (27.)	130.5 (23.)		
Trefferlage	2.69 mm links, 2.21 mm hoch				
Streuwert	2.41, horizontal: 2.85, vertikal: 1.86				





Serie 4:	10.2 *	8.9 ↖	10.2 *	10.1 ↘	9.0 ↗
	8.6 ↑	10.1 ↑	10.0 ↘	9.9 ↘	10.1 ↖
beste Teiler	192.0 (31.)	195.2 (33.)	206.8 (34.)		
Trefferlage	0.79 mm links, 0.24 mm hoch				
Streuwert	2.46, horizontal: 1.88, vertikal: 2.93				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (392.1)
 Serien: 95 94 93 91
 Zähler: 15 23 2 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 618 (12), 516 (40), 482 (36)
 beste Teiler 29.9 (27.) 78.2 (8.) 106.5 (4.)
 Trefferlage 0.21 mm links, 0.37 mm hoch
 Streuwert 2.23, horizontal: 2.47, vertikal: 1.96




Serie 1:
 10.1 ↖ 9.4 ← 10.0 ↓ 10.5 * 10.5 *
 9.5 → 9.6 → 10.6 * 9.7 ↗ 9.6 ←
 beste Teiler 78.2 (8.) 106.5 (4.) 116.6 (5.)
 Trefferlage 0.09 mm links, 0.08 mm tief
 Streuwert 2.03, horizontal: 2.52, vertikal: 1.38



Serie 2:
 9.2 → 8.5 ← 9.6 → 10.0 ↓ 10.1 ↑
 9.9 ↖ 10.4 * 10.1 ↓ 10.4 * 9.9 →
 beste Teiler 137.7 (19.) 147.0 (17.) 206.8 (18.)
 Trefferlage 0.16 mm rechts, 0.08 mm hoch
 Streuwert 2.37, horizontal: 3.03, vertikal: 1.44





Serie 3:
 9.0 ↗ 10.0 ↘ 9.9 ↗ 9.3 ↖ 9.2 ↑
 9.8 ↖ 10.8 * 9.8 ↘ 9.9 ↓ 10.1 ↗
 beste Teiler 29.9 (27.) 215.5 (30.) 232.8 (22.)
 Trefferlage 0.62 mm rechts, 1.14 mm hoch
 Streuwert 2.16, horizontal: 1.66, vertikal: 2.56




Serie 4:
 9.7 ← 9.9 ↖ 9.7 → 9.9 ↖ 10.2 *
 9.0 ↗ 9.0 ← 10.5 * 9.9 ↖ 8.9 ↖
 beste Teiler 117.5 (38.) 180.2 (35.) 252.5 (34.)
 Trefferlage 1.54 mm links, 0.36 mm hoch
 Streuwert 2.28, horizontal: 2.28, vertikal: 2.28

Unterschrift des Schützen


Ergebnis:	395	(413.3)
Serien:	98	100 98 99
Zähler:	35 5 0 0 0 0 0 0 0 0	
Innenzehner:	31	
weiteste:	405 (10), 356 (30), 327 (31)	
beste Teiler	31.0 (20.) 48.3 (16.) 49.6 (4.)	
Trefferlage	0.01 mm rechts, 0.35 mm hoch	
Streuwert	1.24, horizontal: 1.46, vertikal: 0.98	




Serie 1:	10.6 *	9.9 ↑	10.3 *	10.8 *	10.5 *
	10.7 *	10.5 *	10.4 *	10.2 *	9.3 →
beste Teiler	49.6 (4.) 51.8 (6.) 85.7 (1.)				
Trefferlage	0.10 mm links, 0.45 mm hoch				
Streuwert	1.37, horizontal: 1.56, vertikal: 1.15				



Serie 2:	10.6 *	10.2 *	10.4 *	10.0 ↘	10.2 *
	10.8 *	10.4 *	10.2 *	10.3 *	10.8 *
beste Teiler	31.0 (20.) 48.3 (16.) 99.0 (11.)				
Trefferlage	0.38 mm links, 0.48 mm hoch				
Streuwert	1.05, horizontal: 1.23, vertikal: 0.83				





Serie 3:	10.5 *	10.4 *	10.1 ↗	9.8 →	10.5 *
	10.6 *	10.7 *	10.4 *	10.6 *	9.5 ←
beste Teiler	55.5 (27.) 83.0 (29.) 88.9 (26.)				
Trefferlage	0.14 mm rechts, 0.14 mm hoch				
Streuwert	1.36, horizontal: 1.65, vertikal: 0.99				



Serie 4:	9.6 ↖	10.6 *	10.6 *	10.4 *	10.2 *
	10.0 ←	10.7 *	10.0 →	10.4 *	10.6 *
beste Teiler	73.0 (37.) 84.2 (40.) 90.5 (33.)				
Trefferlage	0.38 mm rechts, 0.33 mm hoch				
Streuwert	1.28, horizontal: 1.46, vertikal: 1.07				


Unterschrift des Schützen

Ergebnis:	382	(400.0)
Serien:	95 95 96 96	
Zähler:	22 18 0 0 0 0 0 0 0 0	
Innenzehner:	16	
weiteste:	477 (9), 473 (6), 458 (4)	
beste Teiler	34.0 (17.) 47.0 (10.) 50.6 (14.)	
Trefferlage	0.09 mm rechts, 0.28 mm hoch	
Streuwert	1.91, horizontal: 2.31, vertikal: 1.41	




Serie 1:

9.8 ↖	10.1 ↖	10.1 ↗	9.1 ↘	10.4 *
9.1 ↖	10.2 *	9.9 ←	9.0 →	10.8 *
beste Teiler	47.0 (10.)	136.7 (5.)	186.7 (7.)	
Trefferlage	0.13 mm links, 0.44 mm hoch			
Streuwert	2.30, horizontal: 2.81, vertikal: 1.64			




Serie 2:

10.3 *	10.4 *	9.9 ↖	10.8 *	9.7 →
9.5 ↙	10.8 *	9.6 ↘	9.6 →	10.3 *
beste Teiler	34.0 (17.)	50.6 (14.)	135.5 (12.)	
Trefferlage	0.63 mm rechts, 0.13 mm tief			
Streuwert	1.81, horizontal: 2.25, vertikal: 1.23			



Serie 3:

10.5 *	9.8 →	9.7 ↗	10.2 *	9.2 ↖
9.9 ↗	10.0 ↗	10.6 *	10.2 *	10.0 ←
beste Teiler	78.5 (28.)	105.2 (21.)	188.2 (29.)	
Trefferlage	0.10 mm links, 0.77 mm hoch			
Streuwert	1.82, horizontal: 2.19, vertikal: 1.37			





Serie 4:

10.1 ↖	9.7 ↗	10.6 *	10.5 *	10.4 *
9.3 ←	10.0 →	10.6 *	9.7 ↘	9.6 ↙
beste Teiler	82.2 (38.)	90.5 (33.)	107.2 (34.)	
Trefferlage	0.00 mm, 0.04 mm hoch			
Streuwert	1.86, horizontal: 2.22, vertikal: 1.42			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	387	(407.7)
Serien:	96	99 97 95
Zähler:	28	11 1 0 0 0 0 0 0 0
Innenzehner:	27	
weiteste:	542	(40), 420 (36), 392 (11)
beste Teiler	44.6	(16.) 61.5 (1.) 64.7 (6.)
Trefferlage	0.37 mm	links, 0.58 mm hoch
Streuwert	1.53,	horizontal: 1.59, vertikal: 1.48




Serie 1:	10.7 *	10.5 *	9.9 ↘	9.5 ↑	10.5 *
	10.7 *	9.9 ↙	10.3 *	9.6 ↘	10.6 *
beste Teiler	61.5	(1.) 64.7 (6.)	88.6 (10.)		
Trefferlage	0.50 mm	links, 0.83 mm hoch			
Streuwert	1.42,	horizontal: 1.37, vertikal: 1.46			



Serie 2:	9.4 ↗	10.5 *	10.6 *	10.5 *	10.3 *
	10.8 *	10.4 *	10.6 *	10.3 *	10.6 *
beste Teiler	44.6	(16.) 94.0 (13.)	94.1 (18.)		
Trefferlage	0.40 mm	rechts, 0.24 mm hoch			
Streuwert	1.21,	horizontal: 1.20, vertikal: 1.21			





Serie 3:	10.5 *	10.5 *	10.5 *	9.6 →	10.3 *
	10.2 *	9.9 ↘	10.3 *	9.7 ↑	10.3 *
beste Teiler	109.1	(23.) 111.2 (22.)	124.3 (21.)		
Trefferlage	0.05 mm	rechts, 0.51 mm hoch			
Streuwert	1.52,	horizontal: 1.67, vertikal: 1.35			




Serie 4:	10.6 *	10.5 *	10.5 *	10.5 *	9.5 ↘
	9.3 ↘	10.0 ↘	9.7 ↑	10.3 *	8.8 ↙
beste Teiler	80.7	(31.) 103.0 (34.)	108.3 (32.)		
Trefferlage	1.43 mm	links, 0.72 mm hoch			
Streuwert	1.79,	horizontal: 1.62, vertikal: 1.95			

Unterschrift des Schützen


Ergebnis: **387** (405.7)
 Serien: 97 96 97 97
 Zähler: 27 13 0 0 0 0 0 0 0 0
 Innenzehner: 22
 weiteste: 478 (6), 439 (11), 408 (36)
 beste Teiler 46.6 (24.) 56.2 (19.) 56.6 (10.)
 Trefferlage 0.15 mm links, 0.22 mm hoch
 Streuwert 1.64, horizontal: 1.71, vertikal: 1.58




Serie 1:
 9.5 ↘ 10.7 * 10.4 * 9.9 ↑ 10.7 *
 9.0 ← 10.0 ← 10.5 * 10.3 * 10.7 *
 beste Teiler 56.6 (10.) 58.6 (5.) 63.0 (2.)
 Trefferlage 0.27 mm links, 0.19 mm tief
 Streuwert 1.74, horizontal: 2.10, vertikal: 1.29



Serie 2:
 9.2 ↙ 10.5 * 9.6 ↙ 9.8 ↑ 9.9 →
 10.1 ↑ 10.3 * 10.1 ↑ 10.7 * 10.5 *
 beste Teiler 56.2 (19.) 107.4 (20.) 117.3 (12.)
 Trefferlage 0.01 mm links, 0.09 mm hoch
 Streuwert 1.81, horizontal: 1.62, vertikal: 1.97



Serie 3:
 9.8 ↑ 10.6 * 9.5 ↙ 10.8 * 9.9 ↖
 10.2 * 10.1 ↘ 10.6 * 10.2 * 10.4 *
 beste Teiler 46.6 (24.) 85.5 (28.) 93.0 (22.)
 Trefferlage 0.14 mm links, 0.13 mm hoch
 Streuwert 1.55, horizontal: 1.41, vertikal: 1.67





Serie 4:
 10.7 * 9.9 ↗ 10.5 * 10.0 ↖ 10.4 *
 9.3 ↖ 10.3 * 10.2 * 10.5 * 9.4 ↗
 beste Teiler 73.0 (31.) 102.5 (33.) 115.3 (39.)
 Trefferlage 0.18 mm links, 0.84 mm hoch
 Streuwert 1.63, horizontal: 1.88, vertikal: 1.33


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	388	(404.9)
Serien:	96 96 96 100	
Zähler:	28 12 0 0 0 0 0 0 0 0	
Innenzehner:	24	
weiteste:	492 (14), 466 (15), 439 (2)	
beste Teiler	47.1 (23.) 69.8 (19.) 74.7 (10.)	
Trefferlage	0.07 mm rechts, 0.58 mm hoch	
Streuwert	1.66, horizontal: 1.86, vertikal: 1.44	




Serie 1:	10.5 *	9.2 ←	10.6 *	10.3 *	10.5 *
	10.0 ↑	9.4 →	9.7 ↖	9.9 ↗	10.7 *
beste Teiler	74.7 (10.) 86.5 (3.) 115.6 (1.)				
Trefferlage	0.61 mm links, 0.72 mm hoch				
Streuwert	1.75, horizontal: 2.04, vertikal: 1.39				



Serie 2:	9.8 ↖	10.2 *	10.2 *	9.0 ↖	9.1 ↗
	10.0 ↖	9.5 →	10.3 *	10.7 *	10.7 *
beste Teiler	69.8 (19.) 75.6 (20.) 161.6 (18.)				
Trefferlage	0.18 mm rechts, 1.29 mm hoch				
Streuwert	1.92, horizontal: 2.33, vertikal: 1.41				





Serie 3:	10.5 *	10.2 *	10.8 *	10.1 →	9.8 ↗
	10.2 *	9.4 ↘	9.9 ↗	9.4 ↖	10.6 *
beste Teiler	47.1 (23.) 80.6 (30.) 120.9 (21.)				
Trefferlage	0.29 mm rechts, 0.33 mm hoch				
Streuwert	1.78, horizontal: 1.89, vertikal: 1.65				




Serie 4:	10.4 *	10.4 *	10.4 *	10.2 *	10.5 *
	10.6 *	10.3 *	10.2 *	10.0 ↘	10.7 *
beste Teiler	74.8 (40.) 89.8 (36.) 118.7 (35.)				
Trefferlage	0.43 mm rechts, 0.00 mm				
Streuwert	1.08, horizontal: 1.05, vertikal: 1.11				

Unterschrift des Schützen


Ergebnis:	384	(400.2)
Serien:	96 96 95 97	
Zähler:	27 10 3 0 0 0 0 0 0 0	
Innenzehner:	16	
weiteste:	666 (23), 646 (35), 542 (3)	
beste Teiler	38.5 (22.) 57.0 (4.) 80.6 (33.)	
Trefferlage	0.11 mm links, 0.42 mm tief	
Streuwert	1.97, horizontal: 2.37, vertikal: 1.48	




Serie 1:	10.1 ↗	10.3 *	8.8 ←	10.7 *	10.4 *
	9.5 ↘	9.7 ↙	10.6 *	10.4 *	10.6 *
beste Teiler	57.0 (4.) 88.6 (10.) 100.6 (8.)				
Trefferlage	0.49 mm links, 0.16 mm tief				
Streuwert	1.87, horizontal: 2.33, vertikal: 1.27				



Serie 2:	10.1 ↑	10.6 *	10.5 *	10.0 →	9.5 ↓
	9.8 →	10.2 *	9.4 ↘	9.9 ↘	10.0 ↓
beste Teiler	86.6 (12.) 112.6 (13.) 195.5 (17.)				
Trefferlage	0.30 mm rechts, 0.29 mm hoch				
Streuwert	1.91, horizontal: 1.86, vertikal: 1.96				





Serie 3:	9.2 ↓	10.8 *	8.3 ←	10.6 *	9.8 ↓
	9.7 →	10.1 ←	10.0 ↘	10.4 *	10.1 ↙
beste Teiler	38.5 (22.) 84.1 (24.) 139.9 (29.)				
Trefferlage	0.53 mm links, 1.08 mm tief				
Streuwert	2.16, horizontal: 2.64, vertikal: 1.54				



Serie 4:	10.0 ←	10.1 ↙	10.6 *	10.1 →	8.4 →
	10.1 →	9.5 ↙	10.6 *	10.3 *	10.4 *
beste Teiler	80.6 (33.) 85.5 (38.) 133.5 (40.)				
Trefferlage	0.26 mm rechts, 0.75 mm tief				
Streuwert	2.01, horizontal: 2.78, vertikal: 0.61				


Unterschrift des Schützen

Ergebnis:	395	(409.1)
Serien:	99	100 100 96
Zähler:	35	5 0 0 0 0 0 0 0 0
Innenzehner:	24	
weiteste:	342	(33), 322 (35), 315 (40)
beste Teiler	52.1	(34.) 67.2 (6.) 91.1 (25.)
Trefferlage	0.33 mm	links, 0.19 mm hoch
Streuwert	1.38,	horizontal: 1.27, vertikal: 1.47




Serie 1:

9.7 ↙	10.0 ↙	10.3 *	10.1 ↑	10.0 ↓
10.7 *	10.5 *	10.3 *	10.5 *	10.0 ↓
beste Teiler	67.2 (6.)	108.1 (9.)	116.6 (7.)	
Trefferlage	0.57 mm links, 0.24 mm tief			
Streuwert	1.40, horizontal: 1.30, vertikal: 1.49			




Serie 2:

10.5 *	10.0 ↑	10.4 *	10.3 *	10.4 *
10.1 ↘	10.1 ↑	10.3 *	10.0 ↘	10.4 *
beste Teiler	107.7 (11.)	133.5 (20.)	140.6 (15.)	
Trefferlage	0.35 mm links, 0.70 mm hoch			
Streuwert	1.25, horizontal: 1.12, vertikal: 1.38			



Serie 3:

10.6 *	10.5 *	10.1 ↗	10.1 ↙	10.6 *
10.2 *	10.5 *	10.5 *	10.2 *	10.4 *
beste Teiler	91.1 (25.)	96.6 (21.)	101.3 (22.)	
Trefferlage	0.24 mm links, 0.24 mm tief			
Streuwert	1.13, horizontal: 1.09, vertikal: 1.17			





Serie 4:


10.0 ↙	10.3 *	9.6 ↑	10.7 *	9.7 ↘
9.9 ↙	10.2 *	10.2 *	10.5 *	9.7 →
beste Teiler	52.1 (34.)	104.3 (39.)	175.4 (32.)	
Trefferlage	0.15 mm links, 0.55 mm hoch			
Streuwert	1.71, horizontal: 1.67, vertikal: 1.75			

Unterschrift des Schützen


Ergebnis: **381** (398.1)
 Serien: 95 92 95 99
 Zähler: 23 16 0 1 0 0 0 0 0 0
 Innenzehner: 18
 weiteste: 792 (20), 476 (17), 435 (13)
 beste Teiler 41.3 (39.) 72.3 (35.) 96.7 (9.)
 Trefferlage 0.14 mm links, 0.04 mm tief
 Streuwert 2.03, horizontal: 2.35, vertikal: 1.65




Serie 1:
 9.3 → 10.2 * 9.6 → 9.3 ← 10.4 *
 10.1 ↗ 10.1 ↖ 9.8 ↘ 10.6 * 9.7 ↑
 beste Teiler 96.7 (9.) 138.2 (5.) 198.3 (2.)
 Trefferlage 0.57 mm rechts, 0.69 mm hoch
 Streuwert 1.99, horizontal: 2.24, vertikal: 1.70



Serie 2:
 10.4 * 10.0 → 9.2 ← 10.5 * 10.5 *
 9.7 ↙ 9.0 ↙ 9.5 → 9.7 → 7.8 ←
 beste Teiler 103.4 (14.) 107.1 (15.) 138.8 (11.)
 Trefferlage 0.90 mm links, 0.31 mm tief
 Streuwert 2.77, horizontal: 3.67, vertikal: 1.35



Serie 3:
 10.2 * 10.5 * 9.8 ↓ 10.5 * 10.2 *
 9.7 ↖ 9.7 ↖ 9.9 ↖ 10.2 * 9.6 ↗
 beste Teiler 105.0 (24.) 106.6 (22.) 185.6 (29.)
 Trefferlage 0.45 mm links, 0.25 mm hoch
 Streuwert 1.77, horizontal: 1.37, vertikal: 2.09



Serie 4:
 10.0 → 10.2 * 10.3 * 10.1 ↓ 10.7 *
 10.3 * 9.4 ↙ 10.3 * 10.8 * 10.3 *
 beste Teiler 41.3 (39.) 72.3 (35.) 152.7 (40.)
 Trefferlage 0.22 mm rechts, 0.83 mm tief
 Streuwert 1.31, horizontal: 1.46, vertikal: 1.13

Unterschrift des Schützen