





Ergebnis: **392** (408.1)
 Serien: 98 97 98 99
 Zähler: 32 8 0 0 0 0 0 0 0 0
 Innenzehner: 23
 weiteste: 377 (24), 373 (38), 328 (15)
 beste Teiler 29.2 (16.) 31.9 (27.) 44.2 (28.)
 Trefferlage 0.16 mm links, 0.20 mm hoch
 Streuwert 1.46, horizontal: 1.68, vertikal: 1.20




Serie 1:
 10.6 * 10.2 * 9.9 → 9.8 ↑ 10.0 ↖
 10.0 → 10.4 * 10.2 * 10.1 ↓ 10.6 *
 beste Teiler 95.5 (1.) 97.0 (10.) 147.0 (7.)
 Trefferlage 0.54 mm rechts, 0.69 mm hoch
 Streuwert 1.36, horizontal: 1.43, vertikal: 1.29



Serie 2:
 10.2 * 10.4 * 10.2 * 10.6 * 9.6 ↖
 10.8 * 10.2 * 9.9 ← 9.6 ↙ 10.2 *
 beste Teiler 29.2 (16.) 83.6 (14.) 134.4 (12.)
 Trefferlage 0.33 mm links, 0.32 mm tief
 Streuwert 1.53, horizontal: 1.87, vertikal: 1.09



Serie 3:
 9.6 ← 10.1 ↓ 10.3 * 9.4 ↖ 10.6 *
 10.0 ↗ 10.8 * 10.8 * 10.1 → 10.5 *
 beste Teiler 31.9 (27.) 44.2 (28.) 76.0 (25.)
 Trefferlage 0.40 mm links, 0.14 mm hoch
 Streuwert 1.55, horizontal: 1.95, vertikal: 0.99





Serie 4:
 10.1 ↙ 10.2 * 10.6 * 10.7 * 10.3 *
 10.1 ↑ 10.5 * 9.5 ↘ 10.1 ↘ 10.3 *
 beste Teiler 57.0 (34.) 79.3 (33.) 116.2 (37.)
 Trefferlage 0.46 mm links, 0.30 mm hoch
 Streuwert 1.41, horizontal: 1.47, vertikal: 1.34


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	387	(405.5)							
Serien:	97	96	95	99					
Zähler:	27	13	0	0	0	0	0	0	0
Innenzehner:	23								
weiteste:	452 (14), 444 (22), 420 (12)								
beste Teiler	6.4 (36.) 10.1 (32.) 21.9 (15.)								
Trefferlage	0.43 mm rechts, 0.42 mm hoch								
Streuwert	1.67, horizontal: 1.82, vertikal: 1.50								




Serie 1:	10.3 *	10.5 *	10.5 *	9.7 ↘	10.7 *
	9.6 →	10.0 ↑	10.1 ↘	9.5 →	10.6 *
beste Teiler	63.7 (5.) 76.4 (10.) 108.0 (2.)				
Trefferlage	0.64 mm rechts, 0.42 mm hoch				
Streuwert	1.54, horizontal: 1.88, vertikal: 1.11				



Serie 2:	10.4 *	9.3 ↑	10.6 *	9.1 ↑	10.9 *
	10.6 *	10.4 *	10.2 *	9.4 →	9.7 →
beste Teiler	21.9 (15.) 76.1 (16.) 81.2 (13.)				
Trefferlage	0.58 mm rechts, 1.10 mm hoch				
Streuwert	1.77, horizontal: 1.80, vertikal: 1.73				





Serie 3:	9.9 ←	9.2 →	10.5 *	10.0 ↑	9.8 ←
	10.8 *	9.3 ↑	10.7 *	9.3 →	10.5 *
beste Teiler	33.6 (26.) 52.3 (28.) 114.8 (30.)				
Trefferlage	0.41 mm rechts, 0.50 mm hoch				
Streuwert	2.00, horizontal: 2.35, vertikal: 1.57				




Serie 4:	10.4 *	10.9 *	10.3 *	10.4 *	10.4 *
	10.9 *	9.3 ↘	10.1 ↘	10.4 *	10.3 *
beste Teiler	6.4 (36.) 10.1 (32.) 129.7 (35.)				
Trefferlage	0.08 mm rechts, 0.33 mm tief				
Streuwert	1.35, horizontal: 1.36, vertikal: 1.34				

Unterschrift des Schützen


Ergebnis:	379	(396.6)
Serien:	95 93 95 96	
Zähler:	21 17 2 0 0 0 0 0 0 0	
Innenzehner:	16	
weiteste:	577 (18), 507 (33), 486 (20)	
beste Teiler	65.8 (22.) 85.2 (31.) 86.3 (16.)	
Trefferlage	0.16 mm links, 0.37 mm hoch	
Streuwert	2.09, horizontal: 2.59, vertikal: 1.42	




Serie 1:	9.2 ↙	10.3 *	9.5 →	10.4 *	9.1 ←
	10.4 *	9.8 ←	9.4 ↗	10.1 ↑	10.0 ←
beste Teiler	134.4 (6.) 137.1 (4.) 173.0 (2.)				
Trefferlage	0.60 mm links, 0.42 mm hoch				
Streuwert	2.24, horizontal: 2.83, vertikal: 1.43				



Serie 2:	10.3 *	9.8 ↓	10.5 *	10.5 *	9.2 ↘
	10.6 *	9.0 ↖	8.6 →	9.7 ↖	9.0 →
beste Teiler	86.3 (16.) 116.3 (14.) 118.0 (13.)				
Trefferlage	0.78 mm rechts, 0.09 mm tief				
Streuwert	2.55, horizontal: 3.05, vertikal: 1.91				



Serie 3:	9.1 →	10.7 *	9.9 ↗	10.2 *	10.0 ←
	9.8 ↗	10.6 *	9.6 ↖	9.9 ←	10.4 *
beste Teiler	65.8 (22.) 96.1 (27.) 142.6 (30.)				
Trefferlage	0.16 mm rechts, 1.00 mm hoch				
Streuwert	1.78, horizontal: 2.43, vertikal: 0.67				





Serie 4:	10.6 *	9.9 ↗	8.9 ←	10.0 ←	10.6 *
	10.0 ↓	9.9 ←	10.4 *	10.2 *	10.5 *
beste Teiler	85.2 (31.) 88.4 (35.) 110.7 (40.)				
Trefferlage	1.00 mm links, 0.14 mm hoch				
Streuwert	1.67, horizontal: 1.94, vertikal: 1.36				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	385	(404.7)
Serien:	96 95 97 97	
Zähler:	25 15 0 0 0 0 0 0 0 0	
Innenzehner:	19	
weiteste:	411 (26), 406 (20), 334 (32)	
beste Teiler	40.0 (18.) 47.0 (19.) 50.0 (29.)	
Trefferlage	0.24 mm rechts, 0.44 mm hoch	
Streuwert	1.60, horizontal: 1.74, vertikal: 1.43	




Serie 1:	9.7 ↘	10.7 *	10.3 *	9.9 ↗	9.9 →
	10.4 *	9.9 ↘	10.3 *	10.2 *	10.6 *
beste Teiler	55.7 (2.)	78.0 (10.)	127.0 (6.)		
Trefferlage	0.25 mm rechts, 0.43 mm hoch				
Streuwert	1.50, horizontal: 1.60, vertikal: 1.39				



Serie 2:	10.4 *	9.7 ↗	10.0 ↘	9.8 →	9.9 ↘
	10.0 ↘	9.8 ↗	10.8 *	10.8 *	9.3 →
beste Teiler	40.0 (18.)	47.0 (19.)	131.3 (11.)		
Trefferlage	0.78 mm rechts, 0.59 mm hoch				
Streuwert	1.72, horizontal: 1.96, vertikal: 1.44				





Serie 3:	9.9 ↘	10.6 *	10.2 *	10.1 ↙	10.5 *
	9.3 ↘	9.8 →	10.0 ↘	10.8 *	10.5 *
beste Teiler	50.0 (29.)	95.1 (22.)	112.2 (30.)		
Trefferlage	0.20 mm links, 0.03 mm tief				
Streuwert	1.65, horizontal: 1.46, vertikal: 1.82				




Serie 4:	10.1 ↗	9.6 →	10.2 *	9.6 ↘	10.2 *
	10.1 ↗	10.5 *	10.4 *	10.2 *	9.7 ↙
beste Teiler	112.3 (37.)	128.0 (38.)	183.3 (33.)		
Trefferlage	0.13 mm rechts, 0.79 mm hoch				
Streuwert	1.62, horizontal: 2.02, vertikal: 1.08				

Unterschrift des Schützen


Ergebnis:	382	(401.5)
Serien:	93 94 98 97	
Zähler:	24 14 2 0 0 0 0 0 0 0	
Innenzehner:	18	
weiteste:	620 (17), 516 (15), 440 (3)	
beste Teiler	40.0 (32.) 45.0 (19.) 53.9 (18.)	
Trefferlage	0.08 mm rechts, 0.07 mm hoch	
Streuwert	1.91, horizontal: 2.12, vertikal: 1.66	




Serie 1:	9.5 ↖	9.5 ↘	9.2 ↖	9.8 ↓	9.3 ↗
	10.2 *	9.9 ←	9.5 ←	10.5 *	10.6 *
beste Teiler	100.4 (10.) 102.8 (9.) 194.4 (6.)				
Trefferlage	1.03 mm links, 0.18 mm hoch				
Streuwert	2.19, horizontal: 2.42, vertikal: 1.93				



Serie 2:	9.5 →	10.6 *	10.0 →	9.5 ←	8.9 →
	10.0 ←	8.5 ↑	10.7 *	10.8 *	10.6 *
beste Teiler	45.0 (19.) 53.9 (18.) 85.7 (12.)				
Trefferlage	0.57 mm rechts, 0.77 mm hoch				
Streuwert	2.30, horizontal: 2.58, vertikal: 1.97				



Serie 3:	10.1 ↖	10.6 *	10.3 *	10.6 *	10.1 ↘
	10.3 *	9.7 ↓	10.6 *	10.5 *	9.6 ↙
beste Teiler	88.6 (22.) 92.9 (24.) 99.0 (28.)				
Trefferlage	0.02 mm links, 0.41 mm tief				
Streuwert	1.44, horizontal: 1.43, vertikal: 1.46				





Serie 4:	10.3 *	10.8 *	10.6 *	10.1 ↖	10.5 *
	9.8 →	10.0 ↘	9.9 ↘	10.4 *	9.6 ↘
beste Teiler	40.0 (32.) 77.8 (33.) 105.0 (35.)				
Trefferlage	0.84 mm rechts, 0.25 mm tief				
Streuwert	1.40, horizontal: 1.62, vertikal: 1.13				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **368** (386.4)
 Serien: 93 95 87 93
 Zähler: 15 18 7 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 701 (24), 619 (27), 545 (28)
 beste Teiler 69.5 (22.) 137.0 (13.) 137.6 (20.)
 Trefferlage 0.14 mm links, 0.16 mm hoch
 Streuwert 2.55, horizontal: 2.71, vertikal: 2.37




Serie 1:
 9.9 ↙ 9.6 ↘ 9.7 ↑ 10.2 * 9.9 ↘
 10.4 * 10.0 ↗ 10.2 * 9.3 ↓ 8.9 ↖
 beste Teiler 146.6 (6.) 189.2 (4.) 191.6 (8.)
 Trefferlage 0.19 mm links, 0.31 mm tief
 Streuwert 2.27, horizontal: 2.43, vertikal: 2.11



Serie 2:
 9.1 ↑ 8.8 ↑ 10.4 * 10.0 ↑ 9.5 ↙
 9.9 ↗ 10.0 ↓ 10.4 * 10.1 ↗ 10.4 *
 beste Teiler 137.0 (13.) 137.6 (20.) 145.9 (18.)
 Trefferlage 0.68 mm rechts, 0.80 mm hoch
 Streuwert 2.13, horizontal: 1.72, vertikal: 2.48



Serie 3:
 9.8 ↙ 10.7 * 10.3 * 8.1 ↗ 8.8 ↙
 9.7 ↙ 8.5 → 8.8 ← 9.2 ↑ 8.8 ↓
 beste Teiler 69.5 (22.) 174.1 (23.) 290.9 (21.)
 Trefferlage 0.93 mm links, 0.31 mm hoch
 Streuwert 3.39, horizontal: 3.84, vertikal: 2.87





Serie 4:
 9.6 ↘ 9.9 → 9.5 ↗ 9.3 ↙ 9.0 ↙
 9.7 ↑ 9.8 ↙ 10.0 ↘ 10.2 * 10.0 ↑
 beste Teiler 178.6 (39.) 232.4 (40.) 244.6 (38.)
 Trefferlage 0.13 mm links, 0.14 mm tief
 Streuwert 2.41, horizontal: 2.63, vertikal: 2.17


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	366	(385.8)
Serien:	93	94 88 91
Zähler:	15	16 9 0 0 0 0 0 0 0
Innenzehner:	13	
weiteste:	718	(27), 651 (22), 575 (33)
beste Teiler	48.3	(39.) 85.3 (17.) 102.5 (15.)
Trefferlage	0.25 mm	links, 1.35 mm hoch
Streuwert	2.45,	horizontal: 2.69, vertikal: 2.18




Serie 1:	10.3 *	9.5 ←	10.2 *	8.9 ←	10.3 *
	10.2 *	8.8 ↘	9.9 ↘	10.2 *	9.9 ←
beste Teiler	152.2	(1.) 170.0 (5.)	177.5 (3.)		
Trefferlage	1.36 mm	links, 0.54 mm	hoch		
Streuwert	2.04,	horizontal: 2.30, vertikal: 1.75			



Serie 2:	10.1 ↘	9.7 ↘	10.0 ↗	10.5 *	10.5 *
	8.9 ↘	10.6 *	9.8 →	8.8 ↑	10.2 *
beste Teiler	85.3	(17.) 102.5 (15.)	109.1 (14.)		
Trefferlage	0.44 mm	rechts, 1.34 mm	hoch		
Streuwert	2.01,	horizontal: 1.85, vertikal: 2.16			





Serie 3:	9.3 ←	8.3 ←	9.5 ↘	10.3 *	8.7 ↘
	9.4 ↗	8.1 ↘	9.4 →	9.8 →	9.5 ↑
beste Teiler	163.3	(24.) 283.2 (29.)	352.5 (23.)		
Trefferlage	1.08 mm	links, 2.18 mm	hoch		
Streuwert	2.92,	horizontal: 3.50, vertikal: 2.17			




Serie 4:	9.7 →	9.8 ↗	8.7 →	10.4 *	9.3 ↓
	9.1 ↘	8.7 ↑	9.4 ↗	10.8 *	10.3 *
beste Teiler	48.3	(39.) 132.2 (34.)	157.4 (40.)		
Trefferlage	0.99 mm	rechts, 1.34 mm	hoch		
Streuwert	2.50,	horizontal: 2.43, vertikal: 2.56			

Unterschrift des Schützen


Ergebnis: **381** (398.9)
 Serien: 96 92 98 95
 Zähler: 23 15 2 0 0 0 0 0 0 0
 Innenzehner: 18
 weiteste: 588 (14), 507 (13), 437 (6)
 beste Teiler 83.0 (33.) 87.8 (15.) 90.0 (28.)
 Trefferlage 0.02 mm links, 0.00 mm
 Streuwert 1.95, horizontal: 2.34, vertikal: 1.47




Serie 1:
 10.4 * 10.0 ← 10.0 ↑ 10.2 * 9.9 ↖
 9.2 → 9.4 ↗ 9.4 ↘ 10.3 * 10.5 *
 beste Teiler 105.5 (10.) 130.9 (1.) 151.9 (9.)
 Trefferlage 0.02 mm rechts, 0.19 mm hoch
 Streuwert 2.06, horizontal: 2.26, vertikal: 1.84



Serie 2:
 9.5 ← 9.7 ↖ 8.9 → 8.6 ↗ 10.6 *
 9.5 → 10.1 ↘ 10.3 * 10.2 * 9.8 ↙
 beste Teiler 87.8 (15.) 170.1 (18.) 200.3 (19.)
 Trefferlage 0.14 mm rechts, 0.58 mm tief
 Streuwert 2.51, horizontal: 3.26, vertikal: 1.43





Serie 3:
 9.5 ↗ 10.2 * 10.5 * 9.8 ↘ 10.0 ↘
 10.5 * 10.5 * 10.6 * 10.2 * 10.2 *
 beste Teiler 90.0 (28.) 104.1 (26.) 120.6 (23.)
 Trefferlage 0.57 mm rechts, 0.49 mm tief
 Streuwert 1.44, horizontal: 1.65, vertikal: 1.20




Serie 4:
 10.5 * 9.9 ↖ 10.6 * 9.5 ← 10.1 →
 9.8 ↖ 9.6 ↗ 10.2 * 9.6 ← 10.6 *
 beste Teiler 83.0 (33.) 100.0 (40.) 112.0 (31.)
 Trefferlage 0.86 mm links, 0.85 mm hoch
 Streuwert 1.60, horizontal: 2.04, vertikal: 0.96

Unterschrift des Schützen


Ergebnis:	386	(402.8)
Serien:	99 96 97 94	
Zähler:	28 10 2 0 0 0 0 0 0 0	
Innenzehner:	20	
weiteste:	533 (34), 526 (15), 446 (33)	
beste Teiler	25.0 (4.) 42.2 (21.) 58.0 (9.)	
Trefferlage	0.37 mm links, 0.15 mm hoch	
Streuwert	1.78, horizontal: 2.05, vertikal: 1.47	




Serie 1:	10.6 *	10.1 →	10.1 ↖	10.9 *	10.0 ↑
	10.4 *	10.3 *	10.4 *	10.7 *	9.6 ←
beste Teiler	25.0 (4.)	58.0 (9.)	80.7 (1.)		
Trefferlage	0.30 mm links, 0.47 mm hoch				
Streuwert	1.32, horizontal: 1.60, vertikal: 0.96				



Serie 2:	10.3 *	10.2 *	10.4 *	9.4 →	8.8 ↑
	10.1 →	10.0 ↑	9.9 ↖	10.3 *	10.1 →
beste Teiler	143.9 (13.)	154.6 (19.)	166.9 (11.)		
Trefferlage	0.61 mm rechts, 0.57 mm hoch				
Streuwert	1.95, horizontal: 1.91, vertikal: 1.98				





Serie 3:	10.8 *	9.5 ↙	10.3 *	9.6 ↖	10.6 *
	9.7 ↖	10.0 ↓	10.1 ↑	10.5 *	10.4 *
beste Teiler	42.2 (21.)	88.8 (25.)	104.2 (29.)		
Trefferlage	0.99 mm links, 0.32 mm hoch				
Streuwert	1.49, horizontal: 1.43, vertikal: 1.55				




Serie 4:	9.3 →	10.2 *	9.2 ↙	8.8 ←	10.3 *
	9.9 ↙	10.5 *	10.4 *	9.6 ←	10.5 *
beste Teiler	119.0 (40.)	120.3 (37.)	148.9 (38.)		
Trefferlage	0.80 mm links, 0.74 mm tief				
Streuwert	2.14, horizontal: 2.88, vertikal: 0.91				

Unterschrift des Schützen


Ergebnis:	375	(392.0)
Serien:	92 93 95 95	
Zähler:	19 17 4 0 0 0 0 0 0 0	
Innenzehner:	13	
weiteste:	583 (20), 579 (26), 569 (14)	
beste Teiler	72.2 (16.) 89.4 (12.) 94.1 (40.)	
Trefferlage	0.96 mm rechts, 0.34 mm hoch	
Streuwert	2.16, horizontal: 2.55, vertikal: 1.67	




Serie 1:	10.3 *	10.3 *	10.0 ↗	9.3 →	9.4 ↑
	9.8 ←	9.9 ↘	8.9 ↙	9.1 ↗	9.7 →
beste Teiler	151.7 (1.) 168.5 (2.) 227.7 (3.)				
Trefferlage	0.57 mm rechts, 0.48 mm hoch				
Streuwert	2.49, horizontal: 2.97, vertikal: 1.90				



Serie 2:	10.2 *	10.6 *	10.2 *	8.7 →	9.2 ←
	10.7 *	9.6 ↘	9.8 ↙	10.2 *	8.6 ↘
beste Teiler	72.2 (16.) 89.4 (12.) 190.5 (11.)				
Trefferlage	0.07 mm rechts, 0.07 mm hoch				
Streuwert	2.57, horizontal: 3.19, vertikal: 1.73				





Serie 3:	10.2 *	10.5 *	10.0 ↗	10.2 *	10.1 →
	8.6 →	9.7 ↘	9.4 →	10.1 →	9.7 ↘
beste Teiler	105.1 (22.) 182.2 (24.) 194.0 (21.)				
Trefferlage	2.25 mm rechts, 0.13 mm tief				
Streuwert	1.49, horizontal: 1.69, vertikal: 1.25				




Serie 4:	9.6 ↙	10.3 *	10.0 ↗	10.0 →	10.4 *
	9.2 ↗	9.7 ↗	9.7 ↘	9.5 ↗	10.6 *
beste Teiler	94.1 (40.) 133.6 (35.) 166.3 (32.)				
Trefferlage	0.95 mm rechts, 0.95 mm hoch				
Streuwert	1.81, horizontal: 1.84, vertikal: 1.79				

Unterschrift des Schützen


Ergebnis:	371	(390.4)
Serien:	93 93 93 92	
Zähler:	17 17 6 0 0 0 0 0 0 0	
Innenzehner:	14	
weiteste:	745 (12), 648 (36), 635 (27)	
beste Teiler	26.4 (9.) 43.2 (32.) 57.2 (20.)	
Trefferlage	0.51 mm links, 0.33 mm hoch	
Streuwert	2.45, horizontal: 2.71, vertikal: 2.16	




Serie 1:	9.3 ←	9.6 ↙	10.4 *	10.5 *	10.5 *
	9.3 ←	9.6 ↑	9.0 ↘	10.8 *	8.8 ↓
beste Teiler	26.4 (9.)	104.0 (5.)	108.4 (4.)		
Trefferlage	1.32 mm links, 0.17 mm tief				
Streuwert	2.33, horizontal: 2.20, vertikal: 2.46				



Serie 2:	10.5 *	8.0 ↘	8.8 ↑	9.3 ↗	10.0 →
	9.5 ↘	9.6 ←	10.2 *	10.4 *	10.7 *
beste Teiler	57.2 (20.)	108.2 (11.)	131.2 (19.)		
Trefferlage	0.56 mm links, 1.61 mm hoch				
Streuwert	2.48, horizontal: 2.58, vertikal: 2.37				



Serie 3:	10.0 →	10.5 *	10.1 ↖	10.5 *	10.4 *
	9.5 ↘	8.4 →	9.8 ←	8.5 ↖	9.6 ←
beste Teiler	103.0 (22.)	121.4 (24.)	133.7 (25.)		
Trefferlage	0.36 mm links, 0.05 mm tief				
Streuwert	2.64, horizontal: 3.40, vertikal: 1.53				





Serie 4:	10.4 *	10.8 *	9.8 ↘	9.6 ↗	9.7 ←
	8.4 →	9.7 ←	9.8 ↘	10.4 *	9.7 ↘
beste Teiler	43.2 (32.)	126.2 (31.)	140.2 (39.)		
Trefferlage	0.19 mm rechts, 0.03 mm tief				
Streuwert	2.36, horizontal: 2.73, vertikal: 1.93				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **372** (393.9)
 Serien: 91 96 92 93
 Zähler: 17 19 3 1 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 841 (22), 530 (39), 508 (10)
 beste Teiler 57.6 (24.) 60.4 (35.) 62.2 (11.)
 Trefferlage 0.22 mm links, 0.48 mm tief
 Streuwert 2.28, horizontal: 2.53, vertikal: 1.98




Serie 1:
 9.7 ↗ 9.9 ↘ 9.0 ➤ 8.9 → 9.9 ↙
 10.5 * 10.1 ↖ 9.1 ↖ 10.3 * 8.9 ➤
 beste Teiler 119.2 (6.) 173.2 (9.) 212.1 (7.)
 Trefferlage 0.52 mm rechts, 0.98 mm tief
 Streuwert 2.55, horizontal: 3.31, vertikal: 1.43



Serie 2:
 10.7 * 10.5 * 9.9 ↗ 9.6 ← 10.5 *
 10.6 * 9.8 ↖ 10.5 * 9.5 ↘ 10.3 *
 beste Teiler 62.2 (11.) 89.0 (16.) 101.8 (15.)
 Trefferlage 0.39 mm links, 0.19 mm tief
 Streuwert 1.63, horizontal: 1.86, vertikal: 1.38





Serie 3:
 9.8 ↖ 7.6 ↖ 9.5 ➤ 10.7 * 9.4 ➤
 10.1 ➤ 9.5 ↖ 10.4 * 10.6 * 9.7 ➤
 beste Teiler 57.6 (24.) 99.2 (29.) 128.4 (28.)
 Trefferlage 0.17 mm rechts, 0.26 mm hoch
 Streuwert 2.74, horizontal: 2.69, vertikal: 2.78




Serie 4:
 10.3 * 9.3 ↓ 9.9 ↓ 10.5 * 10.7 *
 9.0 ← 9.7 ↖ 9.9 ↖ 8.8 ↖ 10.3 *
 beste Teiler 60.4 (35.) 112.8 (34.) 151.8 (40.)
 Trefferlage 1.19 mm links, 1.00 mm tief
 Streuwert 2.04, horizontal: 2.07, vertikal: 2.01

Unterschrift des Schützen


Ergebnis:	375	(395.0)
Serien:	93 97 90 95	
Zähler:	17 21 2 0 0 0 0 0 0 0	
Innenzehner:	13	
weiteste:	569 (30), 512 (26), 463 (2)	
beste Teiler	84.1 (39.) 85.8 (1.) 88.6 (38.)	
Trefferlage	0.79 mm links, 0.04 mm hoch	
Streuwert	2.04, horizontal: 2.13, vertikal: 1.95	




Serie 1:	10.6 *	9.1 ↖	10.5 *	9.8 ↙	10.2 *
	9.9 ↑	9.2 ↘	9.9 ←	9.3 ↘	9.7 ←
beste Teiler	85.8 (1.) 122.7 (3.) 189.6 (5.)				
Trefferlage	1.06 mm links, 0.60 mm hoch				
Streuwert	2.15, horizontal: 2.30, vertikal: 2.00				



Serie 2:	10.5 *	10.2 *	10.1 ↓	10.0 →	9.8 ↓
	9.6 ↘	10.6 *	10.2 *	10.1 ↑	9.7 ←
beste Teiler	99.9 (17.) 105.0 (11.) 188.6 (12.)				
Trefferlage	0.57 mm links, 0.37 mm tief				
Streuwert	1.66, horizontal: 1.44, vertikal: 1.86				



Serie 3:	10.0 ↑	9.5 →	10.5 *	9.9 ↗	9.7 ←
	8.9 ↖	9.5 ←	9.8 ↓	9.7 ←	8.7 ←
beste Teiler	116.8 (23.) 229.6 (21.) 259.4 (24.)				
Trefferlage	1.61 mm links, 0.38 mm hoch				
Streuwert	2.34, horizontal: 2.90, vertikal: 1.61				





Serie 4:	9.5 ↘	9.6 ↗	10.3 *	10.3 *	9.7 →
	9.3 ↓	10.3 *	10.6 *	10.6 *	9.6 ↓
beste Teiler	84.1 (39.) 88.6 (38.) 162.1 (33.)				
Trefferlage	0.07 mm rechts, 0.43 mm tief				
Streuwert	1.98, horizontal: 1.50, vertikal: 2.36				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	364	(381.9)
Serien:	93 90 90 91	
Zähler:	15 16 7 2 0 0 0 0 0 0	
Innenzehner:	10	
weiteste:	778 (11), 772 (22), 750 (2)	
beste Teiler	13.1 (33.) 35.2 (19.) 67.1 (8.)	
Trefferlage	0.47 mm rechts, 0.61 mm hoch	
Streuwert	2.87, horizontal: 3.53, vertikal: 2.01	




Serie 1:	10.1 ←	8.0 ↗	10.0 →	8.5 →	9.7 ↗
	10.1 ↗	10.5 *	10.7 *	9.7 ↖	9.0 ↓
beste Teiler	67.1 (8.)	122.5 (7.)	210.7 (1.)		
Trefferlage	1.53 mm rechts, 0.49 mm hoch				
Streuwert	2.66, horizontal: 3.04, vertikal: 2.22				



Serie 2:	7.8 ↖	10.1 ↖	10.4 *	8.6 ↘	9.5 ↖
	9.7 ↑	10.2 *	8.9 ←	10.8 *	9.1 ↑
beste Teiler	35.2 (19.)	142.9 (13.)	179.7 (17.)		
Trefferlage	0.81 mm links, 0.54 mm hoch				
Streuwert	3.05, horizontal: 3.65, vertikal: 2.31				



Serie 3:	9.8 ↑	7.9 →	10.3 *	9.2 →	9.2 ←
	9.2 ↗	9.6 ↖	10.5 *	10.4 *	8.2 →
beste Teiler	110.2 (28.)	150.2 (29.)	158.0 (23.)		
Trefferlage	1.26 mm rechts, 0.83 mm hoch				
Streuwert	3.08, horizontal: 4.13, vertikal: 1.37				





Serie 4:	9.3 ↘	8.8 →	10.9 *	9.6 ↖	9.3 ↑
	9.7 ↑	10.0 ↖	9.6 →	8.4 ←	10.6 *
beste Teiler	13.1 (33.)	77.6 (40.)	238.2 (37.)		
Trefferlage	0.09 mm links, 0.59 mm hoch				
Streuwert	2.79, horizontal: 3.21, vertikal: 2.29				

Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	352	(371.9)
Serien:	90 86 91 85	
Zähler:	9 19 8 3 1 0 0 0 0 0	
Innenzehner:	6	
weiteste:	1056 (40), 906 (15), 805 (16)	
beste Teiler	56.4 (4.) 84.9 (7.) 108.4 (23.)	
Trefferlage	0.15 mm rechts, 0.10 mm hoch	
Streuwert	3.34, horizontal: 3.70, vertikal: 2.93	



Serie 1:

9.8 ↘	9.3 ←	9.5 ↖	10.7 *	9.5 ↓
9.7 ↑	10.6 *	8.9 →	8.7 ↙	9.7 ↙


beste Teiler 56.4 (4.) 84.9 (7.) 293.5 (1.)
 Trefferlage 0.67 mm links, 0.04 mm tief
 Streuwert 2.64, horizontal: 2.97, vertikal: 2.26



Serie 2:

10.3 *	9.4 ↘	10.2 *	9.6 ←	7.3 →
7.7 ↙	9.2 ↗	9.4 ↘	8.9 ←	8.8 ↓


beste Teiler 158.9 (11.) 193.2 (13.) 338.2 (14.)
 Trefferlage 0.41 mm rechts, 0.98 mm tief
 Streuwert 3.78, horizontal: 4.64, vertikal: 2.64



Serie 3:

9.0 ↓	8.1 ↖	10.5 *	8.7 ↖	9.2 ↖
10.0 ↓	9.2 →	9.1 ↖	10.1 ↓	9.9 ↖

beste Teiler 108.4 (23.) 219.5 (29.) 247.7 (26.)
 Trefferlage 1.12 mm links, 0.85 mm hoch
 Streuwert 3.02, horizontal: 2.76, vertikal: 3.26



Serie 4:



10.1 ↖	9.6 ↘	8.5 →	9.8 ↗	9.2 →
10.3 *	7.9 →	8.9 ↗	9.9 ↓	6.7 ↖

beste Teiler 159.4 (36.) 220.2 (31.) 260.7 (39.)
 Trefferlage 2.00 mm rechts, 0.60 mm hoch
 Streuwert 3.68, horizontal: 3.85, vertikal: 3.51


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	360	(377.3)
Serien:	84 93 90 93	
Zähler:	11 21 5 3 0 0 0 0 0 0	
Innenzehner:	9	
weiteste:	901 (7), 815 (2), 755 (27)	
beste Teiler	116.0 (21.) 143.6 (33.) 159.0 (35.)	
Trefferlage	1.48 mm rechts, 0.06 mm tief	
Streuwert	2.85, horizontal: 3.60, vertikal: 1.83	




Serie 1:	9.7 ↘	7.7 ←	8.9 →	8.5 →	10.2 *
	9.7 ↘	7.3 →	9.8 ←	8.2 →	9.3 →
beste Teiler	182.3 (5.)	297.6 (8.)	304.7 (6.)		
Trefferlage	2.28 mm rechts, 0.23 mm tief				
Streuwert	3.77, horizontal: 5.03, vertikal: 1.76				



Serie 2:	9.8 ↓	8.7 →	9.0 →	10.2 *	10.3 *
	9.9 ←	10.3 *	10.2 *	9.5 ↗	9.3 →
beste Teiler	163.8 (15.)	164.1 (17.)	195.3 (14.)		
Trefferlage	1.64 mm rechts, 0.37 mm hoch				
Streuwert	2.14, horizontal: 2.55, vertikal: 1.63				





Serie 3:	10.5 *	9.4 ↙	9.1 ↘	9.3 →	9.3 ↗
	9.3 →	7.9 ↘	10.0 ←	9.3 ↘	9.4 →
beste Teiler	116.0 (21.)	250.0 (28.)	395.2 (22.)		
Trefferlage	1.05 mm rechts, 0.12 mm hoch				
Streuwert	3.11, horizontal: 3.62, vertikal: 2.50				




Serie 4:	8.5 →	9.9 ↙	10.4 *	10.3 *	10.3 *
	9.9 ↘	9.0 ↘	9.1 ←	9.8 →	10.1 ↘
beste Teiler	143.6 (33.)	159.0 (35.)	171.7 (34.)		
Trefferlage	0.95 mm rechts, 0.54 mm tief				
Streuwert	2.42, horizontal: 3.14, vertikal: 1.39				

Unterschrift des Schützen


Ergebnis: **388** (407.6)
 Serien: 92 99 99 98
 Zähler: 29 10 1 0 0 0 0 0 0 0
 Innenzehner: 27
 weiteste: 516 (6), 359 (9), 353 (7)
 beste Teiler 39.0 (22.) 55.5 (5.) 81.0 (21.)
 Trefferlage 0.01 mm rechts, 0.77 mm hoch
 Streuwert 1.44, horizontal: 1.62, vertikal: 1.22




Serie 1:
 10.5 * 9.9 ↙ 9.9 ← 9.6 ↑ 10.7 *
 8.9 ← 9.5 ↗ 10.5 * 9.5 ↘ 9.9 →
 beste Teiler 55.5 (5.) 106.5 (8.) 119.0 (1.)
 Trefferlage 0.51 mm links, 0.60 mm hoch
 Streuwert 2.11, horizontal: 2.36, vertikal: 1.82



Serie 2:
 10.4 * 10.2 * 10.5 * 10.4 * 10.2 *
 10.4 * 10.2 * 10.5 * 9.8 ↘ 10.3 *
 beste Teiler 106.7 (18.) 116.1 (13.) 128.4 (14.)
 Trefferlage 0.54 mm links, 0.80 mm hoch
 Streuwert 1.08, horizontal: 0.94, vertikal: 1.20



Serie 3:
 10.6 * 10.8 * 10.5 * 10.3 * 10.4 *
 9.7 ↑ 10.5 * 10.1 ↗ 10.2 * 10.6 *
 beste Teiler 39.0 (22.) 81.0 (21.) 87.1 (30.)
 Trefferlage 0.37 mm rechts, 0.88 mm hoch
 Streuwert 0.97, horizontal: 1.07, vertikal: 0.86





Serie 4:
 9.6 → 10.3 * 10.5 * 10.5 * 10.1 ↗
 9.5 → 10.5 * 10.3 * 10.4 * 10.4 *
 beste Teiler 101.7 (33.) 121.8 (34.) 125.4 (37.)
 Trefferlage 0.75 mm rechts, 0.78 mm hoch
 Streuwert 1.29, horizontal: 1.54, vertikal: 0.98


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **382** (401.0)
 Serien: 96 94 95 97
 Zähler: 23 16 1 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 546 (5), 455 (22), 431 (28)
 beste Teiler 52.4 (23.) 54.0 (30.) 58.8 (11.)
 Trefferlage 0.19 mm links, 0.42 mm tief
 Streuwert 1.84, horizontal: 1.81, vertikal: 1.88




Serie 1:
 10.4 * 9.4 → 10.1 ↓ 10.5 * 8.8 ↓
 10.5 * 10.5 * 9.4 ↙ 10.4 * 10.1 ↙
 beste Teiler 111.1 (4.) 114.1 (6.) 122.6 (7.)
 Trefferlage 0.04 mm rechts, 1.27 mm tief
 Streuwert 1.84, horizontal: 1.96, vertikal: 1.70



Serie 2:
 10.7 * 9.9 → 9.7 ↓ 10.2 * 9.7 ↓
 10.5 * 10.7 * 9.8 ↑ 9.9 → 9.7 ↓
 beste Teiler 58.8 (11.) 74.2 (17.) 114.8 (16.)
 Trefferlage 0.44 mm rechts, 0.90 mm tief
 Streuwert 1.59, horizontal: 1.25, vertikal: 1.88



Serie 3:
 9.6 ↑ 9.1 ← 10.7 * 9.6 ↓ 10.4 *
 9.4 ↙ 10.3 * 9.2 ← 10.4 * 10.7 *
 beste Teiler 52.4 (23.) 54.0 (30.) 126.6 (29.)
 Trefferlage 1.33 mm links, 0.04 mm hoch
 Streuwert 1.94, horizontal: 2.09, vertikal: 1.77





Serie 4:
 10.4 * 10.4 * 9.5 ↑ 10.3 * 9.5 ↗
 10.0 ↓ 10.3 * 10.0 → 9.8 ↙ 10.5 *
 beste Teiler 116.7 (40.) 144.8 (31.) 147.1 (32.)
 Trefferlage 0.05 mm rechts, 0.41 mm hoch
 Streuwert 1.73, horizontal: 1.55, vertikal: 1.90

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	366	(383.0)
Serien:	94 90 90 92	
Zähler:	15 17 7 1 0 0 0 0 0 0	
Innenzehner:	10	
weiteste:	1000 (22), 653 (19), 651 (24)	
beste Teiler	19.6 (10.) 20.6 (6.) 67.6 (34.)	
Trefferlage	0.39 mm rechts, 0.03 mm hoch	
Streuwert	2.86, horizontal: 3.41, vertikal: 2.18	




Serie 1:

9.4 ↑	10.5 *	9.5 ↘	10.5 *	8.7 →
10.9 *	9.1 →	9.6 →	10.5 *	10.9 *
beste Teiler	19.6 (10.)	20.6 (6.)	106.2 (2.)	
Trefferlage	1.33 mm rechts, 0.99 mm hoch			
Streuwert	1.99, horizontal: 2.31, vertikal: 1.60			




Serie 2:

9.8 →	9.2 ←	9.5 →	9.4 ↘	9.3 ↙
10.6 *	9.1 ↑	10.6 *	8.3 →	8.6 ↘
beste Teiler	84.3 (18.)	94.0 (16.)	289.6 (11.)	
Trefferlage	1.48 mm rechts, 0.41 mm tief			
Streuwert	2.89, horizontal: 3.21, vertikal: 2.53			



Serie 3:

9.2 →	7.0 ←	10.1 ↙	8.3 ←	10.6 *
10.1 ↗	10.1 ↗	9.7 ↘	8.9 ↙	9.0 ↓
beste Teiler	89.6 (25.)	203.0 (26.)	213.6 (23.)	
Trefferlage	1.74 mm links, 0.11 mm hoch			
Streuwert	3.38, horizontal: 4.12, vertikal: 2.43			





Serie 4:

8.8 ←	10.0 ↓	9.1 ↘	10.7 *	10.1 ↗
8.9 ↘	9.2 →	10.4 *	9.3 ↗	9.5 ↘
beste Teiler	67.6 (34.)	141.6 (38.)	213.9 (35.)	
Trefferlage	0.49 mm rechts, 0.55 mm tief			
Streuwert	2.70, horizontal: 3.23, vertikal: 2.04			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	379	(397.5)
Serien:	89 98 96 96	
Zähler:	23 14 2 1 0 0 0 0 0 0	
Innenzehner:	19	
weiteste:	810 (3), 656 (1), 523 (2)	
beste Teiler	66.2 (20.) 74.4 (32.) 77.9 (31.)	
Trefferlage	0.22 mm links, 0.62 mm hoch	
Streuwert	2.10, horizontal: 2.40, vertikal: 1.75	




Serie 1:	8.3 ←	8.9 ←	7.7 ↘	10.2 *	9.9 ↗
	10.1 ←	9.6 ↑	9.8 ↘	9.4 ✓	10.6 *
beste Teiler	90.8 (10.)	192.2 (4.)	209.6 (6.)		
Trefferlage	2.17 mm links, 1.08 mm hoch				
Streuwert	2.65, horizontal: 2.93, vertikal: 2.33				



Serie 2:	10.3 *	9.0 →	10.3 *	10.6 *	9.9 ↗
	10.6 *	10.3 *	10.1 ↗	10.0 ↑	10.7 *
beste Teiler	66.2 (20.)	82.8 (14.)	86.0 (16.)		
Trefferlage	0.48 mm rechts, 0.77 mm hoch				
Streuwert	1.54, horizontal: 1.86, vertikal: 1.14				





Serie 3:	10.4 *	9.8 ↑	10.2 *	9.7 ↑	9.7 ↗
	10.3 *	9.2 →	10.5 *	10.3 *	10.5 *
beste Teiler	108.0 (30.)	112.9 (28.)	149.0 (21.)		
Trefferlage	0.83 mm rechts, 0.80 mm hoch				
Streuwert	1.64, horizontal: 1.58, vertikal: 1.69				




Serie 4:	10.6 *	10.7 *	9.8 ↘	9.1 →	9.9 ↘
	10.0 ↘	10.2 *	9.6 ↘	10.4 *	10.3 *
beste Teiler	74.4 (32.)	77.9 (31.)	143.2 (39.)		
Trefferlage	0.02 mm links, 0.16 mm tief				
Streuwert	1.87, horizontal: 2.07, vertikal: 1.63				

Unterschrift des Schützen


Ergebnis:	382	(399.7)
Serien:	96 95 96 95	
Zähler:	23 16 1 0 0 0 0 0 0 0	
Innenzehner:	17	
weiteste:	506 (8), 440 (31), 423 (36)	
beste Teiler	78.1 (37.) 85.0 (22.) 94.2 (29.)	
Trefferlage	0.29 mm rechts, 0.09 mm tief	
Streuwert	1.86, horizontal: 1.98, vertikal: 1.73	




Serie 1:					
	9.5 ↗	10.4 *	9.9 →	10.3 *	10.4 *
	10.4 *	10.4 *	8.9 ↙	10.4 *	10.0 ↘
beste Teiler	127.0 (5.)	138.1 (2.)	147.8 (6.)		
Trefferlage	0.15 mm rechts, 0.37 mm tief				
Streuwert	1.86, horizontal: 1.94, vertikal: 1.77				



Serie 2:					
	10.0 ↓	10.4 *	9.7 ←	10.0 ↑	9.4 ↗
	10.5 *	9.9 →	9.3 ←	9.9 ↘	10.2 *
beste Teiler	106.2 (16.)	131.0 (12.)	182.1 (20.)		
Trefferlage	0.31 mm rechts, 0.16 mm tief				
Streuwert	2.01, horizontal: 2.29, vertikal: 1.68				



Serie 3:					
	9.9 ↓	10.6 *	9.5 ←	9.7 ←	10.0 ↙
	10.0 ↗	10.2 *	10.1 ↗	10.6 *	9.5 ↗
beste Teiler	85.0 (22.)	94.2 (29.)	178.8 (27.)		
Trefferlage	0.03 mm rechts, 0.06 mm tief				
Streuwert	1.87, horizontal: 2.08, vertikal: 1.64				





Serie 4:					
	9.2 ↘	9.8 ↖	9.9 ↗	10.2 *	10.4 *
	9.3 ↖	10.6 *	10.2 *	9.8 ↘	10.3 *
beste Teiler	78.1 (37.)	137.9 (35.)	164.7 (40.)		
Trefferlage	0.68 mm rechts, 0.22 mm hoch				
Streuwert	1.95, horizontal: 1.86, vertikal: 2.03				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	387	(405.0)
Serien:	94 96 99 98	
Zähler:	28 11 1 0 0 0 0 0 0 0	
Innenzehner:	21	
weiteste:	682 (1), 444 (32), 422 (9)	
beste Teiler	36.8 (33.) 50.9 (25.) 64.4 (10.)	
Trefferlage	0.16 mm links, 0.62 mm tief	
Streuwert	1.70, horizontal: 2.05, vertikal: 1.25	




Serie 1:	8.2 ←	9.7 ↘	9.4 ↙	10.1 ↓	10.1 ↗
	9.8 →	10.6 *	10.0 ↓	9.3 ↘	10.7 *
beste Teiler	64.4 (10.)	80.0 (7.)	210.0 (4.)		
Trefferlage	0.05 mm links, 1.22 mm tief				
Streuwert	2.35, horizontal: 2.93, vertikal: 1.56				



Serie 2:	9.7 ←	9.5 ↓	9.8 ←	10.5 *	10.7 *
	9.7 →	10.0 →	10.7 *	10.6 *	10.1 →
beste Teiler	71.5 (18.)	73.6 (15.)	99.7 (19.)		
Trefferlage	0.08 mm rechts, 0.81 mm tief				
Streuwert	1.64, horizontal: 2.00, vertikal: 1.17				





Serie 3:	10.2 *	10.2 *	9.8 ↓	10.5 *	10.8 *
	10.3 *	10.5 *	10.2 *	10.4 *	10.4 *
beste Teiler	50.9 (25.)	112.7 (24.)	124.4 (27.)		
Trefferlage	0.16 mm rechts, 0.45 mm tief				
Streuwert	1.20, horizontal: 1.19, vertikal: 1.22				




Serie 4:	10.2 *	9.2 ←	10.8 *	10.6 *	10.6 *
	10.5 *	10.1 ←	9.9 ←	10.1 →	10.5 *
beste Teiler	36.8 (33.)	89.0 (35.)	100.5 (34.)		
Trefferlage	0.83 mm links, 0.01 mm hoch				
Streuwert	1.42, horizontal: 1.87, vertikal: 0.76				

Unterschrift des Schützen


Ergebnis:	381	(398.7)
Serien:	94 95 95 97	
Zähler:	23 15 2 0 0 0 0 0 0 0	
Innenzehner:	17	
weiteste:	638 (17), 514 (36), 496 (27)	
beste Teiler	9.8 (26.) 35.0 (31.) 37.6 (1.)	
Trefferlage	0.40 mm links, 0.27 mm hoch	
Streuwert	2.01, horizontal: 2.18, vertikal: 1.82	




Serie 1:	10.8 *	9.9 ←	9.3 →	10.3 *	9.9 →
	10.5 *	9.1 ↑	9.6 ↑	9.8 →	10.3 *
beste Teiler	37.6 (1.) 110.8 (6.) 153.8 (10.)				
Trefferlage	0.62 mm rechts, 0.53 mm hoch				
Streuwert	1.98, horizontal: 2.08, vertikal: 1.88				



Serie 2:	10.3 *	10.4 *	10.6 *	9.6 ↖	9.8 ↑
	10.3 *	8.4 ←	9.9 ↙	10.4 *	10.7 *
beste Teiler	71.0 (20.) 79.3 (13.) 140.9 (12.)				
Trefferlage	1.03 mm links, 0.30 mm hoch				
Streuwert	1.90, horizontal: 2.32, vertikal: 1.36				



Serie 3:	10.4 *	9.7 ↘	10.0 ↖	10.2 *	9.2 ↙
	10.9 *	9.0 ↖	9.7 ↓	10.2 *	9.1 ↗
beste Teiler	9.8 (26.) 132.6 (21.) 183.1 (24.)				
Trefferlage	0.44 mm links, 0.06 mm tief				
Streuwert	2.32, horizontal: 2.43, vertikal: 2.21				





Serie 4:	10.8 *	10.0 ↙	10.5 *	10.1 ↑	10.4 *
	8.9 ←	10.0 ↖	9.5 ↖	10.1 ↓	10.1 ↘
beste Teiler	35.0 (31.) 114.0 (33.) 148.9 (35.)				
Trefferlage	0.75 mm links, 0.31 mm hoch				
Streuwert	1.87, horizontal: 1.78, vertikal: 1.95				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	396	(418.2)
Serien:	100 98 98 100	
Zähler:	36 4 0 0 0 0 0 0 0 0	
Innenzehner:	34	
weiteste:	286 (27), 264 (15), 259 (19)	
beste Teiler	10.8 (1.) 12.6 (22.) 42.4 (33.)	
Trefferlage	0.21 mm rechts, 0.00 mm	
Streuwert	1.02, horizontal: 1.15, vertikal: 0.87	




Serie 1:	10.9 *	10.7 *	10.0 ✓	10.2 *	10.5 *
	10.6 *	10.7 *	10.4 *	10.2 *	10.5 *
beste Teiler	10.8 (1.)	74.8 (7.)	75.2 (2.)		
Trefferlage	0.08 mm links, 0.17 mm hoch				
Streuwert	1.00, horizontal: 1.02, vertikal: 0.97				



Serie 2:	10.7 *	10.7 *	10.5 *	10.3 *	9.9 ↗
	10.7 *	10.7 *	10.6 *	9.9 →	10.6 *
beste Teiler	52.6 (11.)	65.0 (12.)	70.8 (16.)		
Trefferlage	0.88 mm rechts, 0.01 mm hoch				
Streuwert	0.88, horizontal: 0.92, vertikal: 0.83				





Serie 3:	10.1 ↖	10.9 *	10.5 *	10.7 *	10.4 *
	9.9 ↙	9.8 ↗	10.3 *	10.5 *	10.3 *
beste Teiler	12.6 (22.)	75.8 (24.)	101.1 (29.)		
Trefferlage	0.19 mm links, 0.11 mm tief				
Streuwert	1.26, horizontal: 1.43, vertikal: 1.06				




Serie 4:	10.3 *	10.7 *	10.8 *	10.6 *	10.4 *
	10.6 *	10.5 *	10.2 *	10.6 *	10.8 *
beste Teiler	42.4 (33.)	49.5 (40.)	66.4 (32.)		
Trefferlage	0.23 mm rechts, 0.08 mm tief				
Streuwert	0.85, horizontal: 0.99, vertikal: 0.67				

Unterschrift des Schützen


Ergebnis:	380	(399.2)
Serien:	93 96 97 94	
Zähler:	23 14 3 0 0 0 0 0 0 0	
Innenzehner:	20	
weiteste:	675 (2), 624 (15), 513 (3)	
beste Teiler	15.5 (16.) 29.2 (27.) 32.2 (26.)	
Trefferlage	0.19 mm rechts, 0.42 mm hoch	
Streuwert	2.06, horizontal: 2.15, vertikal: 1.97	




Serie 1:	9.7 ←	8.3 ↗	8.9 ↑	9.4 ↑	9.5 ←
	10.2 *	10.6 *	10.2 *	10.7 *	10.7 *
beste Teiler	65.2 (10.) 70.2 (9.) 98.0 (7.)				
Trefferlage	0.08 mm rechts, 1.16 mm hoch				
Streuwert	2.42, horizontal: 2.75, vertikal: 2.04				



Serie 2:	9.4 ↑	9.0 ↗	10.2 *	10.3 *	8.5 ↗
	10.9 *	10.6 *	10.3 *	10.2 *	10.5 *
beste Teiler	15.5 (16.) 79.1 (17.) 112.5 (20.)				
Trefferlage	0.86 mm rechts, 1.22 mm hoch				
Streuwert	1.98, horizontal: 1.81, vertikal: 2.14				



Serie 3:	10.4 *	10.5 *	10.1 ↘	10.0 ↓	9.8 ↓
	10.8 *	10.8 *	9.1 ←	9.9 ↓	10.4 *
beste Teiler	29.2 (27.) 32.2 (26.) 103.8 (22.)				
Trefferlage	0.17 mm links, 0.67 mm tief				
Streuwert	1.60, horizontal: 1.69, vertikal: 1.51				





Serie 4:	9.4 ←	10.1 ←	10.4 *	9.7 ↘	10.7 *
	9.8 ↓	10.4 *	9.4 →	9.5 →	9.9 ↑
beste Teiler	70.7 (35.) 130.7 (33.) 138.3 (37.)				
Trefferlage	0.00 mm , 0.00 mm				
Streuwert	2.06, horizontal: 2.35, vertikal: 1.72				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **377** (395.3)
 Serien: 96 96 90 95
 Zähler: 22 13 5 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 649 (23), 599 (22), 576 (27)
 beste Teiler 25.0 (34.) 38.6 (32.) 40.2 (7.)
 Trefferlage 0.16 mm links, 0.39 mm hoch
 Streuwert 2.26, horizontal: 2.48, vertikal: 2.01




Serie 1:
 9.1 → 10.5 * 9.4 → 10.0 → 10.7 *
 10.5 * 10.8 * 9.7 ↖ 9.5 ↓ 10.4 *
 beste Teiler 40.2 (7.) 69.3 (5.) 108.4 (2.)
 Trefferlage 1.08 mm rechts, 0.08 mm tief
 Streuwert 1.81, horizontal: 2.13, vertikal: 1.41



Serie 2:
 10.6 * 10.1 ↘ 9.3 ↗ 9.4 ↘ 9.9 ←
 10.4 * 10.1 ↗ 9.4 ↓ 10.1 ↓ 10.5 *
 beste Teiler 98.1 (11.) 108.5 (20.) 130.2 (16.)
 Trefferlage 0.44 mm rechts, 0.59 mm tief
 Streuwert 1.89, horizontal: 1.75, vertikal: 2.02



Serie 3:
 9.3 ↖ 8.6 ↖ 8.4 ↗ 9.5 ↖ 10.4 *
 10.1 ↗ 8.6 ← 9.0 ↖ 10.1 ↗ 9.8 ↓
 beste Teiler 139.4 (25.) 214.9 (26.) 222.6 (29.)
 Trefferlage 1.62 mm links, 1.54 mm hoch
 Streuwert 2.74, horizontal: 3.15, vertikal: 2.27





Serie 4:
 10.3 * 10.8 * 8.8 ↖ 10.9 * 9.7 →
 10.1 ← 10.7 * 8.8 ↖ 10.6 * 10.4 *
 beste Teiler 25.0 (34.) 38.6 (32.) 69.0 (37.)
 Trefferlage 0.57 mm links, 0.69 mm hoch
 Streuwert 1.97, horizontal: 2.09, vertikal: 1.84

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	375	(394.5)
Serien:	90 92 95 98	
Zähler:	21 13 6 0 0 0 0 0 0 0	
Innenzehner:	13	
weiteste:	622 (4), 535 (5), 522 (9)	
beste Teiler	45.2 (40.) 76.3 (1.) 78.0 (22.)	
Trefferlage	0.18 mm links, 0.40 mm tief	
Streuwert	2.19, horizontal: 2.44, vertikal: 1.90	




Serie 1:

10.6 *	9.8 ↘	10.0 ↘	8.5 ↖	8.8 ↖
9.8 ←	10.2 *	10.5 *	8.9 ↘	8.9 ↘
beste Teiler	76.3 (1.)	109.8 (8.)	196.2 (7.)	
Trefferlage	1.22 mm links, 0.29 mm tief			
Streuwert	2.70, horizontal: 3.03, vertikal: 2.33			




Serie 2:

9.6 ↘	8.9 →	9.2 →	10.6 *	10.0 ↓
9.5 ↘	9.8 ↘	8.9 ↗	10.4 *	10.0 ↖
beste Teiler	94.7 (14.)	127.4 (19.)	226.6 (20.)	
Trefferlage	1.12 mm rechts, 1.20 mm tief			
Streuwert	2.23, horizontal: 2.68, vertikal: 1.66			



Serie 3:

9.9 ↗	10.6 *	9.6 ↘	9.8 ↗	10.4 *
9.4 ↖	10.1 ↓	9.4 ↖	10.6 *	10.1 ↗
beste Teiler	78.0 (22.)	94.0 (29.)	129.1 (25.)	
Trefferlage	0.70 mm links, 0.90 mm tief			
Streuwert	1.78, horizontal: 2.12, vertikal: 1.35			





Serie 4:

9.6 ↑	10.4 *	9.7 ↑	10.1 →	10.0 ↑
10.3 *	10.1 ←	10.2 *	10.5 *	10.8 *
beste Teiler	45.2 (40.)	123.1 (39.)	136.7 (32.)	
Trefferlage	0.04 mm rechts, 0.80 mm hoch			
Streuwert	1.49, horizontal: 1.21, vertikal: 1.73			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **381** (398.0)
 Serien: 95 94 95 97
 Zähler: 21 19 0 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 497 (27), 450 (10), 444 (39)
 beste Teiler 30.3 (4.) 53.0 (8.) 72.9 (12.)
 Trefferlage 0.06 mm links, 0.09 mm tief
 Streuwert 2.01, horizontal: 2.25, vertikal: 1.74




Serie 1:
 9.6 ↙ 10.6 * 10.3 * 10.8 * 9.7 →
 9.5 ← 10.1 ↙ 10.7 * 9.8 ↑ 9.2 →
 beste Teiler 30.3 (4.) 53.0 (8.) 86.9 (2.)
 Trefferlage 0.11 mm rechts, 0.15 mm tief
 Streuwert 2.01, horizontal: 2.46, vertikal: 1.41



Serie 2:
 9.3 ↓ 10.7 * 10.6 * 9.7 ↗ 9.5 →
 9.5 ← 9.6 ↓ 10.3 * 10.2 * 9.3 ←
 beste Teiler 72.9 (12.) 95.2 (13.) 163.7 (18.)
 Trefferlage 0.13 mm links, 0.39 mm tief
 Streuwert 2.22, horizontal: 2.41, vertikal: 2.01



Serie 3:
 9.7 ↑ 9.7 ← 10.4 * 9.6 ← 10.3 *
 10.4 * 9.0 → 10.2 * 9.7 ← 10.0 ↓
 beste Teiler 142.7 (26.) 144.9 (23.) 169.6 (25.)
 Trefferlage 0.09 mm links, 0.53 mm hoch
 Streuwert 2.11, horizontal: 2.50, vertikal: 1.64





Serie 4:
 10.4 * 9.6 ↘ 10.3 * 9.4 ↓ 10.1 →
 10.1 ↗ 10.4 * 10.5 * 9.2 ← 10.0 ↙
 beste Teiler 109.4 (38.) 149.9 (37.) 150.4 (31.)
 Trefferlage 0.14 mm links, 0.34 mm tief
 Streuwert 1.94, horizontal: 1.96, vertikal: 1.93


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	370	(387.8)
Serien:	95	89 94 92
Zähler:	19	16 2 2 1 0 0 0 0 0
Innenzehner:	15	
weiteste:	1023 (9),	776 (15), 775 (31)
beste Teiler	68.7 (24.)	93.1 (3.) 104.1 (11.)
Trefferlage	0.55 mm links, 0.05 mm tief	
Streuwert	2.67, horizontal: 3.10, vertikal: 2.17	




Serie 1:	10.5 *	10.5 *	10.6 *	10.3 *	10.4 *
	10.2 *	9.0 ↘	10.2 *	6.9 ←	10.5 *
beste Teiler	93.1 (3.)	106.1 (10.)	109.6 (2.)		
Trefferlage	1.54 mm links, 0.07 mm hoch				
Streuwert	2.59, horizontal: 3.42, vertikal: 1.32				



Serie 2:	10.5 *	9.5 ↘	8.9 ↗	9.7 ↗	7.8 ↓
	9.8 ↘	10.0 ←	9.0 ↓	8.2 ←	10.1 ↘
beste Teiler	104.1 (11.)	207.9 (20.)	244.5 (17.)		
Trefferlage	0.18 mm links, 0.47 mm tief				
Streuwert	3.33, horizontal: 3.33, vertikal: 3.33				



Serie 3:	9.5 ↙	10.1 ↗	9.3 ↘	10.7 *	9.6 ↓
	10.2 *	10.1 ←	9.7 ↘	9.5 ↘	9.2 ↑
beste Teiler	68.7 (24.)	183.8 (26.)	207.5 (27.)		
Trefferlage	0.60 mm links, 0.35 mm hoch				
Streuwert	2.24, horizontal: 2.14, vertikal: 2.35				





Serie 4:	7.9 ←	9.3 →	9.5 ←	9.7 ↘	10.2 *
	10.4 *	10.4 *	9.8 →	10.3 *	9.8 →
beste Teiler	128.2 (37.)	145.2 (36.)	151.7 (39.)		
Trefferlage	0.09 mm rechts, 0.17 mm tief				
Streuwert	2.66, horizontal: 3.55, vertikal: 1.24				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	390	(404.6)
Serien:	96	99 99 96
Zähler:	30	10 0 0 0 0 0 0 0 0
Innenzehner:	21	
weiteste:	365	(34), 361 (9), 347 (31)
beste Teiler	35.6	(28.) 79.2 (1.) 101.4 (4.)
Trefferlage	0.21 mm	rechts, 0.17 mm hoch
Streuwert	1.59,	horizontal: 1.82, vertikal: 1.32




Serie 1:	10.6 *	9.9 ↗	9.9 ↖	10.5 *	10.2 *
	10.2 *	10.3 *	9.6 ↖	9.5 ↑	10.0 ↙
beste Teiler	79.2	(1.) 101.4 (4.)	168.2 (7.)		
Trefferlage	0.56 mm	links, 0.51 mm hoch			
Streuwert	1.64,	horizontal: 1.51, vertikal: 1.77			



Serie 2:	10.0 ↖	10.2 *	10.1 ↖	10.5 *	9.6 ↘
	10.3 *	10.2 *	10.3 *	10.4 *	10.2 *
beste Teiler	118.0	(14.) 147.8 (19.)	159.3 (16.)		
Trefferlage	0.27 mm	rechts, 0.07 mm tief			
Streuwert	1.46,	horizontal: 1.72, vertikal: 1.15			



Serie 3:	10.4 *	10.5 *	10.5 *	10.0 →	10.2 *
	10.0 ↗	10.0 ↙	10.8 *	10.0 ↘	9.8 ↘
beste Teiler	35.6	(28.) 125.3 (23.)	125.9 (22.)		
Trefferlage	0.57 mm	rechts, 0.11 mm tief			
Streuwert	1.41,	horizontal: 1.67, vertikal: 1.08			





Serie 4:	9.6 ↗	10.4 *	10.5 *	9.5 ↘	9.7 ↗
	10.2 *	9.7 ↘	10.0 ↖	10.0 ↖	10.3 *
beste Teiler	123.4	(33.) 143.0 (32.)	167.0 (40.)		
Trefferlage	0.59 mm	rechts, 0.36 mm hoch			
Streuwert	1.86,	horizontal: 2.31, vertikal: 1.26			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	380	(396.0)
Serien:	96	93 95 96
Zähler:	20	20 0 0 0 0 0 0 0 0
Innenzehner:	15	
weiteste:	492 (8), 479 (23), 463 (37)	
beste Teiler	80.1 (31.)	86.5 (13.) 112.5 (38.)
Trefferlage	0.13 mm rechts, 0.05 mm hoch	
Streuwert	2.04, horizontal: 2.48, vertikal: 1.49	




Serie 1:	10.0 ↙	9.4 ↗	10.4 *	10.2 *	9.6 →
	9.9 ↘	10.4 *	9.0 →	10.4 *	10.2 *
beste Teiler	129.6 (3.) 144.0 (7.) 148.9 (9.)				
Trefferlage	0.68 mm rechts, 0.35 mm tief				
Streuwert	1.99, horizontal: 2.28, vertikal: 1.65				



Serie 2:	10.0 ↖	10.2 *	10.6 *	9.6 ↗	9.9 ↘
	9.1 ←	9.4 ←	9.2 ←	9.5 →	9.7 ↓
beste Teiler	86.5 (13.) 177.7 (12.) 231.0 (11.)				
Trefferlage	1.13 mm links, 0.14 mm tief				
Streuwert	2.25, horizontal: 2.83, vertikal: 1.48				





Serie 3:	9.8 ↘	10.0 ←	9.0 ↗	10.2 *	10.2 *
	10.5 *	9.6 ↘	10.3 *	9.9 ↖	9.7 ↓
beste Teiler	116.8 (26.) 154.0 (28.) 185.0 (24.)				
Trefferlage	0.15 mm rechts, 0.06 mm tief				
Streuwert	2.05, horizontal: 2.35, vertikal: 1.71				



Serie 4:	10.6 *	10.2 *	10.0 ↖	9.5 ↗	9.7 →
	9.9 ↘	9.1 →	10.5 *	10.1 →	10.5 *
beste Teiler	80.1 (31.) 112.5 (38.) 123.3 (40.)				
Trefferlage	0.83 mm rechts, 0.77 mm hoch				
Streuwert	1.76, horizontal: 2.28, vertikal: 0.99				

Unterschrift des Schützen


Ergebnis:	334	(347.6)
Serien:	86	82 84 82
Zähler:	5	14 14 5 1 1 0 0 0 0
Innenzehner:	1	
weiteste:	1456 (26),	1177 (36), 868 (33)
beste Teiler	108.5 (4.)	220.8 (10.) 221.4 (28.)
Trefferlage	0.44 mm rechts, 0.90 mm tief	
Streuwert	4.40, horizontal: 5.28, vertikal: 3.29	



Serie 1:

7.7 ←	8.9 →	8.5 ↓	10.5 *	9.0 ←
9.6 ↗	8.2 ↗	9.5 →	8.7 ←	10.1 ↗


beste Teiler 108.5 (4.) 220.8 (10.) 345.3 (6.)
 Trefferlage 0.17 mm rechts, 0.10 mm hoch
 Streuwert 3.84, horizontal: 4.69, vertikal: 2.72



Serie 2:

9.1 ↘	7.6 ↖	8.8 ←	9.1 ↓	7.7 ←
8.3 ↖	8.0 →	8.3 ↗	10.0 ↑	8.1 ←


beste Teiler 234.0 (19.) 452.3 (14.) 472.6 (11.)
 Trefferlage 1.58 mm links, 0.60 mm tief
 Streuwert 4.59, horizontal: 5.51, vertikal: 3.43



Serie 3:

9.6 ←	9.5 ↘	9.1 ↖	9.0 ↖	10.0 ↘
5.1 →	7.6 ↘	10.1 ↑	8.5 →	8.6 ↘

beste Teiler 221.4 (28.) 226.3 (25.) 328.4 (21.)
 Trefferlage 1.90 mm rechts, 0.22 mm tief
 Streuwert 4.68, horizontal: 6.05, vertikal: 2.69



Serie 4:

8.2 →	8.5 ↘	7.5 ↘	9.2 ↖	9.3 ↘
6.2 ↓	8.2 ↘	9.6 ←	9.0 ←	9.1 ←

beste Teiler 338.6 (38.) 423.0 (35.) 447.6 (34.)
 Trefferlage 1.29 mm rechts, 2.89 mm tief
 Streuwert 4.37, horizontal: 4.87, vertikal: 3.80

Unterschrift des Schützen

Meyton Elektronik