





Ergebnis: **390** (408.9)
 Serien: 98 96 97 99
 Zähler: 31 8 1 0 0 0 0 0 0 0
 Innenzehner: 27
 weiteste: 600 (14), 374 (39), 306 (11)
 beste Teiler 36.0 (22.) 58.5 (33.) 63.3 (21.)
 Trefferlage 0.12 mm links, 0.02 mm tief
 Streuwert 1.49, horizontal: 1.70, vertikal: 1.25




Serie 1:
 10.5 * 9.9 ← 9.9 → 10.0 ↓ 10.1 ↘
 10.4 * 10.4 * 10.4 * 10.5 * 10.2 *
 beste Teiler 112.2 (9.) 123.3 (1.) 128.5 (7.)
 Trefferlage 0.15 mm rechts, 0.48 mm tief
 Streuwert 1.36, horizontal: 1.66, vertikal: 0.96



Serie 2:
 9.7 ← 10.2 * 10.4 * 8.6 ← 10.5 *
 9.9 → 10.2 * 10.3 * 10.2 * 10.4 *
 beste Teiler 111.8 (15.) 132.0 (13.) 136.4 (20.)
 Trefferlage 0.47 mm links, 0.38 mm hoch
 Streuwert 1.92, horizontal: 2.57, vertikal: 0.89



Serie 3:
 10.7 * 10.8 * 10.4 * 9.8 ↓ 10.2 *
 10.6 * 10.4 * 9.8 ↓ 10.5 * 9.9 ↖
 beste Teiler 36.0 (22.) 63.3 (21.) 97.5 (26.)
 Trefferlage 0.12 mm rechts, 0.72 mm tief
 Streuwert 1.22, horizontal: 1.10, vertikal: 1.34





Serie 4:
 10.0 ↖ 10.0 ↑ 10.7 * 10.6 * 10.5 *
 10.4 * 10.4 * 10.6 * 9.5 ↗ 10.4 *
 beste Teiler 58.5 (33.) 83.2 (38.) 97.7 (34.)
 Trefferlage 0.31 mm links, 0.72 mm hoch
 Streuwert 1.27, horizontal: 1.25, vertikal: 1.29


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	399	(418.4)			
Serien:	100	99	100	100	
Zähler:	39	1	0	0	0 0 0 0 0 0
Innenzehner:	36				
weiteste:	271 (18), 246 (35), 229 (4)				
beste Teiler	21.2 (29.) 31.8 (30.) 34.1 (36.)				
Trefferlage	0.04 mm rechts, 0.01 mm hoch				
Streuwert	0.99, horizontal: 1.04, vertikal: 0.93				




Serie 1:					
	10.5 *	10.8 *	10.5 *	10.0 →	10.6 *
	10.4 *	10.6 *	10.2 *	10.2 *	10.2 *
beste Teiler	50.0 (2.) 95.1 (7.) 97.0 (5.)				
Trefferlage	0.12 mm rechts, 0.33 mm tief				
Streuwert	1.09, horizontal: 1.25, vertikal: 0.89				



Serie 2:					
	10.7 *	10.5 *	10.5 *	10.5 *	10.4 *
	10.6 *	10.4 *	9.9 ←	10.3 *	10.3 *
beste Teiler	75.1 (11.) 100.0 (16.) 111.9 (12.)				
Trefferlage	0.16 mm links, 0.14 mm tief				
Streuwert	1.07, horizontal: 1.39, vertikal: 0.61				



Serie 3:					
	10.2 *	10.6 *	10.4 *	10.6 *	10.7 *
	10.7 *	10.5 *	10.8 *	10.9 *	10.8 *
beste Teiler	21.2 (29.) 31.8 (30.) 42.0 (28.)				
Trefferlage	0.03 mm rechts, 0.01 mm tief				
Streuwert	0.74, horizontal: 0.58, vertikal: 0.88				





Serie 4:					
	10.4 *	10.2 *	10.7 *	10.7 *	10.0 ↗
	10.8 *	10.0 ↑	10.5 *	10.5 *	10.3 *
beste Teiler	34.1 (36.) 52.4 (33.) 55.4 (34.)				
Trefferlage	0.17 mm rechts, 0.53 mm hoch				
Streuwert	1.04, horizontal: 0.90, vertikal: 1.16				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **377** (395.7)
 Serien: 94 92 94 97
 Zähler: 21 16 2 1 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 792 (13), 649 (6), 501 (10)
 beste Teiler 85.7 (14.) 95.8 (3.) 96.9 (2.)
 Trefferlage 0.20 mm links, 0.11 mm tief
 Streuwert 2.18, horizontal: 2.59, vertikal: 1.65




Serie 1:
 10.2 * 10.6 * 10.6 * 10.0 ↘ 9.3 ←
 8.4 ↘ 10.4 * 9.8 ← 10.3 * 8.9 →
 beste Teiler 95.8 (3.) 96.9 (2.) 133.2 (7.)
 Trefferlage 0.58 mm rechts, 0.39 mm tief
 Streuwert 2.39, horizontal: 3.13, vertikal: 1.26



Serie 2:
 10.3 * 9.7 ↓ 7.8 ← 10.6 * 10.2 *
 9.4 ↘ 9.8 ↗ 10.2 * 9.8 ← 9.7 →
 beste Teiler 85.7 (14.) 152.6 (11.) 187.9 (15.)
 Trefferlage 0.96 mm links, 0.35 mm hoch
 Streuwert 2.51, horizontal: 3.14, vertikal: 1.66



Serie 3:
 9.9 ↙ 9.6 ↗ 10.3 * 10.1 → 9.3 ↓
 9.3 ← 9.9 ↓ 10.1 ↙ 10.4 * 9.3 ↑
 beste Teiler 139.3 (29.) 161.2 (23.) 213.4 (28.)
 Trefferlage 0.22 mm links, 0.50 mm tief
 Streuwert 2.19, horizontal: 2.00, vertikal: 2.36





Serie 4:
 10.5 * 10.3 * 9.9 ↘ 10.5 * 10.0 →
 9.7 ← 10.4 * 10.3 * 9.5 ↖ 10.4 *
 beste Teiler 109.6 (31.) 119.2 (34.) 138.2 (40.)
 Trefferlage 0.20 mm links, 0.10 mm hoch
 Streuwert 1.66, horizontal: 2.03, vertikal: 1.18


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	392	(411.2)
Serien:	98 98 97 99	
Zähler:	32 8 0 0 0 0 0 0 0 0	
Innenzehner:	27	
weiteste:	366 (11), 346 (30), 341 (9)	
beste Teiler	19.3 (10.) 21.8 (34.) 31.3 (7.)	
Trefferlage	0.27 mm rechts, 0.12 mm hoch	
Streuwert	1.35, horizontal: 1.47, vertikal: 1.22	




Serie 1:	10.2 *	10.1 ←	10.2 *	9.8 ↘	10.0 ↘
	10.7 *	10.8 *	10.5 *	9.6 →	10.9 *
beste Teiler	19.3 (10.)	31.3 (7.)	54.1 (6.)		
Trefferlage	0.81 mm rechts, 0.13 mm tief				
Streuwert	1.32, horizontal: 1.68, vertikal: 0.82				



Serie 2:	9.5 ↑	10.1 ↑	10.6 *	10.6 *	10.2 *
	9.8 ↙	10.7 *	10.6 *	10.0 →	10.5 *
beste Teiler	51.2 (17.)	76.2 (14.)	95.1 (13.)		
Trefferlage	0.26 mm links, 0.86 mm hoch				
Streuwert	1.33, horizontal: 1.33, vertikal: 1.34				





Serie 3:	9.7 ↗	10.3 *	10.5 *	10.2 *	10.4 *
	9.9 ↘	10.3 *	10.7 *	10.6 *	9.6 ←
beste Teiler	57.4 (28.)	96.6 (29.)	109.4 (23.)		
Trefferlage	0.56 mm rechts, 0.03 mm hoch				
Streuwert	1.45, horizontal: 1.59, vertikal: 1.30				




Serie 4:	10.4 *	10.6 *	10.2 *	10.9 *	10.5 *
	10.1 ↓	9.8 ↙	10.3 *	10.4 *	10.4 *
beste Teiler	21.8 (34.)	88.2 (32.)	114.0 (35.)		
Trefferlage	0.00 mm , 0.25 mm tief				
Streuwert	1.21, horizontal: 1.20, vertikal: 1.22				

Unterschrift des Schützen


Ergebnis: **363** (380.4)
 Serien: 94 91 92 86
 Zähler: 13 19 6 2 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 864 (37), 862 (18), 725 (34)
 beste Teiler 66.7 (35.) 111.1 (2.) 120.4 (15.)
 Trefferlage 0.53 mm links, 0.07 mm tief
 Streuwert 2.91, horizontal: 3.20, vertikal: 2.60




Serie 1:
 10.2 * 10.5 * 9.6 ← 9.4 ↗ 9.7 ↗
 10.5 * 9.5 ↗ 10.4 * 9.1 ↑ 9.0 →
 beste Teiler 111.1 (2.) 122.1 (6.) 135.1 (8.)
 Trefferlage 0.12 mm rechts, 1.17 mm hoch
 Streuwert 2.24, horizontal: 2.37, vertikal: 2.11



Serie 2:
 8.9 ↓ 10.4 * 10.1 → 9.6 ↖ 10.5 *
 8.9 ← 10.3 * 7.5 ↖ 9.8 ↑ 10.0 ↖
 beste Teiler 120.4 (15.) 132.0 (12.) 166.0 (17.)
 Trefferlage 1.54 mm links, 0.67 mm tief
 Streuwert 2.76, horizontal: 3.01, vertikal: 2.49





Serie 3:
 8.5 ↗ 9.5 ↓ 9.0 ← 10.3 * 9.6 ↖
 10.1 ↗ 9.6 ↖ 10.3 * 9.3 ↓ 9.6 ↗
 beste Teiler 164.0 (24.) 166.0 (28.) 222.1 (26.)
 Trefferlage 0.18 mm links, 0.34 mm hoch
 Streuwert 2.72, horizontal: 2.88, vertikal: 2.53




Serie 4:
 8.8 → 9.1 ↓ 9.4 ↘ 8.1 ← 10.7 *
 9.0 ↖ 7.5 ↖ 9.3 ↘ 9.9 ← 8.9 →
 beste Teiler 66.7 (35.) 267.8 (39.) 400.1 (33.)
 Trefferlage 0.53 mm links, 1.15 mm tief
 Streuwert 3.74, horizontal: 4.41, vertikal: 2.92

Unterschrift des Schützen


Ergebnis:	386	(405.0)
Serien:	96 97 96 97	
Zähler:	26 14 0 0 0 0 0 0 0 0	
Innenzehner:	21	
weiteste:	442 (2), 423 (18), 383 (6)	
beste Teiler	40.1 (20.) 53.6 (31.) 63.0 (19.)	
Trefferlage	0.38 mm rechts, 0.08 mm tief	
Streuwert	1.61, horizontal: 1.91, vertikal: 1.24	




Serie 1:	9.6 ←	9.2 ↖	10.5 *	10.2 *	9.8 →
	9.4 ↙	10.6 *	10.3 *	10.1 ↗	10.5 *
beste Teiler	90.0 (7.) 101.2 (10.) 123.3 (3.)				
Trefferlage	0.95 mm links, 0.47 mm tief				
Streuwert	1.76, horizontal: 2.05, vertikal: 1.41				



Serie 2:	10.4 *	9.6 ↖	10.3 *	9.8 ↘	10.4 *
	10.4 *	10.1 ↖	9.3 →	10.7 *	10.8 *
beste Teiler	40.1 (20.) 63.0 (19.) 126.4 (15.)				
Trefferlage	0.31 mm rechts, 0.34 mm hoch				
Streuwert	1.64, horizontal: 2.11, vertikal: 0.94				





Serie 3:	9.9 →	10.1 →	10.2 *	9.9 →	10.1 →
	10.2 *	10.5 *	10.6 *	9.9 ↑	9.7 →
beste Teiler	83.6 (28.) 101.5 (27.) 183.8 (26.)				
Trefferlage	1.55 mm rechts, 0.12 mm hoch				
Streuwert	1.14, horizontal: 1.16, vertikal: 1.12				




Serie 4:	10.7 *	10.4 *	10.4 *	10.6 *	10.2 *
	10.0 ↗	10.4 *	9.6 →	9.8 ↘	9.8 ↘
beste Teiler	53.6 (31.) 95.0 (34.) 128.7 (32.)				
Trefferlage	0.62 mm rechts, 0.33 mm tief				
Streuwert	1.46, horizontal: 1.47, vertikal: 1.44				

Unterschrift des Schützen


Ergebnis: **368** (385.9)
 Serien: 93 94 88 93
 Zähler: 16 16 8 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 749 (5), 666 (7), 634 (22)
 beste Teiler 42.8 (36.) 54.4 (34.) 72.0 (40.)
 Trefferlage 1.47 mm rechts, 0.40 mm tief
 Streuwert 2.45, horizontal: 3.00, vertikal: 1.74




Serie 1:
 10.4 * 10.2 * 10.1 ↙ 10.2 * 8.0 ↘
 10.4 * 8.3 → 9.7 ← 9.5 ↖ 9.0 →
 beste Teiler 147.8 (6.) 149.6 (1.) 191.6 (4.)
 Trefferlage 1.30 mm rechts, 0.91 mm tief
 Streuwert 2.78, horizontal: 3.45, vertikal: 1.89



Serie 2:
 10.6 * 9.1 ↖ 10.2 * 10.2 * 8.8 →
 10.1 ↗ 10.2 * 9.1 → 9.6 ↗ 9.5 ↘
 beste Teiler 93.2 (11.) 176.5 (17.) 181.4 (14.)
 Trefferlage 1.23 mm rechts, 0.45 mm tief
 Streuwert 2.30, horizontal: 2.83, vertikal: 1.62





Serie 3:
 9.8 ↖ 8.4 → 9.9 ↗ 10.4 * 8.9 ←
 10.1 ↑ 9.5 ↓ 9.8 → 8.6 → 8.5 →
 beste Teiler 142.8 (24.) 209.0 (26.) 267.0 (23.)
 Trefferlage 1.48 mm rechts, 0.31 mm tief
 Streuwert 2.98, horizontal: 3.82, vertikal: 1.79




Serie 4:
 9.1 → 9.7 ↓ 9.9 ↗ 10.7 * 9.1 ↗
 10.8 * 9.6 → 10.3 * 8.9 ↘ 10.7 *
 beste Teiler 42.8 (36.) 54.4 (34.) 72.0 (40.)
 Trefferlage 1.88 mm rechts, 0.08 mm hoch
 Streuwert 1.92, horizontal: 2.05, vertikal: 1.79

Unterschrift des Schützen


Ergebnis: **384** (400.7)
 Serien: 97 97 98 92
 Zähler: 25 14 1 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 547 (34), 493 (19), 422 (12)
 beste Teiler 55.7 (26.) 59.4 (25.) 78.1 (8.)
 Trefferlage 0.63 mm rechts, 0.29 mm hoch
 Streuwert 1.82, horizontal: 2.10, vertikal: 1.50




Serie 1:
 10.2 * 10.0 ↗ 10.5 * 10.4 * 9.9 ↗
 9.4 → 10.5 * 10.6 * 10.1 ↗ 9.7 ↗
 beste Teiler 78.1 (8.) 112.3 (7.) 116.1 (3.)
 Trefferlage 1.29 mm rechts, 0.50 mm hoch
 Streuwert 1.33, horizontal: 1.27, vertikal: 1.39



Serie 2:
 10.0 ↘ 9.3 → 9.7 ↘ 10.2 * 10.1 ↘
 10.3 * 10.6 * 10.0 ↑ 9.0 ↘ 10.2 *
 beste Teiler 92.6 (17.) 158.4 (16.) 192.2 (20.)
 Trefferlage 0.18 mm rechts, 0.21 mm hoch
 Streuwert 2.09, horizontal: 2.27, vertikal: 1.89



Serie 3:
 10.5 * 9.3 → 9.8 ← 10.0 ↘ 10.7 *
 10.7 * 10.4 * 10.2 * 10.4 * 10.5 *
 beste Teiler 55.7 (26.) 59.4 (25.) 109.4 (30.)
 Trefferlage 0.89 mm rechts, 0.23 mm tief
 Streuwert 1.35, horizontal: 1.73, vertikal: 0.80





Serie 4:
 9.4 ↘ 10.2 * 9.7 → 8.8 → 9.5 ←
 10.5 * 10.6 * 9.5 ↘ 9.7 ↘ 9.6 ↑
 beste Teiler 86.0 (37.) 108.2 (36.) 190.1 (32.)
 Trefferlage 0.17 mm rechts, 0.71 mm hoch
 Streuwert 2.38, horizontal: 2.87, vertikal: 1.74


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **385** (404.3)
 Serien: 96 98 95 96
 Zähler: 25 15 0 0 0 0 0 0 0 0
 Innenzehner: 21
 weiteste: 471 (32), 421 (31), 419 (4)
 beste Teiler 34.0 (12.) 61.0 (39.) 72.1 (2.)
 Trefferlage 0.30 mm rechts, 0.24 mm hoch
 Streuwert 1.65, horizontal: 1.95, vertikal: 1.30




Serie 1:
 10.2 * 10.7 * 10.3 * 9.3 → 10.1 ↑
 9.9 ← 10.3 * 9.7 ↘ 9.8 ↙ 10.3 *
 beste Teiler 72.1 (2.) 153.6 (10.) 163.2 (3.)
 Trefferlage 0.46 mm rechts, 0.11 mm hoch
 Streuwert 1.78, horizontal: 2.07, vertikal: 1.43



Serie 2:
 9.6 → 10.8 * 10.2 * 10.5 * 10.3 *
 10.4 * 10.6 * 10.5 * 9.9 ↖ 10.4 *
 beste Teiler 34.0 (12.) 90.5 (17.) 103.7 (14.)
 Trefferlage 0.19 mm links, 0.20 mm tief
 Streuwert 1.31, horizontal: 1.65, vertikal: 0.84



Serie 3:
 9.7 ↗ 10.3 * 9.4 ↑ 10.1 ↘ 9.8 ↘
 10.5 * 9.9 → 10.3 * 9.9 ↑ 10.4 *
 beste Teiler 125.0 (26.) 126.0 (30.) 152.7 (28.)
 Trefferlage 0.48 mm rechts, 0.60 mm hoch
 Streuwert 1.71, horizontal: 1.46, vertikal: 1.92





Serie 4:
 9.3 ← 9.1 → 9.9 ↗ 10.1 ↖ 10.1 →
 10.3 * 10.4 * 10.5 * 10.7 * 9.8 →
 beste Teiler 61.0 (39.) 125.0 (38.) 150.4 (37.)
 Trefferlage 0.46 mm rechts, 0.45 mm hoch
 Streuwert 1.91, horizontal: 2.62, vertikal: 0.65

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	376	(394.9)
Serien:	93 95 94 94	
Zähler:	18 20 2 0 0 0 0 0 0 0	
Innenzehner:	12	
weiteste:	646 (5), 504 (14), 485 (17)	
beste Teiler	39.0 (37.) 59.5 (3.) 68.6 (10.)	
Trefferlage	0.20 mm rechts, 0.07 mm hoch	
Streuwert	2.14, horizontal: 2.37, vertikal: 1.88	




Serie 1:

10.0 ↙	9.2 ↙	10.7 *	9.9 ↙	8.4 ↗
9.2 ↘	10.1 ↑	9.6 ↗	9.6 ↘	10.7 *
beste Teiler	59.5 (3.)	68.6 (10.)	223.5 (7.)	
Trefferlage	0.17 mm links, 0.47 mm hoch			
Streuwert	2.56, horizontal: 2.62, vertikal: 2.50			




Serie 2:

9.8 ↗	10.5 *	10.1 ↗	8.9 →	10.3 *
10.1 ↘	9.0 ↗	10.4 *	10.5 *	9.9 ↘
beste Teiler	102.4 (19.)	105.6 (12.)	148.2 (18.)	
Trefferlage	1.39 mm rechts, 0.60 mm hoch			
Streuwert	1.78, horizontal: 1.99, vertikal: 1.54			



Serie 3:

9.7 ↘	9.7 →	10.2 *	10.2 *	9.7 ↙
9.8 ←	10.0 ↘	9.1 ↙	9.8 ↘	10.1 →
beste Teiler	188.1 (23.)	192.8 (24.)	217.9 (30.)	
Trefferlage	0.35 mm links, 0.88 mm tief			
Streuwert	2.05, horizontal: 2.32, vertikal: 1.74			





Serie 4:

9.3 ↗	9.8 →	10.2 *	10.6 *	9.7 ↗
10.4 *	10.8 *	9.6 ↙	9.5 ↙	9.8 ←
beste Teiler	39.0 (37.)	91.5 (34.)	141.4 (36.)	
Trefferlage	0.03 mm links, 0.08 mm hoch			
Streuwert	2.02, horizontal: 2.45, vertikal: 1.46			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **384** (401.9)
 Serien: 97 96 94 97
 Zähler: 24 16 0 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 393 (18), 371 (4), 358 (1)
 beste Teiler 42.2 (40.) 72.0 (5.) 97.4 (17.)
 Trefferlage 0.19 mm rechts, 0.26 mm hoch
 Streuwert 1.74, horizontal: 1.70, vertikal: 1.79




Serie 1:
 9.5 ↓ 10.0 ↑ 10.4 * 9.5 ↓ 10.7 *
 10.2 * 10.3 * 10.0 ← 9.6 ↓ 10.4 *
 beste Teiler 72.0 (5.) 142.5 (3.) 147.0 (10.)
 Trefferlage 0.00 mm , 0.87 mm tief
 Streuwert 1.72, horizontal: 1.43, vertikal: 1.98



Serie 2:
 10.0 ↗ 10.1 ← 9.7 ↓ 9.6 ↘ 9.8 ↖
 10.2 * 10.6 * 9.4 ↗ 10.0 ↘ 10.5 *
 beste Teiler 97.4 (17.) 121.4 (20.) 198.5 (16.)
 Trefferlage 0.52 mm links, 0.19 mm hoch
 Streuwert 1.91, horizontal: 1.87, vertikal: 1.94



Serie 3:
 10.0 ↗ 10.5 * 9.9 ↘ 10.1 ↑ 9.8 ↖
 10.2 * 9.7 → 9.6 ← 9.7 → 9.9 ↑
 beste Teiler 121.2 (22.) 187.8 (26.) 222.6 (24.)
 Trefferlage 1.06 mm rechts, 0.77 mm hoch
 Streuwert 1.71, horizontal: 1.86, vertikal: 1.54





Serie 4:
 10.3 * 10.1 ↖ 10.4 * 9.9 ↘ 10.0 ↗
 9.8 → 9.8 ↗ 10.5 * 10.4 * 10.8 *
 beste Teiler 42.2 (40.) 116.1 (38.) 142.6 (39.)
 Trefferlage 0.22 mm rechts, 0.95 mm hoch
 Streuwert 1.34, horizontal: 1.45, vertikal: 1.22


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	386	(402.7)
Serien:	95	96 98 97
Zähler:	29 8 3 0 0 0 0 0 0 0	
Innenzehner:	23	
weiteste:	705 (15), 595 (8), 535 (40)	
beste Teiler	9.0 (30.) 51.3 (17.) 57.2 (13.)	
Trefferlage	0.63 mm links, 0.20 mm hoch	
Streuwert	1.88, horizontal: 2.21, vertikal: 1.47	




Serie 1:	9.4 →	10.2 *	10.4 *	9.6 →	10.1 ↑
	10.4 *	9.8 ↘	8.6 ↙	10.4 *	10.4 *
beste Teiler	129.0 (9.) 134.2 (3.) 135.6 (6.)				
Trefferlage	0.16 mm links, 0.43 mm hoch				
Streuwert	2.18, horizontal: 2.65, vertikal: 1.57				



Serie 2:	9.5 ←	10.1 ↑	10.7 *	10.5 *	8.1 ↙
	10.7 *	10.7 *	10.2 *	10.3 *	9.1 ←
beste Teiler	51.3 (17.) 57.2 (13.) 69.0 (16.)				
Trefferlage	1.47 mm links, 0.17 mm tief				
Streuwert	2.04, horizontal: 2.41, vertikal: 1.59				



Serie 3:	10.2 *	10.5 *	10.4 *	10.1 ↘	10.7 *
	10.4 *	9.7 ↘	9.7 ↘	10.7 *	10.9 *
beste Teiler	9.0 (30.) 67.7 (25.) 73.4 (29.)				
Trefferlage	0.00 mm, 0.01 mm hoch				
Streuwert	1.35, horizontal: 1.41, vertikal: 1.30				





Serie 4:	10.6 *	10.6 *	10.1 ↑	10.0 ↘	10.4 *
	10.0 ↑	9.1 ↘	10.2 *	10.4 *	8.8 ↙
beste Teiler	91.2 (31.) 95.1 (32.) 142.0 (35.)				
Trefferlage	0.90 mm links, 0.53 mm hoch				
Streuwert	1.89, horizontal: 2.21, vertikal: 1.50				

Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	387	(406.6)
Serien:	95 98 100 94	
Zähler:	27 13 0 0 0 0 0 0 0 0	
Innenzehner:	24	
weiteste:	419 (7), 407 (3), 371 (32)	
beste Teiler	37.3 (10.) 39.4 (29.) 41.4 (35.)	
Trefferlage	0.01 mm links, 0.00 mm	
Streuwert	1.62, horizontal: 1.88, vertikal: 1.30	



Serie 1:

10.4 *	10.7 *	9.3 →	9.5 ↘	9.6 →
10.2 *	9.3 ←	10.3 *	9.9 ←	10.8 *


beste Teiler 37.3 (10.) 56.0 (2.) 138.5 (1.)
 Trefferlage 0.30 mm rechts, 0.27 mm hoch
 Streuwert 2.02, horizontal: 2.67, vertikal: 1.01



Serie 2:

9.7 ↗	9.9 ↗	10.2 *	10.3 *	10.2 *
10.1 →	10.3 *	10.3 *	10.5 *	10.6 *


beste Teiler 89.2 (20.) 109.0 (19.) 153.6 (14.)
 Trefferlage 0.80 mm rechts, 0.03 mm tief
 Streuwert 1.35, horizontal: 1.30, vertikal: 1.40



Serie 3:

10.6 *	10.2 *	10.0 ←	10.4 *	10.2 *
10.6 *	10.7 *	10.5 *	10.8 *	10.2 *

beste Teiler 39.4 (29.) 68.1 (27.) 79.4 (26.)
 Trefferlage 0.59 mm links, 0.21 mm hoch
 Streuwert 1.00, horizontal: 1.05, vertikal: 0.95



Serie 4:



10.7 *	9.5 ↓	9.5 ↓	10.5 *	10.8 *
9.7 ←	9.7 ←	10.1 ←	9.9 ↗	9.9 →

beste Teiler 41.4 (35.) 61.2 (31.) 124.8 (34.)
 Trefferlage 0.58 mm links, 0.47 mm tief
 Streuwert 1.86, horizontal: 1.95, vertikal: 1.77


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367** (385.7)
 Serien: 91 92 91 93
 Zähler: 16 15 9 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 657 (29), 647 (18), 638 (5)
 beste Teiler 35.3 (37.) 87.3 (26.) 104.4 (2.)
 Trefferlage 0.40 mm rechts, 0.96 mm tief
 Streuwert 2.53, horizontal: 3.32, vertikal: 1.34




Serie 1:
 10.2 * 10.5 * 9.3 ↘ 9.8 ← 8.4 ↘
 8.9 ↓ 10.3 * 9.1 → 8.8 → 10.1 ←
 beste Teiler 104.4 (2.) 151.4 (7.) 180.8 (1.)
 Trefferlage 1.71 mm rechts, 1.17 mm tief
 Streuwert 2.48, horizontal: 2.95, vertikal: 1.91



Serie 2:
 9.3 ← 10.5 * 8.5 ↘ 9.3 → 10.0 ↓
 9.4 → 10.0 ← 8.4 → 9.8 ← 10.4 *
 beste Teiler 121.0 (12.) 142.1 (20.) 235.9 (15.)
 Trefferlage 0.81 mm rechts, 0.92 mm tief
 Streuwert 2.75, horizontal: 3.74, vertikal: 1.06



Serie 3:
 9.4 ← 9.8 → 10.4 * 10.0 → 10.4 *
 10.6 * 8.6 ← 8.8 ← 8.3 ← 9.7 ←
 beste Teiler 87.3 (26.) 132.0 (25.) 139.9 (23.)
 Trefferlage 1.87 mm links, 1.18 mm tief
 Streuwert 2.34, horizontal: 3.11, vertikal: 1.11





Serie 4:
 10.2 * 10.0 → 9.8 ↘ 9.9 ↘ 10.4 *
 8.8 → 10.8 * 9.4 → 9.9 ← 9.5 ↘
 beste Teiler 35.3 (37.) 143.5 (35.) 180.8 (31.)
 Trefferlage 0.95 mm rechts, 0.58 mm tief
 Streuwert 2.08, horizontal: 2.66, vertikal: 1.25


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **389** (407.0)
 Serien: 97 100 95 97
 Zähler: 29 11 0 0 0 0 0 0 0 0
 Innenzehner: 22
 weiteste: 488 (37), 411 (23), 384 (27)
 beste Teiler 14.4 (25.) 33.1 (1.) 50.4 (16.)
 Trefferlage 0.06 mm rechts, 0.35 mm hoch
 Streuwert 1.59, horizontal: 1.68, vertikal: 1.49




Serie 1:
 10.8 * 10.7 * 9.9 ↘ 10.0 ↗ 10.6 *
 10.5 * 9.9 ← 9.5 ↗ 10.3 * 10.4 *
 beste Teiler 33.1 (1.) 56.5 (2.) 89.8 (5.)
 Trefferlage 0.08 mm rechts, 0.27 mm hoch
 Streuwert 1.47, horizontal: 1.52, vertikal: 1.41



Serie 2:
 10.3 * 10.7 * 10.6 * 10.5 * 10.0 ↑
 10.8 * 10.7 * 10.2 * 10.7 * 10.1 ↑
 beste Teiler 50.4 (16.) 51.0 (12.) 57.2 (17.)
 Trefferlage 0.00 mm , 0.65 mm hoch
 Streuwert 0.95, horizontal: 0.97, vertikal: 0.93



Serie 3:
 10.6 * 9.5 ↗ 9.3 ↖ 9.9 ↙ 10.9 *
 10.5 * 9.4 → 9.5 ↘ 10.3 * 10.1 ↑
 beste Teiler 14.4 (25.) 81.4 (21.) 110.0 (26.)
 Trefferlage 0.43 mm rechts, 0.25 mm hoch
 Streuwert 2.00, horizontal: 2.13, vertikal: 1.85





Serie 4:
 10.3 * 10.3 * 10.2 * 10.1 ↘ 9.9 ↓
 10.1 ↑ 9.0 ↖ 10.0 ↖ 10.2 * 9.7 →
 beste Teiler 165.5 (31.) 166.8 (32.) 188.4 (33.)
 Trefferlage 0.26 mm links, 0.22 mm hoch
 Streuwert 1.92, horizontal: 2.04, vertikal: 1.78


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	384	(403.0)
Serien:	97	99 94 94
Zähler:	25	14 1 0 0 0 0 0 0 0
Innenzehner:	23	
weiteste:	513	(21), 478 (38), 436 (1)
beste Teiler	5.6	(15.) 59.9 (11.) 80.4 (24.)
Trefferlage	0.07 mm	rechts, 0.34 mm hoch
Streuwert	1.80,	horizontal: 2.25, vertikal: 1.17




Serie 1:	9.2 →	10.2 *	10.4 *	10.4 *	9.8 ↖
	9.8 →	10.5 *	10.3 *	10.6 *	10.4 *
beste Teiler	87.8	(9.) 120.1 (7.)	136.5 (10.)		
Trefferlage	0.02 mm	links, 0.28 mm hoch			
Streuwert	1.66,	horizontal: 2.21, vertikal: 0.79			



Serie 2:	10.7 *	10.2 *	10.2 *	10.5 *	10.9 *
	9.8 ↙	10.3 *	10.0 →	10.4 *	10.4 *
beste Teiler	5.6	(15.) 59.9 (11.)	104.6 (14.)		
Trefferlage	0.28 mm	rechts, 0.41 mm tief			
Streuwert	1.23,	horizontal: 1.28, vertikal: 1.19			





Serie 3:	8.9 →	9.2 ←	9.5 →	10.6 *	10.5 *
	10.6 *	10.6 *	10.5 *	9.4 ←	9.8 →
beste Teiler	80.4	(24.) 96.6 (27.)	96.7 (26.)		
Trefferlage	0.51 mm	rechts, 0.49 mm hoch			
Streuwert	2.12,	horizontal: 2.90, vertikal: 0.75			



Serie 4:	9.5 ↗	9.5 ↗	10.2 *	10.4 *	10.5 *
	9.9 ↗	9.5 ↖	9.0 ↖	9.8 ↖	10.1 ↙
beste Teiler	116.0	(35.) 131.8 (34.)	185.3 (33.)		
Trefferlage	0.45 mm	links, 1.02 mm hoch			
Streuwert	2.07,	horizontal: 2.54, vertikal: 1.47			


Unterschrift des Schützen

Ergebnis:	376	(394.1)
Serien:	92 92 97 95	
Zähler:	17 22 1 0 0 0 0 0 0 0	
Innenzehner:	12	
weiteste:	543 (8), 489 (18), 486 (9)	
beste Teiler	10.8 (40.) 36.0 (28.) 85.0 (21.)	
Trefferlage	0.47 mm links, 0.00 mm	
Streuwert	2.16, horizontal: 2.39, vertikal: 1.90	




Serie 1:

9.2 ↖	10.3 *	9.3 ↘	9.5 →	10.3 *
10.5 *	9.6 ↙	8.8 ←	9.0 ↘	9.9 ↙
beste Teiler	106.7 (6.) 164.7 (5.) 169.0 (2.)			
Trefferlage	0.48 mm links, 0.58 mm tief			
Streuwert	2.63, horizontal: 3.25, vertikal: 1.82			




Serie 2:

9.7 ↘	10.0 →	9.6 ↙	9.3 ↙	9.6 ↖
9.6 ↘	9.9 ←	9.0 ↘	9.3 ↖	10.4 *
beste Teiler	129.8 (20.) 231.3 (12.) 265.7 (17.)			
Trefferlage	0.47 mm links, 0.42 mm tief			
Streuwert	2.51, horizontal: 2.60, vertikal: 2.42			



Serie 3:

10.6 *	9.8 ↑	10.0 ↖	10.2 *	10.4 *
10.0 ←	9.7 ↑	10.8 *	10.5 *	9.7 →
beste Teiler	36.0 (28.) 85.0 (21.) 125.8 (29.)			
Trefferlage	0.26 mm links, 0.92 mm hoch			
Streuwert	1.46, horizontal: 1.48, vertikal: 1.44			





Serie 4:

10.1 ↗	9.5 →	9.3 ←	10.5 *	9.8 ↘
9.6 ↖	9.5 ↙	10.4 *	10.0 ↙	10.9 *
beste Teiler	10.8 (40.) 118.5 (34.) 150.2 (38.)			
Trefferlage	0.66 mm links, 0.07 mm hoch			
Streuwert	2.00, horizontal: 2.27, vertikal: 1.69			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **386** (408.0)
 Serien: 97 96 97 96
 Zähler: 27 12 1 0 0 0 0 0 0 0
 Innenzehner: 23
 weiteste: 513 (39), 396 (16), 356 (5)
 beste Teiler 14.4 (30.) 14.5 (35.) 33.2 (25.)
 Trefferlage 0.26 mm links, 0.02 mm hoch
 Streuwert 1.56, horizontal: 1.67, vertikal: 1.45




Serie 1:
 10.4 * 9.6 ↑ 10.6 * 9.9 ↗ 9.5 ←
 10.3 * 10.6 * 10.4 * 10.3 * 10.1 ↗
 beste Teiler 87.6 (7.) 88.6 (3.) 134.0 (1.)
 Trefferlage 0.20 mm rechts, 0.98 mm hoch
 Streuwert 1.42, horizontal: 1.61, vertikal: 1.21



Serie 2:
 10.4 * 9.9 ↓ 9.7 ↓ 10.6 * 10.5 *
 9.4 ← 10.7 * 10.6 * 9.8 ↘ 10.5 *
 beste Teiler 68.0 (17.) 94.3 (18.) 95.2 (14.)
 Trefferlage 0.73 mm links, 0.54 mm tief
 Streuwert 1.48, horizontal: 1.44, vertikal: 1.51





Serie 3:
 10.4 * 10.7 * 9.8 ↖ 9.9 ← 10.8 *
 9.9 → 10.5 * 10.2 * 10.4 * 10.9 *
 beste Teiler 14.4 (30.) 33.2 (25.) 74.4 (22.)
 Trefferlage 0.35 mm links, 0.03 mm tief
 Streuwert 1.30, horizontal: 1.39, vertikal: 1.20




Serie 4:
 9.7 ↓ 10.5 * 10.4 * 10.5 * 10.9 *
 10.0 ↗ 9.7 ↘ 10.0 ↘ 8.9 ← 10.1 ←
 beste Teiler 14.5 (35.) 112.4 (34.) 122.9 (32.)
 Trefferlage 0.16 mm links, 0.32 mm tief
 Streuwert 1.91, horizontal: 2.22, vertikal: 1.53

Unterschrift des Schützen


Ergebnis: **366** (385.2)
 Serien: 92 89 91 94
 Zähler: 12 22 6 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 664 (17), 645 (31), 617 (22)
 beste Teiler 71.8 (13.) 72.5 (18.) 108.2 (37.)
 Trefferlage 0.60 mm rechts, 0.59 mm tief
 Streuwert 2.54, horizontal: 3.09, vertikal: 1.83




Serie 1:
 9.8 ↘ 9.7 ↙ 9.1 → 10.0 ↘ 9.8 ↖
 10.5 * 9.2 ↘ 9.8 → 9.1 ← 9.7 ↗
 beste Teiler 125.8 (6.) 239.6 (4.) 283.0 (5.)
 Trefferlage 0.63 mm rechts, 0.51 mm tief
 Streuwert 2.46, horizontal: 3.07, vertikal: 1.65



Serie 2:
 9.4 → 9.6 ↙ 10.7 * 8.9 ↓ 8.8 →
 10.1 → 8.3 ↗ 10.7 * 9.9 ↓ 8.8 ←
 beste Teiler 71.8 (13.) 72.5 (18.) 206.1 (16.)
 Trefferlage 0.79 mm rechts, 0.72 mm tief
 Streuwert 2.95, horizontal: 3.28, vertikal: 2.57



Serie 3:
 9.4 → 8.5 → 9.4 ↓ 9.4 → 9.9 →
 9.7 ↖ 9.2 ← 10.1 ← 9.4 ↘ 10.2 *
 beste Teiler 196.2 (30.) 216.8 (28.) 259.0 (25.)
 Trefferlage 1.30 mm rechts, 0.31 mm tief
 Streuwert 2.64, horizontal: 3.34, vertikal: 1.68





Serie 4:
 8.4 ↙ 9.5 ← 9.3 → 10.2 * 10.3 *
 9.7 ↗ 10.5 * 9.8 ↘ 10.2 * 10.2 *
 beste Teiler 108.2 (37.) 156.9 (35.) 183.6 (39.)
 Trefferlage 0.29 mm links, 0.83 mm tief
 Streuwert 2.31, horizontal: 2.91, vertikal: 1.47


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	377	(398.2)
Serien:	95 95 94 93	
Zähler:	20 18 1 1 0 0 0 0 0 0	
Innenzehner:	16	
weiteste:	878 (40), 527 (5), 433 (22)	
beste Teiler	28.0 (23.) 48.0 (26.) 62.8 (33.)	
Trefferlage	0.19 mm rechts, 0.17 mm hoch	
Streuwert	2.08, horizontal: 2.42, vertikal: 1.68	




Serie 1:	10.1 ↓	9.6 ↙	10.6 *	9.5 ↘	8.8 →
	10.4 *	10.4 *	10.0 ↑	10.4 *	9.6 ↗
beste Teiler	87.2 (3.)	135.2 (9.)	135.4 (6.)		
Trefferlage	1.02 mm rechts, 0.39 mm tief				
Streuwert	1.96, horizontal: 2.15, vertikal: 1.74				



Serie 2:	9.6 →	9.6 ↘	10.2 *	10.2 *	10.1 →
	9.9 ←	9.3 ↙	10.1 ↖	9.8 ↘	10.2 *
beste Teiler	177.4 (20.)	179.9 (14.)	187.1 (13.)		
Trefferlage	0.48 mm links, 0.05 mm hoch				
Streuwert	1.99, horizontal: 2.33, vertikal: 1.58				





Serie 3:	9.9 ↙	9.2 ↗	10.8 *	9.7 ↑	9.8 ↘
	10.8 *	9.9 ↑	10.7 *	10.3 *	9.9 ↖
beste Teiler	28.0 (23.)	48.0 (26.)	71.3 (28.)		
Trefferlage	0.43 mm rechts, 0.48 mm hoch				
Streuwert	1.78, horizontal: 1.65, vertikal: 1.91				



Serie 4:	10.5 *	10.6 *	10.7 *	9.9 ↘	9.3 ↗
	9.7 ↗	10.3 *	10.5 *	9.9 ↘	7.4 ←
beste Teiler	62.8 (33.)	93.7 (32.)	105.4 (38.)		
Trefferlage	0.18 mm links, 0.54 mm hoch				
Streuwert	2.59, horizontal: 3.32, vertikal: 1.56				


Unterschrift des Schützen

Ergebnis:	369	(383.2)
Serien:	95 90 89 95	
Zähler:	16 18 5 1 0 0 0 0 0 0	
Innenzehner:	6	
weiteste:	764 (29), 690 (14), 674 (18)	
beste Teiler	55.1 (30.) 70.4 (33.) 90.7 (3.)	
Trefferlage	0.99 mm links, 0.02 mm hoch	
Streuwert	2.63, horizontal: 3.31, vertikal: 1.70	




Serie 1:

10.0 ←	9.1 ←	10.6 *	9.7 ↘	10.0 →
9.0 ←	10.0 ↓	10.2 *	9.3 →	9.1 ↗
beste Teiler	90.7 (3.) 187.4 (8.) 232.7 (1.)			
Trefferlage	0.38 mm links, 0.18 mm hoch			
Streuwert	2.50, horizontal: 2.97, vertikal: 1.91			




Serie 2:

9.8 ↗	9.6 ↗	10.2 *	8.2 ←	9.0 →
10.1 ↗	9.6 ↘	8.3 ↘	10.1 ↗	8.7 ←
beste Teiler	186.1 (13.) 224.3 (16.) 224.5 (19.)			
Trefferlage	1.85 mm links, 0.06 mm hoch			
Streuwert	2.96, horizontal: 3.86, vertikal: 1.64			



Serie 3:

9.6 ←	9.0 ←	9.2 ↘	9.5 ←	10.0 ↘
9.8 ↘	8.7 ↘	9.9 →	7.9 ←	10.7 *
beste Teiler	55.1 (30.) 240.8 (25.) 274.8 (28.)			
Trefferlage	1.92 mm links, 0.11 mm hoch			
Streuwert	2.78, horizontal: 3.68, vertikal: 1.40			





Serie 4:


10.1 ↓	9.7 ↑	10.7 *	9.0 ↘	9.7 ↘
10.1 →	8.8 →	10.0 ←	10.2 *	10.0 ↓
beste Teiler	70.4 (33.) 176.1 (39.) 207.1 (31.)			
Trefferlage	0.18 mm rechts, 0.29 mm tief			
Streuwert	2.31, horizontal: 2.57, vertikal: 2.02			

Unterschrift des Schützen


Ergebnis:	386	(401.8)
Serien:	99	97 95 95
Zähler:	26	14 0 0 0 0 0 0 0 0
Innenzehner:	18	
weiteste:	497	(21), 407 (32), 401 (8)
beste Teiler	40.7	(38.) 64.4 (39.) 69.3 (30.)
Trefferlage	0.03 mm rechts, 0.05 mm tief	
Streuwert	1.80, horizontal: 1.93, vertikal: 1.65	




Serie 1:	10.5 *	10.3 *	10.6 *	10.2 *	10.5 *
	10.1 ↘	10.4 *	9.3 ↑	10.2 *	10.1 ↘
beste Teiler	90.9 (3.) 106.6 (5.) 115.6 (1.)				
Trefferlage	0.04 mm rechts, 0.48 mm hoch				
Streuwert	1.44, horizontal: 1.09, vertikal: 1.72				



Serie 2:	10.1 ↘	10.1 ↘	10.3 *	10.3 *	9.8 ↘
	9.9 ↗	10.0 ↗	10.6 *	10.0 ↘	9.7 ↙
beste Teiler	78.0 (18.) 155.5 (13.) 168.9 (14.)				
Trefferlage	0.06 mm links, 0.73 mm hoch				
Streuwert	1.63, horizontal: 1.83, vertikal: 1.40				



Serie 3:	9.0 ←	10.1 ↓	9.5 ↘	9.7 ↑	9.6 →
	9.6 ↓	10.2 *	10.0 ↘	10.4 *	10.7 *
beste Teiler	69.3 (30.) 149.2 (29.) 183.4 (27.)				
Trefferlage	0.80 mm rechts, 0.77 mm tief				
Streuwert	2.04, horizontal: 2.35, vertikal: 1.68				





Serie 4:	9.5 ←	9.3 ←	9.9 ↘	9.5 ↘	10.2 *
	9.6 ↓	10.3 *	10.8 *	10.7 *	10.2 *
beste Teiler	40.7 (38.) 64.4 (39.) 167.0 (37.)				
Trefferlage	0.63 mm links, 0.65 mm tief				
Streuwert	1.87, horizontal: 2.22, vertikal: 1.44				

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	351	(369.3)
Serien:	81 92 85 93	
Zähler:	12 16 5 5 2 0 0 0 0 0	
Innenzehner:	9	
weiteste:	1105 (30), 1023 (2), 928 (26)	
beste Teiler	63.0 (28.) 69.3 (11.) 114.2 (12.)	
Trefferlage	1.40 mm links, 0.54 mm tief	
Streuwert	3.48, horizontal: 4.05, vertikal: 2.80	




Serie 1:

7.6 ↘	6.9 ↖	9.0 ↗	10.0 ←	9.2 ↑
7.7 ↖	7.9 ↘	9.6 ↘	9.7 →	8.3 ↘
beste Teiler	245.2 (4.)	306.8 (9.)	337.5 (8.)	
Trefferlage	0.48 mm rechts, 0.54 mm tief			
Streuwert	4.76, horizontal: 5.35, vertikal: 4.09			




Serie 2:

10.7 *	10.5 *	9.8 ↙	9.5 ↙	9.1 ←
10.0 ↙	10.2 *	8.8 ↘	9.1 ←	8.0 ←
beste Teiler	69.3 (11.)	114.2 (12.)	198.1 (17.)	
Trefferlage	2.11 mm links, 1.38 mm tief			
Streuwert	2.31, horizontal: 2.92, vertikal: 1.46			



Serie 3:

10.0 ↓	7.7 ←	9.9 ↓	10.3 *	9.6 ↑
7.2 ←	8.7 ↓	10.7 *	9.9 ↖	6.5 ↖
beste Teiler	63.0 (28.)	171.0 (24.)	227.8 (21.)	
Trefferlage	2.70 mm links, 0.22 mm tief			
Streuwert	3.85, horizontal: 4.42, vertikal: 3.17			





Serie 4:

9.9 ←	10.4 *	9.3 ↓	9.7 ↖	10.4 *
10.5 *	9.4 ↘	8.2 ←	10.2 *	9.2 ↖
beste Teiler	122.0 (36.)	131.4 (32.)	140.8 (35.)	
Trefferlage	1.30 mm links, 0.04 mm tief			
Streuwert	2.45, horizontal: 2.86, vertikal: 1.96			


Unterschrift des Schützen

Ergebnis:	382	(398.0)
Serien:	93 96 96 97	
Zähler:	26 11 2 1 0 0 0 0 0 0	
Innenzehner:	18	
weiteste:	839 (5), 613 (18), 557 (2)	
beste Teiler	28.4 (16.) 40.1 (19.) 86.4 (9.)	
Trefferlage	0.33 mm links, 0.06 mm tief	
Streuwert	2.14, horizontal: 2.68, vertikal: 1.42	




Serie 1:

10.5 *	8.7 ↖	10.5 *	10.4 *	7.6 ←
9.6 ←	10.1 ↘	10.5 *	10.6 *	9.5 ↓
beste Teiler	86.4 (9.)	101.8 (1.)	107.8 (8.)	
Trefferlage	1.70 mm links, 0.51 mm tief			
Streuwert	2.42, horizontal: 3.11, vertikal: 1.42			




Serie 2:

10.4 *	10.3 *	10.4 *	10.1 ↘	9.6 ↘
10.8 *	9.3 →	8.5 ↖	10.8 *	10.2 *
beste Teiler	28.4 (16.)	40.1 (19.)	132.4 (11.)	
Trefferlage	0.43 mm rechts, 0.30 mm hoch			
Streuwert	2.07, horizontal: 2.49, vertikal: 1.54			



Serie 3:

9.5 ↖	9.7 ↘	10.0 ←	9.7 ↖	10.1 ↓
10.2 *	10.5 *	10.0 ←	9.1 ←	10.4 *
beste Teiler	120.0 (27.)	150.6 (30.)	176.5 (26.)	
Trefferlage	0.91 mm links, 0.12 mm hoch			
Streuwert	1.95, horizontal: 2.13, vertikal: 1.76			





Serie 4:

9.9 →	9.4 ↘	10.0 →	10.6 *	10.0 ←
10.5 *	10.4 *	9.0 →	10.6 *	10.0 ←
beste Teiler	89.0 (34.)	98.7 (39.)	111.0 (36.)	
Trefferlage	0.84 mm rechts, 0.18 mm tief			
Streuwert	1.85, horizontal: 2.45, vertikal: 0.90			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	364	(384.1)
Serien:	93 95 89 87	
Zähler:	13 20 5 2 0 0 0 0 0 0	
Innenzehner:	12	
weiteste:	972 (34), 858 (14), 645 (23)	
beste Teiler	2.0 (6.) 40.0 (12.) 69.8 (16.)	
Trefferlage	0.01 mm links, 0.28 mm hoch	
Streuwert	2.84, horizontal: 3.48, vertikal: 2.01	




Serie 1:	9.6 ↘	10.6 *	10.2 *	9.9 ↘	10.3 *
	10.9 *	9.5 ↘	9.8 ←	8.5 ↗	9.0 ↘
beste Teiler	2.0 (6.) 82.6 (2.) 153.7 (5.)				
Trefferlage	0.54 mm links, 0.95 mm hoch				
Streuwert	2.31, horizontal: 2.89, vertikal: 1.52				



Serie 2:	10.6 *	10.8 *	10.2 *	7.5 →	10.3 *
	10.7 *	9.5 ↘	9.6 ↓	10.3 *	10.0 ←
beste Teiler	40.0 (12.) 69.8 (16.) 76.4 (11.)				
Trefferlage	0.59 mm rechts, 0.60 mm tief				
Streuwert	2.43, horizontal: 3.26, vertikal: 1.11				





Serie 3:	9.4 ↗	10.6 *	8.4 ↘	9.2 ↗	9.0 ↗
	9.9 →	9.8 ↓	8.6 ↘	9.9 ↘	9.8 ↓
beste Teiler	81.4 (22.) 268.5 (29.) 269.5 (26.)				
Trefferlage	0.92 mm rechts, 0.04 mm hoch				
Streuwert	2.97, horizontal: 3.10, vertikal: 2.84				




Serie 4:	9.1 ←	8.9 ↙	9.0 ↘	7.1 →	8.8 ←
	9.5 ↘	9.8 ←	10.3 *	9.8 ↘	9.4 →
beste Teiler	171.7 (38.) 285.8 (39.) 293.4 (37.)				
Trefferlage	1.01 mm links, 0.76 mm hoch				
Streuwert	3.56, horizontal: 4.60, vertikal: 2.04				

Unterschrift des Schützen


Ergebnis:	384	(400.1)
Serien:	94 98 94 98	
Zähler:	26 12 2 0 0 0 0 0 0 0	
Innenzehner:	21	
weiteste:	590 (3), 517 (28), 497 (22)	
beste Teiler	18.3 (37.) 33.9 (14.) 39.6 (30.)	
Trefferlage	0.37 mm rechts, 0.32 mm tief	
Streuwert	1.98, horizontal: 2.40, vertikal: 1.45	




Serie 1:	9.4 ↗	9.6 ↖	8.6 ←	10.0 →	10.0 →
	10.3 *	10.0 ←	9.9 ↓	10.1 ↙	9.8 ←
beste Teiler	157.4 (6.)	210.2 (9.)	238.8 (5.)		
Trefferlage	0.44 mm links, 0.06 mm tief				
Streuwert	2.35, horizontal: 2.77, vertikal: 1.84				



Serie 2:	10.4 *	9.3 ↘	10.3 *	10.8 *	10.7 *
	10.2 *	10.4 *	10.5 *	10.7 *	9.1 →
beste Teiler	33.9 (14.)	56.2 (19.)	65.9 (15.)		
Trefferlage	0.56 mm rechts, 0.69 mm tief				
Streuwert	1.56, horizontal: 1.92, vertikal: 1.09				





Serie 3:	10.3 *	9.0 ↘	9.2 ←	10.4 *	9.2 →
	9.7 ↗	10.0 ↘	8.9 ↘	10.4 *	10.8 *
beste Teiler	39.6 (30.)	131.8 (24.)	139.4 (29.)		
Trefferlage	1.28 mm rechts, 0.81 mm tief				
Streuwert	2.22, horizontal: 2.91, vertikal: 1.20				




Serie 4:	10.4 *	10.2 *	10.4 *	10.2 *	10.4 *
	10.2 *	10.9 *	10.6 *	9.0 ↗	9.8 ↖
beste Teiler	18.3 (37.)	88.5 (38.)	141.8 (33.)		
Trefferlage	0.07 mm rechts, 0.27 mm hoch				
Streuwert	1.66, horizontal: 1.83, vertikal: 1.48				

Unterschrift des Schützen


Ergebnis:	376	(393.4)							
Serien:	95	94	95	92					
Zähler:	19	18	3	0	0	0	0	0	0
Innenzehner:	10								
weiteste:	702 (25), 551 (17), 507 (2)								
beste Teiler	66.0 (19.)	71.0 (7.)	100.1 (27.)						
Trefferlage	0.02 mm rechts, 0.27 mm hoch								
Streuwert	2.22, horizontal: 2.26, vertikal: 2.18								




Serie 1:	9.9 ↙	8.9 ↙	9.6 ↘	10.4 *	10.1 ↘
	10.1 ↘	10.7 *	9.2 ←	10.2 *	10.1 ↖
beste Teiler	71.0 (7.) 148.4 (4.) 183.9 (9.)				
Trefferlage	0.97 mm links, 0.79 mm tief				
Streuwert	1.95, horizontal: 2.26, vertikal: 1.59				



Serie 2:	9.7 ↘	10.4 *	10.0 ↘	9.9 ↙	9.2 ↘
	9.8 ↑	8.7 ↙	10.4 *	10.7 *	10.5 *
beste Teiler	66.0 (19.) 109.2 (20.) 128.0 (12.)				
Trefferlage	0.12 mm rechts, 0.81 mm tief				
Streuwert	2.11, horizontal: 2.43, vertikal: 1.72				



Serie 3:	10.1 ↑	9.1 ↑	9.9 →	10.1 ↑	8.1 ↖
	10.0 ↖	10.6 *	9.9 ↗	10.2 *	10.1 ↑
beste Teiler	100.1 (27.) 181.0 (29.) 201.6 (24.)				
Trefferlage	0.30 mm links, 2.10 mm hoch				
Streuwert	1.86, horizontal: 2.01, vertikal: 1.69				





Serie 4:	9.8 ↓	9.9 ↓	9.4 ↘	10.1 ←	9.2 ↑
	10.3 *	9.9 →	9.0 →	9.9 ↑	9.3 ↗
beste Teiler	152.6 (36.) 220.2 (34.) 251.3 (32.)				
Trefferlage	1.25 mm rechts, 0.59 mm hoch				
Streuwert	2.24, horizontal: 2.06, vertikal: 2.41				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	381	(399.2)
Serien:	94	96 97 94
Zähler:	24	13 3 0 0 0 0 0 0 0
Innenzehner:	17	
weiteste:	524 (6),	511 (36), 505 (11)
beste Teiler	30.1 (19.)	77.1 (30.) 83.6 (7.)
Trefferlage	0.36 mm links, 0.38 mm hoch	
Streuwert	1.94, horizontal: 2.24, vertikal: 1.59	




Serie 1:	9.5 ↖	9.6 ↖	9.8 ↙	10.1 ↘	9.4 ↗
	8.9 ↘	10.6 *	10.5 *	10.6 *	10.3 *
beste Teiler	83.6 (7.) 85.0 (9.) 123.8 (8.)				
Trefferlage	0.36 mm links, 0.46 mm hoch				
Streuwert	2.15, horizontal: 2.22, vertikal: 2.08				



Serie 2:	8.9 →	9.2 ↗	10.3 *	10.6 *	9.8 ↖
	10.2 *	10.3 *	10.0 ↘	10.8 *	10.6 *
beste Teiler	30.1 (19.) 89.1 (14.) 100.0 (20.)				
Trefferlage	0.36 mm rechts, 0.96 mm hoch				
Streuwert	1.80, horizontal: 2.30, vertikal: 1.09				





Serie 3:	9.7 ↖	10.5 *	10.2 *	10.1 ←	10.5 *
	10.3 *	10.1 ↘	9.9 ↙	9.7 ↙	10.6 *
beste Teiler	77.1 (30.) 121.0 (22.) 122.4 (25.)				
Trefferlage	0.39 mm links, 0.72 mm tief				
Streuwert	1.46, horizontal: 1.69, vertikal: 1.18				




Serie 4:	9.5 ↘	9.3 ↖	10.5 *	10.0 →	10.0 ↗
	8.9 ↘	10.4 *	9.3 ↖	10.0 ↖	9.7 ←
beste Teiler	125.7 (33.) 132.1 (37.) 244.0 (35.)				
Trefferlage	1.06 mm links, 0.84 mm hoch				
Streuwert	2.19, horizontal: 2.73, vertikal: 1.45				

Unterschrift des Schützen


Ergebnis:	369	(387.2)
Serien:	92 92 93 92	
Zähler:	15 20 4 1 0 0 0 0 0 0	
Innenzehner:	10	
weiteste:	833 (12), 656 (18), 598 (37)	
beste Teiler	28.6 (31.) 66.4 (17.) 73.5 (15.)	
Trefferlage	0.83 mm links, 0.30 mm hoch	
Streuwert	2.51, horizontal: 2.74, vertikal: 2.27	




Serie 1:	9.3 ↓	10.2 *	9.7 ↙	10.6 *	10.1 ←
	9.1 ↘	8.6 →	9.6 ↘	9.7 ←	9.6 ←
beste Teiler	79.0 (4.)	184.4 (2.)	203.4 (5.)		
Trefferlage	1.09 mm links, 0.18 mm tief				
Streuwert	2.51, horizontal: 2.80, vertikal: 2.19				



Serie 2:	10.2 *	7.6 ↘	8.8 ↘	10.3 *	10.7 *
	10.6 *	10.7 *	8.3 ↙	9.6 →	10.1 ↘
beste Teiler	66.4 (17.)	73.5 (15.)	76.6 (16.)		
Trefferlage	0.97 mm links, 0.63 mm hoch				
Streuwert	2.91, horizontal: 3.15, vertikal: 2.65				





Serie 3:	9.1 ↘	9.4 ↘	10.6 *	9.9 ↗	9.9 ↘
	10.2 *	9.8 ↘	9.1 →	9.4 ↗	10.0 ↓
beste Teiler	91.0 (23.)	186.5 (26.)	235.8 (30.)		
Trefferlage	0.55 mm links, 0.67 mm hoch				
Streuwert	2.32, horizontal: 2.51, vertikal: 2.10				




Serie 4:	10.8 *	9.6 ↗	9.7 ←	10.1 ↗	9.1 →
	9.7 ←	8.6 ↘	9.5 ↙	10.0 ↓	9.3 ↙
beste Teiler	28.6 (31.)	224.9 (34.)	229.6 (39.)		
Trefferlage	0.72 mm links, 0.08 mm hoch				
Streuwert	2.62, horizontal: 2.86, vertikal: 2.35				

Unterschrift des Schützen


Ergebnis:	377	(396.2)
Serien:	94	95 94 94
Zähler:	21	15 4 0 0 0 0 0 0 0
Innenzehner:	16	
weiteste:	577 (3),	573 (21), 561 (39)
beste Teiler	10.0 (23.)	54.4 (4.) 55.9 (9.)
Trefferlage	0.13 mm links, 0.20 mm hoch	
Streuwert	2.15, horizontal: 2.32, vertikal: 1.97	




Serie 1:	9.3 ↘	10.3 *	8.6 →	10.7 *	9.9 ↘
	9.9 ↓	10.5 *	9.3 ←	10.7 *	10.4 *
beste Teiler	54.4 (4.) 55.9 (9.) 117.9 (7.)				
Trefferlage	0.23 mm links, 0.30 mm hoch				
Streuwert	2.18, horizontal: 2.67, vertikal: 1.54				



Serie 2:	10.2 *	9.8 →	10.6 *	10.1 ←	9.8 ↑
	10.7 *	10.2 *	8.9 ↑	10.0 ↘	9.3 ↙
beste Teiler	62.0 (16.) 91.0 (13.) 182.8 (11.)				
Trefferlage	0.01 mm rechts, 0.59 mm hoch				
Streuwert	2.04, horizontal: 1.75, vertikal: 2.30				



Serie 3:	8.7 ↙	10.4 *	10.9 *	10.3 *	10.4 *
	9.9 →	10.2 *	9.6 ↓	9.3 →	9.8 ↗
beste Teiler	10.0 (23.) 138.2 (22.) 150.5 (25.)				
Trefferlage	0.30 mm rechts, 0.61 mm tief				
Streuwert	2.13, horizontal: 2.36, vertikal: 1.86				





Serie 4:	10.7 *	10.0 ↓	9.5 ←	9.6 ↗	10.0 ↓
	9.5 ←	10.4 *	10.1 ↘	8.7 ←	9.0 ↗
beste Teiler	73.6 (31.) 144.1 (37.) 211.5 (38.)				
Trefferlage	0.64 mm links, 0.53 mm hoch				
Streuwert	2.41, horizontal: 2.65, vertikal: 2.14				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **358** (377.5)
 Serien: 86 95 86 91
 Zähler: 16 12 8 2 2 0 0 0 0 0
 Innenzehner: 12
 weiteste: 1216 (9), 1079 (28), 786 (40)
 beste Teiler 74.4 (11.) 79.5 (5.) 89.4 (34.)
 Trefferlage 0.73 mm links, 0.51 mm hoch
 Streuwert 3.24, horizontal: 4.25, vertikal: 1.72




Serie 1:
 9.6 ↗ 9.8 → 10.2 * 9.5 ↗ 10.6 *
 9.7 ← 8.7 → 8.8 → 6.1 ← 8.2 ↖
 beste Teiler 79.5 (5.) 194.3 (3.) 299.2 (2.)
 Trefferlage 0.15 mm links, 0.59 mm hoch
 Streuwert 4.07, horizontal: 5.55, vertikal: 1.54



Serie 2:
 10.7 * 10.1 ↗ 10.3 * 9.4 ↘ 10.4 *
 9.4 → 9.7 ↙ 8.6 ↖ 10.2 * 10.1 ←
 beste Teiler 74.4 (11.) 140.3 (15.) 173.2 (13.)
 Trefferlage 0.95 mm links, 0.85 mm hoch
 Streuwert 2.09, horizontal: 2.56, vertikal: 1.50



Serie 3:
 8.3 ↘ 10.3 * 7.9 ↘ 10.4 * 10.5 *
 9.9 ← 9.7 ← 6.6 ← 9.7 ↙ 8.7 →
 beste Teiler 107.1 (25.) 147.5 (24.) 158.3 (22.)
 Trefferlage 2.27 mm links, 0.85 mm hoch
 Streuwert 3.51, horizontal: 4.59, vertikal: 1.88





Serie 4:
 10.5 * 9.3 ↘ 8.8 → 10.6 * 9.7 ↗
 10.2 * 10.0 ↓ 8.5 → 10.0 ↘ 7.8 ←
 beste Teiler 89.4 (34.) 121.2 (31.) 187.6 (36.)
 Trefferlage 0.43 mm rechts, 0.25 mm tief
 Streuwert 3.09, horizontal: 3.92, vertikal: 1.94


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	368	(384.8)
Serien:	91 97 92 88	
Zähler:	16 18 4 2 0 0 0 0 0 0	
Innenzehner:	13	
weiteste:	987 (35), 932 (36), 708 (23)	
beste Teiler	13.4 (34.) 91.6 (17.) 98.0 (7.)	
Trefferlage	0.27 mm links, 0.16 mm hoch	
Streuwert	2.82, horizontal: 3.49, vertikal: 1.95	




Serie 1:	9.8 ←	10.5 *	8.6 ↗	9.3 ↘	10.2 *
	8.9 ↗	10.6 *	9.0 ↙	9.9 →	9.2 ↑
beste Teiler	98.0 (7.) 119.6 (2.) 187.2 (5.)				
Trefferlage	0.17 mm rechts, 0.83 mm hoch				
Streuwert	2.73, horizontal: 3.00, vertikal: 2.42				



Serie 2:	8.8 →	10.3 *	10.3 *	10.1 ↘	9.3 →
	10.5 *	10.6 *	10.5 *	10.0 ↘	10.1 →
beste Teiler	91.6 (17.) 102.4 (16.) 103.7 (18.)				
Trefferlage	1.32 mm rechts, 0.32 mm tief				
Streuwert	1.69, horizontal: 2.16, vertikal: 1.03				



Serie 3:	9.3 ↗	10.3 *	8.1 ←	9.0 ↓	9.5 →
	9.5 ←	9.3 ↑	10.5 *	10.3 *	9.9 ←
beste Teiler	112.3 (28.) 154.7 (29.) 158.9 (22.)				
Trefferlage	0.51 mm links, 0.10 mm hoch				
Streuwert	2.83, horizontal: 3.36, vertikal: 2.19				



Serie 4:	9.6 ↘	9.5 →	9.7 ↙	10.9 *	7.0 ←
	7.2 ←	10.5 *	9.5 ←	9.4 ←	9.3 ↗
beste Teiler	13.4 (34.) 120.4 (37.) 325.3 (33.)				
Trefferlage	2.08 mm links, 0.04 mm hoch				
Streuwert	3.53, horizontal: 4.57, vertikal: 2.01				

Unterschrift des Schützen