




Ergebnis: **200.3** (189)
 Serien: 102.6 97.7
 Zähler: 10 9 1 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 1614 (15), 1276 (11), 1234 (1)
 beste Teiler 152.4 (4.) 210.6 (2.) 281.3 (8.)
 Trefferlage 2.32 mm links, 0.75 mm hoch
 Streuwert 5.81, horizontal: 6.28, vertikal: 5.31



Serie 1:
 9.4 ↗ 10.7 * 9.8 ↓ 10.8 * 10.5 *
 10.3 * 10.0 ↖ 10.6 * 10.6 * 9.9 ←
 beste Teiler 152.4 (4.) 210.6 (2.) 281.3 (8.)
 Trefferlage 0.56 mm links, 0.41 mm tief
 Streuwert 4.79, horizontal: 5.60, vertikal: 3.81





Serie 2:
 9.4 ↘ 10.3 * 9.9 ↖ 10.0 ↘ 8.9 ↖
 10.1 ↙ 9.8 ↗ 9.9 ← 9.5 ↓ 9.9 →
 beste Teiler 489.3 (12.) 669.5 (16.) 780.7 (14.)
 Trefferlage 4.08 mm links, 1.92 mm hoch
 Streuwert 6.59, horizontal: 6.70, vertikal: 6.48


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **205.1** (197)
 Serien: 102.4 102.7
 Zähler: 17 3 0 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 1093 (8), 971 (12), 929 (3)
 beste Teiler 165.1 (15.) 249.2 (10.) 309.2 (2.)
 Trefferlage 0.39 mm links, 0.83 mm tief
 Streuwert 4.32, horizontal: 5.06, vertikal: 3.43



Serie 1:
 10.2 ↙ 10.6 * 9.8 → 10.0 ↓ 10.5 *
 10.4 * 10.3 * 9.6 ← 10.4 * 10.6 *
 beste Teiler 249.2 (10.) 309.2 (2.) 392.1 (5.)
 Trefferlage 1.35 mm links, 2.19 mm tief
 Streuwert 4.30, horizontal: 4.97, vertikal: 3.51





Serie 2:
 10.1 ↘ 9.7 ← 10.4 * 10.2 → 10.7 *
 10.5 * 10.0 ↘ 10.5 * 10.3 * 10.3 *
 beste Teiler 165.1 (15.) 387.8 (16.) 399.4 (18.)
 Trefferlage 0.57 mm rechts, 0.51 mm hoch
 Streuwert 4.23, horizontal: 5.23, vertikal: 2.90


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **194.1** (186)
 Serien: 97.0 97.1
 Zähler: 8 10 2 0 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2070 (14), 1725 (15), 1523 (12)
 beste Teiler 73.4 (13.) 461.2 (6.) 524.8 (11.)
 Trefferlage 0.02 mm rechts, 2.55 mm hoch
 Streuwert 7.90, horizontal: 10.03, vertikal: 4.92





Serie 1:
 9.3 ↙ 10.3 ↑ 9.1 ↘ 9.6 ↘ 9.7 ←
 10.4 * 9.5 → 10.3 ↘ 9.3 ↘ 9.5 →
 beste Teiler 461.2 (6.) 551.9 (8.) 553.8 (2.)
 Trefferlage 2.12 mm links, 2.43 mm hoch
 Streuwert 7.60, horizontal: 9.59, vertikal: 4.86




Serie 2:
 10.3 * 9.0 → 10.9 * 8.4 ↙ 8.8 →
 10.3 ↑ 10.2 ↘ 9.3 ↑ 10.0 ↘ 9.9 →
 beste Teiler 73.4 (13.) 524.8 (11.) 549.2 (16.)
 Trefferlage 2.16 mm rechts, 2.67 mm hoch
 Streuwert 8.30, horizontal: 10.50, vertikal: 5.24

Unterschrift des Schützen

Ergebnis: **193.9** (182)
 Serien: 98.2 95.7
 Zähler: 5 12 3 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 1819 (17), 1759 (2), 1708 (14)
 beste Teiler 32.5 (7.) 79.2 (16.) 237.4 (5.)
 Trefferlage 3.47 mm links, 4.37 mm hoch
 Streuwert 7.35, horizontal: 8.67, vertikal: 5.74





Serie 1:
 9.8 ↘ 8.8 ↑ 10.6 * 9.9 → 10.7 *
 9.9 ↘ 10.9 * 9.2 ← 9.2 ↘ 9.2 ↘
 beste Teiler 32.5 (7.) 237.4 (5.) 299.9 (3.)
 Trefferlage 3.55 mm links, 5.37 mm hoch
 Streuwert 6.32, horizontal: 6.58, vertikal: 6.04




Serie 2:
 9.1 ↘ 9.9 ↗ 9.2 ↘ 8.8 ↘ 10.5 *
 10.9 * 8.7 ← 9.6 ↘ 9.9 ↘ 9.1 →
 beste Teiler 79.2 (16.) 383.5 (15.) 801.0 (12.)
 Trefferlage 3.39 mm links, 3.37 mm hoch
 Streuwert 8.55, horizontal: 10.74, vertikal: 5.55

Unterschrift des Schützen

Ergebnis: **197.0** (189)
 Serien: 99.4 97.6
 Zähler: 12 6 1 1 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2602 (19), 1943 (9), 1592 (16)
 beste Teiler 192.2 (2.) 214.1 (3.) 325.7 (1.)
 Trefferlage 1.41 mm links, 1.57 mm tief
 Streuwert 7.56, horizontal: 7.55, vertikal: 7.57





Serie 1:
 10.5 * 10.7 * 10.7 * 9.7 ↓ 10.0 ←
 10.2 ↘ 10.2 → 9.8 ↓ 8.5 ↘ 9.1 ↙
 beste Teiler 192.2 (2.) 214.1 (3.) 325.7 (1.)
 Trefferlage 1.47 mm rechts, 4.77 mm tief
 Streuwert 6.18, horizontal: 5.86, vertikal: 6.48




Serie 2:
 10.0 ↘ 10.3 * 9.8 ↖ 10.0 → 9.9 ←
 9.0 ↖ 10.2 ↙ 10.2 ↖ 7.7 ↖ 10.5 *
 beste Teiler 327.9 (20.) 512.0 (12.) 628.5 (18.)
 Trefferlage 4.30 mm links, 1.62 mm hoch
 Streuwert 7.87, horizontal: 8.22, vertikal: 7.50

Unterschrift des Schützen

Ergebnis: **198.7** (188)
 Serien: 97.4 101.3
 Zähler: 10 8 2 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 1952 (20), 1602 (7), 1303 (8)
 beste Teiler 204.1 (16.) 213.6 (12.) 267.3 (14.)
 Trefferlage 3.31 mm rechts, 4.51 mm tief
 Streuwert 5.41, horizontal: 5.25, vertikal: 5.57





Serie 1:
 10.4 * 9.8 ↓ 9.4 ↘ 9.5 ↘ 10.1 →
 9.8 → 8.9 ↘ 9.3 ↓ 10.5 * 9.7 ↙
 beste Teiler 347.3 (9.) 451.6 (1.) 646.2 (5.)
 Trefferlage 3.91 mm rechts, 6.10 mm tief
 Streuwert 5.42, horizontal: 5.69, vertikal: 5.14




Serie 2:
 10.2 → 10.7 * 9.9 ↓ 10.6 * 9.7 →
 10.7 * 10.5 * 10.5 * 10.0 ↘ 8.5 ↘
 beste Teiler 204.1 (16.) 213.6 (12.) 267.3 (14.)
 Trefferlage 2.71 mm rechts, 2.91 mm tief
 Streuwert 5.40, horizontal: 5.00, vertikal: 5.78

Unterschrift des Schützen

Ergebnis: **195.7** (184)
 Serien: 97.6 98.1
 Zähler: 6 12 2 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2015 (8), 1705 (13), 1431 (3)
 beste Teiler 35.6 (9.) 290.1 (16.) 387.7 (4.)
 Trefferlage 2.45 mm rechts, 0.04 mm tief
 Streuwert 7.38, horizontal: 9.33, vertikal: 4.66





Serie 1:
 9.6 ↑ 9.5 ← 9.2 → 10.5 * 10.4 *
 9.9 → 9.3 → 8.4 → 10.9 * 9.9 ↘
 beste Teiler 35.6 (9.) 387.7 (4.) 438.4 (5.)
 Trefferlage 4.38 mm rechts, 0.97 mm hoch
 Streuwert 7.52, horizontal: 9.50, vertikal: 4.78




Serie 2:
 9.9 ← 9.7 ↘ 8.8 → 9.7 ← 10.0 →
 10.6 * 10.3 * 9.8 ↓ 9.9 → 9.4 ←
 beste Teiler 290.1 (16.) 513.7 (17.) 776.1 (15.)
 Trefferlage 0.52 mm rechts, 1.06 mm tief
 Streuwert 7.28, horizontal: 9.23, vertikal: 4.54

Unterschrift des Schützen

Ergebnis: **189.2** (177)
 Serien: 93.0 96.2
 Zähler: 7 8 4 0 0 0 0 1 0 0
 Innenzehner: 4
 weiteste: 6196 (8), 1938 (1), 1860 (18)
 beste Teiler 116.8 (13.) 220.5 (7.) 337.4 (4.)
 Trefferlage 1.72 mm rechts, 6.19 mm tief
 Streuwert 11.62, horizontal: 12.81, vertikal: 10.30





Serie 1:
 8.5 ← 9.8 ↘ 10.3 ↖ 10.5 * 9.9 ↗
 10.2 ← 10.7 * 3.2 ↘ 10.0 ↘ 9.9 ↓
 beste Teiler 220.5 (7.) 337.4 (4.) 542.1 (3.)
 Trefferlage 1.02 mm rechts, 6.20 mm tief
 Streuwert 15.24, horizontal: 16.50, vertikal: 13.87




Serie 2:
 8.9 ↙ 9.8 ↙ 10.8 * 8.8 ↘ 9.7 ↘
 10.3 * 9.5 → 8.6 ↘ 9.9 ↘ 9.9 ↙
 beste Teiler 116.8 (13.) 484.1 (16.) 816.0 (20.)
 Trefferlage 2.41 mm rechts, 6.18 mm tief
 Streuwert 7.23, horizontal: 8.54, vertikal: 5.61

Unterschrift des Schützen

Ergebnis: **200.8** (191)
 Serien: 100.2 100.6
 Zähler: 11 9 0 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 1529 (4), 1171 (3), 1072 (18)
 beste Teiler 65.3 (5.) 163.4 (11.) 284.5 (8.)
 Trefferlage 1.73 mm links, 3.14 mm tief
 Streuwert 5.16, horizontal: 4.20, vertikal: 5.97





Serie 1:
 9.9 ↙ 9.7 ↘ 9.5 ↓ 9.0 ↘ 10.9 *
 10.4 * 9.8 ↑ 10.6 * 10.3 * 10.1 ←
 beste Teiler 65.3 (5.) 284.5 (8.) 421.7 (6.)
 Trefferlage 1.41 mm links, 3.85 mm tief
 Streuwert 5.55, horizontal: 4.59, vertikal: 6.37




Serie 2:
 10.7 * 9.9 ↘ 10.1 ↖ 10.3 ↖ 10.1 ↑
 9.9 ↓ 10.3 ↙ 9.6 ↓ 10.1 ← 9.6 ↘
 beste Teiler 163.4 (11.) 536.6 (17.) 553.6 (14.)
 Trefferlage 2.06 mm links, 2.42 mm tief
 Streuwert 4.98, horizontal: 3.99, vertikal: 5.80

Unterschrift des Schützen

Ergebnis: **196.3** (189)
 Serien: 97.1 99.2
 Zähler: 10 9 1 0 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2124 (12), 1384 (4), 1379 (5)
 beste Teiler 330.8 (20.) 428.0 (14.) 516.0 (18.)
 Trefferlage 2.95 mm rechts, 3.32 mm tief
 Streuwert 6.50, horizontal: 7.92, vertikal: 4.67



Serie 1:
 9.3 → 10.2 ↙ 10.0 → 9.2 ↘ 9.2 →
 9.4 ↖ 9.8 ↘ 10.2 → 9.7 ↙ 10.1 ↙
 beste Teiler 586.9 (8.) 635.2 (2.) 681.4 (10.)
 Trefferlage 2.49 mm rechts, 2.83 mm tief
 Streuwert 7.16, horizontal: 8.97, vertikal: 4.69



Serie 2:
 9.9 ← 8.3 ↘ 10.2 ↘ 10.4 * 10.1 ←
 9.8 → 10.3 ↘ 10.3 * 9.4 → 10.5 *
 beste Teiler 330.8 (20.) 428.0 (14.) 516.0 (18.)
 Trefferlage 3.41 mm rechts, 3.80 mm tief
 Streuwert 6.13, horizontal: 7.18, vertikal: 4.85

Unterschrift des Schützen