





Ergebnis: **368** (384.9)
 Serien: 92 94 91 91
 Zähler: 18 13 8 1 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2658 (25), 2275 (23), 2154 (2)
 beste Teiler 103.1 (19.) 140.1 (3.) 278.1 (24.)
 Trefferlage 0.69 mm links, 1.31 mm tief
 Streuwert 8.82, horizontal: 8.26, vertikal: 9.35




Serie 1:
 9.4 ↙ 8.3 ↙ 10.8 * 8.5 ← 9.1 ↙
 10.5 * 10.5 * 9.6 ↘ 10.1 ↓ 9.3 ↑
 beste Teiler 140.1 (3.) 386.8 (6.) 387.7 (7.)
 Trefferlage 4.20 mm links, 4.03 mm tief
 Streuwert 8.39, horizontal: 6.29, vertikal: 10.06



Serie 2:
 9.6 ↖ 10.2 ← 10.0 ↗ 8.7 ↖ 9.1 ↑
 9.2 ↓ 10.2 ← 9.7 ↑ 10.8 * 10.0 ↗
 beste Teiler 103.1 (19.) 564.6 (17.) 632.5 (12.)
 Trefferlage 1.09 mm links, 1.80 mm hoch
 Streuwert 7.81, horizontal: 6.41, vertikal: 9.00





Serie 3:
 10.5 * 10.2 → 8.1 ↗ 10.6 * 7.6 ←
 9.0 ↘ 9.4 ↓ 8.8 ↙ 10.3 → 10.4 *
 beste Teiler 278.1 (24.) 354.1 (21.) 454.8 (30.)
 Trefferlage 2.05 mm links, 0.70 mm hoch
 Streuwert 10.52, horizontal: 11.12, vertikal: 9.89




Serie 4:
 10.1 ↑ 9.7 ↘ 8.7 → 10.4 * 8.5 ↓
 10.1 ↑ 9.9 ↓ 10.3 ↗ 8.9 → 9.8 ↓
 beste Teiler 470.3 (34.) 534.8 (38.) 661.1 (31.)
 Trefferlage 4.55 mm rechts, 3.73 mm tief
 Streuwert 7.52, horizontal: 6.69, vertikal: 8.27

Unterschrift des Schützen


Ergebnis: **352** (371.5)
 Serien: 90 87 87 88
 Zähler: 9 17 11 3 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 3035 (38), 2703 (19), 2456 (10)
 beste Teiler 151.7 (9.) 216.8 (8.) 260.9 (36.)
 Trefferlage 1.47 mm links, 1.58 mm tief
 Streuwert 10.67, horizontal: 9.88, vertikal: 11.40




Serie 1:
 10.4 * 9.4 ↑ 9.7 ↘ 10.4 * 9.0 ↓
 8.9 ↖ 8.1 ↘ 10.7 * 10.8 * 7.9 ↙
 beste Teiler 151.7 (9.) 216.8 (8.) 407.8 (1.)
 Trefferlage 0.95 mm links, 2.83 mm tief
 Streuwert 10.15, horizontal: 10.38, vertikal: 9.92



Serie 2:
 9.7 ↘ 9.3 → 10.5 * 8.6 ↓ 9.6 ↓
 8.8 ↓ 9.9 ↘ 10.3 ↘ 7.6 ↙ 8.7 ↘
 beste Teiler 381.9 (13.) 509.9 (18.) 872.5 (17.)
 Trefferlage 2.39 mm links, 2.94 mm tief
 Streuwert 10.71, horizontal: 7.32, vertikal: 13.25



Serie 3:
 9.3 ↖ 8.3 → 8.9 ↖ 8.9 ← 9.0 ↓
 9.0 ↙ 9.8 ↙ 9.1 ↗ 8.6 ↘ 10.4 *
 beste Teiler 449.0 (30.) 902.8 (27.) 1308.0 (21.)
 Trefferlage 4.71 mm links, 0.40 mm hoch
 Streuwert 10.84, horizontal: 11.88, vertikal: 9.68





Serie 4:
 9.9 ↖ 9.2 ↗ 9.0 ↓ 10.1 ↓ 9.4 ↓
 10.6 * 8.7 ↘ 7.2 ↘ 8.1 ↗ 9.7 ←
 beste Teiler 260.9 (36.) 681.7 (34.) 860.0 (31.)
 Trefferlage 2.17 mm rechts, 0.96 mm tief
 Streuwert 11.82, horizontal: 9.64, vertikal: 13.66


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **356** (376.2)
 Serien: 90 88 94 84
 Zähler: 10 17 12 1 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2589 (34), 2346 (38), 2288 (17)
 beste Teiler 98.8 (21.) 263.5 (27.) 331.4 (28.)
 Trefferlage 0.72 mm rechts, 0.23 mm tief
 Streuwert 9.88, horizontal: 11.30, vertikal: 8.22




Serie 1:
 9.2 ↗ 10.0 ↘ 9.3 ← 10.3 ↖ 9.8 ↑
 9.5 → 9.8 ↙ 8.7 ↑ 8.7 ← 9.0 →
 beste Teiler 493.4 (4.) 790.1 (2.) 890.6 (5.)
 Trefferlage 0.87 mm rechts, 3.29 mm hoch
 Streuwert 9.30, horizontal: 11.31, vertikal: 6.69



Serie 2:
 8.8 ← 9.8 ↖ 9.4 ↗ 9.8 ← 10.5 *
 10.3 → 8.1 → 8.9 ↙ 9.8 → 8.7 →
 beste Teiler 366.6 (15.) 508.0 (16.) 882.1 (12.)
 Trefferlage 2.48 mm rechts, 0.54 mm hoch
 Streuwert 9.93, horizontal: 13.25, vertikal: 4.63



Serie 3:
 10.8 * 10.1 ↘ 9.7 ↓ 9.5 ← 9.6 ←
 10.4 * 10.6 * 10.5 * 8.3 ↘ 9.9 ←
 beste Teiler 98.8 (21.) 263.5 (27.) 331.4 (28.)
 Trefferlage 1.42 mm links, 4.09 mm tief
 Streuwert 6.47, horizontal: 7.54, vertikal: 5.19





Serie 4:
 8.9 ↗ 10.3 ↙ 8.7 ← 7.7 ↙ 9.0 ↖
 8.6 ↑ 8.5 → 8.0 ↘ 9.6 ↘ 9.1 ↘
 beste Teiler 514.0 (32.) 1088.5 (39.) 1510.2 (40.)
 Trefferlage 0.97 mm rechts, 0.70 mm tief
 Streuwert 13.28, horizontal: 13.58, vertikal: 12.98


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **336** (352.3)
 Serien: 82 89 81 84
 Zähler: 6 14 14 2 4 0 0 0 0 0
 Innenzehner: 1
 weiteste: 3915 (2), 3855 (3), 3848 (22)
 beste Teiler 278.0 (14.) 539.2 (6.) 730.7 (35.)
 Trefferlage 1.57 mm links, 0.15 mm hoch
 Streuwert 13.80, horizontal: 16.13, vertikal: 10.97




Serie 1:
 8.9 ↗ 6.1 ← 6.1 → 9.0 ↙ 7.5 ↘
 10.3 ↖ 9.8 → 8.6 ↗ 10.0 ↖ 9.8 →
 beste Teiler 539.2 (6.) 777.0 (9.) 894.0 (10.)
 Trefferlage 0.04 mm rechts, 2.52 mm hoch
 Streuwert 16.39, horizontal: 21.03, vertikal: 9.73



Serie 2:
 8.1 ↘ 8.8 ↓ 8.7 ↖ 10.6 * 9.2 ↓
 9.2 ↙ 9.8 ↘ 9.6 ↘ 9.2 ↗ 10.0 ↗
 beste Teiler 278.0 (14.) 760.0 (20.) 919.6 (17.)
 Trefferlage 1.37 mm links, 2.56 mm tief
 Streuwert 10.31, horizontal: 8.42, vertikal: 11.90



Serie 3:
 9.0 ↓ 6.1 ← 8.9 → 9.5 → 8.2 ↙
 8.4 ↖ 7.1 ← 8.3 ↓ 10.0 ↑ 8.6 ↑
 beste Teiler 784.0 (29.) 1136.5 (24.) 1599.9 (21.)
 Trefferlage 7.76 mm links, 0.96 mm tief
 Streuwert 15.31, horizontal: 17.00, vertikal: 13.40





Serie 4:
 9.5 ↙ 9.3 ↗ 8.2 → 8.2 ← 10.0 ↙
 6.9 → 9.9 ← 8.4 → 9.7 ↖ 8.8 ↑
 beste Teiler 730.7 (35.) 847.5 (37.) 1006.6 (39.)
 Trefferlage 2.80 mm rechts, 1.62 mm hoch
 Streuwert 13.17, horizontal: 16.10, vertikal: 9.36


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **352** (373.4)
 Serien: 88 90 85 89
 Zähler: 10 16 10 4 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2636 (32), 2536 (21), 2469 (2)
 beste Teiler 123.8 (40.) 309.9 (1.) 401.0 (17.)
 Trefferlage 2.51 mm links, 1.27 mm hoch
 Streuwert 10.19, horizontal: 9.89, vertikal: 10.47




Serie 1:
 10.6 * 7.9 → 9.5 ← 8.2 ← 10.1 ↘
 9.7 ↓ 9.3 ← 9.4 ↖ 8.6 ↑ 9.8 ↑
 beste Teiler 309.9 (1.) 642.6 (5.) 889.7 (10.)
 Trefferlage 2.16 mm links, 0.91 mm hoch
 Streuwert 10.80, horizontal: 12.15, vertikal: 9.25



Serie 2:
 9.7 ↗ 10.4 * 8.9 ↘ 9.0 ↗ 8.9 ↓
 10.3 ← 10.4 * 9.4 ← 8.9 ↗ 9.6 ↘
 beste Teiler 401.0 (17.) 469.6 (12.) 522.5 (16.)
 Trefferlage 1.90 mm links, 1.88 mm tief
 Streuwert 8.87, horizontal: 7.43, vertikal: 10.11



Serie 3:
 7.8 ↘ 10.2 ↑ 9.4 ↓ 8.4 ↗ 8.8 ↘
 9.7 ↗ 9.9 ↗ 9.8 ↓ 8.9 ← 8.8 ←
 beste Teiler 600.2 (22.) 802.9 (27.) 885.0 (28.)
 Trefferlage 5.64 mm links, 1.52 mm hoch
 Streuwert 10.58, horizontal: 9.57, vertikal: 11.50





Serie 4:
 10.0 ↓ 7.7 → 8.2 ↘ 7.9 ↑ 10.2 ↗
 9.4 ↓ 10.2 ← 9.5 ↑ 9.2 ↑ 10.8 *
 beste Teiler 123.8 (40.) 599.7 (35.) 606.4 (37.)
 Trefferlage 0.35 mm links, 4.54 mm hoch
 Streuwert 11.07, horizontal: 10.63, vertikal: 11.49

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	544	(572.7)				
Serien:	89	91	93	90	90	91
Zähler:	15	35	9	1	0	0
Innenzehner:	3					
weiteste:	2501 (27), 2359 (51), 2304 (46)					
beste Teiler	118.0 (41.) 357.8 (50.) 440.5 (32.)					
Trefferlage	2.50 mm rechts, 2.62 mm tief					
Streuwert	8.43, horizontal: 9.01, vertikal: 7.82					




Serie 1:

9.8 ↗	8.6 ↓	9.3 →	8.8 ↘	10.3 ↘
9.6 ↗	9.1 ↗	9.5 ↓	10.0 ↙	8.3 ←
beste Teiler	491.5 (5.) 752.8 (9.) 893.5 (1.)			
Trefferlage	0.49 mm rechts, 2.28 mm tief			
Streuwert	10.25, horizontal: 10.70, vertikal: 9.78			




Serie 2:

9.4 →	10.2 ←	9.4 ↓	9.2 ↖	9.9 ↓
9.8 →	9.0 ↙	8.7 ↘	10.4 ↑	9.9 ↖
beste Teiler	476.1 (19.) 618.8 (12.) 815.4 (20.)			
Trefferlage	0.21 mm links, 2.88 mm tief			
Streuwert	8.42, horizontal: 9.97, vertikal: 6.51			




Serie 3:

10.1 ↗	10.2 →	9.6 ↑	10.1 ↘	10.0 ↙
9.9 ↘	7.8 ↓	9.6 ↗	9.7 ↖	10.1 →
beste Teiler	619.2 (22.) 655.6 (24.) 708.5 (30.)			
Trefferlage	2.06 mm rechts, 1.37 mm tief			
Streuwert	8.23, horizontal: 5.73, vertikal: 10.12			




Serie 4:

9.4 →	10.4 *	10.0 ↓	8.8 ↗	9.5 ↙
9.9 ↖	9.8 ↙	9.8 ↘	8.7 ↓	9.8 ↘
beste Teiler	440.5 (32.) 734.2 (33.) 865.0 (36.)			
Trefferlage	2.34 mm rechts, 4.01 mm tief			
Streuwert	7.86, horizontal: 7.38, vertikal: 8.31			



Serie 5:

10.8 *	9.9 ↘	9.4 →	8.3 →	9.1 ↙
8.1 ↙	9.7 ←	9.4 →	9.6 →	10.5 *
beste Teiler	118.0 (41.) 357.8 (50.) 845.5 (42.)			
Trefferlage	2.48 mm rechts, 3.65 mm tief			
Streuwert	9.44, horizontal: 11.84, vertikal: 6.18			



Serie 6:

8.0 →	9.9 →	9.6 ↗	9.1 →	9.5 ↓
10.2 ↓	9.4 →	10.2 →	9.9 ↓	9.7 ↘
beste Teiler	609.0 (58.) 614.6 (56.) 807.9 (52.)			
Trefferlage	7.87 mm rechts, 1.56 mm tief			
Streuwert	6.79, horizontal: 6.76, vertikal: 6.81			

Meyton Elektronik

LP 60 – Wertung – **Männer**

StandNr: 106

Jäger,, Gerhard #70501020

StartNr: 6



10. Dezember 2017 10:35

70501 / 0

Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	522	(548.8)				
Serien:	88	84	89	89	89	83
Zähler:	18	20	12	7	2	1 0 0 0 0
Innenzehner:	8					
weiteste:	4103 (8), 3249 (35), 3242 (20)					
beste Teiler	135.3 (14.) 156.2 (42.) 231.0 (10.)					
Trefferlage	4.54 mm links, 1.59 mm hoch					
Streuwert	11.69, horizontal: 10.59, vertikal: 12.70					



Serie 1:

10.6 *	9.6 ↘	10.2 ↘	9.7 ↘	9.7 ↗
8.2 ↖	10.0 ↖	5.8 ↙	8.6 ↗	10.7 *


beste Teiler 231.0 (10.) 320.2 (1.) 620.4 (3.)
 Trefferlage 5.10 mm links, 0.96 mm tief
 Streuwert 12.20, horizontal: 13.00, vertikal: 11.34



Serie 2:

10.2 ←	9.7 ←	8.4 ↑	10.8 *	7.2 ↑
9.4 ↘	8.4 ↙	9.6 ↘	8.9 ↘	6.9 ←


beste Teiler 135.3 (14.) 622.3 (11.) 1035.8 (12.)
 Trefferlage 4.39 mm links, 2.57 mm hoch
 Streuwert 13.38, horizontal: 13.27, vertikal: 13.48



Serie 3:

7.3 ↓	9.5 ↗	10.5 *	10.2 →	8.5 ↘
8.0 →	10.2 ↙	8.2 ↖	9.2 ↖	10.5 *


beste Teiler 338.5 (23.) 374.7 (30.) 577.9 (27.)
 Trefferlage 0.70 mm links, 2.32 mm hoch
 Streuwert 12.08, horizontal: 11.18, vertikal: 12.92



Serie 4:

9.6 ↑	10.1 ↗	9.1 ↑	9.5 ↖	6.9 ←
9.8 ↙	9.1 ↖	9.1 ↗	9.8 ↓	10.0 ↙


beste Teiler 666.9 (32.) 742.4 (40.) 881.0 (39.)
 Trefferlage 5.25 mm links, 3.03 mm hoch
 Streuwert 10.14, horizontal: 11.31, vertikal: 8.81



Serie 5:

8.8 ↗	10.8 *	10.0 ←	7.8 ↘	9.5 ↖
10.5 *	9.7 ↓	7.4 ↑	9.8 ↓	10.2 ↓

beste Teiler 156.2 (42.) 346.0 (46.) 600.3 (50.)
 Trefferlage 2.00 mm links, 0.67 mm hoch
 Streuwert 10.84, horizontal: 7.27, vertikal: 13.50



Serie 6:

9.3 ↙	8.6 ↖	8.3 ↖	9.5 ←	7.2 ↑
8.1 ↙	10.4 *	10.0 ←	7.3 ↓	7.9 ↖

beste Teiler 436.7 (57.) 752.9 (58.) 1173.0 (54.)
 Trefferlage 9.78 mm links, 1.91 mm hoch
 Streuwert 12.99, horizontal: 5.40, vertikal: 17.56

LP 60 – Wertung – **Junioren**

StandNr: 107

Markl, Marco #70515044

StartNr: 7



10. Dezember 2017 10:35

70515 / 0

Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	527	(554.8)				
Serien:	88	86	93	83	91	86
Zähler:	19	17	16	8	0	0
Innenzehner:	8					
weiteste:	3074 (7), 2943 (37), 2899 (42)					
beste Teiler	126.7 (26.) 239.7 (30.) 247.4 (47.)					
Trefferlage	1.78 mm links, 0.64 mm tief					
Streuwert	11.23, horizontal: 12.17, vertikal: 10.20					



Serie 1:

8.4 ↖	7.5 →	10.3 ↗	8.6 ↘	10.3 ↑
9.8 →	7.1 ↗	9.8 ↘	10.4 *	10.3 →


beste Teiler 446.0 (9.) 498.4 (10.) 519.9 (3.)
 Trefferlage 7.39 mm rechts, 2.90 mm hoch
 Streuwert 10.87, horizontal: 11.13, vertikal: 10.60



Serie 2:

9.4 →	8.4 ↖	8.9 ↘	8.4 →	10.0 ↘
10.5 *	7.4 ↖	10.6 *	8.5 ↗	8.7 ↖


beste Teiler 284.0 (18.) 367.4 (16.) 783.7 (15.)
 Trefferlage 0.67 mm rechts, 2.51 mm hoch
 Streuwert 12.36, horizontal: 13.11, vertikal: 11.56



Serie 3:

10.0 ↖	8.2 ↓	10.1 ↘	9.7 ↘	10.1 ↗
10.8 *	7.7 →	10.5 *	9.0 ↖	10.7 *


beste Teiler 126.7 (26.) 239.7 (30.) 336.6 (28.)
 Trefferlage 2.24 mm rechts, 2.58 mm tief
 Streuwert 9.27, horizontal: 9.86, vertikal: 8.64



Serie 4:

10.6 *	8.7 ↖	9.9 ↗	8.4 ↘	7.7 ↖
9.8 ↘	7.3 ↖	8.8 ↘	9.7 ↖	8.1 ↖


beste Teiler 310.7 (31.) 860.0 (33.) 914.5 (36.)
 Trefferlage 9.12 mm links, 3.78 mm tief
 Streuwert 11.54, horizontal: 9.46, vertikal: 13.30



Serie 5:

8.5 ↓	7.3 ←	10.3 ↖	9.4 ↗	9.9 ←
9.9 ↓	10.6 *	9.0 ←	10.1 ↖	10.0 →

beste Teiler 247.4 (47.) 533.2 (43.) 656.5 (49.)
 Trefferlage 4.52 mm links, 1.33 mm tief
 Streuwert 9.72, horizontal: 11.42, vertikal: 7.64



Serie 6:

8.5 ←	8.6 ←	9.0 ↘	9.2 ↖	9.4 ↑
7.6 ←	9.8 ↘	10.1 ↓	9.6 ↖	8.9 ↘

beste Teiler 719.4 (58.) 921.4 (57.) 1069.0 (59.)
 Trefferlage 7.39 mm links, 1.57 mm tief
 Streuwert 10.51, horizontal: 11.68, vertikal: 9.19

Meyton Elektronik

LP 60 – Wertung – **Männer**

StandNr: 108

Kathrein,, Dietmar #70501024

StartNr: 8



10. Dezember 2017 10:29

70501 / 0


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **448** (475.4)
 Serien: 77 66 79 81 73 72
 Zähler: 7 12 15 11 6 4 2 3 0 0
 Innenzehner: 3
 weiteste: 6221 (21), 5799 (41), 5702 (51)
 beste Teiler 298.5 (8.) 378.3 (38.) 430.6 (4.)
 Trefferlage 11.73 mm links, 9.38 mm tief
 Streuwert 17.05, horizontal: 19.20, vertikal: 14.60




Serie 1:
 7.1 ← 4.6 ↙ 6.7 ↓ 10.4 * 8.5 ←
 8.5 ↘ 8.0 ← 10.6 * 8.8 ↘ 8.9 ←
 beste Teiler 298.5 (8.) 430.6 (4.) 1625.0 (10.)
 Trefferlage 13.90 mm links, 9.19 mm tief
 Streuwert 14.59, horizontal: 16.42, vertikal: 12.50




Serie 2:
 10.0 → 5.8 ↗ 4.2 ← 5.3 ← 5.6 ←
 7.5 ↙ 6.0 → 7.1 ← 8.4 ← 9.5 ←
 beste Teiler 737.3 (11.) 1172.2 (20.) 2039.6 (19.)
 Trefferlage 14.08 mm links, 5.91 mm tief
 Streuwert 23.55, horizontal: 30.94, vertikal: 12.32




Serie 3:
 3.2 ← 9.2 ↙ 9.0 ↖ 7.3 ↙ 8.7 ↑
 8.9 ← 9.7 ↘ 9.8 ↙ 7.5 ↙ 10.2 ↙
 beste Teiler 633.7 (30.) 911.6 (28.) 969.1 (27.)
 Trefferlage 17.32 mm links, 1.40 mm tief
 Streuwert 14.30, horizontal: 17.36, vertikal: 10.36



Serie 4:
 9.6 ↑ 8.8 ↘ 9.8 ↘ 8.5 ↘ 7.0 ↙
 6.4 ↙ 6.4 ↙ 10.5 * 9.1 ↘ 9.3 →
 beste Teiler 378.3 (38.) 919.1 (33.) 1118.3 (31.)
 Trefferlage 8.27 mm links, 8.92 mm tief
 Streuwert 13.86, horizontal: 17.32, vertikal: 9.19



Serie 5:
 3.7 ↓ 8.9 ↘ 10.2 ↖ 7.6 ↘ 6.0 ↙
 10.0 → 6.6 ↙ 9.8 ↘ 9.1 → 5.6 ↓
 beste Teiler 595.8 (43.) 755.8 (46.) 903.6 (48.)
 Trefferlage 4.43 mm links, 18.88 mm tief
 Streuwert 17.52, horizontal: 16.27, vertikal: 18.69



Serie 6:
 3.8 ↘ 7.9 ↓ 8.6 ↙ 7.1 ↓ 8.3 ↙
 7.7 ↙ 9.4 ↙ 7.0 ↘ 8.8 ↓ 8.9 ↙
 beste Teiler 1278.7 (57.) 1652.3 (60.) 1706.1 (59.)
 Trefferlage 12.39 mm links, 11.99 mm tief
 Streuwert 16.72, horizontal: 14.27, vertikal: 18.87

LP 60 – Wertung – **Männer**

StandNr: 109

Wagger,, Michael #70312105

StartNr: 9



10. Dezember 2017 10:14

70312 / 0

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	545	(573.7)				
Serien:	90	87	91	93	91	93
Zähler:	20	27	11	2	0	0
Innenzehner:	8					
weiteste:	2447 (20), 2414 (46), 2244 (50)					
beste Teiler	160.9 (39.) 183.1 (55.) 233.0 (18.)					
Trefferlage	0.36 mm links, 3.89 mm hoch					
Streuwert	8.48, horizontal: 8.46, vertikal: 8.49					




Serie 1:

10.1 →	10.4 *	9.3 ↓	8.8 ↘	9.3 ↗	
8.9 ↙	9.8 ↑	8.2 ←	10.1 ↖	9.6 ↑	
beste Teiler	440.1 (2.) 669.8 (1.) 701.0 (9.)				
Trefferlage	2.47 mm links, 1.73 mm hoch				
Streuwert	9.41, horizontal: 9.10, vertikal: 9.71				




Serie 2:

10.4 *	8.9 ↗	9.0 ↑	10.4 *	8.4 ↑	
8.8 ↘	9.3 ↑	10.7 *	8.9 ↑	7.9 ←	
beste Teiler	233.0 (18.) 434.9 (11.) 450.6 (14.)				
Trefferlage	1.68 mm links, 9.96 mm hoch				
Streuwert	8.41, horizontal: 10.00, vertikal: 6.44				




Serie 3:

10.3 ↘	9.4 ↗	9.1 ←	9.6 ↖	9.5 ↘	
9.8 ↖	10.6 *	9.6 ↗	9.7 ↑	8.6 →	
beste Teiler	311.2 (27.) 499.9 (21.) 941.4 (26.)				
Trefferlage	1.25 mm links, 3.34 mm hoch				
Streuwert	8.14, horizontal: 9.79, vertikal: 6.07				




Serie 4:

10.2 ↘	10.2 ↗	9.3 ↗	9.7 →	9.6 →	
10.2 ↘	8.3 ↗	10.3 ↑	10.8 *	8.3 ↙	
beste Teiler	160.9 (39.) 538.5 (38.) 604.2 (31.)				
Trefferlage	4.54 mm rechts, 1.68 mm hoch				
Streuwert	8.22, horizontal: 8.18, vertikal: 8.26				



Serie 5:

9.9 ↑	10.2 ↑	10.0 ↓	10.4 *	9.2 ←	
7.9 ↑	9.9 ↙	9.7 ↖	10.0 ↖	8.1 ↑	
beste Teiler	418.1 (44.) 630.6 (42.) 729.3 (43.)				
Trefferlage	2.23 mm links, 4.45 mm hoch				
Streuwert	8.95, horizontal: 6.32, vertikal: 10.97				



Serie 6:

9.9 ↘	9.7 ↑	9.3 ↗	9.9 ↑	10.7 *	
9.6 ←	10.1 ↓	9.1 ↑	10.2 ↑	9.6 ←	
beste Teiler	183.1 (55.) 587.4 (59.) 671.2 (57.)				
Trefferlage	0.91 mm rechts, 2.16 mm hoch				
Streuwert	7.05, horizontal: 6.59, vertikal: 7.48				

Meyton Elektronik

LP 60 – Wertung – **Männer**

StandNr: 110

Neuner,, Marco #70501030

StartNr: 10



10. Dezember 2017 10:31

70501 / 0

Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	562	(586.8)				
Serien:	88	98	94	94	95	93
Zähler:	30	23	6	1	0	0
Innenzehner:	13					
weiteste:	2726 (8), 2238 (33), 2171 (5)					
beste Teiler	184.8 (39.) 216.3 (20.) 322.2 (34.)					
Trefferlage	1.20 mm rechts, 0.76 mm hoch					
Streuwert	7.71, horizontal: 8.48, vertikal: 6.86					



Serie 1:

9.1 ←	10.5 *	10.2 ←	9.9 ↗	8.2 ↗
9.1 ↘	8.5 ↙	7.5 ←	10.3 ↘	8.9 ↗


beste Teiler 371.8 (2.) 535.7 (9.) 608.9 (3.)
 Trefferlage 2.09 mm links, 1.45 mm hoch
 Streuwert 11.53, horizontal: 13.62, vertikal: 8.97



Serie 2:

10.2 ↖	10.3 ↙	9.1 ↘	10.4 *	9.7 ←
10.5 *	10.5 *	10.4 *	10.2 ↖	10.7 *


beste Teiler 216.3 (20.) 327.5 (16.) 398.1 (17.)
 Trefferlage 3.42 mm links, 0.70 mm tief
 Streuwert 4.55, horizontal: 3.83, vertikal: 5.17



Serie 3:

9.5 ↑	9.6 →	9.9 ↖	10.4 *	9.5 ←
9.8 ↘	9.3 ↖	10.0 ↗	10.4 *	10.0 ↘


beste Teiler 435.2 (29.) 441.2 (24.) 784.4 (28.)
 Trefferlage 1.07 mm links, 2.96 mm hoch
 Streuwert 6.64, horizontal: 6.72, vertikal: 6.55



Serie 4:

9.7 ↗	10.5 *	8.2 ↗	10.5 *	9.1 ↗
10.5 *	9.9 ↘	10.2 ↘	10.7 *	9.1 ↘


beste Teiler 184.8 (39.) 322.2 (34.) 336.5 (32.)
 Trefferlage 4.55 mm rechts, 2.02 mm hoch
 Streuwert 7.14, horizontal: 5.78, vertikal: 8.29



Serie 5:

10.4 *	10.0 ↘	10.2 ↗	10.2 ↖	9.9 ↗
10.3 ↘	9.9 ↘	9.1 →	8.3 →	10.2 ↘

beste Teiler 441.9 (41.) 546.0 (46.) 576.4 (44.)
 Trefferlage 5.91 mm rechts, 0.17 mm tief
 Streuwert 6.09, horizontal: 7.60, vertikal: 4.06



Serie 6:

10.3 ↘	9.7 →	9.9 ←	9.0 ↓	9.6 →
10.1 →	9.6 ↘	8.7 ↗	10.2 →	10.2 ←

beste Teiler 483.9 (51.) 600.1 (60.) 612.6 (59.)
 Trefferlage 3.36 mm rechts, 0.95 mm tief
 Streuwert 7.40, horizontal: 7.09, vertikal: 7.69

Meyton Elektronik

LP 60 – Wertung – **Männer**

StandNr: 111

Höllwarth,, David #70802020

StartNr: 11



10. Dezember 2017 10:27

70802 / 0


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **531** (561.4)
 Serien: 89 92 84 86 89 91
 Zähler: 15 31 10 1 1 1 1 0 0 0
 Innenzehner: 7
 weiteste: 5018 (23), 4695 (32), 3774 (31)
 beste Teiler 81.4 (8.) 214.5 (3.) 252.8 (38.)
 Trefferlage 0.95 mm links, 0.77 mm hoch
 Streuwert 11.14, horizontal: 10.58, vertikal: 11.68




Serie 1:
 8.2 ↘ 8.9 ↘ 10.7 * 9.6 ↖ 8.5 ↖
 8.9 ↙ 9.1 ↖ 10.8 * 9.8 ↖ 10.1 ↘
 beste Teiler 81.4 (8.) 214.5 (3.) 692.8 (10.)
 Trefferlage 4.82 mm links, 1.32 mm tief
 Streuwert 9.55, horizontal: 7.88, vertikal: 10.97




Serie 2:
 9.9 ↓ 9.9 → 10.4 * 9.9 ↑ 9.3 ←
 10.0 ↑ 9.7 ↗ 8.2 ↗ 9.3 ← 10.2 ↖
 beste Teiler 405.2 (13.) 605.3 (20.) 738.2 (16.)
 Trefferlage 0.58 mm rechts, 2.36 mm hoch
 Streuwert 8.18, horizontal: 9.51, vertikal: 6.58




Serie 3:
 9.0 ↘ 7.9 → 4.7 ↓ 9.8 ↖ 9.7 ↗
 9.9 ↙ 9.8 → 10.0 ↗ 10.4 * 8.0 ↑
 beste Teiler 429.5 (29.) 728.3 (28.) 865.9 (26.)
 Trefferlage 1.72 mm rechts, 0.66 mm tief
 Streuwert 15.42, horizontal: 9.30, vertikal: 19.72



Serie 4:
 6.2 ↗ 5.1 ↖ 9.3 ↙ 9.6 ↗ 8.6 ↓
 10.1 → 10.3 ↘ 10.6 * 10.0 ↘ 9.1 ↓
 beste Teiler 252.8 (38.) 498.7 (37.) 658.6 (36.)
 Trefferlage 0.10 mm links, 0.12 mm tief
 Streuwert 16.06, horizontal: 17.83, vertikal: 14.08



Serie 5:
 8.8 ↖ 8.9 → 9.6 ↘ 9.7 ← 9.6 ↖
 9.6 ↑ 9.8 ← 9.3 ↖ 10.4 * 9.9 ↙
 beste Teiler 438.0 (49.) 856.4 (50.) 952.3 (47.)
 Trefferlage 3.31 mm links, 2.40 mm hoch
 Streuwert 8.20, horizontal: 9.45, vertikal: 6.73



Serie 6:
 9.8 ↑ 9.4 ← 8.9 ↘ 10.2 ↖ 9.1 ↑
 10.4 * 9.9 ↗ 9.9 ↙ 9.6 ↗ 9.1 ↘
 beste Teiler 410.6 (56.) 573.8 (54.) 829.7 (58.)
 Trefferlage 0.18 mm rechts, 1.99 mm hoch
 Streuwert 8.20, horizontal: 7.22, vertikal: 9.08

Meyton Elektronik

LP 60 – Wertung – **Männer**

StandNr: 112

Wohlfarter,, Hans-Dieter #70501052

StartNr: 12



10. Dezember 2017 10:23

70501 / 0


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367.9** (350)
 Serien: 87.9 92.2 95.1 92.7
 Zähler: 6 24 6 3 0 1 0 0 0 0
 Innenzehner: 4
 weiteste: 1462 (9), 883 (36), 791 (8)
 beste Teiler 36.6 (26.) 108.5 (24.) 127.0 (38.)
 Trefferlage 0.12 mm rechts, 0.29 mm hoch
 Streuwert 3.60, horizontal: 4.33, vertikal: 2.68




Serie 1:
 9.0 ← 9.8 ↘ 9.4 ↖ 9.2 ← 9.9 ↓
 9.1 ↓ 9.3 ← 7.8 ↘ 5.1 ↖ 9.3 ↗
 beste Teiler 263.6 (5.) 293.6 (2.) 379.2 (3.)
 Trefferlage 1.31 mm links, 0.37 mm tief
 Streuwert 4.63, horizontal: 5.81, vertikal: 3.03



Serie 2:
 9.8 ↓ 9.5 ↑ 9.1 ↓ 9.7 ↗ 9.4 ↗
 8.1 ← 9.6 ↑ 9.7 → 9.0 ↘ 8.3 ←
 beste Teiler 291.2 (11.) 319.8 (14.) 319.9 (18.)
 Trefferlage 0.10 mm rechts, 0.22 mm hoch
 Streuwert 3.41, horizontal: 3.88, vertikal: 2.88



Serie 3:
 8.7 ↗ 8.4 ↗ 9.1 ↖ 10.5 * 10.2 *
 10.8 * 9.1 ↘ 8.9 ↗ 9.7 ↘ 9.7 ↖
 beste Teiler 36.6 (26.) 108.5 (24.) 194.1 (25.)
 Trefferlage 1.37 mm rechts, 1.06 mm hoch
 Streuwert 2.75, horizontal: 3.01, vertikal: 2.47





Serie 4:
 7.9 → 8.9 ↓ 10.0 ↖ 9.0 → 9.2 ←
 7.4 ↖ 10.1 ↑ 10.4 * 9.9 ↗ 9.9 ↓
 beste Teiler 127.0 (38.) 210.6 (37.) 250.7 (33.)
 Trefferlage 0.33 mm rechts, 0.24 mm hoch
 Streuwert 3.60, horizontal: 4.41, vertikal: 2.52


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370.3** (353)
 Serien: 91.9 92.8 91.1 94.5
 Zähler: 9 18 11 1 1 0 0 0 0 0
 Innenzehner: 5
 weiteste: 1177 (23), 869 (2), 750 (36)
 beste Teiler 71.4 (32.) 92.9 (8.) 105.4 (10.)
 Trefferlage 0.01 mm links, 0.28 mm tief
 Streuwert 3.41, horizontal: 3.84, vertikal: 2.91




Serie 1:
 9.4 ↘ 7.5 ↖ 8.4 ↗ 9.9 ↖ 9.6 ↖
 8.9 ↘ 9.0 → 10.6 * 8.1 → 10.5 *
 beste Teiler 92.9 (8.) 105.4 (10.) 261.4 (4.)
 Trefferlage 0.29 mm rechts, 0.20 mm hoch
 Streuwert 3.72, horizontal: 4.33, vertikal: 3.00



Serie 2:
 9.6 ↖ 9.9 ↘ 9.1 ↗ 9.2 ↖ 10.1 ↘
 9.5 ← 8.6 ↖ 8.7 ↘ 9.2 ← 8.9 →
 beste Teiler 205.2 (15.) 273.2 (12.) 349.4 (11.)
 Trefferlage 0.79 mm links, 0.25 mm hoch
 Streuwert 3.17, horizontal: 3.47, vertikal: 2.84



Serie 3:
 9.3 ↗ 9.5 ↑ 6.2 ← 8.6 ← 8.2 ↘
 10.5 * 8.8 ↘ 10.0 ← 9.7 → 10.3 *
 beste Teiler 105.5 (26.) 164.9 (30.) 227.7 (28.)
 Trefferlage 1.02 mm links, 0.88 mm tief
 Streuwert 3.94, horizontal: 5.00, vertikal: 2.45





Serie 4:
 9.0 → 10.7 * 8.9 ↓ 10.0 ↓ 10.1 ↖
 8.0 ↓ 9.6 → 9.3 ↗ 9.3 ↑ 9.6 ↑
 beste Teiler 71.4 (32.) 210.9 (35.) 229.1 (34.)
 Trefferlage 1.45 mm rechts, 0.72 mm tief
 Streuwert 2.86, horizontal: 1.97, vertikal: 3.53


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **391.1** (373)
 Serien: 101.2 92.9 99.2 97.8
 Zähler: 19 16 4 1 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 856 (11), 651 (15), 590 (13)
 beste Teiler 57.0 (14.) 79.2 (7.) 85.4 (8.)
 Trefferlage 0.91 mm links, 0.08 mm hoch
 Streuwert 2.33, horizontal: 2.50, vertikal: 2.14




Serie 1:
 10.4 * 10.4 * 10.1 ↓ 10.1 ← 9.6 ↙
 10.2 * 10.6 * 10.6 * 9.0 → 10.2 *
 beste Teiler 79.2 (7.) 85.4 (8.) 142.5 (1.)
 Trefferlage 0.15 mm links, 0.57 mm tief
 Streuwert 1.76, horizontal: 1.98, vertikal: 1.51



Serie 2:
 7.5 ← 8.9 ← 8.6 → 10.7 * 8.3 ↘
 9.9 ↓ 8.8 ← 9.7 ↗ 10.3 * 10.2 *
 beste Teiler 57.0 (14.) 158.4 (19.) 195.6 (20.)
 Trefferlage 1.82 mm links, 1.25 mm hoch
 Streuwert 3.17, horizontal: 4.05, vertikal: 1.92



Serie 3:
 9.8 ↙ 10.2 * 9.7 ← 10.4 * 9.7 ↑
 9.9 ↑ 9.7 ↘ 10.3 * 9.9 ↘ 9.6 ↑
 beste Teiler 139.2 (24.) 169.1 (28.) 181.7 (22.)
 Trefferlage 0.59 mm links, 1.06 mm hoch
 Streuwert 1.73, horizontal: 1.74, vertikal: 1.72





Serie 4:
 9.4 ↙ 10.0 ↑ 10.4 * 10.0 ↙ 10.1 ↘
 9.5 ↘ 9.8 ↙ 9.0 ↓ 9.3 ↓ 10.3 *
 beste Teiler 140.7 (33.) 151.1 (40.) 209.4 (35.)
 Trefferlage 1.10 mm links, 1.41 mm tief
 Streuwert 1.92, horizontal: 1.44, vertikal: 2.30


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **380.3** (361)
 Serien: 93.4 96.2 97.4 93.3
 Zähler: 7 27 6 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 740 (6), 659 (24), 570 (33)
 beste Teiler 39.5 (11.) 50.9 (37.) 127.7 (23.)
 Trefferlage 0.44 mm rechts, 0.40 mm tief
 Streuwert 2.76, horizontal: 2.87, vertikal: 2.65




Serie 1:
 9.8 ↗ 8.9 → 9.5 ↘ 8.9 ↖ 9.4 ↗
 8.0 ↓ 9.8 ↗ 10.0 ↓ 9.4 → 9.7 →
 beste Teiler 246.5 (8.) 287.4 (1.) 291.5 (7.)
 Trefferlage 1.62 mm rechts, 0.31 mm hoch
 Streuwert 2.93, horizontal: 2.43, vertikal: 3.35



Serie 2:
 10.8 * 10.0 ↘ 9.1 ↘ 9.0 ↑ 9.9 ↘
 9.8 ↙ 9.9 ↘ 9.5 ↓ 9.1 ← 9.1 ↖
 beste Teiler 39.5 (11.) 241.1 (12.) 252.6 (15.)
 Trefferlage 0.23 mm links, 0.66 mm tief
 Streuwert 2.61, horizontal: 2.56, vertikal: 2.66



Serie 3:
 9.9 ↗ 9.8 → 10.4 * 8.3 ← 10.3 *
 10.0 ↗ 9.8 ↙ 9.9 ↗ 9.6 ↑ 9.4 ↖
 beste Teiler 127.7 (23.) 175.0 (25.) 249.2 (26.)
 Trefferlage 0.35 mm links, 0.57 mm hoch
 Streuwert 2.46, horizontal: 2.93, vertikal: 1.88





Serie 4:
 9.2 ↓ 9.2 → 8.7 ↙ 9.0 → 8.9 ↘
 9.4 ↙ 10.8 * 9.1 ↙ 9.9 ↖ 9.1 ↘
 beste Teiler 50.9 (37.) 253.1 (39.) 381.1 (36.)
 Trefferlage 0.74 mm rechts, 1.84 mm tief
 Streuwert 2.84, horizontal: 3.42, vertikal: 2.12


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **362.7** (342)
 Serien: 90.1 86.1 92.9 93.6
 Zähler: 7 17 10 3 3 0 0 0 0 0
 Innenzehner: 6
 weiteste: 1040 (5), 1016 (17), 1007 (18)
 beste Teiler 86.0 (25.) 107.4 (4.) 137.1 (27.)
 Trefferlage 0.66 mm links, 0.03 mm hoch
 Streuwert 3.78, horizontal: 4.84, vertikal: 2.25




Serie 1:
 7.9 ↖ 8.8 ← 8.0 ← 10.5 * 6.8 ←
 9.6 ← 9.9 ↘ 8.4 ↙ 10.2 * 10.0 ←
 beste Teiler 107.4 (4.) 183.1 (9.) 228.7 (10.)
 Trefferlage 3.87 mm links, 0.19 mm hoch
 Streuwert 3.04, horizontal: 3.62, vertikal: 2.32



Serie 2:
 9.8 → 9.8 ↑ 8.4 → 8.8 → 9.6 ↙
 8.0 ← 6.9 ← 6.9 → 9.4 ↓ 8.5 →
 beste Teiler 282.7 (11.) 299.2 (12.) 327.4 (15.)
 Trefferlage 1.00 mm rechts, 0.35 mm tief
 Streuwert 4.69, horizontal: 6.25, vertikal: 2.22



Serie 3:
 9.4 → 8.8 → 9.3 ↓ 7.8 ↘ 10.6 *
 9.8 ↙ 10.4 * 8.1 → 9.4 ↘ 9.3 ↘
 beste Teiler 86.0 (25.) 137.1 (27.) 298.9 (26.)
 Trefferlage 0.65 mm rechts, 0.49 mm tief
 Streuwert 3.44, horizontal: 4.07, vertikal: 2.67





Serie 4:
 9.3 ↘ 9.4 → 9.7 ↑ 8.9 ← 10.2 *
 9.1 ← 7.8 ← 9.3 ↗ 10.2 * 9.7 →
 beste Teiler 180.2 (39.) 182.1 (35.) 304.6 (33.)
 Trefferlage 0.44 mm links, 0.78 mm hoch
 Streuwert 3.14, horizontal: 4.05, vertikal: 1.82


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **379.8** (363)
 Serien: 92.5 96.7 96.0 94.6
 Zähler: 17 13 6 4 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 914 (2), 813 (24), 766 (6)
 beste Teiler 67.4 (8.) 81.6 (19.) 93.2 (18.)
 Trefferlage 0.93 mm rechts, 0.46 mm tief
 Streuwert 2.96, horizontal: 3.82, vertikal: 1.72




Serie 1:
 10.0 ↖ 7.3 → 7.9 ↘ 9.6 ↓ 9.1 →
 7.9 → 10.0 → 10.7 * 10.0 ↖ 10.0 →
 beste Teiler 67.4 (8.) 226.0 (10.) 227.5 (7.)
 Trefferlage 2.79 mm rechts, 0.80 mm tief
 Streuwert 3.07, horizontal: 3.76, vertikal: 2.17



Serie 2:
 8.9 ← 9.1 ↗ 10.5 * 10.0 ↗ 9.2 ←
 8.3 → 9.3 ↓ 10.6 * 10.6 * 10.2 *
 beste Teiler 81.6 (19.) 93.2 (18.) 118.1 (13.)
 Trefferlage 0.63 mm rechts, 0.17 mm tief
 Streuwert 2.77, horizontal: 3.48, vertikal: 1.79



Serie 3:
 9.7 ↘ 9.9 ↘ 9.8 ↗ 7.7 ← 10.3 *
 10.1 ↗ 9.9 ← 10.4 * 10.0 ↖ 8.2 →
 beste Teiler 132.1 (28.) 154.1 (25.) 218.8 (26.)
 Trefferlage 0.27 mm rechts, 0.27 mm tief
 Streuwert 2.96, horizontal: 3.92, vertikal: 1.47





Serie 4:
 10.0 ↗ 9.7 ↘ 9.9 ↘ 8.5 ← 9.1 →
 8.7 ← 9.1 ↘ 10.6 * 8.8 ← 10.2 *
 beste Teiler 97.1 (38.) 192.4 (40.) 242.7 (31.)
 Trefferlage 0.04 mm rechts, 0.59 mm tief
 Streuwert 3.05, horizontal: 4.03, vertikal: 1.55


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **386.4** (365)
 Serien: 94.5 101.8 95.8 94.3
 Zähler: 14 19 6 0 1 0 0 0 0 0
 Innenzehner: 9
 weiteste: 1035 (2), 653 (22), 600 (36)
 beste Teiler 45.0 (13.) 50.4 (38.) 103.2 (18.)
 Trefferlage 0.00 mm , 0.36 mm tief
 Streuwert 2.66, horizontal: 2.78, vertikal: 2.54




Serie 1:
 9.9 ↘ 6.8 ↗ 10.1 ↗ 9.8 ↘ 9.5 ←
 10.1 ↑ 10.3 * 9.1 ↗ 9.0 ↖ 9.9 →
 beste Teiler 159.6 (7.) 204.9 (3.) 220.4 (6.)
 Trefferlage 0.87 mm rechts, 1.15 mm hoch
 Streuwert 3.14, horizontal: 3.65, vertikal: 2.53



Serie 2:
 9.4 ↖ 10.5 * 10.8 * 10.4 * 9.6 →
 10.4 * 9.8 ↖ 10.5 * 10.0 ↓ 10.4 *
 beste Teiler 45.0 (13.) 103.2 (18.) 105.6 (12.)
 Trefferlage 0.33 mm links, 0.14 mm hoch
 Streuwert 1.60, horizontal: 1.90, vertikal: 1.23



Serie 3:
 9.9 ↖ 8.3 ↓ 10.0 ↑ 8.8 ↓ 9.9 ↓
 9.3 ↓ 10.0 ← 9.5 ↙ 10.5 * 9.6 ↘
 beste Teiler 118.8 (29.) 233.9 (23.) 246.9 (27.)
 Trefferlage 0.21 mm links, 1.74 mm tief
 Streuwert 2.48, horizontal: 1.76, vertikal: 3.03





Serie 4:
 9.8 ↓ 8.9 ↖ 9.6 ↓ 9.8 ↗ 8.9 ←
 8.6 → 9.6 ↘ 10.8 * 8.9 ↓ 9.4 ←
 beste Teiler 50.4 (38.) 283.1 (31.) 289.2 (34.)
 Trefferlage 0.32 mm links, 1.01 mm tief
 Streuwert 2.97, horizontal: 3.50, vertikal: 2.32


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **395.3** (376)
 Serien: 100.5 97.9 99.4 97.5
 Zähler: 18 20 2 0 0 0 0 0 0 0
 Innenzehner: 18
 weiteste: 593 (33), 590 (7), 458 (37)
 beste Teiler 44.2 (14.) 65.1 (9.) 88.3 (3.)
 Trefferlage 0.22 mm rechts, 0.04 mm tief
 Streuwert 2.16, horizontal: 2.64, vertikal: 1.54




Serie 1:
 10.3 * 9.2 ← 10.6 * 10.2 * 9.6 ↓
 10.4 * 8.6 → 10.6 * 10.7 * 10.3 *
 beste Teiler 65.1 (9.) 88.3 (3.) 98.2 (8.)
 Trefferlage 0.24 mm rechts, 0.12 mm tief
 Streuwert 2.06, horizontal: 2.41, vertikal: 1.64



Serie 2:
 9.3 → 9.2 → 10.3 * 10.8 * 9.5 →
 9.5 ↖ 10.5 * 9.9 ← 9.4 ↙ 9.5 ←
 beste Teiler 44.2 (14.) 118.0 (17.) 153.3 (13.)
 Trefferlage 0.12 mm rechts, 0.41 mm tief
 Streuwert 2.38, horizontal: 2.97, vertikal: 1.57



Serie 3:
 9.5 → 10.2 * 9.8 → 10.2 * 9.7 ↖
 9.7 ← 9.8 ↘ 9.6 ↓ 10.4 * 10.5 *
 beste Teiler 105.0 (30.) 130.8 (29.) 194.8 (22.)
 Trefferlage 0.60 mm rechts, 0.11 mm hoch
 Streuwert 1.93, horizontal: 2.30, vertikal: 1.46





Serie 4:
 10.6 * 10.3 * 8.6 ↘ 9.2 ↖ 9.7 ←
 9.6 ↗ 9.1 ↘ 10.3 * 9.8 ← 10.3 *
 beste Teiler 93.0 (31.) 153.3 (38.) 165.0 (32.)
 Trefferlage 0.08 mm links, 0.24 mm hoch
 Streuwert 2.51, horizontal: 3.14, vertikal: 1.67


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **374.8** (359)
 Serien: 92.4 92.5 95.0 94.9
 Zähler: 12 19 5 4 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 917 (17), 894 (13), 879 (6)
 beste Teiler 151.3 (26.) 168.1 (10.) 178.7 (1.)
 Trefferlage 0.45 mm links, 0.21 mm hoch
 Streuwert 3.18, horizontal: 4.08, vertikal: 1.90




Serie 1:
 10.2 * 9.6 ↘ 8.1 ↙ 8.2 → 8.8 ←
 7.4 ↖ 10.1 ↑ 9.5 ↑ 10.2 * 10.3 *
 beste Teiler 168.1 (10.) 178.7 (1.) 190.4 (9.)
 Trefferlage 1.03 mm links, 0.02 mm tief
 Streuwert 3.60, horizontal: 4.42, vertikal: 2.53



Serie 2:
 8.6 → 9.6 ← 7.4 ← 10.2 * 10.1 ↓
 9.9 ↗ 7.3 ← 9.1 ↖ 10.2 * 10.1 →
 beste Teiler 194.5 (14.) 196.5 (19.) 219.0 (15.)
 Trefferlage 1.68 mm links, 0.62 mm hoch
 Streuwert 3.51, horizontal: 4.73, vertikal: 1.49



Serie 3:
 9.9 ← 9.9 ↗ 8.9 → 9.9 ↗ 9.3 ←
 10.3 * 9.6 ↑ 9.7 → 9.6 ↘ 7.9 ←
 beste Teiler 151.3 (26.) 253.9 (21.) 258.1 (22.)
 Trefferlage 0.28 mm rechts, 0.41 mm hoch
 Streuwert 2.94, horizontal: 3.83, vertikal: 1.61





Serie 4:
 10.1 ↑ 9.3 → 9.0 → 10.1 ↓ 9.2 ↖
 9.3 ← 9.5 ↘ 10.2 * 9.2 ↙ 9.0 ↘
 beste Teiler 183.0 (38.) 214.2 (34.) 217.8 (31.)
 Trefferlage 0.61 mm rechts, 0.18 mm tief
 Streuwert 2.80, horizontal: 3.43, vertikal: 1.98


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **399.7** (377)
 Serien: 98.7 101.5 98.8 100.7
 Zähler: 19 19 2 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 520 (30), 505 (9), 443 (1)
 beste Teiler 10.0 (5.) 67.1 (15.) 68.1 (12.)
 Trefferlage 0.24 mm links, 0.37 mm hoch
 Streuwert 1.88, horizontal: 2.03, vertikal: 1.72




Serie 1:
 9.2 ↘ 9.7 ↖ 9.6 ← 10.4 * 10.9 *
 10.0 ↖ 10.4 * 9.7 ↓ 8.9 ↗ 9.9 ↗
 beste Teiler 10.0 (5.) 132.0 (7.) 150.6 (4.)
 Trefferlage 0.39 mm rechts, 0.29 mm hoch
 Streuwert 2.26, horizontal: 2.28, vertikal: 2.23



Serie 2:
 10.0 ↑ 10.7 * 10.4 * 9.9 ↘ 10.7 *
 9.8 ↘ 10.7 * 9.8 ↑ 9.9 ↑ 9.6 ↖
 beste Teiler 67.1 (15.) 68.1 (12.) 70.1 (17.)
 Trefferlage 0.63 mm links, 0.96 mm hoch
 Streuwert 1.47, horizontal: 1.22, vertikal: 1.68



Serie 3:
 10.3 * 9.9 ↖ 10.3 * 10.1 ↖ 10.5 *
 9.4 ↗ 10.1 ↗ 9.5 → 9.8 ↗ 8.9 ↖
 beste Teiler 118.7 (25.) 165.4 (21.) 166.2 (23.)
 Trefferlage 0.48 mm links, 0.09 mm hoch
 Streuwert 2.16, horizontal: 2.38, vertikal: 1.92





Serie 4:
 10.2 * 9.9 → 10.4 * 10.3 * 9.6 ↖
 10.4 * 9.9 → 10.3 * 9.9 ← 9.8 ←
 beste Teiler 129.3 (33.) 143.4 (36.) 159.8 (34.)
 Trefferlage 0.27 mm links, 0.13 mm hoch
 Streuwert 1.68, horizontal: 2.20, vertikal: 0.91


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **388.4** (369)
 Serien: 98.0 96.3 98.3 95.8
 Zähler: 12 25 3 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 673 (1), 551 (18), 549 (15)
 beste Teiler 23.0 (23.) 65.3 (7.) 65.5 (11.)
 Trefferlage 0.07 mm rechts, 0.40 mm tief
 Streuwert 2.42, horizontal: 2.94, vertikal: 1.75




Serie 1:
 8.3 ↘ 9.9 ↖ 9.4 ↖ 10.4 * 9.8 ↙
 9.4 ↘ 10.7 * 10.3 * 9.9 ↘ 9.9 ↙
 beste Teiler 65.3 (7.) 142.1 (4.) 168.3 (8.)
 Trefferlage 0.06 mm links, 1.13 mm tief
 Streuwert 2.32, horizontal: 2.28, vertikal: 2.37



Serie 2:
 10.7 * 9.6 → 9.4 ↖ 9.6 ← 8.8 →
 9.5 → 9.5 ← 8.7 ↘ 10.0 → 10.5 *
 beste Teiler 65.5 (11.) 115.8 (20.) 230.6 (19.)
 Trefferlage 0.83 mm rechts, 0.17 mm tief
 Streuwert 2.65, horizontal: 3.50, vertikal: 1.31





Serie 3:
 10.0 → 9.0 ↖ 10.9 * 10.1 ↘ 9.9 ←
 9.8 → 10.5 * 9.0 ↘ 9.6 ← 9.5 ←
 beste Teiler 23.0 (23.) 121.4 (27.) 210.2 (24.)
 Trefferlage 0.36 mm links, 0.24 mm tief
 Streuwert 2.33, horizontal: 2.95, vertikal: 1.46




Serie 4:
 10.1 → 10.0 ↖ 9.3 ↖ 9.5 ↘ 9.5 ←
 9.4 ↗ 9.9 ↖ 9.4 ← 9.0 ↘ 9.7 →
 beste Teiler 217.6 (31.) 247.5 (32.) 258.0 (37.)
 Trefferlage 0.10 mm links, 0.06 mm tief
 Streuwert 2.59, horizontal: 3.23, vertikal: 1.74

Unterschrift des Schützen


Ergebnis: **576.6** (550)
 Serien: 88.6 97.6 97.5 97.6 99.2 96.1
 Zähler: 21 29 9 1 0 0 0 0 0 0
 Innenzehner: 18
 weiteste: 782 (8), 706 (7), 666 (4)
 beste Teiler 22.2 (20.) 50.6 (17.) 73.0 (54.)
 Trefferlage 0.27 mm rechts, 0.10 mm tief
 Streuwert 2.70, horizontal: 2.91, vertikal: 2.47




Serie 1:
 8.9 ↘ 9.4 → 9.7 ↙ 8.3 → 8.8 ↙
 8.4 ↘ 8.1 ↘ 7.8 ↘ 9.6 ↓ 9.6 ↑
 beste Teiler 325.7 (3.) 340.7 (10.) 345.3 (9.)
 Trefferlage 0.41 mm rechts, 0.38 mm tief
 Streuwert 4.07, horizontal: 4.27, vertikal: 3.87




Serie 2:
 8.5 → 9.3 ↘ 9.2 ↓ 10.3 * 9.9 ↓
 9.2 ↘ 10.8 * 9.2 ↘ 10.3 * 10.9 *
 beste Teiler 22.2 (20.) 50.6 (17.) 153.7 (14.)
 Trefferlage 0.97 mm rechts, 1.14 mm tief
 Streuwert 2.38, horizontal: 2.62, vertikal: 2.11




Serie 3:
 9.2 ↘ 10.5 * 10.6 * 9.6 ↙ 9.3 ↙
 9.3 ← 9.0 ↘ 9.1 ← 10.3 * 10.6 *
 beste Teiler 78.7 (23.) 95.4 (30.) 117.5 (22.)
 Trefferlage 1.18 mm links, 0.48 mm tief
 Streuwert 2.33, horizontal: 2.69, vertikal: 1.89



Serie 4:
 9.0 ↘ 9.8 → 9.3 ↘ 9.9 ↘ 10.5 *
 10.5 * 9.4 ↘ 10.2 * 8.7 → 10.3 *
 beste Teiler 112.3 (36.) 123.4 (35.) 168.0 (40.)
 Trefferlage 0.05 mm rechts, 0.79 mm hoch
 Streuwert 2.45, horizontal: 2.82, vertikal: 2.02



Serie 5:
 10.2 * 10.5 * 10.2 * 10.1 ↓ 9.3 ↗
 8.9 ↑ 9.3 → 10.0 ↑ 10.1 ↗ 10.6 *
 beste Teiler 87.0 (50.) 107.4 (42.) 191.7 (41.)
 Trefferlage 0.42 mm rechts, 0.64 mm hoch
 Streuwert 2.05, horizontal: 1.65, vertikal: 2.38



Serie 6:
 9.2 → 10.3 * 9.6 ↙ 10.7 * 9.3 ↓
 9.2 ↘ 9.7 → 9.5 ↘ 9.8 ↘ 8.8 →
 beste Teiler 73.0 (54.) 156.2 (52.) 278.0 (59.)
 Trefferlage 0.99 mm rechts, 0.03 mm tief
 Streuwert 2.56, horizontal: 2.98, vertikal: 2.05

Meyton Elektronik

LG 60 ZR – Wertung – Männer

StandNr: 124

Moser,, Andreas #70404031

StartNr: 24



10. Dezember 2017 9:59

70404 / 0


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	566.6	(538)
Serien:	95.2 88.7 96.9 97.0 95.9 92.9	
Zähler:	16 31 8 5 0 0 0 0 0 0	
Innenzehner:	10	
weiteste:	875 (13), 836 (15), 786 (56)	
beste Teiler	87.3 (30.) 127.8 (32.) 140.4 (31.)	
Trefferlage	0.43 mm rechts, 0.05 mm tief	
Streuwert	3.00, horizontal: 3.54, vertikal: 2.34	




Serie 1:	9.9 ↓	8.9 →	10.1 ↓	9.8 ↘	9.9 ←
	7.9 →	9.2 ↗	9.6 ←	10.4 *	9.5 ←
beste Teiler	146.1 (9.)	205.3 (3.)	274.6 (5.)		
Trefferlage	0.71 mm rechts, 0.72 mm tief				
Streuwert	2.85, horizontal: 3.70, vertikal: 1.60				




Serie 2:	8.9 →	9.9 ↑	7.5 ↖	10.3 *	7.6 →
	8.4 →	8.4 ↑	9.6 ←	9.9 ↘	8.2 ↘
beste Teiler	152.9 (14.)	257.0 (12.)	269.6 (19.)		
Trefferlage	1.39 mm rechts, 0.62 mm hoch				
Streuwert	4.12, horizontal: 4.89, vertikal: 3.18				




Serie 3:	10.1 ↓	10.1 ↓	9.9 ↑	9.5 ↖	9.3 ↓
	7.9 ↖	10.1 ↑	9.1 →	10.3 *	10.6 *
beste Teiler	87.3 (30.)	167.0 (29.)	201.7 (21.)		
Trefferlage	0.45 mm links, 0.61 mm hoch				
Streuwert	2.64, horizontal: 2.68, vertikal: 2.60				



Serie 4:	10.4 *	10.4 *	9.5 ↑	9.6 →	10.0 ↘
	8.1 ←	10.3 *	8.8 →	10.2 *	9.7 ↘
beste Teiler	127.8 (32.)	140.4 (31.)	156.9 (37.)		
Trefferlage	0.44 mm rechts, 0.04 mm tief				
Streuwert	2.67, horizontal: 3.15, vertikal: 2.09				



Serie 5:	9.2 ↘	10.0 ←	9.1 →	9.6 →	9.7 ↙
	9.8 →	10.2 *	9.0 ↖	9.0 ↓	10.3 *
beste Teiler	166.0 (50.)	185.2 (47.)	247.0 (42.)		
Trefferlage	0.56 mm rechts, 0.94 mm tief				
Streuwert	2.55, horizontal: 3.07, vertikal: 1.87				



Serie 6:	9.8 ↘	9.6 →	8.5 ↖	9.3 ←	9.7 →
	7.8 →	9.2 ↙	9.8 ↑	9.8 ←	9.4 ←
beste Teiler	281.1 (58.)	287.0 (51.)	292.2 (59.)		
Trefferlage	0.04 mm links, 0.14 mm hoch				
Streuwert	3.32, horizontal: 3.99, vertikal: 2.47				

Meyton Elektronik

LG 60 ZR – Wertung – Junioren

StandNr: 126

Achenrainer,, Maximilian #70504016

StartNr: 26



10. Dezember 2017 10:09

70504 / 0


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	604.0	(577)
Serien:	100.3 99.9 102.1 99.4 100.3 102.0	
Zähler:	37 23 0 0 0 0 0 0 0 0	
Innenzehner:	28	
weiteste:	494 (39), 469 (11), 436 (20)	
beste Teiler	3.0 (31.) 44.9 (54.) 45.8 (43.)	
Trefferlage	0.05 mm links, 0.45 mm hoch	
Streuwert	1.80, horizontal: 2.00, vertikal: 1.56	




Serie 1:	10.5 *	9.8 ←	10.5 *	10.2 *	10.7 *
	9.5 →	10.7 *	9.9 ↙	9.2 ↗	9.3 →
beste Teiler	56.7 (7.)	66.3 (5.)	111.8 (1.)		
Trefferlage	0.50 mm rechts, 0.57 mm hoch				
Streuwert	1.91, horizontal: 2.40, vertikal: 1.23				




Serie 2:	9.1 ←	10.0 ↑	10.4 *	10.5 *	10.2 *
	10.0 ↓	9.7 ↓	10.7 *	10.1 ↗	9.2 ↖
beste Teiler	71.0 (18.)	106.1 (14.)	139.4 (13.)		
Trefferlage	0.72 mm links, 0.17 mm hoch				
Streuwert	1.96, horizontal: 2.08, vertikal: 1.83				




Serie 3:	10.5 *	9.8 ↖	10.6 *	10.4 *	10.0 ↖
	9.8 ↓	10.3 *	10.5 *	10.1 ↑	10.1 ↓
beste Teiler	91.8 (23.)	111.6 (28.)	125.8 (21.)		
Trefferlage	0.42 mm links, 0.09 mm tief				
Streuwert	1.47, horizontal: 1.11, vertikal: 1.76				



Serie 4:	10.9 *	10.1 ↑	9.4 ↑	9.8 ←	10.7 *
	9.6 →	9.8 ←	10.6 *	9.0 ←	9.5 ↗
beste Teiler	3.0 (31.)	53.2 (35.)	99.2 (38.)		
Trefferlage	0.51 mm links, 0.84 mm hoch				
Streuwert	2.09, horizontal: 2.50, vertikal: 1.56				



Serie 5:	9.6 ↑	10.4 *	10.8 *	9.7 ↗	10.6 *
	10.7 *	9.7 ↖	9.5 ↙	9.2 →	10.1 ↖
beste Teiler	45.8 (43.)	55.2 (46.)	98.0 (45.)		
Trefferlage	0.31 mm rechts, 0.76 mm hoch				
Streuwert	1.88, horizontal: 2.12, vertikal: 1.60				



Serie 6:	10.5 *	9.5 ↖	10.3 *	10.8 *	10.3 *
	10.5 *	10.4 *	10.3 *	10.1 →	9.3 ↗
beste Teiler	44.9 (54.)	112.0 (51.)	112.0 (56.)		
Trefferlage	0.52 mm rechts, 0.44 mm hoch				
Streuwert	1.55, horizontal: 1.54, vertikal: 1.55				

LG 60 ZR – Wertung – Junioren

StandNr: 127

Lüthi,, Julius #70421011

StartNr: 27



10. Dezember 2017 10:32

70421 / 0


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **397.2** (380)
 Serien: 100.8 98.2 99.4 98.8
 Zähler: 20 20 0 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 467 (19), 450 (32), 447 (13)
 beste Teiler 56.7 (10.) 73.2 (4.) 82.9 (2.)
 Trefferlage 0.53 mm links, 0.31 mm hoch
 Streuwert 1.98, horizontal: 2.30, vertikal: 1.61




Serie 1:
 9.6 ← 10.6 * 9.2 ← 10.7 * 9.8 →
 10.3 * 10.1 ↗ 9.4 ↖ 10.4 * 10.7 *
 beste Teiler 56.7 (10.) 73.2 (4.) 82.9 (2.)
 Trefferlage 0.48 mm links, 0.34 mm hoch
 Streuwert 1.86, horizontal: 2.46, vertikal: 0.93



Serie 2:
 9.8 ↗ 10.1 ↓ 9.2 ← 9.3 ↑ 10.5 *
 10.5 * 9.7 ↙ 10.5 * 9.1 ↘ 9.5 ↑
 beste Teiler 101.4 (15.) 105.9 (18.) 115.6 (16.)
 Trefferlage 0.81 mm links, 0.73 mm hoch
 Streuwert 2.18, horizontal: 1.88, vertikal: 2.45



Serie 3:
 9.8 ← 10.0 ↘ 10.5 * 10.0 ↑ 9.7 ↘
 9.6 ↖ 9.8 → 10.3 * 9.3 → 10.4 *
 beste Teiler 120.2 (23.) 141.8 (30.) 163.3 (28.)
 Trefferlage 0.54 mm links, 0.73 mm hoch
 Streuwert 1.88, horizontal: 2.36, vertikal: 1.23





Serie 4:
 9.3 ← 9.2 → 9.9 → 10.6 * 10.0 ↗
 10.4 * 10.2 * 9.5 ← 9.7 ← 10.0 ↓
 beste Teiler 88.2 (34.) 134.3 (36.) 191.0 (37.)
 Trefferlage 0.27 mm links, 0.53 mm tief
 Streuwert 2.14, horizontal: 2.74, vertikal: 1.27


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **409.0** (391)
 Serien: 103.4 101.5 101.9 102.2
 Zähler: 31 9 0 0 0 0 0 0 0 0
 Innenzehner: 23
 weiteste: 441 (31), 378 (16), 318 (24)
 beste Teiler 36.3 (35.) 55.4 (25.) 55.9 (5.)
 Trefferlage 0.30 mm rechts, 0.53 mm hoch
 Streuwert 1.41, horizontal: 1.63, vertikal: 1.15




Serie 1:
 10.6 * 9.8 → 10.1 → 10.4 * 10.7 *
 10.5 * 10.5 * 10.2 * 10.6 * 10.0 →
 beste Teiler 55.9 (5.) 88.2 (1.) 97.0 (9.)
 Trefferlage 0.57 mm rechts, 0.05 mm hoch
 Streuwert 1.17, horizontal: 1.36, vertikal: 0.95



Serie 2:
 10.5 * 10.2 * 10.7 * 9.9 ↑ 10.6 *
 9.4 ← 10.4 * 10.4 * 9.7 ↗ 9.7 ↑
 beste Teiler 66.6 (13.) 94.0 (15.) 123.2 (11.)
 Trefferlage 0.01 mm links, 1.26 mm hoch
 Streuwert 1.38, horizontal: 1.66, vertikal: 1.04



Serie 3:
 10.5 * 10.0 ↖ 9.8 ↙ 9.7 → 10.7 *
 10.3 * 10.0 → 10.5 * 10.3 * 10.1 ↗
 beste Teiler 55.4 (25.) 108.7 (21.) 117.6 (28.)
 Trefferlage 0.32 mm rechts, 0.33 mm hoch
 Streuwert 1.50, horizontal: 1.66, vertikal: 1.33



Serie 4:
 9.2 → 10.7 * 10.1 ↗ 9.7 ↗ 10.8 *
 10.7 * 10.0 ← 10.0 ← 10.7 * 10.3 *
 beste Teiler 36.3 (35.) 59.6 (39.) 61.2 (36.)
 Trefferlage 0.34 mm rechts, 0.50 mm hoch
 Streuwert 1.59, horizontal: 2.00, vertikal: 1.05

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **409.4** (392)

Serien: 101.8 102.0 103.0 102.6

Zähler: 32 8 0 0 0 0 0 0 0 0



Innenzehner: 23

weiteste: 365 (4), 356 (1), 341 (32)

beste Teiler 43.2 (17.) 68.7 (30.) 70.2 (2.)

Trefferlage 0.27 mm rechts, 0.46 mm hoch

Streuwert 1.37, horizontal: 1.63, vertikal: 1.06




Serie 1:

9.5 ↘	10.7 *	10.2 *	9.5 →	10.2 *
9.9 ↗	10.6 *	10.5 *	10.2 *	10.5 *

beste Teiler 70.2 (2.) 86.6 (7.) 110.1 (10.)

Trefferlage 0.58 mm rechts, 0.22 mm hoch

Streuwert 1.56, horizontal: 1.82, vertikal: 1.27




Serie 2:

10.5 *	10.1 ↘	10.6 *	10.1 →	10.1 ↑
9.7 ↘	10.8 *	10.4 *	9.8 ←	9.9 ↑

beste Teiler 43.2 (17.) 84.0 (13.) 116.5 (11.)

Trefferlage 0.78 mm rechts, 0.43 mm hoch

Streuwert 1.42, horizontal: 1.52, vertikal: 1.31




Serie 3:

10.0 ←	10.4 *	10.1 ↖	10.3 *	10.6 *
10.6 *	10.0 ↗	10.1 ↑	10.2 *	10.7 *

beste Teiler 68.7 (30.) 90.0 (25.) 94.5 (26.)

Trefferlage 0.04 mm links, 0.79 mm hoch

Streuwert 1.16, horizontal: 1.42, vertikal: 0.83



Serie 4:

10.1 ←	9.6 →	10.4 *	10.4 *	10.6 *
9.9 ←	10.4 *	10.6 *	10.0 ↑	10.6 *

beste Teiler 76.2 (38.) 79.0 (35.) 85.4 (40.)



Trefferlage 0.21 mm links, 0.40 mm hoch

Streuwert 1.37, horizontal: 1.75, vertikal: 0.82


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **402.1** (385)
 Serien: 101.2 100.7 101.2 99.0
 Zähler: 27 11 2 0 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 695 (11), 510 (34), 457 (5)
 beste Teiler 21.0 (19.) 48.5 (28.) 62.0 (20.)
 Trefferlage 0.35 mm rechts, 0.16 mm tief
 Streuwert 1.85, horizontal: 2.13, vertikal: 1.53




Serie 1:
 10.4 * 9.8 → 10.6 * 10.1 ↓ 9.1 ↓
 10.0 ↘ 10.1 ↓ 10.5 * 10.6 * 10.0 →
 beste Teiler 91.2 (9.) 96.0 (3.) 101.3 (8.)
 Trefferlage 0.57 mm rechts, 1.19 mm tief
 Streuwert 1.46, horizontal: 1.45, vertikal: 1.47



Serie 2:
 8.2 → 10.2 * 9.5 ← 10.2 * 10.6 *
 10.5 * 9.7 → 10.2 * 10.9 * 10.7 *
 beste Teiler 21.0 (19.) 62.0 (20.) 86.0 (15.)
 Trefferlage 1.11 mm rechts, 0.09 mm hoch
 Streuwert 1.99, horizontal: 2.67, vertikal: 0.90



Serie 3:
 10.6 * 9.3 ← 9.5 ↘ 10.6 * 9.8 ↑
 10.0 ↑ 10.1 ↗ 10.8 * 10.3 * 10.2 *
 beste Teiler 48.5 (28.) 82.0 (24.) 99.2 (21.)
 Trefferlage 0.72 mm links, 0.88 mm hoch
 Streuwert 1.55, horizontal: 1.63, vertikal: 1.46





Serie 4:
 9.7 → 9.9 ↙ 10.1 → 8.9 ← 9.9 →
 10.2 * 9.5 ↓ 10.2 * 10.4 * 10.2 *
 beste Teiler 132.4 (39.) 176.7 (38.) 182.4 (40.)
 Trefferlage 0.46 mm rechts, 0.46 mm tief
 Streuwert 2.02, horizontal: 2.39, vertikal: 1.55


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **409.2** (391)
 Serien: 99.9 104.8 102.4 102.1
 Zähler: 33 5 2 0 0 0 0 0 0 0
 Innenzehner: 26
 weiteste: 545 (9), 523 (8), 334 (33)
 beste Teiler 27.8 (14.) 40.7 (28.) 45.2 (18.)
 Trefferlage 0.26 mm rechts, 0.22 mm tief
 Streuwert 1.50, horizontal: 1.58, vertikal: 1.43




Serie 1:
 10.2 * 10.2 * 9.7 ↗ 10.3 * 10.5 *
 10.4 * 10.7 * 8.9 ↓ 8.8 ↖ 10.2 *
 beste Teiler 66.1 (7.) 116.2 (5.) 138.8 (6.)
 Trefferlage 0.14 mm links, 0.27 mm tief
 Streuwert 2.16, horizontal: 2.32, vertikal: 1.98



Serie 2:
 10.3 * 10.7 * 10.6 * 10.8 * 10.1 ↓
 10.0 → 10.8 * 10.8 * 10.6 * 10.1 ↘
 beste Teiler 27.8 (14.) 45.2 (18.) 47.9 (17.)
 Trefferlage 0.17 mm rechts, 0.18 mm tief
 Streuwert 1.03, horizontal: 1.01, vertikal: 1.05



Serie 3:
 9.9 ↖ 10.4 * 10.3 * 10.3 * 9.9 ↗
 10.1 ↘ 10.3 * 10.8 * 10.3 * 10.1 →
 beste Teiler 40.7 (28.) 126.5 (22.) 154.0 (23.)
 Trefferlage 0.75 mm rechts, 0.37 mm hoch
 Streuwert 1.29, horizontal: 1.42, vertikal: 1.15





Serie 4:
 10.4 * 10.3 * 9.6 ↙ 10.3 * 10.6 *
 9.9 ↓ 10.0 ↘ 10.6 * 10.1 ↘ 10.3 *
 beste Teiler 90.4 (35.) 100.6 (38.) 141.5 (31.)
 Trefferlage 0.27 mm rechts, 0.82 mm tief
 Streuwert 1.34, horizontal: 1.39, vertikal: 1.28


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **368.2** (351)
 Serien: 92.7 92.0 91.7 91.8
 Zähler: 8 18 12 1 1 0 0 0 0 0
 Innenzehner: 5
 weiteste: 1086 (3), 975 (24), 739 (34)
 beste Teiler 44.9 (4.) 104.6 (7.) 121.5 (25.)
 Trefferlage 0.52 mm links, 0.73 mm tief
 Streuwert 3.46, horizontal: 4.20, vertikal: 2.52




Serie 1:
 9.6 ↙ 8.9 → 6.6 → 10.8 * 9.6 ←
 9.4 ↙ 10.5 * 9.5 ↑ 8.0 → 9.8 ↓
 beste Teiler 44.9 (4.) 104.6 (7.) 286.1 (10.)
 Trefferlage 1.40 mm rechts, 0.56 mm tief
 Streuwert 3.63, horizontal: 4.70, vertikal: 2.06



Serie 2:
 8.4 ↙ 9.4 ↗ 9.3 ↗ 10.1 ↑ 8.9 ↓
 9.6 ← 9.8 ↘ 8.7 ↙ 9.3 → 8.5 ←
 beste Teiler 217.2 (14.) 300.6 (17.) 347.1 (16.)
 Trefferlage 0.40 mm links, 1.01 mm tief
 Streuwert 3.31, horizontal: 3.65, vertikal: 2.93



Serie 3:
 9.4 ↖ 9.7 ↙ 9.4 ↑ 7.1 ← 10.5 *
 9.1 ↙ 10.0 ↗ 8.3 → 10.2 * 8.0 ↘
 beste Teiler 121.5 (25.) 187.2 (29.) 228.4 (27.)
 Trefferlage 0.28 mm links, 0.05 mm tief
 Streuwert 3.82, horizontal: 4.74, vertikal: 2.60





Serie 4:
 9.8 ↙ 8.3 ↙ 9.9 ↘ 8.0 ← 10.4 *
 10.0 ↓ 8.5 ← 9.4 ↑ 8.4 ← 9.1 ↙
 beste Teiler 138.1 (35.) 235.1 (36.) 256.4 (33.)
 Trefferlage 2.79 mm links, 1.31 mm tief
 Streuwert 2.78, horizontal: 2.93, vertikal: 2.62


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **391.3** (376)
 Serien: 100.3 100.6 95.4 95.0
 Zähler: 20 17 2 1 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 795 (27), 703 (35), 578 (32)
 beste Teiler 43.4 (12.) 47.8 (16.) 95.4 (5.)
 Trefferlage 1.09 mm rechts, 0.60 mm tief
 Streuwert 2.26, horizontal: 2.32, vertikal: 2.19




Serie 1:
 9.3 ↓ 10.3 * 10.2 * 9.1 ↘ 10.6 *
 10.4 * 9.7 → 10.1 ↓ 10.1 ↗ 10.5 *
 beste Teiler 95.4 (5.) 122.0 (10.) 137.6 (6.)
 Trefferlage 0.77 mm rechts, 0.91 mm tief
 Streuwert 1.72, horizontal: 1.45, vertikal: 1.95



Serie 2:
 10.4 * 10.8 * 10.0 → 9.1 ↘ 9.2 ↓
 10.8 * 10.1 ↗ 10.0 ↙ 9.8 ↗ 10.4 *
 beste Teiler 43.4 (12.) 47.8 (16.) 126.4 (20.)
 Trefferlage 1.17 mm rechts, 0.47 mm tief
 Streuwert 1.72, horizontal: 1.32, vertikal: 2.04



Serie 3:
 10.4 * 9.0 ↗ 9.7 ↓ 10.2 * 9.2 ←
 9.3 → 7.8 ↖ 9.8 ↖ 9.8 ↓ 10.2 *
 beste Teiler 131.2 (21.) 190.8 (30.) 191.3 (24.)
 Trefferlage 0.11 mm links, 0.56 mm hoch
 Streuwert 2.93, horizontal: 3.37, vertikal: 2.41





Serie 4:
 10.5 * 8.6 ↘ 9.6 ↘ 10.3 * 8.1 →
 9.0 ↓ 9.9 ↘ 10.5 * 9.5 → 9.0 ↘
 beste Teiler 103.3 (38.) 116.2 (31.) 153.4 (34.)
 Trefferlage 2.52 mm rechts, 1.60 mm tief
 Streuwert 2.05, horizontal: 2.02, vertikal: 2.09


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **379.9** (366)
 Serien: 94.2 95.9 96.0 93.8
 Zähler: 14 20 5 0 1 0 0 0 0 0
 Innenzehner: 6
 weiteste: 1238 (6), 738 (17), 686 (30)
 beste Teiler 14.5 (18.) 71.0 (9.) 137.0 (7.)
 Trefferlage 1.43 mm links, 0.60 mm tief
 Streuwert 2.78, horizontal: 3.13, vertikal: 2.39




Serie 1:
 10.2 * 9.2 ↓ 10.0 ↓ 10.1 ↓ 9.8 ↖
 6.0 ← 10.4 * 9.4 ↗ 10.7 * 8.4 ←
 beste Teiler 71.0 (9.) 137.0 (7.) 200.8 (1.)
 Trefferlage 2.08 mm links, 0.85 mm tief
 Streuwert 3.35, horizontal: 4.28, vertikal: 2.04



Serie 2:
 10.2 * 10.1 ↓ 9.3 ↗ 9.7 ↗ 9.3 ↓
 9.3 ↙ 8.0 ↘ 10.9 * 9.3 ↙ 9.8 ↘
 beste Teiler 14.5 (18.) 183.3 (11.) 207.8 (12.)
 Trefferlage 0.78 mm links, 0.35 mm tief
 Streuwert 2.81, horizontal: 2.48, vertikal: 3.10



Serie 3:
 9.6 ↘ 10.3 * 10.1 ↘ 9.0 ← 9.9 ↙
 10.0 ↗ 9.7 ↙ 9.2 ↙ 10.0 → 8.2 ↖
 beste Teiler 162.4 (22.) 210.5 (23.) 236.3 (26.)
 Trefferlage 1.56 mm links, 0.43 mm tief
 Streuwert 2.48, horizontal: 3.04, vertikal: 1.73





Serie 4:
 9.7 ↖ 9.3 ↖ 9.1 ↙ 10.0 ↙ 9.1 ↗
 9.6 ← 9.2 ← 8.9 ↓ 10.0 ← 8.9 ↘
 beste Teiler 226.9 (39.) 244.4 (34.) 321.3 (31.)
 Trefferlage 1.31 mm links, 0.78 mm tief
 Streuwert 2.79, horizontal: 2.78, vertikal: 2.79


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **182.8** (173)
 Serien: 92.0 90.8
 Zähler: 3 10 4 3 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 984 (17), 846 (9), 800 (11)
 beste Teiler 87.6 (5.) 88.3 (20.) 219.8 (7.)
 Trefferlage 0.92 mm rechts, 1.38 mm tief
 Streuwert 3.51, horizontal: 4.34, vertikal: 2.41





Serie 1:
 9.1 → 8.9 ↘ 9.9 ↖ 8.4 → 10.6 *
 9.2 ↙ 10.1 ↖ 9.7 ↘ 7.6 ← 8.5 ↗
 beste Teiler 87.6 (5.) 219.8 (7.) 267.9 (3.)
 Trefferlage 0.52 mm rechts, 0.77 mm tief
 Streuwert 3.58, horizontal: 4.36, vertikal: 2.56




Serie 2:
 7.8 ↘ 9.7 ← 9.1 ↓ 9.4 ↖ 9.5 →
 8.7 ← 7.0 ↘ 9.9 ↘ 9.1 ↘ 10.6 *
 beste Teiler 88.3 (20.) 269.4 (18.) 318.7 (12.)
 Trefferlage 1.32 mm rechts, 2.00 mm tief
 Streuwert 3.55, horizontal: 4.52, vertikal: 2.21

Unterschrift des Schützen

Ergebnis: **191.0** (183)
 Serien: 96.0 95.0
 Zähler: 7 9 4 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 723 (18), 580 (7), 558 (4)
 beste Teiler 113.6 (13.) 143.8 (1.) 145.8 (5.)
 Trefferlage 1.08 mm rechts, 0.55 mm hoch
 Streuwert 2.69, horizontal: 3.27, vertikal: 1.94





Serie 1:
 10.4 * 9.0 → 9.7 ↑ 8.7 → 10.4 *
 9.8 ↙ 8.6 ↘ 10.1 → 10.0 ↖ 9.3 →
 beste Teiler 143.8 (1.) 145.8 (5.) 205.4 (8.)
 Trefferlage 1.38 mm rechts, 0.03 mm tief
 Streuwert 2.59, horizontal: 2.99, vertikal: 2.11




Serie 2:
 9.9 ← 9.0 → 10.5 * 10.2 * 9.5 ↑
 10.0 ↘ 9.8 → 8.1 → 9.1 ↖ 8.9 ↖
 beste Teiler 113.6 (13.) 185.3 (14.) 249.2 (16.)
 Trefferlage 0.79 mm rechts, 1.14 mm hoch
 Streuwert 2.84, horizontal: 3.66, vertikal: 1.65

Unterschrift des Schützen

Ergebnis: **201.7** (191)
 Serien: 100.1 101.6
 Zähler: 11 9 0 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 447 (7), 385 (19), 352 (14)
 beste Teiler 9.4 (17.) 68.6 (20.) 96.1 (5.)
 Trefferlage 0.12 mm links, 0.07 mm tief
 Streuwert 1.74, horizontal: 1.82, vertikal: 1.67





Serie 1:
 9.7 ← 10.2 * 10.2 * 9.9 ↘ 10.6 *
 9.9 → 9.2 → 10.1 ↘ 10.4 * 9.9 ↑
 beste Teiler 96.1 (5.) 132.0 (9.) 184.0 (3.)
 Trefferlage 0.02 mm links, 0.31 mm hoch
 Streuwert 1.86, horizontal: 2.15, vertikal: 1.51




Serie 2:
 10.5 * 10.3 * 9.9 ↙ 9.5 ↘ 10.2 *
 9.8 ↘ 10.9 * 10.4 * 9.4 ↓ 10.7 *
 beste Teiler 9.4 (17.) 68.6 (20.) 113.7 (11.)
 Trefferlage 0.21 mm links, 0.46 mm tief
 Streuwert 1.67, horizontal: 1.53, vertikal: 1.80

Unterschrift des Schützen

Ergebnis: **185.3** (174)
 Serien: 92.7 92.6
 Zähler: 3 9 7 1 0 0 0 0 0 0
 Innenzehner: 1
 weiteste: 823 (9), 596 (18), 584 (17)
 beste Teiler 87.6 (8.) 224.2 (5.) 234.6 (19.)
 Trefferlage 1.98 mm links, 0.63 mm tief
 Streuwert 2.94, horizontal: 2.99, vertikal: 2.88





Serie 1:
 9.7 ↘ 9.0 ↓ 9.9 ↓ 8.9 → 10.1 ↓
 8.8 ← 9.2 ↓ 10.6 * 7.7 ↖ 8.8 ←
 beste Teiler 87.6 (8.) 224.2 (5.) 267.8 (3.)
 Trefferlage 1.89 mm links, 1.20 mm tief
 Streuwert 3.06, horizontal: 3.60, vertikal: 2.39




Serie 2:
 9.8 ↑ 9.5 ↓ 9.7 ↗ 9.5 ↖ 8.8 ↙
 9.5 ↓ 8.6 ← 8.6 ↖ 10.0 ↖ 8.6 ↙
 beste Teiler 234.6 (19.) 284.7 (11.) 322.4 (13.)
 Trefferlage 2.08 mm links, 0.06 mm tief
 Streuwert 2.91, horizontal: 2.42, vertikal: 3.33

Unterschrift des Schützen

Ergebnis: **185.7** (173)
 Serien: 93.4 92.3
 Zähler: 2 10 7 1 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 803 (12), 618 (16), 615 (8)
 beste Teiler 159.1 (14.) 191.5 (17.) 257.9 (3.)
 Trefferlage 1.77 mm links, 0.64 mm tief
 Streuwert 2.96, horizontal: 3.45, vertikal: 2.37





Serie 1:
 8.7 ↘ 8.6 ← 9.9 ↗ 9.8 ↘ 9.8 ↗
 9.7 → 9.6 ↓ 8.5 ↓ 9.9 ↘ 8.9 ←
 beste Teiler 257.9 (3.) 261.5 (9.) 283.1 (4.)
 Trefferlage 0.33 mm links, 1.03 mm tief
 Streuwert 3.05, horizontal: 3.21, vertikal: 2.89




Serie 2:
 9.0 ← 7.7 ← 9.5 ← 10.3 * 9.8 ↘
 8.5 ↘ 10.2 * 8.7 ← 9.9 ↓ 8.7 ←
 beste Teiler 159.1 (14.) 191.5 (17.) 270.6 (19.)
 Trefferlage 3.21 mm links, 0.25 mm tief
 Streuwert 2.59, horizontal: 3.20, vertikal: 1.77

Unterschrift des Schützen

Ergebnis: **189.8** (180)
 Serien: 93.7 96.1
 Zähler: 7 7 5 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 858 (2), 724 (1), 611 (13)
 beste Teiler 94.1 (14.) 104.7 (10.) 115.3 (12.)
 Trefferlage 0.30 mm links, 0.76 mm tief
 Streuwert 3.03, horizontal: 3.62, vertikal: 2.31





Serie 1:
 8.1 ↘ 7.5 ↘ 9.0 ← 9.8 → 8.6 ↘
 10.2 * 10.5 * 9.9 ↓ 9.6 ↓ 10.5 *
 beste Teiler 104.7 (10.) 115.7 (7.) 181.0 (6.)
 Trefferlage 1.48 mm rechts, 1.72 mm tief
 Streuwert 3.02, horizontal: 3.47, vertikal: 2.48




Serie 2:
 8.8 ← 10.5 * 8.5 ↘ 10.6 * 8.5 ↖
 10.2 * 10.1 ↘ 9.9 ← 9.6 ↘ 9.4 ←
 beste Teiler 94.1 (14.) 115.3 (12.) 178.7 (16.)
 Trefferlage 2.09 mm links, 0.19 mm hoch
 Streuwert 2.39, horizontal: 2.90, vertikal: 1.74

Unterschrift des Schützen

Ergebnis: **182.9** (174)
 Serien: 90.7 92.2
 Zähler: 5 6 7 2 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 853 (1), 796 (12), 729 (11)
 beste Teiler 107.5 (9.) 110.5 (14.) 128.6 (13.)
 Trefferlage 0.18 mm links, 0.13 mm tief
 Streuwert 3.64, horizontal: 4.53, vertikal: 2.45





Serie 1:
 7.5 ↘ 8.5 ↘ 8.5 → 10.3 * 9.0 →
 9.8 ↙ 8.9 ↘ 8.6 ← 10.5 * 9.1 →
 beste Teiler 107.5 (9.) 159.1 (4.) 281.8 (6.)
 Trefferlage 0.80 mm rechts, 0.64 mm tief
 Streuwert 3.77, horizontal: 4.98, vertikal: 1.89




Serie 2:
 8.0 ↘ 7.8 ↘ 10.4 * 10.5 * 8.6 ↑
 10.0 → 9.7 ↘ 9.3 ← 8.9 ← 9.0 ←
 beste Teiler 110.5 (14.) 128.6 (13.) 233.3 (16.)
 Trefferlage 1.16 mm links, 0.37 mm hoch
 Streuwert 3.52, horizontal: 4.04, vertikal: 2.92

Unterschrift des Schützen

Ergebnis: **194.6** (185)
 Serien: 95.8 98.8
 Zähler: 9 8 2 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 805 (1), 612 (9), 542 (11)
 beste Teiler 25.3 (17.) 60.3 (10.) 111.6 (6.)
 Trefferlage 1.56 mm rechts, 0.07 mm tief
 Streuwert 2.33, horizontal: 3.11, vertikal: 1.10





Serie 1:
 7.7 → 9.8 ↑ 10.2 * 9.3 → 10.1 →
 10.5 * 9.4 ↘ 9.6 → 8.5 ← 10.7 *
 beste Teiler 60.3 (10.) 111.6 (6.) 184.4 (3.)
 Trefferlage 1.69 mm rechts, 0.03 mm hoch
 Streuwert 2.74, horizontal: 3.63, vertikal: 1.36




Serie 2:
 8.8 → 9.7 ← 10.0 ↘ 9.2 → 9.8 ↗
 10.0 → 10.9 * 10.4 * 9.7 → 10.3 *
 beste Teiler 25.3 (17.) 134.0 (18.) 174.8 (20.)
 Trefferlage 1.43 mm rechts, 0.17 mm tief
 Streuwert 1.99, horizontal: 2.69, vertikal: 0.81

Unterschrift des Schützen

Ergebnis: **191.9** (180)
 Serien: 94.2 97.7
 Zähler: 6 9 4 1 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 766 (2), 561 (3), 546 (17)
 beste Teiler 55.1 (12.) 80.7 (14.) 101.9 (20.)
 Trefferlage 1.25 mm links, 1.49 mm hoch
 Streuwert 2.40, horizontal: 3.16, vertikal: 1.24





Serie 1:
 8.9 ↘ 7.9 ↙ 8.7 ↘ 9.9 ↗ 9.7 →
 10.3 * 10.1 ↑ 9.6 ↘ 9.9 ↘ 9.2 ↙
 beste Teiler 151.4 (6.) 219.1 (7.) 258.1 (9.)
 Trefferlage 1.63 mm links, 2.30 mm hoch
 Streuwert 2.34, horizontal: 3.08, vertikal: 1.22



Serie 2:
 9.4 ↘ 10.7 * 9.7 → 10.6 * 10.3 *
 9.7 ← 8.8 → 9.1 ← 8.9 ← 10.5 *
 beste Teiler 55.1 (12.) 80.7 (14.) 101.9 (20.)
 Trefferlage 0.87 mm links, 0.68 mm hoch
 Streuwert 2.41, horizontal: 3.37, vertikal: 0.55


Unterschrift des Schützen

Ergebnis: **168.5** (160)
 Serien: 89.2 79.3
 Zähler: 3 7 3 3 3 0 1 0 0 0
 Innenzehner: 2
 weiteste: 1634 (19), 1085 (16), 1031 (14)
 beste Teiler 33.0 (4.) 111.9 (7.) 212.2 (13.)
 Trefferlage 4.15 mm links, 3.37 mm hoch
 Streuwert 3.67, horizontal: 4.36, vertikal: 2.81



Serie 1:
 6.9 ← 9.0 ← 9.1 ← 10.8 * 7.2 ↖
 9.8 ↗ 10.5 * 8.1 ↘ 8.8 ← 9.0 →

beste Teiler 33.0 (4.) 111.9 (7.) 286.9 (6.)
 Trefferlage 3.09 mm links, 2.10 mm hoch
 Streuwert 3.43, horizontal: 4.50, vertikal: 1.81





Serie 2:
 7.5 ↘ 7.6 ↘ 10.1 ↗ 6.8 ↘ 9.0 ↑
 6.6 ↘ 9.3 ↘ 8.5 ← 4.4 ↘ 9.5 ↘


beste Teiler 212.2 (13.) 363.4 (20.) 414.5 (17.)
 Trefferlage 5.22 mm links, 4.64 mm hoch
 Streuwert 3.68, horizontal: 4.16, vertikal: 3.14

Unterschrift des Schützen

Ergebnis: **182.0** (173)
 Serien: 96.1 85.9
 Zähler: 6 6 4 3 1 0 0 0 0 0
 Innenzehner: 2
 weiteste: 1006 (13), 941 (1), 810 (11)
 beste Teiler 101.8 (2.) 121.0 (7.) 219.4 (9.)
 Trefferlage 2.42 mm links, 0.32 mm tief
 Streuwert 3.44, horizontal: 4.57, vertikal: 1.68





Serie 1:
 7.2 ← 10.5 * 10.1 ← 9.5 → 9.3 ←
 9.5 ↖ 10.5 * 9.3 ↗ 10.1 ↓ 10.1 ↘
 beste Teiler 101.8 (2.) 121.0 (7.) 219.4 (9.)
 Trefferlage 1.46 mm links, 0.18 mm tief
 Streuwert 2.84, horizontal: 3.79, vertikal: 1.33




Serie 2:
 7.7 → 8.8 ↖ 6.9 ← 9.7 → 8.2 ↘
 7.8 ← 10.0 ← 8.7 ← 8.6 ← 9.5 ←
 beste Teiler 227.2 (17.) 301.4 (14.) 353.8 (20.)
 Trefferlage 3.38 mm links, 0.45 mm tief
 Streuwert 3.99, horizontal: 5.26, vertikal: 2.04

Unterschrift des Schützen

Ergebnis: **206.4** (194)
 Serien: 102.9 103.5
 Zähler: 14 6 0 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 335 (7), 302 (6), 275 (20)
 beste Teiler 15.6 (16.) 35.3 (4.) 51.4 (1.)
 Trefferlage 0.03 mm links, 0.49 mm hoch
 Streuwert 1.30, horizontal: 1.65, vertikal: 0.80





Serie 1:
 10.7 * 10.5 * 10.3 * 10.8 * 10.7 *
 9.7 ↑ 9.6 → 9.9 ← 10.1 ← 10.6 *
 beste Teiler 35.3 (4.) 51.4 (1.) 65.0 (5.)
 Trefferlage 0.06 mm links, 0.65 mm hoch
 Streuwert 1.34, horizontal: 1.64, vertikal: 0.96




Serie 2:
 10.6 * 10.7 * 10.4 * 10.2 * 9.9 ←
 10.9 * 10.6 * 9.9 ← 10.4 * 9.9 →
 beste Teiler 15.6 (16.) 62.1 (12.) 98.7 (17.)
 Trefferlage 0.00 mm , 0.33 mm hoch
 Streuwert 1.31, horizontal: 1.76, vertikal: 0.61

Unterschrift des Schützen

Ergebnis: **184.2** (177)
 Serien: 91.5 92.7
 Zähler: 4 11 3 2 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 888 (7), 828 (11), 745 (2)
 beste Teiler 87.8 (5.) 182.7 (4.) 194.6 (17.)
 Trefferlage 1.46 mm rechts, 1.34 mm hoch
 Streuwert 3.23, horizontal: 4.03, vertikal: 2.14



Serie 1:
 9.4 ↑ 8.0 → 9.6 → 10.2 * 10.6 *
 9.3 ↓ 7.4 ↖ 9.3 ↑ 8.2 ↗ 9.5 ↘
 beste Teiler 87.8 (5.) 182.7 (4.) 335.0 (3.)
 Trefferlage 0.93 mm rechts, 1.76 mm hoch
 Streuwert 3.49, horizontal: 4.14, vertikal: 2.68



Serie 2:
 7.6 → 9.6 → 9.5 ↘ 9.1 → 9.7 ↖
 9.2 ↖ 10.2 * 9.7 → 8.0 → 10.1 ↙
 beste Teiler 194.6 (17.) 207.0 (20.) 315.2 (15.)
 Trefferlage 2.00 mm rechts, 0.93 mm hoch
 Streuwert 3.06, horizontal: 4.07, vertikal: 1.47

Unterschrift des Schützen