





Ergebnis: **365** (385.1)  
 Serien: 96 87 93 89  
 Zähler: 13 21 4 2 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 2807 (17), 2470 (11), 2103 (32)  
 beste Teiler 181.8 (5.) 192.2 (29.) 358.8 (22.)  
 Trefferlage 0.65 mm rechts, 0.03 mm tief  
 Streuwert 8.63, horizontal: 6.90, vertikal: 10.06




Serie 1:  
 9.9 ↙ 10.2 ← 10.1 ↗ 9.4 ↓ 10.7 \*  
 10.4 \* 9.0 ↘ 10.4 \* 9.8 ↗ 10.5 \*  
 beste Teiler 181.8 (5.) 384.0 (10.) 462.0 (6.)  
 Trefferlage 1.10 mm rechts, 2.05 mm tief  
 Streuwert 5.93, horizontal: 4.77, vertikal: 6.89



Serie 2:  
 7.9 ↓ 9.8 → 9.8 ← 9.9 → 9.7 ↓  
 9.3 ↘ 7.4 ↖ 9.9 ↑ 10.0 ↑ 9.1 ↓  
 beste Teiler 798.5 (19.) 844.6 (14.) 852.2 (18.)  
 Trefferlage 0.43 mm links, 1.84 mm tief  
 Streuwert 11.14, horizontal: 7.91, vertikal: 13.63





Serie 3:  
 10.2 ↖ 10.5 \* 8.8 ← 9.6 → 10.0 ↖  
 9.4 ↙ 9.9 ↑ 9.6 ↘ 10.7 \* 9.2 ↑  
 beste Teiler 192.2 (29.) 358.8 (22.) 639.7 (21.)  
 Trefferlage 1.62 mm links, 0.69 mm hoch  
 Streuwert 7.63, horizontal: 7.81, vertikal: 7.45




Serie 4:  
 10.2 ↙ 8.3 ↗ 8.9 ↖ 9.9 ↑ 9.4 ↑  
 9.1 ↘ 10.2 ↘ 9.3 ↗ 8.8 ↓ 9.9 ↗  
 beste Teiler 608.8 (31.) 640.6 (37.) 829.0 (34.)  
 Trefferlage 3.55 mm rechts, 3.05 mm hoch  
 Streuwert 9.32, horizontal: 6.58, vertikal: 11.42

Unterschrift des Schützen


Ergebnis: **339** (360.6)  
 Serien: 86 89 84 80  
 Zähler: 6 18 9 4 2 1 0 0 0 0  
 Innenzehner: 4  
 weiteste: 4762 (5), 3617 (40), 3218 (23)  
 beste Teiler 335.6 (9.) 352.8 (6.) 364.1 (27.)  
 Trefferlage 3.40 mm rechts, 0.94 mm tief  
 Streuwert 12.65, horizontal: 14.17, vertikal: 10.93




Serie 1:  
 9.5 ↓                      8.7 ↘                      10.4 \*                      9.4 ↖                      5.0 →  
 10.5 \*                      7.9 ↗                      9.9 ↑                      10.5 \*                      9.5 ↗  
 beste Teiler 335.6 (9.) 352.8 (6.) 429.9 (3.)  
 Trefferlage 7.13 mm rechts, 3.54 mm hoch  
 Streuwert 13.08, horizontal: 15.35, vertikal: 10.33



Serie 2:  
 9.0 →                      9.0 ↖                      9.4 ↖                      10.3 ↖                      10.0 ↓  
 9.8 ↗                      8.9 ↖                      7.5 →                      9.4 →                      9.2 ←  
 beste Teiler 550.6 (14.) 774.8 (15.) 924.8 (16.)  
 Trefferlage 1.17 mm rechts, 3.98 mm hoch  
 Streuwert 10.70, horizontal: 13.51, vertikal: 6.84





Serie 3:  
 9.9 ↓                      8.5 ←                      6.9 ←                      9.9 ↓                      9.6 ←  
 8.9 ←                      10.5 \*                      9.6 ↗                      7.8 ↓                      9.5 ↘  
 beste Teiler 364.1 (27.) 831.6 (21.) 864.7 (24.)  
 Trefferlage 5.31 mm links, 5.16 mm tief  
 Streuwert 11.29, horizontal: 13.19, vertikal: 9.01




Serie 4:  
 9.9 →                      9.3 ↓                      8.7 →                      7.7 →                      8.9 →  
 8.1 ↗                      9.5 ↗                      8.9 ↘                      8.3 ↘                      6.4 ↘  
 beste Teiler 804.9 (31.) 1165.5 (37.) 1324.4 (32.)  
 Trefferlage 10.60 mm rechts, 6.15 mm tief  
 Streuwert 12.22, horizontal: 10.71, vertikal: 13.56

Unterschrift des Schützen


Ergebnis: **355** (375.8)  
 Serien: 96 87 83 89  
 Zähler: 12 17 5 6 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 2989 (23), 2898 (28), 2763 (34)  
 beste Teiler 62.0 (19.) 114.2 (38.) 212.6 (12.)  
 Trefferlage 2.83 mm rechts, 2.77 mm tief  
 Streuwert 10.20, horizontal: 9.77, vertikal: 10.62




Serie 1:  
 9.2 ↗ 10.1 ↗ 10.1 ← 10.7 \* 9.6 ↘  
 10.4 \* 9.8 ↙ 10.3 ↘ 9.5 ↓ 10.3 ↓  
 beste Teiler 239.1 (4.) 411.8 (6.) 503.2 (8.)  
 Trefferlage 0.19 mm links, 2.11 mm tief  
 Streuwert 6.12, horizontal: 5.19, vertikal: 6.93



Serie 2:  
 8.6 ↘ 10.7 \* 10.4 \* 8.4 ↗ 8.8 ↙  
 8.8 ↙ 9.0 → 9.7 ↓ 10.9 \* 7.8 ↙  
 beste Teiler 62.0 (19.) 212.6 (12.) 408.1 (13.)  
 Trefferlage 1.70 mm links, 5.16 mm tief  
 Streuwert 10.70, horizontal: 10.29, vertikal: 11.10





Serie 3:  
 9.8 → 9.9 → 7.2 → 9.0 ↗ 10.0 ↑  
 9.8 ↙ 7.6 ↑ 7.3 ↓ 7.8 → 9.3 →  
 beste Teiler 728.5 (25.) 847.0 (22.) 889.4 (21.)  
 Trefferlage 8.57 mm rechts, 0.58 mm tief  
 Streuwert 13.03, horizontal: 10.86, vertikal: 14.88




Serie 4:  
 9.6 ↙ 10.1 ↘ 9.8 → 7.5 ↘ 9.9 ↖  
 9.9 ↙ 9.7 ↗ 10.8 \* 8.3 → 9.4 ↗  
 beste Teiler 114.2 (38.) 711.2 (32.) 849.4 (36.)  
 Trefferlage 4.64 mm rechts, 3.21 mm tief  
 Streuwert 9.30, horizontal: 9.46, vertikal: 9.13

Unterschrift des Schützen


Ergebnis: **356** (372.8)  
 Serien: 89 90 88 89  
 Zähler: 9 20 9 2 0 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 2509 (10), 2456 (29), 2375 (39)  
 beste Teiler 210.2 (19.) 355.1 (3.) 500.8 (13.)  
 Trefferlage 3.79 mm rechts, 1.69 mm hoch  
 Streuwert 9.86, horizontal: 11.06, vertikal: 8.48




Serie 1:  
 9.1 ↗ 9.2 ↗ 10.5 \* 9.3 ← 8.2 →  
 10.3 ↘ 9.9 ← 9.4 ↙ 9.6 ↗ 7.8 ↗  
 beste Teiler 355.1 (3.) 522.8 (6.) 861.9 (7.)  
 Trefferlage 3.62 mm rechts, 4.01 mm hoch  
 Streuwert 9.95, horizontal: 12.04, vertikal: 7.27



Serie 2:  
 8.2 → 10.0 → 10.3 ↘ 8.4 ↗ 9.6 ↓  
 8.3 ↘ 9.3 → 9.5 ↗ 10.7 \* 9.9 ↓  
 beste Teiler 210.2 (19.) 500.8 (13.) 797.4 (12.)  
 Trefferlage 7.87 mm rechts, 1.76 mm tief  
 Streuwert 8.47, horizontal: 7.84, vertikal: 9.05





Serie 3:  
 9.7 ↗ 9.2 ← 9.4 → 10.3 ↘ 8.2 ↘  
 9.3 ↙ 9.3 → 10.2 → 7.9 ↘ 8.8 ↗  
 beste Teiler 545.0 (24.) 631.2 (28.) 999.0 (21.)  
 Trefferlage 1.17 mm rechts, 1.38 mm hoch  
 Streuwert 11.08, horizontal: 12.81, vertikal: 9.02




Serie 4:  
 9.4 ↘ 8.9 ↗ 10.1 ← 9.4 ↘ 8.4 ←  
 10.2 ↓ 9.4 → 9.6 ↑ 8.0 ↗ 9.6 ↘  
 beste Teiler 631.6 (36.) 693.6 (33.) 1046.6 (40.)  
 Trefferlage 2.50 mm rechts, 3.12 mm hoch  
 Streuwert 10.14, horizontal: 11.46, vertikal: 8.61

Unterschrift des Schützen


Ergebnis: **359** (377.2)  
 Serien: 92 90 90 87  
 Zähler: 13 15 10 2 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 3048 (25), 2469 (1), 2303 (9)  
 beste Teiler 122.4 (4.) 443.1 (3.) 464.5 (30.)  
 Trefferlage 0.51 mm links, 6.39 mm tief  
 Streuwert 8.79, horizontal: 8.39, vertikal: 9.17




Serie 1:  
 7.9 ↘ 10.2 ↘ 10.4 \* 10.8 \* 10.3 ↗  
 10.0 ↓ 9.3 ↖ 9.4 ↑ 8.1 ↓ 9.9 ←  
 beste Teiler 122.4 (4.) 443.1 (3.) 520.6 (5.)  
 Trefferlage 0.99 mm rechts, 4.68 mm tief  
 Streuwert 9.03, horizontal: 8.74, vertikal: 9.31



Serie 2:  
 9.0 ↓ 10.3 ↖ 8.4 ↓ 9.3 ↖ 9.8 ↖  
 9.4 ↓ 10.3 ↘ 9.5 ↖ 9.5 ← 8.5 ↖  
 beste Teiler 556.6 (12.) 560.5 (17.) 900.7 (15.)  
 Trefferlage 6.54 mm links, 8.55 mm tief  
 Streuwert 5.95, horizontal: 4.88, vertikal: 6.86





Serie 3:  
 9.8 ↘ 9.8 ↘ 9.0 ↓ 8.6 ↗ 7.1 ↓  
 10.3 ↓ 8.6 ↖ 10.2 ↘ 10.1 ← 10.4 \*  
 beste Teiler 464.5 (30.) 492.4 (26.) 581.5 (28.)  
 Trefferlage 0.96 mm rechts, 6.38 mm tief  
 Streuwert 9.88, horizontal: 7.73, vertikal: 11.64




Serie 4:  
 9.4 ← 8.6 ↗ 10.2 ↗ 8.7 ↘ 9.9 ←  
 8.9 ↖ 9.6 ↘ 10.3 ↘ 8.7 ↘ 8.7 ↘  
 beste Teiler 514.1 (38.) 569.2 (33.) 830.3 (35.)  
 Trefferlage 2.54 mm rechts, 5.95 mm tief  
 Streuwert 9.37, horizontal: 9.45, vertikal: 9.30

Unterschrift des Schützen


Ergebnis: **337** (354.3)  
 Serien: 87 82 85 83  
 Zähler: 6 16 12 2 3 1 0 0 0 0  
 Innenzehner: 3  
 weiteste: 4269 (39), 3924 (24), 3537 (26)  
 beste Teiler 311.2 (21.) 451.2 (40.) 466.5 (29.)  
 Trefferlage 1.32 mm rechts, 4.27 mm hoch  
 Streuwert 13.43, horizontal: 12.25, vertikal: 14.52




Serie 1:  
 9.5 ↗ 9.7 ↙ 10.1 ↖ 9.7 ↓ 9.6 ↘  
 8.2 ↘ 8.0 ↑ 7.5 → 10.2 ↑ 8.7 ↗  
 beste Teiler 612.3 (9.) 683.9 (3.) 965.9 (4.)  
 Trefferlage 1.57 mm rechts, 1.14 mm hoch  
 Streuwert 12.09, horizontal: 10.85, vertikal: 13.21



Serie 2:  
 9.9 → 8.3 ↑ 9.5 ↓ 6.6 ↗ 7.3 ↓  
 9.4 ↑ 8.4 → 9.1 → 9.1 ↑ 8.6 ↑  
 beste Teiler 873.0 (11.) 1190.2 (13.) 1222.2 (16.)  
 Trefferlage 5.74 mm rechts, 6.00 mm hoch  
 Streuwert 13.85, horizontal: 9.75, vertikal: 17.00





Serie 3:  
 10.6 \* 9.8 ↓ 8.0 ↖ 6.0 ← 8.6 ↓  
 6.5 ↗ 9.7 → 10.1 ↗ 10.4 \* 9.0 ↑  
 beste Teiler 311.2 (21.) 466.5 (29.) 707.2 (28.)  
 Trefferlage 0.76 mm links, 3.51 mm hoch  
 Streuwert 15.06, horizontal: 17.05, vertikal: 12.77




Serie 4:  
 9.7 ← 8.5 → 8.9 ↘ 8.5 ↓ 9.3 ↓  
 9.8 ↑ 9.1 ↖ 8.4 ↑ 5.6 ↑ 10.4 \*  
 beste Teiler 451.2 (40.) 917.6 (36.) 963.2 (31.)  
 Trefferlage 1.26 mm links, 6.42 mm hoch  
 Streuwert 13.79, horizontal: 10.61, vertikal: 16.37

Unterschrift des Schützen


Ergebnis: **608.7** (580)  
 Serien: 101.3 100.7 100.9 102.2 103.2 100.4  
 Zähler: 40 20 0 0 0 0 0 0 0  
 Innenzehner: 31  
 weiteste: 499 (55), 383 (57), 380 (12)  
 beste Teiler 21.2 (44.) 49.3 (40.) 52.9 (49.)  
 Trefferlage 0.06 mm links, 0.11 mm tief  
 Streuwert 1.63, horizontal: 1.76, vertikal: 1.48




Serie 1:  
 10.2 \* 9.9 → 10.4 \* 10.1 → 10.2 \*  
 9.7 ↙ 10.7 \* 10.4 \* 10.1 ↑ 9.6 ↓  
 beste Teiler 54.4 (7.) 141.3 (3.) 141.9 (8.)  
 Trefferlage 0.44 mm rechts, 0.15 mm hoch  
 Streuwert 1.60, horizontal: 1.63, vertikal: 1.57




Serie 2:  
 9.7 ↙ 9.4 ↖ 10.3 \* 10.1 → 9.7 →  
 10.3 \* 10.6 \* 10.1 ↘ 9.9 → 10.6 \*  
 beste Teiler 92.6 (20.) 99.2 (17.) 154.2 (16.)  
 Trefferlage 0.14 mm rechts, 0.59 mm tief  
 Streuwert 1.72, horizontal: 2.20, vertikal: 1.03




Serie 3:  
 10.4 \* 10.0 ↑ 10.4 \* 10.2 \* 10.7 \*  
 9.6 ↓ 10.1 ↙ 10.4 \* 9.5 ↖ 9.6 ←  
 beste Teiler 63.2 (25.) 138.2 (21.) 139.2 (28.)  
 Trefferlage 0.74 mm links, 0.01 mm hoch  
 Streuwert 1.67, horizontal: 1.64, vertikal: 1.71



Serie 4:  
 10.4 \* 9.6 ← 9.8 ↓ 10.2 \* 9.8 ↖  
 10.7 \* 10.5 \* 10.0 ↙ 10.4 \* 10.8 \*  
 beste Teiler 49.3 (40.) 58.1 (36.) 119.9 (37.)  
 Trefferlage 0.75 mm links, 0.28 mm tief  
 Streuwert 1.41, horizontal: 1.47, vertikal: 1.35



Serie 5:  
 10.0 ↖ 9.8 → 9.7 → 10.9 \* 9.6 ↓  
 10.6 \* 10.6 \* 10.7 \* 10.7 \* 10.6 \*  
 beste Teiler 21.2 (44.) 52.9 (49.) 57.1 (48.)  
 Trefferlage 0.61 mm rechts, 0.31 mm tief  
 Streuwert 1.40, horizontal: 1.53, vertikal: 1.26



Serie 6:  
 9.9 ↗ 10.6 \* 10.2 \* 10.2 \* 9.0 ↖  
 10.7 \* 9.4 ↖ 10.1 ↘ 9.7 → 10.6 \*  
 beste Teiler 67.7 (56.) 82.2 (60.) 95.0 (52.)  
 Trefferlage 0.09 mm links, 0.35 mm hoch  
 Streuwert 1.94, horizontal: 1.95, vertikal: 1.94

**LG 60 ZR – Wertung – Junioren**

StandNr: 108

**Unterpertinger,, Felix** #70401045

**StartNr: 9**

19. Juli 2020 11:09

SG\_Angerberg



---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **616.0** (585)  
 Serien: 103.6 104.0 104.2 100.9 101.9 101.4  
 Zähler: 46 13 1 0 0 0 0 0 0  
 Innenzehner: 42  
 weiteste: 523 (33), 420 (56), 392 (52)  
 beste Teiler 24.2 (54.) 27.6 (38.) 43.4 (5.)  
 Trefferlage 0.33 mm links, 0.15 mm tief  
 Streuwert 1.43, horizontal: 1.73, vertikal: 1.04




Serie 1:  
 10.5 \* 9.9 ↘ 10.4 \* 10.6 \* 10.8 \*  
 10.5 \* 9.9 ↘ 10.3 \* 10.4 \* 10.3 \*  
 beste Teiler 43.4 (5.) 80.6 (4.) 104.0 (6.)  
 Trefferlage 0.31 mm rechts, 0.66 mm tief  
 Streuwert 1.05, horizontal: 1.03, vertikal: 1.06




Serie 2:  
 10.5 \* 9.8 ← 10.6 \* 10.2 \* 10.5 \*  
 10.7 \* 10.4 \* 10.3 \* 10.3 \* 10.7 \*  
 beste Teiler 63.6 (16.) 67.2 (20.) 93.4 (13.)  
 Trefferlage 0.77 mm links, 0.31 mm tief  
 Streuwert 0.97, horizontal: 1.17, vertikal: 0.72




Serie 3:  
 9.9 ← 10.7 \* 10.7 \* 10.5 \* 10.5 \*  
 10.6 \* 10.4 \* 10.7 \* 10.7 \* 9.5 ←  
 beste Teiler 51.0 (23.) 56.1 (28.) 68.2 (29.)  
 Trefferlage 0.38 mm links, 0.24 mm hoch  
 Streuwert 1.20, horizontal: 1.63, vertikal: 0.44



Serie 4:  
 10.8 \* 9.6 ← 8.9 ↙ 9.9 ↙ 9.9 →  
 10.2 \* 10.3 \* 10.8 \* 10.5 \* 10.0 ↘  
 beste Teiler 27.6 (38.) 49.0 (31.) 119.0 (39.)  
 Trefferlage 0.54 mm links, 0.61 mm tief  
 Streuwert 1.84, horizontal: 2.28, vertikal: 1.24



Serie 5:  
 10.1 ↗ 9.4 ↗ 10.0 ↑ 10.2 \* 10.3 \*  
 10.5 \* 10.1 ← 10.5 \* 10.5 \* 10.3 \*  
 beste Teiler 101.0 (48.) 119.0 (49.) 121.6 (46.)  
 Trefferlage 0.43 mm rechts, 0.78 mm hoch  
 Streuwert 1.36, horizontal: 1.59, vertikal: 1.08



Serie 6:  
 9.7 ↙ 9.4 ← 10.2 \* 10.9 \* 10.8 \*  
 9.3 ← 10.6 \* 10.3 \* 9.6 ← 10.6 \*  
 beste Teiler 24.2 (54.) 46.0 (55.) 76.3 (57.)  
 Trefferlage 1.07 mm links, 0.37 mm tief  
 Streuwert 1.67, horizontal: 2.20, vertikal: 0.84

Meyton Elektronik

**LG 60 ZR – Wertung – Männer**

StandNr: 107

**Anrain,, Julian** #70415054

**StartNr: 10**

19. Juli 2020 11:15



SG\_Münster

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **618.1** (589)  
 Serien: 103.9 100.7 101.3 104.9 104.6 102.7  
 Zähler: 49 11 0 0 0 0 0 0 0  
 Innenzehner: 42  
 weiteste: 486 (25), 402 (21), 377 (18)  
 beste Teiler 8.5 (49.) 30.6 (34.) 40.4 (46.)  
 Trefferlage 0.29 mm rechts, 0.12 mm hoch  
 Streuwert 1.34, horizontal: 1.45, vertikal: 1.21




Serie 1:  
 10.2 \*                      10.1 ↙                      9.9 →                      10.4 \*                      10.5 \*  
 10.5 \*                      10.6 \*                      10.5 \*                      10.4 \*                      10.8 \*  
 beste Teiler 50.0 (10.) 89.0 (7.) 101.9 (8.)  
 Trefferlage 0.29 mm rechts, 0.36 mm tief  
 Streuwert 1.07, horizontal: 1.27, vertikal: 0.82




Serie 2:  
 10.4 \*                      10.6 \*                      9.9 ↘                      9.5 →                      10.2 \*  
 10.5 \*                      10.5 \*                      9.4 →                      9.5 →                      10.2 \*  
 beste Teiler 94.0 (12.) 102.8 (16.) 120.1 (17.)  
 Trefferlage 1.08 mm rechts, 0.53 mm hoch  
 Streuwert 1.58, horizontal: 2.10, vertikal: 0.76




Serie 3:  
 9.3 ↘                      10.6 \*                      9.8 →                      10.7 \*                      9.0 ↑  
 10.6 \*                      10.4 \*                      10.1 ↘                      10.1 ↘                      10.7 \*  
 beste Teiler 63.2 (24.) 65.0 (30.) 86.0 (26.)  
 Trefferlage 0.16 mm links, 1.10 mm hoch  
 Streuwert 1.67, horizontal: 1.70, vertikal: 1.64



Serie 4:  
 10.0 ↘                      10.4 \*                      10.5 \*                      10.8 \*                      10.5 \*  
 9.9 ↑                      10.8 \*                      10.8 \*                      10.6 \*                      10.6 \*  
 beste Teiler 30.6 (34.) 41.1 (37.) 48.2 (38.)  
 Trefferlage 0.05 mm links, 0.32 mm hoch  
 Streuwert 0.99, horizontal: 0.88, vertikal: 1.09



Serie 5:  
 10.5 \*                      10.1 ↘                      10.4 \*                      10.4 \*                      9.8 ↓  
 10.8 \*                      10.5 \*                      10.8 \*                      10.9 \*                      10.4 \*  
 beste Teiler 8.5 (49.) 40.4 (46.) 50.5 (48.)  
 Trefferlage 0.37 mm rechts, 0.52 mm tief  
 Streuwert 0.98, horizontal: 0.91, vertikal: 1.06



Serie 6:  
 10.1 ↙                      10.4 \*                      10.3 \*                      9.8 ↗                      10.3 \*  
 10.4 \*                      10.4 \*                      10.2 \*                      10.8 \*                      10.0 ↓  
 beste Teiler 47.0 (59.) 129.2 (56.) 141.6 (52.)  
 Trefferlage 0.24 mm rechts, 0.30 mm tief  
 Streuwert 1.32, horizontal: 1.52, vertikal: 1.09

Meyton Elektronik

**LG 60 ZR – Wertung – Frauen**

StandNr: 110

**Stefani,, Franziska** #70113064

**StartNr: 12**

19. Juli 2020 11:15



SG\_Roppen

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **601.9** (577)  
 Serien: 100.0 98.1 100.8 100.8 100.6 101.6  
 Zähler: 40 18 1 1 0 0 0 0 0 0  
 Innenzehner: 27  
 weiteste: 785 (4), 579 (12), 492 (41)  
 beste Teiler 8.2 (40.) 30.1 (45.) 64.0 (2.)  
 Trefferlage 0.59 mm rechts, 0.18 mm tief  
 Streuwert 1.85, horizontal: 2.21, vertikal: 1.40




Serie 1:  
 10.1 ↗ 10.7 \* 10.3 \* 7.8 ↖ 9.6 →  
 10.6 \* 10.3 \* 10.3 \* 10.3 \* 10.0 ↗  
 beste Teiler 64.0 (2.) 87.2 (6.) 154.3 (7.)  
 Trefferlage 0.12 mm links, 0.60 mm hoch  
 Streuwert 2.26, horizontal: 2.93, vertikal: 1.28




Serie 2:  
 10.0 ↓ 8.6 → 10.0 → 10.2 \* 9.9 ↖  
 10.0 ↘ 9.9 ↘ 10.2 \* 9.7 ↘ 9.6 ↓  
 beste Teiler 184.3 (18.) 200.0 (14.) 232.7 (11.)  
 Trefferlage 1.29 mm rechts, 0.67 mm tief  
 Streuwert 2.00, horizontal: 2.33, vertikal: 1.60




Serie 3:  
 10.4 \* 10.5 \* 10.7 \* 9.9 ↘ 10.5 \*  
 9.0 → 9.7 ↘ 10.0 ↓ 10.1 ↓ 10.0 ↓  
 beste Teiler 71.1 (23.) 115.4 (22.) 117.1 (25.)  
 Trefferlage 1.32 mm rechts, 0.82 mm tief  
 Streuwert 1.45, horizontal: 1.66, vertikal: 1.21



Serie 4:  
 10.3 \* 9.9 ↖ 10.1 → 9.7 ↘ 10.2 \*  
 9.5 → 10.3 \* 9.8 ↗ 10.1 ↗ 10.9 \*  
 beste Teiler 8.2 (40.) 158.0 (37.) 159.5 (31.)  
 Trefferlage 0.67 mm rechts, 0.15 mm tief  
 Streuwert 1.71, horizontal: 1.99, vertikal: 1.38



Serie 5:  
 9.0 ↘ 9.5 → 10.7 \* 10.1 ↓ 10.8 \*  
 10.2 \* 10.0 ↖ 10.0 ↖ 10.5 \* 9.8 ↖  
 beste Teiler 30.1 (45.) 72.4 (43.) 104.6 (49.)  
 Trefferlage 0.07 mm rechts, 0.26 mm tief  
 Streuwert 1.90, horizontal: 2.22, vertikal: 1.52



Serie 6:  
 10.7 \* 9.8 ↖ 10.5 \* 10.4 \* 10.5 \*  
 10.2 \* 10.6 \* 9.3 → 9.4 ↖ 10.2 \*  
 beste Teiler 65.7 (51.) 88.3 (57.) 118.1 (55.)  
 Trefferlage 0.32 mm rechts, 0.21 mm hoch  
 Streuwert 1.68, horizontal: 2.06, vertikal: 1.20

**LG 60 ZR – Wertung – Juniorinnen**

StandNr: 111

**Kathrein,, Johanna** #70209011

**StartNr: 13**

19. Juli 2020 10:44



SG\_Hötting-Ibk

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **391.3** (376)  
 Serien: 98.2 95.4 99.9 97.8  
 Zähler: 19 19 1 1 0 0 0 0 0 0  
 Innenzehner: 12  
 weiteste: 791 (15), 544 (37), 476 (12)  
 beste Teiler 96.5 (28.) 105.0 (31.) 105.5 (1.)  
 Trefferlage 0.24 mm links, 0.08 mm hoch  
 Streuwert 2.34, horizontal: 2.90, vertikal: 1.58




Serie 1:  
 10.5 \*                      10.3 \*                      9.6 ↗                      9.1 ←                      9.3 ↘  
 10.2 \*                      9.6 ←                      10.1 ↖                      10.3 \*                      9.2 ↓  
 beste Teiler 105.5 (1.) 157.0 (2.) 175.1 (9.)  
 Trefferlage 0.79 mm links, 0.97 mm hoch  
 Streuwert 2.10, horizontal: 2.14, vertikal: 2.05



Serie 2:  
 9.8 →                      9.0 ←                      9.2 ↘                      9.3 →                      7.8 ←  
 10.1 ↗                      10.0 ↙                      10.3 \*                      10.0 ←                      9.9 ↘  
 beste Teiler 159.0 (18.) 210.7 (16.) 234.9 (19.)  
 Trefferlage 0.34 mm links, 0.20 mm tief  
 Streuwert 2.92, horizontal: 3.93, vertikal: 1.28



Serie 3:  
 9.8 ←                      9.9 →                      9.1 ←                      10.5 \*                      9.8 ↘  
 10.2 \*                      10.4 \*                      10.6 \*                      10.2 \*                      9.4 ↘  
 beste Teiler 96.5 (28.) 124.8 (24.) 131.8 (27.)  
 Trefferlage 0.14 mm rechts, 1.06 mm tief  
 Streuwert 1.85, horizontal: 2.36, vertikal: 1.11





Serie 4:  
 10.5 \*                      10.1 →                      10.0 ↗                      10.1 ↑                      9.8 ←  
 9.8 →                      8.8 ←                      9.0 →                      9.3 ←                      10.4 \*  
 beste Teiler 105.0 (31.) 136.2 (40.) 221.1 (32.)  
 Trefferlage 0.01 mm links, 0.63 mm hoch  
 Streuwert 2.37, horizontal: 3.20, vertikal: 1.01


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **388.9** (370)  
 Serien: 98.3 95.0 99.8 95.8  
 Zähler: 13 24 3 0 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 557 (20), 516 (2), 502 (13)  
 beste Teiler 96.8 (19.) 97.0 (26.) 103.2 (30.)  
 Trefferlage 0.26 mm rechts, 0.31 mm tief  
 Streuwert 2.37, horizontal: 2.70, vertikal: 1.98




Serie 1:  
 9.6 ↘ 8.9 ↑ 10.5 \* 9.2 ✓ 9.9 ↓  
 10.3 \* 10.4 \* 10.0 → 9.9 ↘ 9.6 ↘  
 beste Teiler 118.3 (3.) 145.6 (7.) 166.6 (6.)  
 Trefferlage 0.01 mm rechts, 0.10 mm tief  
 Streuwert 2.28, horizontal: 1.98, vertikal: 2.55



Serie 2:  
 9.8 → 9.0 ↖ 8.9 → 9.2 ↘ 9.1 →  
 9.9 → 10.3 \* 9.5 ↘ 10.6 \* 8.7 ←  
 beste Teiler 96.8 (19.) 152.8 (17.) 270.8 (16.)  
 Trefferlage 1.12 mm rechts, 0.23 mm tief  
 Streuwert 2.78, horizontal: 3.53, vertikal: 1.74



Serie 3:  
 9.0 → 10.2 \* 10.0 ↑ 9.9 ↘ 9.4 ↘  
 10.6 \* 9.8 ↑ 10.3 \* 10.1 ↖ 10.5 \*  
 beste Teiler 97.0 (26.) 103.2 (30.) 158.4 (28.)  
 Trefferlage 0.61 mm rechts, 0.06 mm tief  
 Streuwert 1.96, horizontal: 2.15, vertikal: 1.74





Serie 4:  
 9.7 ↓ 10.2 \* 9.8 ↖ 9.4 ↖ 9.0 ↘  
 9.5 → 9.2 ← 9.8 ↓ 9.5 ← 9.7 ↑  
 beste Teiler 192.3 (32.) 281.2 (33.) 300.5 (38.)  
 Trefferlage 0.69 mm links, 0.84 mm tief  
 Streuwert 2.50, horizontal: 2.91, vertikal: 2.00


Unterschrift des Schützen




Ergebnis: **396.3** (380)  
 Serien: 100.1 98.8 96.4 101.0  
 Zähler: 22 16 2 0 0 0 0 0 0 0  
 Innenzehner: 14  
 weiteste: 647 (25), 524 (2), 490 (21)  
 beste Teiler 101.1 (13.) 115.0 (31.) 115.3 (7.)  
 Trefferlage 0.16 mm links, 0.25 mm hoch  
 Streuwert 2.06, horizontal: 2.41, vertikal: 1.64




Serie 1:  
 10.4 \*                      8.9 ↘                      10.4 \*                      10.4 \*                      10.1 ↘  
 10.1 ↗                      10.5 \*                      9.3 ←                      10.2 \*                      9.8 ↘  
 beste Teiler 115.3 (7.) 127.0 (1.) 130.5 (4.)  
 Trefferlage 0.08 mm links, 0.42 mm hoch  
 Streuwert 1.97, horizontal: 2.25, vertikal: 1.65



Serie 2:  
 9.9 ↘                      10.1 ↗                      10.5 \*                      9.6 ↓                      9.9 ↖  
 10.4 \*                      9.8 ↙                      9.7 ←                      9.6 ←                      9.3 ↖  
 beste Teiler 101.1 (13.) 141.8 (16.) 215.1 (12.)  
 Trefferlage 0.89 mm links, 0.26 mm tief  
 Streuwert 2.01, horizontal: 2.05, vertikal: 1.96





Serie 3:  
 9.0 ↘                      10.1 ↖                      9.6 ↗                      10.0 →                      8.4 →  
 9.3 →                      10.3 \*                      10.4 \*                      9.5 ←                      9.8 ↘  
 beste Teiler 149.2 (28.) 167.2 (27.) 219.4 (22.)  
 Trefferlage 1.19 mm rechts, 0.55 mm hoch  
 Streuwert 2.52, horizontal: 3.07, vertikal: 1.79




Serie 4:  
 10.5 \*                      10.2 \*                      10.3 \*                      9.8 ↘                      10.3 \*  
 10.2 \*                      10.1 ↖                      9.6 ←                      10.0 ←                      10.0 ↗  
 beste Teiler 115.0 (31.) 161.1 (35.) 175.1 (33.)  
 Trefferlage 0.85 mm links, 0.30 mm hoch  
 Streuwert 1.53, horizontal: 1.83, vertikal: 1.17

Unterschrift des Schützen


Ergebnis: **402.4** (384)  
 Serien: 99.0 100.7 102.3 100.4  
 Zähler: 24 16 0 0 0 0 0 0 0 0  
 Innenzehner: 18  
 weiteste: 475 (16), 449 (31), 384 (19)  
 beste Teiler 40.2 (15.) 63.0 (14.) 64.2 (35.)  
 Trefferlage 0.01 mm rechts, 0.01 mm hoch  
 Streuwert 1.79, horizontal: 2.05, vertikal: 1.50




Serie 1:  
 9.6 ↑                      10.2 \*                      10.3 \*                      9.4 →                      10.5 \*  
 10.1 ↗                      9.7 ↓                      9.6 ↘                      9.6 →                      10.0 ←  
 beste Teiler 106.5 (5.) 157.1 (3.) 176.0 (2.)  
 Trefferlage 0.68 mm rechts, 0.75 mm hoch  
 Streuwert 1.90, horizontal: 1.98, vertikal: 1.81



Serie 2:  
 9.7 ←                      9.6 ↑                      10.3 \*                      10.7 \*                      10.8 \*  
 9.1 →                      10.6 \*                      10.3 \*                      9.4 ←                      10.2 \*  
 beste Teiler 40.2 (15.) 63.0 (14.) 96.4 (17.)  
 Trefferlage 0.04 mm rechts, 0.07 mm hoch  
 Streuwert 1.97, horizontal: 2.38, vertikal: 1.44



Serie 3:  
 10.7 \*                      9.7 ←                      9.7 ←                      10.5 \*                      10.5 \*  
 10.5 \*                      10.1 ↙                      10.6 \*                      9.9 →                      10.1 ↘  
 beste Teiler 69.4 (21.) 95.5 (28.) 102.5 (26.)  
 Trefferlage 0.01 mm links, 0.36 mm tief  
 Streuwert 1.48, horizontal: 1.88, vertikal: 0.92





Serie 4:  
 9.2 ←                      10.7 \*                      10.2 \*                      10.3 \*                      10.7 \*  
 9.9 ↓                      9.7 →                      10.0 ↙                      10.0 ↑                      9.7 ←  
 beste Teiler 64.2 (35.) 65.0 (32.) 173.9 (34.)  
 Trefferlage 0.66 mm links, 0.39 mm tief  
 Streuwert 1.81, horizontal: 2.00, vertikal: 1.60


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **389.0** (368)  
 Serien: 98.7 98.0 96.7 95.6  
 Zähler: 15 19 5 1 0 0 0 0 0 0  
 Innenzehner: 11  
 weiteste: 800 (33), 622 (25), 561 (1)  
 beste Teiler 49.0 (40.) 114.5 (4.) 116.6 (11.)  
 Trefferlage 0.53 mm links, 0.17 mm tief  
 Streuwert 2.44, horizontal: 2.70, vertikal: 2.14




Serie 1:  
 8.7 ↓                      9.3 ↖                      10.4 \*                      10.5 \*                      10.0 ↙  
 9.9 ↓                      10.0 ↓                      9.9 ↖                      9.6 ↙                      10.4 \*  
 beste Teiler 114.5 (4.) 126.4 (3.) 143.1 (10.)  
 Trefferlage 1.32 mm links, 0.82 mm tief  
 Streuwert 1.92, horizontal: 1.37, vertikal: 2.35



Serie 2:  
 10.5 \*                      9.4 →                      9.5 ←                      9.8 ↖                      9.6 ↘  
 8.7 ↙                      9.7 ←                      10.2 \*                      10.4 \*                      10.2 \*  
 beste Teiler 116.6 (11.) 149.3 (19.) 176.5 (20.)  
 Trefferlage 0.80 mm links, 0.28 mm tief  
 Streuwert 2.25, horizontal: 2.76, vertikal: 1.58



Serie 3:  
 10.2 \*                      10.5 \*                      9.9 ↑                      9.5 ↘                      8.5 ←  
 9.5 ←                      9.2 ↓                      10.4 \*                      9.6 →                      9.4 ↖  
 beste Teiler 117.6 (22.) 147.8 (28.) 196.5 (21.)  
 Trefferlage 0.71 mm links, 0.23 mm hoch  
 Streuwert 2.59, horizontal: 2.99, vertikal: 2.13





Serie 4:  
 9.8 ↖                      8.9 ↘                      7.8 ↖                      10.0 ↑                      9.9 →  
 10.1 ↖                      8.9 ↘                      9.7 →                      9.7 ↓                      10.8 \*  
 beste Teiler 49.0 (40.) 211.7 (36.) 233.0 (34.)  
 Trefferlage 0.69 mm rechts, 0.19 mm hoch  
 Streuwert 2.94, horizontal: 3.27, vertikal: 2.57


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **383.2** (366)  
 Serien: 93.5 98.5 94.5 96.7  
 Zähler: 17 18 3 1 0 0 0 1 0 0  
 Innenzehner: 14  
 weiteste: 1898 (29), 996 (9), 666 (1)  
 beste Teiler 61.5 (35.) 83.2 (3.) 103.7 (20.)  
 Trefferlage 0.20 mm links, 0.49 mm tief  
 Streuwert 3.29, horizontal: 4.33, vertikal: 1.70




Serie 1:  
 8.3 ↙ 10.0 ↑ 10.6 \* 9.2 ↘ 9.5 →  
 9.8 ↘ 9.8 ↓ 9.5 ↘ 7.0 → 9.8 ←  
 beste Teiler 83.2 (3.) 236.9 (2.) 283.8 (7.)  
 Trefferlage 0.72 mm rechts, 1.24 mm tief  
 Streuwert 3.33, horizontal: 4.18, vertikal: 2.18



Serie 2:  
 9.6 ↙ 10.4 \* 10.3 \* 9.3 → 10.5 \*  
 10.4 \* 9.8 ← 9.4 ↘ 8.3 ← 10.5 \*  
 beste Teiler 103.7 (20.) 118.6 (15.) 140.0 (12.)  
 Trefferlage 0.19 mm links, 0.70 mm tief  
 Streuwert 2.35, horizontal: 3.06, vertikal: 1.29



Serie 3:  
 10.5 \* 10.3 \* 9.6 ← 9.7 ↙ 10.3 \*  
 9.9 ↓ 10.2 \* 10.3 \* 3.4 → 10.3 \*  
 beste Teiler 118.7 (21.) 152.2 (22.) 160.8 (25.)  
 Trefferlage 0.95 mm rechts, 0.66 mm tief  
 Streuwert 4.65, horizontal: 6.50, vertikal: 1.04





Serie 4:  
 9.2 ↙ 8.3 ↘ 10.2 \* 9.7 ← 10.7 \*  
 9.7 ↘ 9.1 ← 9.8 ↙ 10.0 ↘ 10.0 ↗  
 beste Teiler 61.5 (35.) 184.6 (33.) 239.3 (39.)  
 Trefferlage 2.27 mm links, 0.65 mm hoch  
 Streuwert 1.99, horizontal: 2.25, vertikal: 1.68


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375.3** (358)  
 Serien: 93.7 93.9 96.1 91.6  
 Zähler: 9 21 9 1 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 1000 (10), 639 (28), 636 (39)  
 beste Teiler 86.6 (26.) 129.3 (32.) 129.8 (3.)  
 Trefferlage 0.03 mm rechts, 0.64 mm tief  
 Streuwert 3.05, horizontal: 3.10, vertikal: 3.00




Serie 1:  
 9.6 ←                      9.2 ↘                      10.4 \*                      9.0 ←                      10.1 ↓  
 8.5 ↓                      10.1 ←                      9.7 ↓                      10.1 ↑                      7.0 ↓  
 beste Teiler 129.8 (3.) 212.8 (5.) 214.4 (7.)  
 Trefferlage 0.25 mm rechts, 1.86 mm tief  
 Streuwert 3.16, horizontal: 2.89, vertikal: 3.41



Serie 2:  
 8.6 ↓                      9.3 ↘                      9.2 ←                      9.3 ←                      9.6 ↓  
 9.7 ←                      9.8 →                      9.6 ↘                      9.1 ↓                      9.7 ↓  
 beste Teiler 295.0 (17.) 312.1 (16.) 315.3 (20.)  
 Trefferlage 0.02 mm links, 1.72 mm tief  
 Streuwert 2.68, horizontal: 3.19, vertikal: 2.04





Serie 3:  
 10.0 ←                      8.6 ↖                      10.4 \*                      9.7 ↓                      9.5 ↑  
 10.6 \*                      9.8 →                      8.4 ↗                      8.7 ↙                      10.4 \*  
 beste Teiler 86.6 (26.) 140.2 (30.) 144.6 (23.)  
 Trefferlage 0.17 mm links, 0.62 mm hoch  
 Streuwert 2.84, horizontal: 2.94, vertikal: 2.73




Serie 4:  
 9.6 ↑                      10.4 \*                      8.9 →                      9.0 ←                      9.4 ↙  
 8.5 ↓                      9.5 ↑                      9.0 →                      8.4 ←                      8.9 ↗  
 beste Teiler 129.3 (32.) 335.7 (31.) 361.5 (37.)  
 Trefferlage 0.07 mm rechts, 0.38 mm hoch  
 Streuwert 3.47, horizontal: 3.77, vertikal: 3.14

Unterschrift des Schützen


Ergebnis: **378.2** (360)  
 Serien: 91.9 92.8 95.1 98.4  
 Zähler: 13 16 9 2 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 826 (9), 790 (22), 741 (24)  
 beste Teiler 52.3 (5.) 67.5 (27.) 85.7 (19.)  
 Trefferlage 0.44 mm links, 0.41 mm hoch  
 Streuwert 3.07, horizontal: 3.42, vertikal: 2.67




Serie 1:  
 9.8 ↘                      8.6 ←                      9.8 ↓                      8.1 ↗                      10.7 \*  
 8.9 ↙                      10.1 ↘                      10.0 ↖                      7.6 ↖                      8.3 ↗  
 beste Teiler 52.3 (5.) 213.3 (7.) 229.5 (8.)  
 Trefferlage 1.12 mm links, 0.80 mm hoch  
 Streuwert 3.61, horizontal: 3.89, vertikal: 3.30



Serie 2:  
 9.7 →                      9.6 ↗                      9.3 ↖                      8.3 →                      8.2 ↖  
 9.4 ↖                      9.6 ↖                      8.6 →                      10.6 \*                      9.5 ↓  
 beste Teiler 85.7 (19.) 310.3 (11.) 326.6 (17.)  
 Trefferlage 0.34 mm rechts, 0.99 mm hoch  
 Streuwert 3.28, horizontal: 3.93, vertikal: 2.45



Serie 3:  
 10.0 ↙                      7.8 ←                      10.6 \*                      8.0 ↗                      9.2 ↖  
 9.9 ↓                      10.7 \*                      10.5 \*                      9.4 ←                      9.0 ←  
 beste Teiler 67.5 (27.) 89.8 (23.) 109.2 (28.)  
 Trefferlage 1.45 mm links, 0.11 mm hoch  
 Streuwert 3.09, horizontal: 3.55, vertikal: 2.53





Serie 4:  
 10.3 \*                      9.5 →                      8.4 ↙                      9.7 ↗                      9.8 →  
 10.3 \*                      10.1 ↓                      10.4 \*                      9.7 ↑                      10.2 \*  
 beste Teiler 137.4 (38.) 153.8 (31.) 155.3 (36.)  
 Trefferlage 0.48 mm rechts, 0.25 mm tief  
 Streuwert 2.29, horizontal: 2.02, vertikal: 2.54


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **387.9** (372)  
 Serien: 97.8 93.3 99.6 97.2  
 Zähler: 18 16 6 0 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 656 (16), 655 (18), 636 (32)  
 beste Teiler 34.0 (29.) 63.0 (28.) 129.3 (1.)  
 Trefferlage 0.23 mm rechts, 0.00 mm  
 Streuwert 2.49, horizontal: 2.97, vertikal: 1.88




Serie 1:  
 10.4 \* 9.4 ↑ 10.1 ↓ 8.9 ↘ 9.8 →  
 10.1 ↗ 9.9 → 9.3 → 9.6 ← 10.3 \*  
 beste Teiler 129.3 (1.) 155.0 (10.) 202.6 (6.)  
 Trefferlage 0.96 mm rechts, 0.05 mm hoch  
 Streuwert 2.18, horizontal: 2.26, vertikal: 2.11



Serie 2:  
 8.8 ↘ 9.8 ↘ 10.4 \* 9.6 ↖ 9.0 ↖  
 8.3 ↖ 8.8 → 8.3 ← 9.9 ↑ 10.4 \*  
 beste Teiler 135.1 (20.) 141.4 (13.) 261.0 (19.)  
 Trefferlage 0.76 mm links, 0.07 mm hoch  
 Streuwert 3.26, horizontal: 3.99, vertikal: 2.33





Serie 3:  
 9.9 ↘ 9.9 ↗ 9.0 → 10.1 ↑ 9.2 ←  
 10.0 ↖ 10.0 ↖ 10.7 \* 10.8 \* 10.0 ↘  
 beste Teiler 34.0 (29.) 63.0 (28.) 225.4 (24.)  
 Trefferlage 0.31 mm rechts, 0.18 mm hoch  
 Streuwert 2.09, horizontal: 2.60, vertikal: 1.38




Serie 4:  
 10.0 ↘ 8.4 ← 10.2 \* 9.8 ↖ 10.1 →  
 9.3 ↗ 10.0 ↓ 10.0 → 10.0 ↖ 9.4 ↘  
 beste Teiler 194.5 (33.) 214.0 (35.) 226.0 (31.)  
 Trefferlage 0.41 mm rechts, 0.32 mm tief  
 Streuwert 2.45, horizontal: 2.95, vertikal: 1.82

Unterschrift des Schützen


Ergebnis: **387.5** (367)  
 Serien: 96.2 101.0 92.0 98.3  
 Zähler: 17 16 6 0 0 1 0 0 0 0  
 Innenzehner: 13  
 weiteste: 1325 (30), 667 (28), 644 (34)  
 beste Teiler 86.4 (17.) 87.7 (18.) 116.0 (31.)  
 Trefferlage 0.05 mm rechts, 0.40 mm tief  
 Streuwert 2.74, horizontal: 3.44, vertikal: 1.79




Serie 1:  
 9.7 ↗ 9.8 ↘ 8.7 ← 10.4 \* 10.5 \*  
 8.9 → 9.7 → 9.3 ← 8.9 → 10.3 \*  
 beste Teiler 122.0 (5.) 127.8 (4.) 173.5 (10.)  
 Trefferlage 0.04 mm links, 0.12 mm hoch  
 Streuwert 2.75, horizontal: 3.47, vertikal: 1.77



Serie 2:  
 10.1 ↙ 9.6 ← 10.3 \* 10.3 \* 9.7 ↗  
 9.6 ↙ 10.6 \* 10.6 \* 9.9 → 10.3 \*  
 beste Teiler 86.4 (17.) 87.7 (18.) 160.9 (14.)  
 Trefferlage 0.06 mm links, 0.08 mm hoch  
 Streuwert 1.71, horizontal: 1.80, vertikal: 1.62



Serie 3:  
 10.2 \* 9.8 ↑ 9.7 ↘ 9.1 ↙ 10.0 ↓  
 8.8 → 10.3 \* 8.3 → 10.1 ↓ 5.7 ←  
 beste Teiler 172.3 (27.) 184.4 (21.) 203.1 (29.)  
 Trefferlage 0.50 mm links, 0.33 mm tief  
 Streuwert 4.08, horizontal: 5.43, vertikal: 1.97





Serie 4:  
 10.5 \* 9.8 ↘ 9.9 ↗ 8.4 → 9.8 ↙  
 9.2 ↙ 9.9 ↙ 10.0 ↓ 10.4 \* 10.4 \*  
 beste Teiler 116.0 (31.) 133.6 (39.) 140.1 (40.)  
 Trefferlage 0.81 mm rechts, 1.50 mm tief  
 Streuwert 1.99, horizontal: 2.36, vertikal: 1.55


Unterschrift des Schützen




Ergebnis: **355.7** (339)  
 Serien: 91.6 81.1 91.4 91.6  
 Zähler: 8 12 13 5 2 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 1133 (13), 1018 (11), 976 (19)  
 beste Teiler 31.0 (39.) 111.8 (7.) 114.2 (9.)  
 Trefferlage 0.15 mm links, 0.99 mm hoch  
 Streuwert 4.08, horizontal: 4.41, vertikal: 3.71




Serie 1:  
 8.4 → 10.0 ↑ 7.7 ← 8.5 ↗ 9.0 ←  
 9.9 → 10.5 \* 8.5 ↘ 10.5 \* 8.6 ↑  
 beste Teiler 111.8 (7.) 114.2 (9.) 246.7 (2.)  
 Trefferlage 0.02 mm rechts, 1.63 mm hoch  
 Streuwert 3.57, horizontal: 4.49, vertikal: 2.32



Serie 2:  
 6.9 ↘ 8.0 ↘ 6.4 ↘ 9.7 ↘ 8.3 ↘  
 9.1 ↘ 7.5 ↘ 8.1 ← 7.0 ↘ 10.1 ↓  
 beste Teiler 204.5 (20.) 301.9 (14.) 461.2 (16.)  
 Trefferlage 0.01 mm links, 0.82 mm tief  
 Streuwert 5.67, horizontal: 6.05, vertikal: 5.26





Serie 3:  
 8.5 → 9.2 ↑ 7.6 ↘ 8.3 ↘ 9.0 ←  
 9.7 ↑ 10.1 ↑ 9.6 ↑ 9.1 ↗ 10.3 \*  
 beste Teiler 166.8 (30.) 210.3 (27.) 320.0 (26.)  
 Trefferlage 0.00 mm , 1.56 mm hoch  
 Streuwert 3.52, horizontal: 3.89, vertikal: 3.10




Serie 4:  
 10.3 \* 9.3 ↘ 7.7 ↘ 9.2 ↘ 8.5 ←  
 8.9 ↗ 8.9 ↘ 8.3 ↑ 10.8 \* 9.7 ↗  
 beste Teiler 31.0 (39.) 154.1 (31.) 317.3 (40.)  
 Trefferlage 0.63 mm links, 1.59 mm hoch  
 Streuwert 3.48, horizontal: 3.46, vertikal: 3.51

Unterschrift des Schützen

Ergebnis: **192.7** (183)  
 Serien: 98.0 94.7  
 Zähler: 9 5 6 0 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 617 (13), 580 (10), 568 (20)  
 beste Teiler 55.7 (1.) 102.1 (9.) 123.6 (4.)  
 Trefferlage 0.89 mm links, 0.20 mm hoch  
 Streuwert 2.63, horizontal: 3.00, vertikal: 2.21





Serie 1:  
 10.7 \*                      10.0 ↘                      9.6 →                      10.5 \*                      8.9 ↙  
 10.3 \*                      9.1 ←                      9.8 →                      10.5 \*                      8.6 ←  
 beste Teiler 55.7 (1.) 102.1 (9.) 123.6 (4.)  
 Trefferlage 0.83 mm links, 0.74 mm tief  
 Streuwert 2.36, horizontal: 2.84, vertikal: 1.76




Serie 2:  
 9.8 →                      10.2 \*                      8.5 ←                      8.8 ↘                      10.3 \*  
 10.0 ↙                      10.4 \*                      9.1 ↘                      8.9 ↗                      8.7 ↑  
 beste Teiler 128.1 (17.) 172.7 (15.) 180.2 (12.)  
 Trefferlage 0.95 mm links, 1.15 mm hoch  
 Streuwert 2.84, horizontal: 3.30, vertikal: 2.29

Unterschrift des Schützen

Ergebnis: **196.2** (188)  
 Serien: 98.5 97.7  
 Zähler: 10 8 2 0 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 716 (10), 632 (17), 463 (16)  
 beste Teiler 84.9 (2.) 90.0 (8.) 91.3 (13.)  
 Trefferlage 0.93 mm rechts, 0.08 mm tief  
 Streuwert 2.33, horizontal: 2.67, vertikal: 1.93





Serie 1:  
 10.1 ↘                      10.6 \*                      9.9 ↘                      10.5 \*                      10.2 \*  
 9.9 ↘                      9.4 ↗                      10.6 \*                      9.2 ↘                      8.1 ↗  
 beste Teiler 84.9 (2.) 90.0 (8.) 117.6 (4.)  
 Trefferlage 0.94 mm rechts, 0.68 mm hoch  
 Streuwert 2.33, horizontal: 2.75, vertikal: 1.81




Serie 2:  
 10.2 \*                      10.1 ↗                      10.6 \*                      10.3 \*                      9.5 →  
 9.1 ←                      8.4 ↘                      9.3 ↘                      9.8 ↙                      10.4 \*  
 beste Teiler 91.3 (13.) 138.6 (20.) 159.8 (14.)  
 Trefferlage 0.92 mm rechts, 0.84 mm tief  
 Streuwert 2.33, horizontal: 2.75, vertikal: 1.81

Unterschrift des Schützen

Ergebnis: **193.6** (186)  
 Serien: 96.9 96.7  
 Zähler: 9 8 3 0 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 601 (5), 555 (16), 545 (12)  
 beste Teiler 107.7 (1.) 117.5 (7.) 119.5 (18.)  
 Trefferlage 0.20 mm rechts, 0.77 mm tief  
 Streuwert 2.48, horizontal: 2.28, vertikal: 2.66





Serie 1:  
 10.5 \*                      9.5 ↓                      10.2 \*                      10.0 ↖                      8.5 ↓  
 10.0 ↘                      10.5 \*                      9.6 ↑                      9.0 ↖                      9.1 ↓  
 beste Teiler 107.7 (1.) 117.5 (7.) 192.9 (3.)  
 Trefferlage 0.34 mm links, 1.02 mm tief  
 Streuwert 2.48, horizontal: 2.03, vertikal: 2.86




Serie 2:  
 10.2 \*                      8.8 →                      9.5 ↙                      9.5 ↗                      10.0 ↖  
 8.7 ↓                      10.0 ↙                      10.5 \*                      9.6 ↓                      9.9 ↑  
 beste Teiler 119.5 (18.) 197.2 (11.) 238.1 (17.)  
 Trefferlage 0.74 mm rechts, 0.51 mm tief  
 Streuwert 2.53, horizontal: 2.49, vertikal: 2.57

Unterschrift des Schützen

Ergebnis: **194.8** (184)  
 Serien: 98.6 96.2  
 Zähler: 7 10 3 0 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 590 (18), 566 (5), 518 (14)  
 beste Teiler 91.0 (7.) 117.0 (8.) 147.5 (9.)  
 Trefferlage 0.26 mm rechts, 0.76 mm hoch  
 Streuwert 2.37, horizontal: 2.78, vertikal: 1.88





Serie 1:  
 9.5 ↗                      9.0 ←                      10.3 \*                      9.7 ↑                      8.7 →  
 10.0 ←                      10.6 \*                      10.5 \*                      10.4 \*                      9.9 ↗  
 beste Teiler 91.0 (7.) 117.0 (8.) 147.5 (9.)  
 Trefferlage 0.49 mm rechts, 0.62 mm hoch  
 Streuwert 2.28, horizontal: 2.80, vertikal: 1.60




Serie 2:  
 9.9 ↘                      9.9 ↘                      9.6 ←                      8.9 →                      10.1 ←  
 9.3 ↑                      9.9 ↑                      8.6 ↘                      9.9 ↘                      10.1 ↗  
 beste Teiler 215.1 (20.) 225.7 (15.) 253.7 (17.)  
 Trefferlage 0.02 mm rechts, 0.91 mm hoch  
 Streuwert 2.56, horizontal: 2.88, vertikal: 2.20

Unterschrift des Schützen

Ergebnis: **206.1** (198)  
 Serien: 104.0 102.1  
 Zähler: 18 2 0 0 0 0 0 0 0 0  
 Innenzehner: 14  
 weiteste: 408 (11), 352 (16), 250 (7)  
 beste Teiler 25.0 (1.) 45.2 (9.) 69.4 (19.)  
 Trefferlage 0.05 mm links, 0.36 mm hoch  
 Streuwert 1.33, horizontal: 1.47, vertikal: 1.16





Serie 1:  
 10.9 \*                      10.3 \*                      10.4 \*                      10.2 \*                      10.1 ↘  
 10.4 \*                      10.0 †                      10.4 \*                      10.8 \*                      10.5 \*  
 beste Teiler 25.0 (1.) 45.2 (9.) 117.4 (10.)  
 Trefferlage 0.06 mm links, 0.55 mm hoch  
 Streuwert 1.08, horizontal: 0.94, vertikal: 1.20




Serie 2:  
 9.3 ↙                      10.6 \*                      10.5 \*                      10.6 \*                      10.1 ↗  
 9.5 ↗                      10.3 \*                      10.1 ↘                      10.7 \*                      10.4 \*  
 beste Teiler 69.4 (19.) 82.0 (14.) 94.0 (12.)  
 Trefferlage 0.03 mm links, 0.18 mm hoch  
 Streuwert 1.58, horizontal: 1.92, vertikal: 1.15

Unterschrift des Schützen

Ergebnis: **196.0** (186)  
 Serien: 96.6 99.4  
 Zähler: 8 10 2 0 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 526 (3), 506 (2), 494 (19)  
 beste Teiler 38.6 (15.) 60.8 (4.) 77.4 (13.)  
 Trefferlage 0.62 mm links, 0.44 mm hoch  
 Streuwert 2.28, horizontal: 2.86, vertikal: 1.50





Serie 1:  
 9.1 ↙                      8.9 ↗                      8.8 ↖                      10.7 \*                      9.3 ↘  
 10.3 \*                      9.8 ←                      9.5 ↘                      10.4 \*                      9.8 →  
 beste Teiler 60.8 (4.) 143.0 (9.) 153.4 (6.)  
 Trefferlage 0.39 mm links, 0.97 mm hoch  
 Streuwert 2.53, horizontal: 3.19, vertikal: 1.62




Serie 2:  
 9.9 ↗                      10.1 ←                      10.6 \*                      9.7 ↘                      10.8 \*  
 9.1 →                      10.1 ←                      9.9 ↗                      9.0 ←                      10.2 \*  
 beste Teiler 38.6 (15.) 77.4 (13.) 187.7 (20.)  
 Trefferlage 0.85 mm links, 0.09 mm tief  
 Streuwert 2.05, horizontal: 2.63, vertikal: 1.22

Unterschrift des Schützen

Ergebnis: **203.0** (194)  
 Serien: 102.8 100.2  
 Zähler: 15 4 1 0 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 564 (13), 352 (7), 329 (18)  
 beste Teiler 48.0 (2.) 67.4 (11.) 85.4 (3.)  
 Trefferlage 0.56 mm rechts, 0.04 mm hoch  
 Streuwert 1.64, horizontal: 1.95, vertikal: 1.25



Serie 1:  
 9.9 ↘                      10.8 \*                      10.6 \*                      10.5 \*                      10.0 ↗  
 10.1 →                      9.5 ↗                      10.4 \*                      10.5 \*                      10.5 \*  
 beste Teiler 48.0 (2.) 85.4 (3.) 102.0 (9.)  
 Trefferlage 0.42 mm rechts, 0.66 mm hoch  
 Streuwert 1.26, horizontal: 1.38, vertikal: 1.13





Serie 2:  
 10.7 \*                      10.6 \*                      8.7 →                      10.0 ↙                      9.9 →  
 10.5 \*                      10.1 ↘                      9.6 ↘                      10.0 ↙                      10.1 ↘  
 beste Teiler 67.4 (11.) 90.7 (12.) 105.6 (16.)  
 Trefferlage 0.69 mm rechts, 0.57 mm tief  
 Streuwert 1.90, horizontal: 2.46, vertikal: 1.08


Unterschrift des Schützen



Ergebnis: **200.1** (193)  
 Serien: 100.0 100.1  
 Zähler: 13 7 0 0 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 460 (10), 438 (9), 385 (14)  
 beste Teiler 102.6 (7.) 135.0 (4.) 136.3 (16.)  
 Trefferlage 1.36 mm links, 1.04 mm hoch  
 Streuwert 1.39, horizontal: 1.64, vertikal: 1.10





Serie 1:  
 10.4 \*                      10.2 \*                      10.1 ←                      10.4 \*                      10.0 ↘  
 10.4 \*                      10.5 \*                      9.7 ↘                      9.2 ←                      9.1 ↘  
 beste Teiler 102.6 (7.) 135.0 (4.) 138.4 (6.)  
 Trefferlage 1.34 mm links, 0.69 mm hoch  
 Streuwert 1.62, horizontal: 1.82, vertikal: 1.41




Serie 2:  
 10.2 \*                      10.3 \*                      9.7 ↘                      9.4 ←                      10.0 ←  
 10.4 \*                      10.1 ↘                      9.7 ↘                      10.4 \*                      9.9 ↑  
 beste Teiler 136.3 (16.) 141.4 (19.) 152.3 (12.)  
 Trefferlage 1.37 mm links, 1.38 mm hoch  
 Streuwert 1.15, horizontal: 1.53, vertikal: 0.56

Unterschrift des Schützen

Ergebnis: **206.6** (198)  
 Serien: 102.2 104.4  
 Zähler: 18 2 0 0 0 0 0 0 0 0  
 Innenzehner: 14  
 weiteste: 360 (10), 348 (9), 248 (13)  
 beste Teiler 56.2 (3.) 58.0 (18.) 69.2 (6.)  
 Trefferlage 0.18 mm links, 0.22 mm hoch  
 Streuwert 1.28, horizontal: 1.21, vertikal: 1.34





Serie 1:  
 10.1 ↘                      10.5 \*                      10.7 \*                      10.0 ↙                      10.3 \*  
 10.7 \*                      10.5 \*                      10.3 \*                      9.6 ↙                      9.5 ↑  
 beste Teiler 56.2 (3.) 69.2 (6.) 111.0 (2.)  
 Trefferlage 0.82 mm links, 0.18 mm hoch  
 Streuwert 1.43, horizontal: 1.03, vertikal: 1.75




Serie 2:  
 10.1 ↗                      10.5 \*                      10.0 ↗                      10.6 \*                      10.5 \*  
 10.6 \*                      10.4 \*                      10.7 \*                      10.5 \*                      10.5 \*  
 beste Teiler 58.0 (18.) 84.6 (16.) 92.0 (14.)  
 Trefferlage 0.45 mm rechts, 0.26 mm hoch  
 Streuwert 0.97, horizontal: 1.07, vertikal: 0.87

Unterschrift des Schützen

Ergebnis: **201.1** (192)  
 Serien: 99.6 101.5  
 Zähler: 12 8 0 0 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 490 (17), 411 (2), 381 (19)  
 beste Teiler 11.6 (10.) 42.2 (13.) 61.9 (11.)  
 Trefferlage 0.90 mm rechts, 0.04 mm hoch  
 Streuwert 1.75, horizontal: 2.06, vertikal: 1.38





Serie 1:  
 9.8 ↙                      9.3 ↘                      9.6 →                      9.7 ↗                      9.6 ←  
 10.1 →                      10.1 ↖                      10.4 \*                      10.1 ↘                      10.9 \*  
 beste Teiler 11.6 (10.) 135.4 (8.) 203.6 (9.)  
 Trefferlage 0.40 mm rechts, 0.08 mm hoch  
 Streuwert 2.01, horizontal: 2.38, vertikal: 1.54




Serie 2:  
 10.7 \*                      10.2 \*                      10.8 \*                      9.8 →                      10.4 \*  
 10.1 ↗                      9.0 ↘                      10.6 \*                      9.4 →                      10.5 \*  
 beste Teiler 42.2 (13.) 61.9 (11.) 83.2 (18.)  
 Trefferlage 1.40 mm rechts, 0.01 mm hoch  
 Streuwert 1.48, horizontal: 1.66, vertikal: 1.28

Unterschrift des Schützen

Ergebnis: **159** (166.6)  
 Serien: 81 78  
 Zähler: 3 3 6 7 0 1 0 0 0 0  
 Innenzehner: 1  
 weiteste: 4800 (13), 3105 (12), 2898 (19)  
 beste Teiler 366.0 (8.) 482.5 (6.) 783.0 (14.)  
 Trefferlage 2.56 mm rechts, 19.61 mm hoch  
 Streuwert 8.90, horizontal: 6.26, vertikal: 10.91





Serie 1:  
 9.0 ↑                      8.4 ↑                      8.0 ↗                      7.8 ↑                      8.2 ↑  
 10.3 ↗                      7.8 ↑                      10.5 \*                      7.5 ↗                      7.8 ↑  
 beste Teiler 366.0 (8.) 482.5 (6.) 1589.4 (1.)  
 Trefferlage 3.55 mm rechts, 17.45 mm hoch  
 Streuwert 8.46, horizontal: 6.98, vertikal: 9.71




Serie 2:  
 8.9 ↑                      7.1 ↑                      5.0 ↑                      10.0 ↑                      8.1 ↑  
 9.7 ↑                      8.0 ↑                      7.9 ↗                      7.3 ↑                      9.3 ↘  
 beste Teiler 783.0 (14.) 1021.7 (16.) 1282.8 (20.)  
 Trefferlage 1.56 mm rechts, 21.78 mm hoch  
 Streuwert 9.45, horizontal: 5.65, vertikal: 12.11

Unterschrift des Schützen


Ergebnis: **493** (519.9)  
 Serien: 76 84 85 86 81 81  
 Zähler: 10 18 18 9 2 1 1 1 0 0  
 Innenzehner: 3  
 weiteste: 5673 (59), 4870 (38), 4621 (10)  
 beste Teiler 81.1 (17.) 291.6 (36.) 437.2 (37.)  
 Trefferlage 4.05 mm rechts, 2.84 mm tief  
 Streuwert 14.69, horizontal: 13.43, vertikal: 15.85




Serie 1:  
 7.5 ↑                      6.0 ↘                      9.5 ↘                      7.8 ↑                      9.4 ↘  
 9.8 ↘                      9.6 ↘                      9.0 ↑                      6.8 ↑                      5.2 ↙  
 beste Teiler 895.2 (6.) 1069.2 (7.) 1151.0 (3.)  
 Trefferlage 3.23 mm rechts, 0.71 mm tief  
 Streuwert 19.41, horizontal: 13.02, vertikal: 24.16




Serie 2:  
 10.3 ↙                      8.7 ↗                      7.7 ↖                      9.6 ↙                      8.8 →  
 7.3 ↖                      10.8 \*                      8.7 →                      8.9 ↙                      9.7 →  
 beste Teiler 81.1 (17.) 559.5 (11.) 998.4 (20.)  
 Trefferlage 0.34 mm rechts, 3.61 mm hoch  
 Streuwert 12.55, horizontal: 13.74, vertikal: 11.24




Serie 3:  
 7.7 ↖                      10.2 ←                      8.5 ↘                      10.1 ↘                      9.0 →  
 8.4 ↘                      8.0 ↓                      9.9 ↖                      7.9 ↙                      9.6 ↖  
 beste Teiler 605.3 (22.) 710.6 (24.) 862.8 (28.)  
 Trefferlage 0.86 mm rechts, 3.31 mm tief  
 Streuwert 13.01, horizontal: 11.14, vertikal: 14.64




Serie 4:  
 8.2 →                      9.1 ↑                      8.2 ↑                      9.0 →                      10.0 →  
 10.6 \*                      10.4 \*                      4.9 ↘                      10.1 ↓                      8.9 →  
 beste Teiler 291.6 (36.) 437.2 (37.) 660.1 (39.)  
 Trefferlage 11.41 mm rechts, 1.61 mm hoch  
 Streuwert 12.65, horizontal: 14.11, vertikal: 11.00



Serie 5:  
 9.0 ↓                      8.5 ↓                      8.5 ↑                      7.5 ↓                      10.1 ↗  
 9.4 →                      7.9 ↓                      8.8 ↗                      7.6 ↓                      8.4 ↓  
 beste Teiler 647.5 (45.) 1245.2 (46.) 1555.9 (41.)  
 Trefferlage 2.79 mm rechts, 9.85 mm tief  
 Streuwert 12.75, horizontal: 6.75, vertikal: 16.72



Serie 6:  
 9.4 →                      8.9 ←                      9.3 ↘                      8.4 ↘                      10.0 ↑  
 8.2 ↖                      9.1 ↘                      9.1 ↓                      3.9 ↘                      8.1 ↓  
 beste Teiler 749.1 (55.) 1273.4 (51.) 1308.1 (53.)  
 Trefferlage 5.66 mm rechts, 8.41 mm tief  
 Streuwert 16.17, horizontal: 19.06, vertikal: 12.64



**LP 60** – Wertung – **Senioren\_1m**

StandNr: 145

**Weiler, Martin** #770208401

**StartNr: 42**

19. Juli 2020 10:32

SG\_Innervillgraten

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik