





Ergebnis: **367** (384.0)
 Serien: 90 94 94 89
 Zähler: 13 22 4 1 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2876 (10), 2155 (34), 2000 (25)
 beste Teiler 297.6 (16.) 311.2 (37.) 352.0 (6.)
 Trefferlage 0.92 mm rechts, 0.35 mm hoch
 Streuwert 8.62, horizontal: 9.73, vertikal: 7.34




Serie 1:
 9.1 ↗ 9.5 ↘ 9.9 ↗ 8.7 ↖ 10.4 *
 10.5 * 9.6 ↖ 10.1 ↖ 9.5 ↘ 7.4 →
 beste Teiler 352.0 (6.) 474.8 (5.) 642.0 (8.)
 Trefferlage 0.08 mm links, 0.27 mm tief
 Streuwert 10.26, horizontal: 12.94, vertikal: 6.57



Serie 2:
 10.3 → 9.5 ↑ 9.6 → 10.1 ↑ 9.2 ↗
 10.6 * 9.3 ↘ 9.8 ↖ 9.6 ↓ 10.0 ↘
 beste Teiler 297.6 (16.) 551.0 (11.) 657.3 (14.)
 Trefferlage 1.01 mm rechts, 1.29 mm hoch
 Streuwert 7.17, horizontal: 6.92, vertikal: 7.41



Serie 3:
 9.0 ↗ 9.3 ↓ 9.5 → 10.4 * 8.5 ↘
 10.3 ↖ 10.3 → 10.0 ↖ 10.0 ↘ 9.3 →
 beste Teiler 404.1 (24.) 544.0 (27.) 559.6 (26.)
 Trefferlage 4.57 mm rechts, 1.74 mm tief
 Streuwert 7.71, horizontal: 8.13, vertikal: 7.27





Serie 4:
 8.8 ↖ 9.9 ↘ 9.3 ↑ 8.3 ↗ 9.7 ↘
 9.9 ← 10.6 * 9.9 ↑ 9.0 ← 9.3 ←
 beste Teiler 311.2 (37.) 803.6 (38.) 811.0 (36.)
 Trefferlage 1.80 mm links, 2.12 mm hoch
 Streuwert 9.41, horizontal: 10.23, vertikal: 8.52


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **354** (373.6)
 Serien: 86 90 89 89
 Zähler: 6 24 8 2 0 0 0 0 0 0
 Innenzehner: 1
 weiteste: 3048 (8), 2658 (7), 2378 (12)
 beste Teiler 258.5 (16.) 572.2 (19.) 628.0 (24.)
 Trefferlage 1.30 mm links, 0.17 mm tief
 Streuwert 10.08, horizontal: 10.99, vertikal: 9.07




Serie 1:
 9.7 ↗ 9.6 ← 9.6 → 9.7 → 9.4 ↘
 9.3 ↙ 7.6 ↑ 7.1 ↖ 9.0 ↓ 9.1 ←
 beste Teiler 979.4 (1.) 1006.8 (4.) 1063.0 (3.)
 Trefferlage 3.17 mm links, 0.58 mm tief
 Streuwert 12.42, horizontal: 11.94, vertikal: 12.88



Serie 2:
 9.7 ← 8.0 → 9.2 ↘ 9.5 ↙ 10.0 →
 10.6 * 9.9 ↑ 8.7 ↘ 10.2 ↙ 8.2 ↘
 beste Teiler 258.5 (16.) 572.2 (19.) 734.5 (15.)
 Trefferlage 0.64 mm links, 1.36 mm hoch
 Streuwert 10.35, horizontal: 12.19, vertikal: 8.09



Serie 3:
 9.9 ↗ 8.9 ← 9.9 ↘ 10.2 → 9.5 ←
 8.8 → 10.1 ↘ 9.3 → 8.3 ↘ 9.7 →
 beste Teiler 628.0 (24.) 685.2 (27.) 834.0 (23.)
 Trefferlage 4.12 mm rechts, 0.30 mm hoch
 Streuwert 9.04, horizontal: 11.38, vertikal: 5.84





Serie 4:
 9.1 ↙ 10.1 ← 8.7 ← 9.7 ← 9.8 ↓
 9.9 ↗ 9.4 ↗ 8.7 ↓ 9.7 ↑ 9.8 ↙
 beste Teiler 650.0 (32.) 868.0 (36.) 908.4 (40.)
 Trefferlage 5.52 mm links, 1.79 mm tief
 Streuwert 8.10, horizontal: 6.77, vertikal: 9.23

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	538	(563.3)				
Serien:	93	88	87	88	84	98
Zähler:	17	26	15	2	0	0
Innenzehner:	6					
weiteste:	3015 (41), 2761 (29), 2390 (14)					
beste Teiler	109.1 (52.) 245.4 (21.) 293.2 (9.)					
Trefferlage	4.09 mm rechts, 0.23 mm hoch					
Streuwert	9.52, horizontal: 10.97, vertikal: 7.81					




Serie 1:

10.3 ↗	10.4 *	9.9 →	9.8 ↑	9.6 ←	
10.1 ↘	9.5 →	9.2 →	10.6 *	8.4 ←	
beste Teiler	293.2 (9.) 414.1 (2.) 540.3 (1.)				
Trefferlage	1.01 mm rechts, 0.66 mm hoch				
Streuwert	7.82, horizontal: 9.71, vertikal: 5.30				




Serie 2:

9.7 ↘	8.1 →	9.3 ↘	8.0 ↘	9.9 ↑	
10.2 ↘	9.3 ↘	9.8 ↘	8.8 ↗	9.5 ↗	
beste Teiler	592.4 (16.) 836.3 (15.) 912.6 (18.)				
Trefferlage	5.52 mm rechts, 3.92 mm hoch				
Streuwert	9.64, horizontal: 11.54, vertikal: 7.26				




Serie 3:

10.6 *	8.9 ↙	9.6 →	8.9 ↙	9.2 ↙	
9.6 ←	9.8 ↑	9.7 →	7.5 ↙	9.0 →	
beste Teiler	245.4 (21.) 908.4 (27.) 964.2 (28.)				
Trefferlage	3.09 mm links, 3.26 mm tief				
Streuwert	10.38, horizontal: 12.03, vertikal: 8.41				




Serie 4:

10.0 ↑	9.9 ↖	9.4 ↗	9.1 ↘	8.9 ↓	
8.4 →	8.3 ↓	10.1 ↘	9.2 ↗	8.9 ↓	
beste Teiler	702.4 (38.) 799.4 (31.) 841.7 (32.)				
Trefferlage	6.21 mm rechts, 3.51 mm tief				
Streuwert	9.62, horizontal: 8.41, vertikal: 10.70				



Serie 5:

7.2 →	8.6 ↗	10.0 ↗	8.2 →	9.4 ↙	
8.5 →	9.3 ↓	9.0 ↗	8.3 →	8.7 →	
beste Teiler	768.8 (43.) 1203.0 (45.) 1353.4 (47.)				
Trefferlage	12.91 mm rechts, 1.48 mm hoch				
Streuwert	10.09, horizontal: 11.92, vertikal: 7.85				



Serie 6:

10.0 →	10.8 *	9.3 ↗	9.2 ↘	10.2 →	
10.1 ↓	10.2 →	10.0 ↘	10.5 *	10.4 *	
beste Teiler	109.1 (52.) 335.5 (59.) 459.9 (60.)				
Trefferlage	1.98 mm rechts, 2.09 mm hoch				
Streuwert	5.49, horizontal: 6.14, vertikal: 4.74				

Meyton Elektronik

LP 60 – Wertung – **Männer**

StandNr: 103

Engensteiner,, Rene #70118028

StartNr: 3



10. Dezember 2017 12:26

70118 / 0

Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	554	(582.1)
Serien:	87 93 89 94 93 98	
Zähler:	25 24 11 0 0 0 0 0 0	
Innenzehner:	12	
weiteste:	2155 (15), 2129 (9), 2059 (17)	
beste Teiler	173.3 (31.) 174.9 (55.) 222.1 (1.)	
Trefferlage	0.63 mm rechts, 1.57 mm hoch	
Streuwert	7.99, horizontal: 8.45, vertikal: 7.50	



Serie 1:

10.7 *	9.9 ↘	8.9 ↓	8.8 ↖	9.4 ←
9.5 ↗	9.6 ↓	8.7 →	8.3 ←	9.7 ↗


beste Teiler 222.1 (1.) 851.3 (2.) 987.6 (10.)
 Trefferlage 0.99 mm links, 0.38 mm tief
 Streuwert 10.26, horizontal: 12.11, vertikal: 8.00



Serie 2:

10.5 *	10.4 ↘	9.2 ↑	9.2 ↖	8.3 ↓
10.6 *	8.4 ↗	9.7 ↑	10.2 ↗	10.4 *


beste Teiler 273.0 (16.) 335.3 (11.) 416.2 (20.)
 Trefferlage 0.10 mm rechts, 3.23 mm hoch
 Streuwert 8.68, horizontal: 8.17, vertikal: 9.16



Serie 3:

8.9 ↘	8.9 ↓	9.5 ↖	9.3 ↗	9.1 ↘
9.4 ↗	9.8 ↖	10.5 *	10.0 ↑	8.5 ↗


beste Teiler 389.0 (28.) 721.6 (29.) 959.3 (27.)
 Trefferlage 1.91 mm links, 0.76 mm tief
 Streuwert 9.80, horizontal: 9.32, vertikal: 10.26



Serie 4:

10.7 *	9.6 ↗	10.0 ↗	10.2 ↖	10.3 →
9.6 ↗	9.6 ↑	9.6 ↖	8.9 ↑	10.2 ↓


beste Teiler 173.3 (31.) 504.7 (35.) 599.9 (34.)
 Trefferlage 1.98 mm rechts, 2.62 mm hoch
 Streuwert 6.54, horizontal: 5.97, vertikal: 7.06



Serie 5:

8.4 ↗	9.1 ↖	10.0 ↗	9.2 →	10.4 *
9.5 ↖	10.2 ↗	10.6 *	9.9 ↗	9.9 ←

beste Teiler 294.2 (48.) 469.3 (45.) 573.7 (47.)
 Trefferlage 2.12 mm rechts, 3.82 mm hoch
 Streuwert 7.60, horizontal: 9.66, vertikal: 4.70



Serie 6:

10.4 *	9.9 ↑	10.2 →	10.3 →	10.7 *
10.5 *	10.0 →	10.3 ↖	9.2 ↑	10.4 *

beste Teiler 174.9 (55.) 358.7 (56.) 457.0 (51.)
 Trefferlage 2.52 mm rechts, 0.92 mm hoch
 Streuwert 4.67, horizontal: 4.52, vertikal: 4.83

Meyton Elektronik

LP 60 – Wertung – **Männer**

StandNr: 104

Höllwarth,, David #70802020

StartNr: 4



10. Dezember 2017 12:17

70802 / 0

Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	547	(578.9)				
Serien:	92	91	90	89	91	94
Zähler:	17	35	6	2	0	0
Innenzehner:	8					
weiteste:	2570 (40), 2448 (45), 2277 (13)					
beste Teiler	265.9 (30.) 269.1 (8.) 311.9 (20.)					
Trefferlage	0.87 mm links, 2.67 mm hoch					
Streuwert	8.03, horizontal: 8.47, vertikal: 7.57					



Serie 1:

9.1 ↗	8.8 ←	10.2 ↖	9.2 ↘	9.5 ↗
10.3 ↖	9.8 ↘	10.6 *	9.6 ←	9.5 ↖


beste Teiler 269.1 (8.) 519.1 (6.) 586.8 (3.)
 Trefferlage 0.43 mm links, 1.74 mm hoch
 Streuwert 8.19, horizontal: 9.95, vertikal: 5.92



Serie 2:

9.1 ↗	9.2 ↑	8.1 ↗	9.1 ↑	9.9 ↘
10.2 ↘	9.9 ↗	9.6 ←	9.8 ↖	10.6 *


beste Teiler 311.9 (20.) 577.4 (16.) 828.5 (15.)
 Trefferlage 1.19 mm rechts, 4.93 mm hoch
 Streuwert 8.40, horizontal: 8.81, vertikal: 7.97



Serie 3:

9.4 ↗	9.7 ↓	8.8 ↗	9.2 ↗	9.9 ←
9.9 ↑	10.4 *	8.8 ←	9.9 ↖	10.6 *


beste Teiler 265.9 (30.) 433.3 (27.) 829.1 (25.)
 Trefferlage 0.09 mm links, 2.41 mm hoch
 Streuwert 8.23, horizontal: 8.32, vertikal: 8.13



Serie 4:

9.7 ↑	10.0 ←	9.5 ←	10.3 ↗	9.7 ↘
9.7 →	9.0 ←	8.8 →	9.9 ↗	7.7 ↑


beste Teiler 542.5 (34.) 795.5 (32.) 822.5 (39.)
 Trefferlage 1.12 mm links, 3.57 mm hoch
 Streuwert 9.61, horizontal: 9.55, vertikal: 9.66



Serie 5:

9.7 ←	10.4 *	9.9 →	10.4 *	7.9 ↗
8.8 ↗	10.3 ↖	9.9 ↑	9.8 ↖	10.1 ←

beste Teiler 462.4 (44.) 467.0 (42.) 541.0 (47.)
 Trefferlage 3.81 mm links, 2.04 mm hoch
 Streuwert 8.02, horizontal: 8.44, vertikal: 7.56



Serie 6:

10.5 *	9.9 ↘	9.2 ↗	9.7 ↖	9.8 ↘
10.3 ↖	9.7 ↗	9.0 ↑	10.1 →	10.5 *

beste Teiler 334.5 (60.) 338.4 (51.) 529.6 (56.)
 Trefferlage 0.95 mm links, 1.32 mm hoch
 Streuwert 6.97, horizontal: 6.80, vertikal: 7.13

Meyton Elektronik

LP 60 – Wertung – **Männer**

StandNr: 105

Wutte,, Alexander #70210007

StartNr: 5



10. Dezember 2017 12:40

70210 / 0


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378.6** (358)
 Serien: 94.0 91.4 97.0 96.2
 Zähler: 10 20 8 2 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 762 (37), 759 (9), 686 (3)
 beste Teiler 73.8 (31.) 121.1 (1.) 123.0 (33.)
 Trefferlage 1.14 mm links, 0.23 mm hoch
 Streuwert 2.83, horizontal: 3.45, vertikal: 2.03




Serie 1:
 10.5 * 10.3 * 8.2 ↘ 10.0 ↙ 10.1 ←
 10.1 ← 8.8 ← 9.4 ↙ 7.9 ↘ 8.7 ↗
 beste Teiler 121.1 (1.) 163.4 (2.) 204.5 (6.)
 Trefferlage 0.03 mm rechts, 0.92 mm tief
 Streuwert 3.27, horizontal: 4.01, vertikal: 2.31



Serie 2:
 9.2 ← 9.5 ↑ 8.8 ↙ 8.3 ↖ 9.9 ←
 9.4 → 9.4 ← 8.8 ← 9.8 ↖ 8.3 ←
 beste Teiler 257.0 (15.) 287.9 (19.) 369.8 (12.)
 Trefferlage 3.11 mm links, 0.17 mm hoch
 Streuwert 2.64, horizontal: 3.17, vertikal: 1.97



Serie 3:
 9.9 → 10.3 * 9.7 ↙ 10.0 ↑ 9.1 ↘
 9.9 ← 9.5 ↑ 9.9 ↖ 9.8 → 8.9 ←
 beste Teiler 174.6 (22.) 237.0 (24.) 251.4 (28.)
 Trefferlage 1.04 mm links, 0.49 mm hoch
 Streuwert 2.32, horizontal: 2.61, vertikal: 1.99





Serie 4:
 10.7 * 9.5 ↖ 10.5 * 9.0 ↘ 9.7 ↘
 9.9 ↘ 7.9 → 9.7 ↗ 9.3 ← 10.0 ↗
 beste Teiler 73.8 (31.) 123.0 (33.) 241.0 (40.)
 Trefferlage 0.47 mm links, 1.21 mm hoch
 Streuwert 2.69, horizontal: 3.53, vertikal: 1.44


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **380.8** (364)
 Serien: 91.1 96.5 96.7 96.5
 Zähler: 18 14 3 4 1 0 0 0 0 0
 Innenzehner: 14
 weiteste: 1039 (19), 976 (8), 959 (10)
 beste Teiler 60.4 (16.) 72.8 (3.) 90.0 (29.)
 Trefferlage 0.72 mm rechts, 0.90 mm hoch
 Streuwert 3.08, horizontal: 3.59, vertikal: 2.47




Serie 1:
 10.3 * 9.4 → 10.7 * 9.1 ↘ 7.3 ←
 10.1 ↓ 9.6 ↓ 7.0 ↖ 10.5 * 7.1 →
 beste Teiler 72.8 (3.) 106.5 (9.) 167.6 (1.)
 Trefferlage 0.15 mm links, 0.11 mm hoch
 Streuwert 4.28, horizontal: 5.51, vertikal: 2.49



Serie 2:
 10.3 * 9.5 ↗ 10.6 * 10.0 ↗ 10.3 *
 10.7 * 9.0 ↑ 9.9 → 6.8 → 9.4 ↑
 beste Teiler 60.4 (16.) 95.2 (13.) 161.0 (15.)
 Trefferlage 1.98 mm rechts, 1.10 mm hoch
 Streuwert 2.66, horizontal: 3.20, vertikal: 1.98



Serie 3:
 9.0 → 10.2 * 9.3 ↖ 10.6 * 9.7 ↖
 8.3 ↑ 8.6 ↑ 10.3 * 10.6 * 10.1 ↑
 beste Teiler 90.0 (29.) 97.7 (24.) 165.6 (28.)
 Trefferlage 0.19 mm rechts, 2.33 mm hoch
 Streuwert 2.19, horizontal: 2.00, vertikal: 2.37





Serie 4:
 9.7 → 9.2 ↖ 9.9 ↖ 10.1 ↓ 10.5 *
 8.9 ↘ 9.5 ↓ 7.9 → 10.3 * 10.5 *
 beste Teiler 123.4 (35.) 124.8 (40.) 163.3 (39.)
 Trefferlage 0.87 mm rechts, 0.06 mm hoch
 Streuwert 2.75, horizontal: 2.89, vertikal: 2.61


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **396.2** (376)
 Serien: 96.2 105.2 96.9 97.9
 Zähler: 17 22 1 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 537 (24), 469 (37), 449 (8)
 beste Teiler 48.5 (35.) 49.2 (16.) 50.0 (13.)
 Trefferlage 0.14 mm links, 0.34 mm hoch
 Streuwert 2.09, horizontal: 2.31, vertikal: 1.85




Serie 1:
 10.1 ↙ 9.7 ↓ 9.6 ↑ 9.8 → 9.8 ↘
 9.4 ↙ 9.8 ↘ 9.2 ↘ 9.3 ↙ 9.5 ↘
 beste Teiler 216.0 (1.) 285.2 (5.) 297.9 (7.)
 Trefferlage 0.96 mm links, 0.22 mm tief
 Streuwert 2.44, horizontal: 2.45, vertikal: 2.43



Serie 2:
 10.7 * 10.7 * 10.8 * 10.7 * 10.5 *
 10.8 * 10.1 ↓ 10.2 * 10.0 ↑ 10.7 *
 beste Teiler 49.2 (16.) 50.0 (13.) 58.1 (20.)
 Trefferlage 0.21 mm rechts, 0.00 mm
 Streuwert 0.94, horizontal: 0.65, vertikal: 1.15



Serie 3:
 10.0 ↘ 9.6 ← 10.3 * 8.8 ↗ 9.6 ↑
 9.4 → 9.5 ← 10.4 * 9.4 ↑ 9.9 ↗
 beste Teiler 147.3 (28.) 165.1 (23.) 235.0 (21.)
 Trefferlage 0.40 mm rechts, 1.62 mm hoch
 Streuwert 2.16, horizontal: 2.73, vertikal: 1.36





Serie 4:
 9.6 ↙ 9.8 ↘ 9.3 ↘ 9.7 → 10.8 *
 10.4 * 9.1 ← 10.2 * 9.6 ← 9.4 →
 beste Teiler 48.5 (35.) 148.4 (36.) 183.3 (38.)
 Trefferlage 0.21 mm links, 0.02 mm tief
 Streuwert 2.37, horizontal: 2.83, vertikal: 1.80


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **379.6** (360)
 Serien: 94.0 96.3 94.0 95.3
 Zähler: 12 16 12 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 683 (37), 657 (38), 638 (28)
 beste Teiler 80.4 (35.) 93.2 (2.) 100.1 (15.)
 Trefferlage 0.00 mm , 0.69 mm hoch
 Streuwert 2.91, horizontal: 3.56, vertikal: 2.05




Serie 1:
 8.4 → 10.6 * 8.6 ↘ 10.2 * 9.0 →
 10.1 ↘ 9.4 ↗ 8.5 ← 9.9 ↑ 9.3 ↘
 beste Teiler 93.2 (2.) 197.6 (4.) 220.0 (6.)
 Trefferlage 0.19 mm rechts, 1.39 mm hoch
 Streuwert 3.03, horizontal: 4.04, vertikal: 1.43



Serie 2:
 9.8 → 10.5 * 10.3 * 9.7 ↑ 10.6 *
 9.1 ↑ 8.6 → 9.6 ↘ 9.6 ← 8.5 ↘
 beste Teiler 100.1 (15.) 124.6 (12.) 172.2 (13.)
 Trefferlage 1.21 mm rechts, 0.02 mm hoch
 Streuwert 2.65, horizontal: 3.03, vertikal: 2.20



Serie 3:
 8.7 ← 10.4 * 9.5 → 10.4 * 8.5 ↑
 8.7 → 9.9 ↓ 8.4 ← 9.7 ↘ 9.8 ←
 beste Teiler 139.3 (24.) 142.3 (22.) 255.2 (27.)
 Trefferlage 0.36 mm links, 0.15 mm tief
 Streuwert 3.19, horizontal: 3.88, vertikal: 2.29





Serie 4:
 10.4 * 10.1 ↓ 8.7 ↘ 9.7 ↑ 10.6 *
 10.1 ↗ 8.2 ← 8.3 ↗ 9.3 ↘ 9.9 ←
 beste Teiler 80.4 (35.) 126.1 (31.) 216.9 (36.)
 Trefferlage 1.07 mm links, 1.52 mm hoch
 Streuwert 2.72, horizontal: 3.34, vertikal: 1.89


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **372.3** (352)
 Serien: 91.8 97.4 91.7 91.4
 Zähler: 9 20 7 2 2 0 0 0 0 0
 Innenzehner: 5
 weiteste: 1200 (31), 1035 (1), 899 (25)
 beste Teiler 67.4 (18.) 127.1 (5.) 131.8 (13.)
 Trefferlage 0.46 mm rechts, 0.93 mm hoch
 Streuwert 3.35, horizontal: 3.47, vertikal: 3.23




Serie 1:
 6.8 → 8.1 ↘ 9.8 ↗ 9.6 ↑ 10.4 *
 8.8 ↘ 9.8 ↖ 9.2 ↑ 9.4 ← 9.9 ←
 beste Teiler 127.1 (5.) 270.0 (10.) 297.9 (7.)
 Trefferlage 0.12 mm rechts, 0.90 mm hoch
 Streuwert 3.74, horizontal: 4.47, vertikal: 2.82



Serie 2:
 9.1 ← 9.3 → 10.4 * 9.9 ↘ 9.5 ↑
 8.5 → 10.1 ↘ 10.7 * 10.2 * 9.7 ↑
 beste Teiler 67.4 (18.) 131.8 (13.) 182.8 (19.)
 Trefferlage 0.59 mm rechts, 0.66 mm hoch
 Streuwert 2.46, horizontal: 3.03, vertikal: 1.73



Serie 3:
 8.8 ↗ 9.8 ↘ 9.1 ↑ 10.1 ↗ 7.4 ↖
 9.5 ↑ 9.4 ↘ 10.0 ↙ 7.8 ↑ 9.8 →
 beste Teiler 215.6 (24.) 234.9 (28.) 285.0 (30.)
 Trefferlage 0.08 mm links, 1.42 mm hoch
 Streuwert 3.55, horizontal: 3.55, vertikal: 3.55





Serie 4:
 6.2 ↘ 9.9 ↑ 8.9 ↗ 9.7 ↘ 9.4 ↑
 10.4 * 10.1 ↓ 9.8 ↖ 8.2 ↑ 8.8 ↗
 beste Teiler 150.6 (36.) 208.6 (37.) 275.6 (32.)
 Trefferlage 1.23 mm rechts, 0.74 mm hoch
 Streuwert 3.91, horizontal: 3.05, vertikal: 4.62


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367.9** (345)
 Serien: 89.4 94.1 93.0 91.4
 Zähler: 8 14 14 3 1 0 0 0 0 0
 Innenzehner: 7
 weiteste: 1047 (23), 795 (4), 795 (6)
 beste Teiler 53.2 (19.) 68.0 (18.) 114.9 (33.)
 Trefferlage 0.46 mm rechts, 1.16 mm tief
 Streuwert 3.41, horizontal: 3.32, vertikal: 3.50




Serie 1:
 9.8 ↙ 9.1 ← 8.5 ↘ 7.8 → 8.5 →
 7.8 ↘ 9.8 ↘ 10.4 * 8.7 ↗ 9.0 ↘
 beste Teiler 145.3 (8.) 280.4 (7.) 300.4 (1.)
 Trefferlage 1.66 mm rechts, 2.52 mm tief
 Streuwert 3.37, horizontal: 3.97, vertikal: 2.63



Serie 2:
 9.1 ↘ 8.7 ↘ 8.6 ↑ 9.6 → 9.9 →
 9.7 ↗ 8.8 ↗ 10.7 * 10.7 * 8.3 ←
 beste Teiler 53.2 (19.) 68.0 (18.) 251.5 (15.)
 Trefferlage 0.32 mm links, 1.44 mm tief
 Streuwert 3.02, horizontal: 2.80, vertikal: 3.23



Serie 3:
 8.7 ← 9.8 ↓ 6.8 ↗ 10.1 ← 9.5 ↘
 9.9 ↘ 8.9 ↗ 8.6 ↓ 10.4 * 10.3 *
 beste Teiler 136.4 (29.) 167.3 (30.) 215.8 (24.)
 Trefferlage 0.07 mm links, 1.02 mm tief
 Streuwert 3.58, horizontal: 3.45, vertikal: 3.71





Serie 4:
 10.2 * 9.4 → 10.5 * 9.5 ↑ 8.9 →
 8.7 ↘ 7.8 ↑ 8.4 ↓ 9.3 → 8.7 ↓
 beste Teiler 114.9 (33.) 185.3 (31.) 365.9 (34.)
 Trefferlage 0.60 mm rechts, 0.34 mm hoch
 Streuwert 3.66, horizontal: 3.09, vertikal: 4.15


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **388.5** (370)
 Serien: 99.0 90.8 97.9 100.8
 Zähler: 20 13 5 1 1 0 0 0 0 0
 Innenzehner: 17
 weiteste: 1167 (13), 877 (15), 731 (25)
 beste Teiler 45.1 (36.) 61.6 (2.) 62.4 (37.)
 Trefferlage 1.10 mm links, 0.48 mm hoch
 Streuwert 2.64, horizontal: 3.19, vertikal: 1.94




Serie 1:
 10.5 * 10.7 * 10.5 * 8.2 ↖ 8.9 ↘
 9.9 ↘ 10.2 * 10.2 * 10.4 * 9.5 ↑
 beste Teiler 61.6 (2.) 106.8 (3.) 118.9 (1.)
 Trefferlage 0.37 mm links, 0.45 mm hoch
 Streuwert 2.36, horizontal: 2.78, vertikal: 1.85



Serie 2:
 10.2 * 8.7 ↙ 6.3 ↖ 10.3 * 7.4 ↘
 9.0 → 9.5 ↙ 9.9 ↙ 9.7 ↘ 9.8 ←
 beste Teiler 160.8 (14.) 180.1 (11.) 273.0 (18.)
 Trefferlage 2.38 mm links, 0.22 mm hoch
 Streuwert 3.76, horizontal: 4.42, vertikal: 2.96



Serie 3:
 9.8 ↖ 10.1 ↑ 9.6 ↗ 10.3 * 8.0 ↖
 10.3 * 10.6 * 10.4 * 8.6 ← 10.2 *
 beste Teiler 92.2 (27.) 141.8 (28.) 161.6 (26.)
 Trefferlage 1.43 mm links, 0.89 mm hoch
 Streuwert 2.31, horizontal: 2.99, vertikal: 1.30





Serie 4:
 9.7 → 10.1 ↑ 10.0 ↖ 9.7 ↗ 10.5 *
 10.8 * 10.7 * 10.3 * 9.6 ↙ 9.4 ←
 beste Teiler 45.1 (36.) 62.4 (37.) 112.6 (35.)
 Trefferlage 0.21 mm links, 0.35 mm hoch
 Streuwert 1.82, horizontal: 2.11, vertikal: 1.48


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **368.3** (352)
 Serien: 86.8 95.6 91.4 94.5
 Zähler: 12 13 10 5 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 880 (2), 872 (5), 850 (4)
 beste Teiler 88.0 (20.) 137.0 (38.) 145.4 (31.)
 Trefferlage 0.09 mm links, 1.07 mm hoch
 Streuwert 3.44, horizontal: 4.13, vertikal: 2.57




Serie 1:
 9.2 ↖ 7.4 ↘ 8.2 ← 7.6 ← 7.5 →
 10.1 → 9.6 ↗ 9.4 ← 8.6 ↑ 9.2 ↑
 beste Teiler 222.4 (6.) 329.6 (7.) 398.3 (8.)
 Trefferlage 1.44 mm links, 1.99 mm hoch
 Streuwert 4.22, horizontal: 5.12, vertikal: 3.06



Serie 2:
 8.9 → 9.6 ↓ 10.1 → 9.3 ← 9.2 ↑
 10.0 → 9.3 ↗ 10.2 * 8.4 ← 10.6 *
 beste Teiler 88.0 (20.) 183.8 (18.) 212.4 (13.)
 Trefferlage 0.20 mm rechts, 0.62 mm hoch
 Streuwert 2.81, horizontal: 3.47, vertikal: 1.94



Serie 3:
 8.7 ↙ 9.7 ← 10.3 * 9.5 → 9.0 →
 8.6 ← 8.0 ← 10.0 ↘ 8.9 ↑ 8.7 →
 beste Teiler 156.3 (23.) 250.1 (28.) 314.4 (22.)
 Trefferlage 0.40 mm links, 0.08 mm hoch
 Streuwert 3.63, horizontal: 4.50, vertikal: 2.48





Serie 4:
 10.4 * 9.5 ↓ 10.1 ↑ 8.7 → 10.2 *
 7.9 ↘ 10.0 ↑ 10.4 * 7.6 → 9.7 ↗
 beste Teiler 137.0 (38.) 145.4 (31.) 194.6 (35.)
 Trefferlage 1.25 mm rechts, 1.58 mm hoch
 Streuwert 3.00, horizontal: 3.34, vertikal: 2.62


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **383.7** (368)
 Serien: 95.4 97.2 94.7 96.4
 Zähler: 15 20 4 0 1 0 0 0 0 0
 Innenzehner: 9
 weiteste: 1156 (22), 716 (34), 638 (8)
 beste Teiler 46.1 (17.) 82.7 (23.) 86.9 (13.)
 Trefferlage 0.68 mm rechts, 0.66 mm tief
 Streuwert 2.74, horizontal: 2.91, vertikal: 2.56




Serie 1:
 10.0 ↙ 9.5 ↓ 10.1 ↙ 10.0 ↑ 10.3 *
 9.0 → 8.4 ↙ 8.4 → 9.4 ↗ 10.3 *
 beste Teiler 156.3 (10.) 164.2 (5.) 220.2 (3.)
 Trefferlage 0.53 mm rechts, 0.39 mm tief
 Streuwert 2.88, horizontal: 3.46, vertikal: 2.14



Serie 2:
 9.6 ↓ 9.0 ↓ 10.6 * 10.0 ↗ 9.9 ↑
 9.4 ↑ 10.8 * 9.5 ↑ 9.8 ↗ 8.6 ↘
 beste Teiler 46.1 (17.) 86.9 (13.) 228.9 (14.)
 Trefferlage 0.77 mm rechts, 0.25 mm hoch
 Streuwert 2.48, horizontal: 1.71, vertikal: 3.06



Serie 3:
 9.4 → 6.3 ↗ 10.6 * 9.9 ↓ 10.4 *
 9.2 ↘ 9.2 ↗ 10.3 * 10.1 ↓ 9.3 ↙
 beste Teiler 82.7 (23.) 129.7 (25.) 151.6 (28.)
 Trefferlage 2.13 mm rechts, 0.14 mm tief
 Streuwert 3.11, horizontal: 3.65, vertikal: 2.46





Serie 4:
 9.2 ↘ 10.4 * 9.7 ↓ 8.1 ↓ 9.9 ↙
 9.8 ↙ 9.4 ↘ 10.0 ↓ 9.7 ← 10.2 *
 beste Teiler 136.6 (32.) 198.9 (40.) 248.8 (38.)
 Trefferlage 0.70 mm links, 2.37 mm tief
 Streuwert 1.98, horizontal: 2.00, vertikal: 1.95


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **396.1** (377)
 Serien: 97.2 100.7 101.7 96.5
 Zähler: 23 12 4 1 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 814 (33), 655 (8), 548 (4)
 beste Teiler 60.2 (19.) 75.5 (25.) 84.7 (1.)
 Trefferlage 0.28 mm rechts, 0.14 mm hoch
 Streuwert 2.24, horizontal: 2.83, vertikal: 1.41




Serie 1:
 10.6 * 10.0 ↗ 9.8 → 8.8 ↘ 9.3 →
 10.1 ← 9.9 → 8.3 ← 10.5 * 9.9 →
 beste Teiler 84.7 (1.) 108.9 (9.) 225.6 (6.)
 Trefferlage 1.05 mm rechts, 0.03 mm tief
 Streuwert 2.53, horizontal: 3.35, vertikal: 1.25



Serie 2:
 10.4 * 9.0 ↖ 10.2 * 10.4 * 10.2 *
 9.7 → 9.7 ← 10.2 * 10.7 * 10.2 *
 beste Teiler 60.2 (19.) 146.2 (11.) 147.2 (14.)
 Trefferlage 0.16 mm links, 0.22 mm hoch
 Streuwert 1.85, horizontal: 2.24, vertikal: 1.35



Serie 3:
 10.1 ↑ 10.4 * 8.9 ↗ 10.6 * 10.7 *
 9.9 ← 10.3 * 10.5 * 10.4 * 9.9 ↘
 beste Teiler 75.5 (25.) 100.0 (24.) 114.0 (28.)
 Trefferlage 0.74 mm rechts, 0.43 mm hoch
 Streuwert 1.57, horizontal: 1.71, vertikal: 1.42





Serie 4:
 10.4 * 9.4 ← 7.7 → 9.0 ← 8.8 ←
 10.3 * 10.4 * 10.2 * 9.9 ↑ 10.4 *
 beste Teiler 127.7 (40.) 136.8 (37.) 142.0 (31.)
 Trefferlage 0.51 mm links, 0.03 mm tief
 Streuwert 2.90, horizontal: 3.71, vertikal: 1.73


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **395.1** (377)
 Serien: 98.6 97.4 97.3 101.8
 Zähler: 18 21 1 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 575 (15), 491 (14), 424 (10)
 beste Teiler 64.4 (17.) 64.6 (37.) 94.1 (35.)
 Trefferlage 0.34 mm links, 0.12 mm hoch
 Streuwert 2.08, horizontal: 2.08, vertikal: 2.08




Serie 1:
 10.4 * 9.7 ↘ 9.9 ↗ 9.3 ↑ 10.1 ↗
 10.0 ↘ 9.5 ↙ 10.4 * 10.0 → 9.3 ←
 beste Teiler 145.3 (8.) 147.1 (1.) 201.1 (5.)
 Trefferlage 0.10 mm links, 0.53 mm hoch
 Streuwert 2.14, horizontal: 2.10, vertikal: 2.18



Serie 2:
 9.9 ← 10.4 * 9.8 ↗ 9.0 ↓ 8.7 ↘
 9.4 → 10.7 * 9.9 ↗ 9.5 ← 10.1 ↘
 beste Teiler 64.4 (17.) 131.8 (12.) 203.0 (20.)
 Trefferlage 0.30 mm links, 0.30 mm hoch
 Streuwert 2.51, horizontal: 2.52, vertikal: 2.50



Serie 3:
 10.3 * 9.3 ↖ 9.6 ↘ 9.7 → 9.3 ↓
 10.0 ↖ 9.6 ↘ 10.1 ↗ 9.8 → 9.6 ↘
 beste Teiler 161.8 (21.) 209.6 (28.) 242.4 (26.)
 Trefferlage 0.07 mm links, 0.56 mm hoch
 Streuwert 2.28, horizontal: 2.31, vertikal: 2.24





Serie 4:
 10.5 * 10.0 ← 9.8 ↙ 10.2 * 10.6 *
 10.5 * 10.7 * 9.6 ← 10.0 ↖ 9.9 ↓
 beste Teiler 64.6 (37.) 94.1 (35.) 110.3 (31.)
 Trefferlage 0.89 mm links, 0.88 mm tief
 Streuwert 1.30, horizontal: 1.47, vertikal: 1.10


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	590.7	(560)
Serien:	101.4 95.9 97.0 99.9 102.4 94.1	
Zähler:	30 22 6 2 0 0 0 0 0 0	
Innenzehner:	21	
weiteste:	823 (55), 755 (13), 619 (2)	
beste Teiler	20.3 (44.) 21.0 (4.) 22.0 (38.)	
Trefferlage	0.63 mm links, 0.71 mm hoch	
Streuwert	2.26, horizontal: 2.51, vertikal: 1.98	




Serie 1:	10.1 ↑	8.5 ←	9.2 ↑	10.9 *	10.4 *
	10.8 *	9.8 →	10.7 *	10.3 *	10.7 *
beste Teiler	21.0 (4.)	40.2 (6.)	54.2 (10.)		
Trefferlage	0.32 mm links, 1.06 mm hoch				
Streuwert	1.88, horizontal: 2.24, vertikal: 1.44				




Serie 2:	10.5 *	8.8 ↑	7.9 ←	9.1 ↓	10.0 ←
	10.0 ↗	9.9 →	10.3 *	9.5 ←	9.9 ↘
beste Teiler	108.9 (11.)	175.5 (18.)	241.0 (16.)		
Trefferlage	1.16 mm links, 0.67 mm hoch				
Streuwert	2.71, horizontal: 2.91, vertikal: 2.50				




Serie 3:	9.7 ↑	9.2 ↘	10.7 *	8.9 ↘	10.0 ↓
	9.1 ←	10.1 ↘	9.2 ←	10.3 *	9.8 ↘
beste Teiler	66.0 (23.)	173.4 (29.)	210.8 (27.)		
Trefferlage	1.73 mm links, 0.79 mm hoch				
Streuwert	2.11, horizontal: 2.27, vertikal: 1.94				



Serie 4:	9.8 ↗	8.9 ←	9.9 ↓	9.8 ↗	10.1 ←
	9.9 ←	10.5 *	10.9 *	9.6 ↑	10.5 *
beste Teiler	22.0 (38.)	104.8 (37.)	115.1 (40.)		
Trefferlage	0.69 mm links, 0.76 mm hoch				
Streuwert	1.88, horizontal: 2.10, vertikal: 1.62				



Serie 5:	10.8 *	9.5 ←	10.5 *	10.9 *	10.3 *
	10.5 *	10.0 ↓	9.2 ↘	10.1 ↓	10.6 *
beste Teiler	20.3 (44.)	49.0 (41.)	90.9 (50.)		
Trefferlage	0.29 mm links, 0.17 mm tief				
Streuwert	1.63, horizontal: 1.99, vertikal: 1.17				



Serie 6:	10.4 *	9.9 ←	9.5 ↘	8.6 ↑	7.7 →
	8.7 ↑	9.7 ↑	10.2 *	9.4 ←	10.0 ↓
beste Teiler	129.0 (51.)	185.0 (58.)	246.4 (60.)		
Trefferlage	0.39 mm rechts, 1.16 mm hoch				
Streuwert	3.12, horizontal: 3.35, vertikal: 2.88				

LG 60 ZR – Wertung – Männer

StandNr: 119

Moser,, Andreas #70404031

StartNr: 19



10. Dezember 2017 12:00

70404 / 0


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **348.4** (329)
 Serien: 88.3 83.8 93.6 82.7
 Zähler: 5 14 13 5 1 1 0 1 0 0
 Innenzehner: 4
 weiteste: 1825 (33), 1429 (32), 1181 (17)
 beste Teiler 56.0 (24.) 145.1 (21.) 169.1 (37.)
 Trefferlage 2.53 mm links, 2.53 mm tief
 Streuwert 3.93, horizontal: 4.74, vertikal: 2.90




Serie 1:
 9.8 ↓ 8.2 ↗ 8.6 ↓ 7.8 ← 7.6 ↙
 9.7 ↘ 8.9 ↓ 9.8 ← 8.9 ↓ 9.0 ↘
 beste Teiler 288.1 (8.) 292.6 (1.) 314.7 (6.)
 Trefferlage 3.02 mm links, 3.40 mm tief
 Streuwert 2.46, horizontal: 2.80, vertikal: 2.07



Serie 2:
 7.6 ↙ 8.3 ↓ 9.2 ↓ 8.2 ↓ 8.0 ↙
 7.9 ↘ 6.2 ↘ 9.6 ↗ 9.1 ↙ 9.7 ↓
 beste Teiler 307.7 (20.) 335.8 (18.) 426.6 (13.)
 Trefferlage 0.85 mm links, 4.76 mm tief
 Streuwert 3.67, horizontal: 4.81, vertikal: 1.96



Serie 3:
 10.4 * 9.5 ← 8.4 ← 10.7 * 9.2 ←
 9.8 ← 8.1 ↗ 8.5 ← 9.3 ↘ 9.7 ↘
 beste Teiler 56.0 (24.) 145.1 (21.) 296.8 (26.)
 Trefferlage 3.41 mm links, 0.15 mm hoch
 Streuwert 2.15, horizontal: 2.15, vertikal: 2.15





Serie 4:
 10.2 * 5.2 ↘ 3.7 ↙ 8.8 ← 10.1 ↘
 8.3 ← 10.3 * 9.5 ↓ 8.7 ↙ 7.9 ↘
 beste Teiler 169.1 (37.) 184.5 (31.) 216.9 (35.)
 Trefferlage 2.84 mm links, 2.11 mm tief
 Streuwert 5.77, horizontal: 7.58, vertikal: 3.03


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	381.2	(364)
Serien:	94.6	95.7 95.0 95.9
Zähler:	13	18 9 0 0 0 0 0 0 0
Innenzehner:	12	
weiteste:	627 (9), 621 (19), 615 (10)	
beste Teiler	44.7 (20.)	59.0 (8.) 83.7 (35.)
Trefferlage	0.06 mm links, 0.25 mm hoch	
Streuwert	2.82, horizontal: 3.27, vertikal: 2.29	




Serie 1:	10.4 *	8.9 ↘	9.1 ↘	10.3 *	9.1 →
	10.3 *	8.9 →	10.7 *	8.4 ↗	8.5 ←
beste Teiler	59.0 (8.) 150.2 (1.) 158.2 (6.)				
Trefferlage	1.49 mm rechts, 0.59 mm tief				
Streuwert	2.90, horizontal: 3.51, vertikal: 2.13				



Serie 2:	10.3 *	9.5 ↙	9.4 ↖	9.1 ←	10.3 *
	9.1 ↖	9.6 ↙	9.1 →	8.5 ↗	10.8 *
beste Teiler	44.7 (20.) 162.0 (11.) 165.5 (15.)				
Trefferlage	0.69 mm links, 0.37 mm hoch				
Streuwert	2.81, horizontal: 2.91, vertikal: 2.71				



Serie 3:	9.2 →	10.4 *	8.9 ←	9.2 ←	10.0 ↙
	9.1 ←	9.9 ↑	8.7 ↖	9.3 ←	10.3 *
beste Teiler	145.7 (22.) 159.7 (30.) 242.5 (25.)				
Trefferlage	2.09 mm links, 0.28 mm hoch				
Streuwert	2.47, horizontal: 3.00, vertikal: 1.78				



Serie 4:	9.4 →	9.1 ↑	9.5 ↙	8.9 →	10.6 *
	9.0 →	8.7 ↑	10.5 *	10.4 *	9.8 →
beste Teiler	83.7 (35.) 118.2 (38.) 133.7 (39.)				
Trefferlage	1.05 mm rechts, 0.96 mm hoch				
Streuwert	2.62, horizontal: 2.72, vertikal: 2.51				

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **355.4** (335)

Serien: 90.9 85.7 90.0 88.8

Zähler: 3 18 11 7 1 0 0 0 0 0



Innenzehner: 2

weiteste: 1089 (34), 845 (13), 837 (5)

beste Teiler 88.8 (38.) 141.1 (12.) 202.0 (1.)

Trefferlage 0.97 mm rechts, 1.35 mm hoch

Streuwert 3.85, horizontal: 4.57, vertikal: 2.95




Serie 1:

10.1 →	9.9 ↓	9.1 ↗	9.6 ↓	7.6 →
9.2 ↘	8.9 ←	8.5 ↖	9.5 ↙	8.5 →

beste Teiler 202.0 (1.) 260.0 (2.) 337.0 (4.)

Trefferlage 0.39 mm rechts, 0.43 mm hoch

Streuwert 3.71, horizontal: 4.42, vertikal: 2.82




Serie 2:

8.6 ↖	10.4 *	7.6 →	8.2 ←	9.2 ↑
7.8 →	8.0 ↘	7.7 ←	9.7 ←	8.5 →

beste Teiler 141.1 (12.) 318.0 (19.) 440.2 (15.)

Trefferlage 0.63 mm rechts, 0.69 mm hoch

Streuwert 4.69, horizontal: 6.04, vertikal: 2.73




Serie 3:

9.3 ↖	9.4 ↗	7.7 ↑	9.3 →	9.8 ↘
7.8 →	9.5 ↘	9.8 ↑	8.5 →	8.9 →

beste Teiler 294.1 (25.) 296.2 (28.) 374.2 (27.)

Trefferlage 2.73 mm rechts, 1.70 mm hoch

Streuwert 3.06, horizontal: 3.30, vertikal: 2.81



Serie 4:

8.8 →	9.1 →	9.1 ↑	6.6 ↘	9.1 ↖
9.8 ↘	8.6 ↗	10.6 *	9.4 ↑	7.7 ←

beste Teiler 88.8 (38.) 283.4 (36.) 393.5 (39.)



Trefferlage 0.14 mm rechts, 2.60 mm hoch

Streuwert 3.88, horizontal: 4.37, vertikal: 3.32


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **400.3** (385)
 Serien: 102.5 100.3 100.3 97.2
 Zähler: 26 13 1 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 525 (35), 480 (33), 463 (3)
 beste Teiler 70.4 (10.) 97.0 (19.) 102.7 (30.)
 Trefferlage 0.12 mm links, 0.44 mm hoch
 Streuwert 1.85, horizontal: 2.01, vertikal: 1.67




Serie 1:
 10.1 ↗ 10.3 * 9.1 → 10.5 * 10.5 *
 10.0 ↖ 10.5 * 10.4 * 10.4 * 10.7 *
 beste Teiler 70.4 (10.) 109.0 (5.) 112.7 (4.)
 Trefferlage 0.43 mm rechts, 0.67 mm hoch
 Streuwert 1.41, horizontal: 1.81, vertikal: 0.84



Serie 2:
 9.2 ↗ 9.9 ↗ 10.3 * 10.0 ↘ 9.9 ↗
 10.1 ↘ 10.1 ↖ 10.1 ↗ 10.6 * 10.1 ↘
 beste Teiler 97.0 (19.) 168.5 (13.) 201.2 (20.)
 Trefferlage 0.40 mm rechts, 0.75 mm hoch
 Streuwert 1.73, horizontal: 1.74, vertikal: 1.71



Serie 3:
 10.3 * 10.3 * 9.5 ← 10.1 → 9.8 ↑
 10.0 ← 10.0 ↑ 9.8 ↘ 10.0 ↘ 10.5 *
 beste Teiler 102.7 (30.) 167.2 (21.) 173.3 (22.)
 Trefferlage 0.49 mm links, 1.00 mm hoch
 Streuwert 1.59, horizontal: 1.94, vertikal: 1.15





Serie 4:
 9.9 ↑ 9.4 ↙ 9.0 ← 9.8 ↗ 8.9 ←
 9.3 ↓ 10.3 * 10.2 * 10.5 * 9.9 ↗
 beste Teiler 104.3 (39.) 163.6 (37.) 183.4 (38.)
 Trefferlage 0.84 mm links, 0.66 mm tief
 Streuwert 2.37, horizontal: 2.47, vertikal: 2.27


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **403.3** (387)
 Serien: 103.3 100.6 98.4 101.0
 Zähler: 28 11 1 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 526 (33), 473 (24), 419 (26)
 beste Teiler 53.0 (5.) 61.2 (40.) 76.0 (15.)
 Trefferlage 0.23 mm rechts, 0.21 mm tief
 Streuwert 1.75, horizontal: 2.09, vertikal: 1.33




Serie 1:
 10.1 ↖ 10.2 * 10.6 * 10.5 * 10.7 *
 10.5 * 10.5 * 10.3 * 9.3 ↘ 10.6 *
 beste Teiler 53.0 (5.) 86.3 (3.) 95.7 (10.)
 Trefferlage 0.28 mm rechts, 0.66 mm tief
 Streuwert 1.25, horizontal: 1.19, vertikal: 1.30



Serie 2:
 10.6 * 9.3 ↘ 9.6 ↘ 10.5 * 10.6 *
 9.8 ↘ 10.1 ↗ 10.1 ↓ 9.6 ↙ 10.4 *
 beste Teiler 76.0 (15.) 77.1 (11.) 120.3 (14.)
 Trefferlage 0.97 mm rechts, 0.78 mm tief
 Streuwert 1.59, horizontal: 1.93, vertikal: 1.15



Serie 3:
 10.4 * 10.0 ↗ 10.1 → 9.1 ↘ 10.0 ←
 9.3 ↖ 10.6 * 9.6 ← 9.7 ↙ 9.6 ↖
 beste Teiler 90.1 (27.) 145.8 (21.) 223.8 (23.)
 Trefferlage 0.67 mm links, 0.28 mm hoch
 Streuwert 2.20, horizontal: 2.73, vertikal: 1.49





Serie 4:
 10.3 * 10.5 * 8.8 → 10.3 * 9.9 ↙
 10.0 → 10.3 * 10.1 ↗ 10.1 ↘ 10.7 *
 beste Teiler 61.2 (40.) 106.0 (32.) 151.0 (31.)
 Trefferlage 0.36 mm rechts, 0.30 mm hoch
 Streuwert 1.74, horizontal: 2.19, vertikal: 1.14


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378.7** (359)
 Serien: 92.2 91.8 95.3 99.4
 Zähler: 12 17 9 2 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 861 (14), 794 (6), 688 (9)
 beste Teiler 68.4 (32.) 79.7 (18.) 92.0 (39.)
 Trefferlage 1.07 mm rechts, 0.25 mm tief
 Streuwert 2.89, horizontal: 3.24, vertikal: 2.48




Serie 1:
 8.7 ↘ 9.7 ↘ 9.2 ↗ 9.7 ↙ 10.4 *
 7.8 → 10.2 * 8.8 ↘ 8.2 ↗ 9.5 ↗
 beste Teiler 146.3 (5.) 186.1 (7.) 303.2 (2.)
 Trefferlage 2.26 mm rechts, 0.52 mm hoch
 Streuwert 3.11, horizontal: 3.11, vertikal: 3.11



Serie 2:
 9.3 ↗ 8.6 → 9.9 ↘ 7.5 → 8.4 ←
 9.8 ↑ 8.2 ↘ 10.6 * 10.1 ↙ 9.4 ↙
 beste Teiler 79.7 (18.) 210.3 (19.) 254.7 (13.)
 Trefferlage 0.92 mm rechts, 0.47 mm tief
 Streuwert 3.61, horizontal: 4.25, vertikal: 2.83



Serie 3:
 8.8 → 9.6 ↗ 10.3 * 9.7 ↗ 8.7 ←
 9.6 ↓ 9.1 ← 9.3 ↘ 10.5 * 9.7 ↙
 beste Teiler 125.0 (29.) 160.8 (23.) 311.4 (30.)
 Trefferlage 0.17 mm rechts, 0.82 mm tief
 Streuwert 2.76, horizontal: 3.37, vertikal: 1.97





Serie 4:
 8.9 ↘ 10.7 * 10.1 ↘ 9.4 ↑ 10.3 *
 10.1 ↓ 9.4 → 10.2 * 10.6 * 9.7 ↓
 beste Teiler 68.4 (32.) 92.0 (39.) 153.2 (35.)
 Trefferlage 0.92 mm rechts, 0.26 mm tief
 Streuwert 2.01, horizontal: 2.01, vertikal: 2.01


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **191.8** (182)
 Serien: 93.5 98.3
 Zähler: 8 7 4 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 855 (2), 659 (14), 587 (5)
 beste Teiler 52.8 (18.) 63.6 (8.) 78.7 (12.)
 Trefferlage 0.21 mm rechts, 1.11 mm hoch
 Streuwert 2.79, horizontal: 3.41, vertikal: 1.99





Serie 1:
 10.4 * 7.5 ↖ 8.8 ← 9.6 ↖ 8.6 ↖
 10.3 * 8.8 ↗ 10.7 * 9.0 ↗ 9.8 ↗
 beste Teiler 63.6 (8.) 131.7 (1.) 173.3 (6.)
 Trefferlage 1.34 mm links, 1.71 mm hoch
 Streuwert 3.06, horizontal: 3.73, vertikal: 2.21




Serie 2:
 9.3 ↘ 10.6 * 9.5 ↗ 8.3 → 10.3 *
 10.0 ↘ 9.7 → 10.7 * 9.9 ↖ 10.0 ↑
 beste Teiler 52.8 (18.) 78.7 (12.) 153.3 (15.)
 Trefferlage 1.77 mm rechts, 0.52 mm hoch
 Streuwert 1.99, horizontal: 2.29, vertikal: 1.64

Unterschrift des Schützen

Ergebnis: **186.4** (177)
 Serien: 95.8 90.6
 Zähler: 4 12 3 0 0 1 0 0 0 0
 Innenzehner: 1
 weiteste: 1280 (11), 636 (18), 530 (2)
 beste Teiler 138.2 (5.) 211.4 (16.) 235.1 (3.)
 Trefferlage 1.10 mm links, 0.18 mm tief
 Streuwert 3.32, horizontal: 3.79, vertikal: 2.79





Serie 1:
 9.0 ↖ 8.8 ↙ 10.0 ↓ 9.4 ↗ 10.4 *
 9.7 ↘ 9.3 ↓ 9.7 ↗ 9.7 ← 9.8 ←
 beste Teiler 138.2 (5.) 235.1 (3.) 294.4 (10.)
 Trefferlage 1.66 mm links, 0.37 mm tief
 Streuwert 2.37, horizontal: 2.35, vertikal: 2.39




Serie 2:
 5.8 ↘ 10.0 ← 9.2 ↘ 9.2 ← 8.9 ↘
 10.1 ↙ 9.9 ↘ 8.4 → 9.2 ↘ 9.9 ↓
 beste Teiler 211.4 (16.) 245.0 (12.) 251.1 (20.)
 Trefferlage 0.54 mm links, 0.01 mm hoch
 Streuwert 4.16, horizontal: 4.90, vertikal: 3.26

Unterschrift des Schützen

Ergebnis: **189.0** (182)
 Serien: 93.7 95.3
 Zähler: 6 10 4 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 721 (1), 721 (10), 660 (18)
 beste Teiler 65.6 (14.) 73.3 (3.) 105.1 (16.)
 Trefferlage 1.62 mm rechts, 0.46 mm hoch
 Streuwert 2.82, horizontal: 3.34, vertikal: 2.19





Serie 1:
 8.1 ↗ 9.4 ↘ 10.7 * 9.1 ↗ 10.3 *
 9.4 ↗ 10.5 * 9.0 ↑ 9.1 → 8.1 →
 beste Teiler 73.3 (3.) 121.1 (7.) 172.5 (5.)
 Trefferlage 2.80 mm rechts, 0.74 mm hoch
 Streuwert 2.59, horizontal: 2.67, vertikal: 2.50




Serie 2:
 10.0 ↗ 9.5 → 9.2 ← 10.7 * 9.6 ↘
 10.5 * 8.6 → 8.3 ↘ 9.6 → 9.3 ↑
 beste Teiler 65.6 (14.) 105.1 (16.) 247.8 (11.)
 Trefferlage 0.44 mm rechts, 0.17 mm hoch
 Streuwert 2.91, horizontal: 3.64, vertikal: 1.91

Unterschrift des Schützen


Ergebnis: **375.5** (359)
 Serien: 96.3 94.2 91.6 93.4
 Zähler: 9 21 10 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 727 (33), 713 (12), 710 (18)
 beste Teiler 99.8 (15.) 153.3 (40.) 162.7 (6.)
 Trefferlage 0.37 mm rechts, 0.63 mm hoch
 Streuwert 3.00, horizontal: 3.33, vertikal: 2.64




Serie 1:
 9.8 ↘ 10.1 ↘ 9.6 ← 8.8 → 9.7 →
 10.3 * 9.9 ↑ 9.0 ↓ 9.3 ↗ 9.8 ↙
 beste Teiler 162.7 (6.) 205.5 (2.) 271.6 (7.)
 Trefferlage 1.22 mm rechts, 0.06 mm tief
 Streuwert 2.44, horizontal: 2.35, vertikal: 2.53



Serie 2:
 9.3 ↗ 8.1 ← 9.7 ↘ 10.1 → 10.6 *
 9.2 ↘ 9.8 → 8.1 → 9.1 ← 10.2 *
 beste Teiler 99.8 (15.) 183.3 (20.) 211.2 (14.)
 Trefferlage 0.41 mm links, 0.48 mm hoch
 Streuwert 3.16, horizontal: 3.86, vertikal: 2.26



Serie 3:
 8.9 → 9.9 ↘ 9.1 → 9.7 ↙ 8.2 ↖
 9.6 ↑ 9.0 ↗ 8.3 ↙ 8.9 → 10.0 →
 beste Teiler 249.6 (30.) 258.1 (22.) 309.5 (24.)
 Trefferlage 0.89 mm rechts, 0.08 mm tief
 Streuwert 3.48, horizontal: 4.03, vertikal: 2.83





Serie 4:
 8.6 ↗ 9.3 ← 8.0 ↘ 9.0 → 8.8 ↑
 9.7 ↓ 9.5 ← 10.1 ↑ 10.1 ↖ 10.3 *
 beste Teiler 153.3 (40.) 209.0 (38.) 218.5 (39.)
 Trefferlage 0.19 mm links, 2.19 mm hoch
 Streuwert 2.84, horizontal: 3.06, vertikal: 2.60


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **175.6** (168)
 Serien: 91.5 84.1
 Zähler: 3 12 2 2 0 0 0 0 0 0
 Innenzehner: 0
 weiteste: 801 (11), 791 (3), 740 (4)
 beste Teiler 206.4 (18.) 220.0 (17.) 231.9 (6.)
 Trefferlage 0.48 mm rechts, 0.08 mm tief
 Streuwert 3.32, horizontal: 3.41, vertikal: 3.22



Serie 1:
 9.3 ↗ 9.3 ↘ 7.8 ↗ 8.0 ↘ 9.0 ↘
 10.0 → 9.6 → 9.3 ↗ 9.6 ↑ 9.6 →
 beste Teiler 231.9 (6.) 329.9 (10.) 339.8 (7.)
 Trefferlage 1.99 mm rechts, 0.53 mm hoch
 Streuwert 3.26, horizontal: 2.76, vertikal: 3.69





Serie 2:
 7.7 ↙ 9.3 ↘ 8.9 → 9.4 ↘ 0.0F
 9.6 ↓ 10.1 ↓ 10.1 ↘ 9.5 ↓ 9.5 ←^{MIS}
 beste Teiler 206.4 (18.) 220.0 (17.) 329.0 (16.)
 Trefferlage 1.18 mm links, 0.76 mm tief
 Streuwert 3.06, horizontal: 3.41, vertikal: 2.66


MIS – Treffer wurde manuell eingefügt, da der Schütze die Scheibe verfehlt hat

Unterschrift des Schützen

Ergebnis: **179.2** (170)
 Serien: 85.9 93.3
 Zähler: 3 9 5 1 2 0 0 0 0 0
 Innenzehner: 2
 weiteste: 1108 (7), 1006 (3), 769 (19)
 beste Teiler 78.1 (15.) 190.7 (9.) 245.1 (11.)
 Trefferlage 1.85 mm links, 0.64 mm tief
 Streuwert 3.82, horizontal: 4.49, vertikal: 2.99



Serie 1:
 9.7 → 8.2 ← 6.9 ↖ 8.3 ↘ 9.4 ↙
 8.6 → 6.5 ← 8.5 ↑ 10.2 * 9.6 ↙
 beste Teiler 190.7 (9.) 304.9 (1.) 341.5 (10.)
 Trefferlage 1.85 mm links, 0.66 mm tief
 Streuwert 4.66, horizontal: 5.76, vertikal: 3.20





Serie 2:
 10.0 → 8.4 ↖ 9.8 ↓ 9.8 ↓ 10.6 *
 9.1 ← 9.4 ↖ 9.2 ↓ 7.9 ↙ 9.1 ↑
 beste Teiler 78.1 (15.) 245.1 (11.) 284.6 (13.)
 Trefferlage 1.85 mm links, 0.62 mm tief
 Streuwert 3.00, horizontal: 3.06, vertikal: 2.95


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **192.8** (184)
 Serien: 98.5 94.3
 Zähler: 7 12 0 0 1 0 0 0 0 0
 Innenzehner: 4
 weiteste: 1150 (12), 494 (17), 485 (20)
 beste Teiler 73.2 (1.) 93.0 (9.) 104.8 (16.)
 Trefferlage 0.53 mm rechts, 0.79 mm hoch
 Streuwert 2.81, horizontal: 3.22, vertikal: 2.33





Serie 1:
 10.7 * 10.1 ↖ 9.7 ↗ 10.0 ↗ 9.3 ↖
 9.1 ← 9.4 ↖ 9.8 ↗ 10.6 * 9.8 ↖
 beste Teiler 73.2 (1.) 93.0 (9.) 204.0 (2.)
 Trefferlage 0.53 mm links, 1.61 mm hoch
 Streuwert 1.87, horizontal: 2.33, vertikal: 1.25




Serie 2:
 9.9 ↖ 6.4 ↖ 9.9 ↖ 10.0 → 9.8 ↗
 10.5 * 9.0 → 10.4 * 9.4 → 9.0 ←
 beste Teiler 104.8 (16.) 133.1 (18.) 242.4 (14.)
 Trefferlage 1.59 mm rechts, 0.02 mm tief
 Streuwert 3.34, horizontal: 3.74, vertikal: 2.89

Unterschrift des Schützen

Ergebnis: 201.7 (192)
Serien: 100.7 101.0
Zähler: 13 6 1 0 0 0 0 0 0 0
Innenzehner: 10
weiteste: 551 (13), 441 (6), 440 (10)
beste Teiler 35.4 (15.) 59.0 (18.) 64.8 (8.)
Trefferlage 0.41 mm rechts, 0.64 mm tief
Streuwert 1.76, horizontal: 2.09, vertikal: 1.36





Serie 1:
 10.3 * 10.2 * 10.0 ↓ 10.5 * 10.0 →
 9.2 ↓ 10.5 * 10.7 * 10.1 ← 9.2 ↘
beste Teiler 64.8 (8.) 109.0 (4.) 122.9 (7.)
Trefferlage 0.44 mm rechts, 1.29 mm tief
Streuwert 1.59, horizontal: 1.70, vertikal: 1.47




Serie 2:
 10.2 * 9.9 ↖ 8.7 → 10.4 * 10.8 *
 9.9 ↗ 10.6 * 10.7 * 9.9 ← 9.9 →
beste Teiler 35.4 (15.) 59.0 (18.) 83.8 (17.)
Trefferlage 0.38 mm rechts, 0.00 mm
Streuwert 1.89, horizontal: 2.51, vertikal: 0.91

Unterschrift des Schützen

Ergebnis: **186.3** (178)
 Serien: 93.3 93.0
 Zähler: 5 11 2 1 1 0 0 0 0 0
 Innenzehner: 2
 weiteste: 1242 (5), 952 (14), 634 (3)
 beste Teiler 79.9 (12.) 117.0 (1.) 201.8 (8.)
 Trefferlage 1.20 mm rechts, 2.32 mm hoch
 Streuwert 2.99, horizontal: 3.96, vertikal: 1.51





Serie 1:
 10.5 * 9.2 ↗ 8.4 ↗ 9.9 ↑ 6.0 →
 9.8 → 9.4 ↓ 10.1 ↗ 10.1 ↗ 9.9 ↗
 beste Teiler 117.0 (1.) 201.8 (8.) 207.8 (9.)
 Trefferlage 2.43 mm rechts, 2.15 mm hoch
 Streuwert 2.93, horizontal: 3.76, vertikal: 1.75




Serie 2:
 9.7 → 10.6 * 8.6 ↘ 7.1 ↘ 9.0 ↗
 9.6 ↑ 9.3 ↗ 10.0 ↗ 9.6 ↗ 9.5 ↗
 beste Teiler 79.9 (12.) 240.6 (18.) 301.4 (11.)
 Trefferlage 0.02 mm links, 2.48 mm hoch
 Streuwert 2.94, horizontal: 3.95, vertikal: 1.30

Unterschrift des Schützen


Ergebnis: **315.8** (298)
 Serien: 83.4 86.7 68.3 77.4
 Zähler: 3 9 11 7 7 1 0 1 0 0
 Innenzehner: 3
 weiteste: 2612 (26), 1778 (33), 1287 (23)
 beste Teiler 80.1 (34.) 144.7 (18.) 158.7 (7.)
 Trefferlage 4.42 mm links, 1.63 mm tief
 Streuwert 5.33, horizontal: 6.80, vertikal: 3.27




Serie 1:
 8.1 ↙ 8.0 ↙ 8.9 → 6.5 ← 8.8 ↗
 8.9 ← 10.3 * 7.4 → 7.9 → 8.6 ↙
 beste Teiler 158.7 (7.) 503.7 (3.) 507.5 (6.)
 Trefferlage 1.08 mm links, 0.82 mm tief
 Streuwert 5.08, horizontal: 6.47, vertikal: 3.11



Serie 2:
 7.9 ↙ 8.1 ↓ 9.0 ↙ 9.4 ↗ 8.0 ↓
 7.8 ↙ 7.7 ← 10.4 * 9.1 ↓ 9.3 ←
 beste Teiler 144.7 (18.) 386.7 (14.) 415.3 (20.)
 Trefferlage 2.01 mm links, 2.80 mm tief
 Streuwert 3.71, horizontal: 3.51, vertikal: 3.91





Serie 3:
 8.0 ↙ 6.4 ↙ 5.8 ↘ 6.8 ↙ 9.7 ←
 0.0 ← 6.9 ← 9.0 ← 9.3 ↙ 6.4 ↙
 beste Teiler 303.1 (25.) 421.8 (29.) 497.1 (28.)
 Trefferlage 7.26 mm links, 2.47 mm tief
 Streuwert 6.79, horizontal: 9.34, vertikal: 2.25




Serie 4:
 9.0 ↙ 8.5 ← 3.8 ← 10.6 * 9.2 ↖
 6.2 ↖ 8.5 ← 7.2 ← 6.9 ↙ 7.5 ←
 beste Teiler 80.1 (34.) 437.5 (35.) 498.4 (31.)
 Trefferlage 7.33 mm links, 0.44 mm tief
 Streuwert 4.08, horizontal: 4.66, vertikal: 3.42

Unterschrift des Schützen

Ergebnis: **184.3** (178)
 Serien: 89.4 94.9
 Zähler: 5 10 4 0 1 0 0 0 0 0
 Innenzehner: 3
 weiteste: 1128 (8), 686 (18), 661 (1)
 beste Teiler 123.6 (15.) 177.5 (9.) 200.2 (20.)
 Trefferlage 0.92 mm rechts, 1.52 mm tief
 Streuwert 3.30, horizontal: 4.30, vertikal: 1.83





Serie 1:
 8.3 ← 8.4 ↘ 9.6 ↓ 9.5 ← 9.6 ↘
 9.3 ← 9.0 ↙ 6.4 → 10.2 * 9.1 ←
 beste Teiler 177.5 (9.) 334.1 (3.) 336.4 (5.)
 Trefferlage 0.43 mm links, 1.44 mm tief
 Streuwert 4.02, horizontal: 5.37, vertikal: 1.86




Serie 2:
 9.6 ↓ 9.5 ↓ 9.2 → 9.0 ↘ 10.5 *
 10.1 ↗ 10.0 ↘ 8.2 ↘ 8.6 ↘ 10.2 *
 beste Teiler 123.6 (15.) 200.2 (20.) 224.0 (16.)
 Trefferlage 2.27 mm rechts, 1.59 mm tief
 Streuwert 2.20, horizontal: 2.47, vertikal: 1.89

Unterschrift des Schützen

Ergebnis: **183.4** (177)
 Serien: 90.9 92.5
 Zähler: 5 10 3 1 1 0 0 0 0 0
 Innenzehner: 4
 weiteste: 1088 (16), 958 (4), 714 (15)
 beste Teiler 54.7 (1.) 152.5 (13.) 154.2 (18.)
 Trefferlage 1.65 mm links, 1.53 mm hoch
 Streuwert 3.34, horizontal: 4.31, vertikal: 1.94





Serie 1:
 10.7 * 9.5 → 9.2 ↗ 7.1 → 9.3 ↘
 9.2 ↖ 8.6 ↘ 9.9 ↘ 9.0 ↘ 8.4 ↖
 beste Teiler 54.7 (1.) 254.0 (8.) 367.1 (2.)
 Trefferlage 0.68 mm links, 1.84 mm hoch
 Streuwert 3.54, horizontal: 4.80, vertikal: 1.45




Serie 2:
 10.2 * 9.7 ↘ 10.3 * 10.1 ↗ 8.1 ↑
 6.6 ← 9.1 ← 10.3 * 9.1 ← 9.0 ↖
 beste Teiler 152.5 (13.) 154.2 (18.) 197.2 (11.)
 Trefferlage 2.61 mm links, 1.22 mm hoch
 Streuwert 3.14, horizontal: 3.76, vertikal: 2.38

Unterschrift des Schützen

Ergebnis: **202.3** (193)
 Serien: 100.9 101.4
 Zähler: 14 5 1 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 596 (10), 394 (11), 351 (17)
 beste Teiler 36.4 (7.) 67.0 (13.) 77.8 (3.)
 Trefferlage 0.54 mm links, 0.19 mm hoch
 Streuwert 1.73, horizontal: 2.24, vertikal: 0.99





Serie 1:
 10.1 ← 9.7 → 10.6 * 9.8 ← 10.5 *
 10.2 * 10.8 * 10.2 * 10.4 * 8.6 ←
 beste Teiler 36.4 (7.) 77.8 (3.) 108.1 (5.)
 Trefferlage 0.75 mm links, 0.36 mm tief
 Streuwert 1.85, horizontal: 2.50, vertikal: 0.78




Serie 2:
 9.4 ← 10.2 * 10.7 * 9.9 → 10.4 *
 10.6 * 9.5 ↘ 10.2 * 10.1 → 10.4 *
 beste Teiler 67.0 (13.) 91.5 (16.) 133.4 (20.)
 Trefferlage 0.32 mm links, 0.75 mm hoch
 Streuwert 1.59, horizontal: 2.07, vertikal: 0.87

Unterschrift des Schützen

Ergebnis: **176.5** (167)
 Serien: 90.2 86.3
 Zähler: 2 7 7 4 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 877 (20), 842 (13), 786 (8)
 beste Teiler 121.6 (9.) 181.8 (2.) 279.3 (3.)
 Trefferlage 2.36 mm links, 2.59 mm hoch
 Streuwert 3.30, horizontal: 4.22, vertikal: 1.98





Serie 1:
 7.9 ← 10.2 * 9.8 → 9.8 ← 8.4 ↗
 9.1 ↑ 8.6 ↘ 7.8 ← 10.5 * 8.1 ↖
 beste Teiler 121.6 (9.) 181.8 (2.) 279.3 (3.)
 Trefferlage 1.94 mm links, 1.56 mm hoch
 Streuwert 3.57, horizontal: 4.55, vertikal: 2.18




Serie 2:
 9.4 ↘ 8.2 ↘ 7.6 ↘ 9.5 ↑ 8.7 ↗
 8.5 ↘ 8.6 ↘ 9.0 ↑ 9.4 ↑ 7.4 ←
 beste Teiler 358.9 (14.) 388.0 (19.) 399.3 (11.)
 Trefferlage 2.77 mm links, 3.62 mm hoch
 Streuwert 2.98, horizontal: 4.07, vertikal: 1.10

Unterschrift des Schützen

Ergebnis: **199.8** (192)
 Serien: 102.2 97.6
 Zähler: 14 4 2 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 702 (13), 529 (6), 460 (15)
 beste Teiler 17.0 (7.) 74.1 (18.) 83.9 (8.)
 Trefferlage 0.86 mm rechts, 0.08 mm tief
 Streuwert 2.04, horizontal: 2.68, vertikal: 1.04





Serie 1:
 10.5 * 10.3 * 10.3 * 10.3 * 10.2 *
 8.8 ↘ 10.9 * 10.6 * 10.0 → 10.3 *
 beste Teiler 17.0 (7.) 83.9 (8.) 113.6 (1.)
 Trefferlage 0.13 mm rechts, 0.21 mm hoch
 Streuwert 1.66, horizontal: 2.08, vertikal: 1.08




Serie 2:
 10.2 * 9.5 → 8.1 → 9.3 ↖ 9.1 →
 10.5 * 9.7 ↘ 10.7 * 10.1 → 10.4 *
 beste Teiler 74.1 (18.) 110.7 (16.) 133.0 (20.)
 Trefferlage 1.60 mm rechts, 0.38 mm tief
 Streuwert 2.30, horizontal: 3.11, vertikal: 0.97

Unterschrift des Schützen

Ergebnis: **200.7** (193)
 Serien: 101.9 98.8
 Zähler: 14 5 1 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 604 (12), 440 (7), 438 (13)
 beste Teiler 63.6 (5.) 75.9 (9.) 84.5 (1.)
 Trefferlage 1.04 mm links, 0.31 mm hoch
 Streuwert 1.76, horizontal: 2.33, vertikal: 0.86



Serie 1:
 10.6 * 10.3 * 10.3 * 9.6 → 10.7 *
 9.9 ↘ 9.2 ← 10.1 ← 10.7 * 10.5 *
 beste Teiler 63.6 (5.) 75.9 (9.) 84.5 (1.)
 Trefferlage 0.18 mm links, 0.07 mm hoch
 Streuwert 1.66, horizontal: 2.28, vertikal: 0.56





Serie 2:
 9.8 ← 8.5 ← 9.2 ↖ 10.2 * 10.5 *
 10.2 * 10.0 ← 10.2 * 10.0 ↗ 10.2 *
 beste Teiler 117.4 (15.) 191.1 (18.) 194.4 (14.)
 Trefferlage 1.91 mm links, 0.54 mm hoch
 Streuwert 1.69, horizontal: 2.14, vertikal: 1.07


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **170.8** (161)
 Serien: 83.5 87.3
 Zähler: 2 3 12 1 1 1 0 0 0 0
 Innenzehner: 1
 weiteste: 1260 (1), 1008 (4), 826 (12)
 beste Teiler 169.3 (15.) 211.5 (7.) 312.8 (14.)
 Trefferlage 1.58 mm links, 3.91 mm hoch
 Streuwert 3.60, horizontal: 4.86, vertikal: 1.52





Serie 1:
 5.9 ↘ 8.4 ↘ 8.0 ↗ 6.9 ↘ 8.6 ↘
 9.3 ↑ 10.1 ↗ 9.3 ↑ 8.3 ↗ 8.7 ↗
 beste Teiler 211.5 (7.) 409.9 (6.) 420.0 (8.)
 Trefferlage 1.20 mm links, 4.29 mm hoch
 Streuwert 4.14, horizontal: 5.66, vertikal: 1.50




Serie 2:
 8.7 ↗ 7.6 ↘ 8.9 ↘ 9.7 ↑ 10.3 *
 8.7 ↘ 8.0 ↖ 8.1 ↘ 8.8 ↗ 8.5 ↘
 beste Teiler 169.3 (15.) 312.8 (14.) 509.4 (13.)
 Trefferlage 1.97 mm links, 3.53 mm hoch
 Streuwert 3.14, horizontal: 4.17, vertikal: 1.52

Unterschrift des Schützen

Ergebnis: **196.7** (185)
 Serien: 95.2 101.5
 Zähler: 7 11 2 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 676 (9), 623 (5), 449 (2)
 beste Teiler 42.1 (14.) 44.2 (11.) 87.8 (18.)
 Trefferlage 0.06 mm links, 0.42 mm hoch
 Streuwert 2.35, horizontal: 3.12, vertikal: 1.15





Serie 1:
 9.8 ← 9.2 ← 9.9 → 9.8 → 8.5 ↘
 9.9 → 9.6 → 9.9 ↖ 8.2 ← 10.4 *
 beste Teiler 138.5 (10.) 254.3 (3.) 256.0 (8.)
 Trefferlage 0.03 mm links, 0.19 mm hoch
 Streuwert 2.92, horizontal: 3.92, vertikal: 1.28




Serie 2:
 10.8 * 10.5 * 9.4 ← 10.8 * 10.4 *
 9.3 ↗ 10.5 * 10.6 * 9.9 ↑ 9.3 ←
 beste Teiler 42.1 (14.) 44.2 (11.) 87.8 (18.)
 Trefferlage 0.09 mm links, 0.65 mm hoch
 Streuwert 1.76, horizontal: 2.28, vertikal: 1.01

Unterschrift des Schützen

Ergebnis: **190.2** (182)
 Serien: 95.2 95.0
 Zähler: 8 8 3 0 1 0 0 0 0 0
 Innenzehner: 5
 weiteste: 1011 (11), 703 (3), 504 (14)
 beste Teiler 102.5 (20.) 161.9 (5.) 171.0 (15.)
 Trefferlage 0.48 mm rechts, 0.70 mm hoch
 Streuwert 2.96, horizontal: 3.75, vertikal: 1.86





Serie 1:
 9.9 ↗ 10.1 ↘ 8.1 ↖ 9.1 ↗ 10.3 *
 10.2 * 9.4 ↙ 8.9 → 10.1 ↗ 9.1 →
 beste Teiler 161.9 (5.) 185.0 (6.) 202.6 (2.)
 Trefferlage 0.69 mm rechts, 0.39 mm hoch
 Streuwert 2.87, horizontal: 3.68, vertikal: 1.73




Serie 2:
 6.9 → 9.1 ↑ 10.2 * 8.9 ↖ 10.3 *
 9.7 ↘ 9.5 ↘ 10.1 ↖ 9.8 ↗ 10.5 *
 beste Teiler 102.5 (20.) 171.0 (15.) 194.6 (13.)
 Trefferlage 0.27 mm rechts, 1.01 mm hoch
 Streuwert 3.17, horizontal: 4.00, vertikal: 2.02

Unterschrift des Schützen

Ergebnis: **191.1** (182)
 Serien: 96.9 94.2
 Zähler: 9 7 2 1 1 0 0 0 0 0
 Innenzehner: 7
 weiteste: 1105 (16), 822 (19), 650 (8)
 beste Teiler 15.8 (17.) 56.3 (10.) 143.5 (11.)
 Trefferlage 0.26 mm rechts, 0.84 mm hoch
 Streuwert 3.11, horizontal: 4.20, vertikal: 1.31





Serie 1:
 10.3 * 10.2 * 10.3 * 9.9 ← 9.5 ↗
 9.7 → 9.5 → 8.4 → 8.4 ← 10.7 *
 beste Teiler 56.3 (10.) 158.8 (3.) 169.6 (1.)
 Trefferlage 0.77 mm rechts, 0.81 mm hoch
 Streuwert 2.62, horizontal: 3.56, vertikal: 1.05




Serie 2:
 10.4 * 9.3 ← 9.9 ↘ 9.1 ↗ 10.1 ↗
 6.5 ← 10.9 * 10.3 * 7.7 → 10.0 ↑
 beste Teiler 15.8 (17.) 143.5 (11.) 151.1 (18.)
 Trefferlage 0.23 mm links, 0.87 mm hoch
 Streuwert 3.65, horizontal: 4.91, vertikal: 1.58

Unterschrift des Schützen

Ergebnis: **193.9** (186)
 Serien: 98.1 95.8
 Zähler: 10 7 2 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 773 (4), 703 (20), 591 (19)
 beste Teiler 3.6 (5.) 86.4 (3.) 90.4 (15.)
 Trefferlage 0.57 mm links, 0.56 mm hoch
 Streuwert 2.66, horizontal: 3.65, vertikal: 0.91





Serie 1:
 10.4 * 10.1 ↖ 10.6 * 7.9 → 10.9 *
 9.1 → 9.0 → 10.1 → 9.4 ← 10.6 *
 beste Teiler 3.6 (5.) 86.4 (3.) 91.6 (10.)
 Trefferlage 1.06 mm rechts, 0.38 mm hoch
 Streuwert 2.56, horizontal: 3.53, vertikal: 0.84




Serie 2:
 10.3 * 9.7 ← 10.1 ↑ 9.3 ← 10.6 *
 10.1 ↖ 9.3 → 9.7 ← 8.6 ← 8.1 ←
 beste Teiler 90.4 (15.) 159.3 (11.) 209.3 (13.)
 Trefferlage 2.22 mm links, 0.75 mm hoch
 Streuwert 2.30, horizontal: 3.10, vertikal: 0.98

Unterschrift des Schützen

Ergebnis: **188.9** (180)
 Serien: 95.7 93.2
 Zähler: 5 11 3 1 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 907 (19), 712 (11), 585 (2)
 beste Teiler 106.4 (8.) 130.1 (20.) 147.2 (15.)
 Trefferlage 0.58 mm links, 0.25 mm hoch
 Streuwert 3.05, horizontal: 4.06, vertikal: 1.45





Serie 1:
 9.6 ← 8.6 ← 9.9 ← 10.0 ↓ 9.7 →
 9.0 → 8.7 ← 10.5 * 9.7 ↗ 10.0 ↑
 beste Teiler 106.4 (8.) 249.6 (10.) 250.3 (4.)
 Trefferlage 0.77 mm links, 0.02 mm hoch
 Streuwert 2.76, horizontal: 3.55, vertikal: 1.62




Serie 2:
 8.1 → 9.2 → 9.2 ← 9.5 → 10.4 *
 9.9 ↘ 9.6 ← 9.6 ← 7.3 ← 10.4 *
 beste Teiler 130.1 (20.) 147.2 (15.) 258.8 (16.)
 Trefferlage 0.38 mm links, 0.48 mm hoch
 Streuwert 3.45, horizontal: 4.71, vertikal: 1.29

Unterschrift des Schützen

Ergebnis: **206.4** (195)
 Serien: 103.0 103.4
 Zähler: 15 5 0 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 477 (17), 408 (6), 323 (8)
 beste Teiler 33.2 (13.) 35.2 (20.) 41.9 (2.)
 Trefferlage 0.32 mm links, 0.46 mm hoch
 Streuwert 1.39, horizontal: 1.88, vertikal: 0.60





Serie 1:
 10.6 * 10.8 * 10.5 * 10.5 * 10.5 *
 9.3 ← 10.7 * 9.7 ↖ 9.8 ← 10.6 *
 beste Teiler 41.9 (2.) 71.0 (7.) 77.6 (10.)
 Trefferlage 1.14 mm links, 0.42 mm hoch
 Streuwert 1.20, horizontal: 1.54, vertikal: 0.72




Serie 2:
 10.6 * 9.9 → 10.8 * 10.6 * 10.5 *
 10.3 * 9.0 → 10.2 * 10.7 * 10.8 *
 beste Teiler 33.2 (13.) 35.2 (20.) 61.8 (19.)
 Trefferlage 0.50 mm rechts, 0.49 mm hoch
 Streuwert 1.38, horizontal: 1.89, vertikal: 0.47

Unterschrift des Schützen


Ergebnis: **388.7** (373)
 Serien: 96.3 96.9 97.5 98.0
 Zähler: 18 17 5 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 685 (31), 625 (12), 589 (9)
 beste Teiler 65.1 (33.) 67.7 (32.) 98.6 (39.)
 Trefferlage 1.01 mm rechts, 0.48 mm hoch
 Streuwert 2.36, horizontal: 2.96, vertikal: 1.54




Serie 1:
 9.3 ← 10.4 * 10.1 ↗ 9.1 ← 9.2 ↖
 9.6 ↘ 10.3 * 9.7 ← 8.6 ↗ 10.0 ←
 beste Teiler 149.8 (2.) 164.2 (7.) 209.8 (3.)
 Trefferlage 1.69 mm links, 1.18 mm hoch
 Streuwert 2.18, horizontal: 2.51, vertikal: 1.79



Serie 2:
 9.0 → 8.5 → 10.2 * 9.3 → 10.5 *
 9.7 ↙ 10.2 * 10.2 * 9.5 → 9.8 ↘
 beste Teiler 112.8 (15.) 185.4 (18.) 189.1 (17.)
 Trefferlage 1.93 mm rechts, 0.57 mm tief
 Streuwert 2.15, horizontal: 2.77, vertikal: 1.26



Serie 3:
 9.4 → 10.4 * 9.3 ↘ 9.8 ↖ 10.3 *
 10.4 * 9.5 ← 8.8 → 10.0 → 9.6 →
 beste Teiler 137.7 (26.) 141.6 (22.) 157.8 (25.)
 Trefferlage 1.35 mm rechts, 0.59 mm hoch
 Streuwert 2.16, horizontal: 2.71, vertikal: 1.41



Serie 4:
 8.2 → 10.7 * 10.7 * 10.2 * 8.6 ↗
 10.1 → 9.4 → 9.3 → 10.6 * 10.2 *
 beste Teiler 65.1 (33.) 67.7 (32.) 98.6 (39.)
 Trefferlage 2.48 mm rechts, 0.73 mm hoch
 Streuwert 1.83, horizontal: 2.24, vertikal: 1.29

Unterschrift des Schützen

Meyton Elektronik