




Ergebnis: **166** (176.4)
 Serien: 84 82
 Zähler: 1 11 3 4 0 1 0 0 0 0
 Innenzehner: 1
 weiteste: 4007 (19), 2977 (8), 2769 (20)
 beste Teiler 350.1 (16.) 816.3 (4.) 853.1 (3.)
 Trefferlage 1.17 mm rechts, 2.29 mm tief
 Streuwert 13.73, horizontal: 14.02, vertikal: 13.43



Serie 1:
 9.8 ↙ 7.9 ↙ 9.9 → 9.9 ↘ 8.7 ↙
 9.0 ↗ 8.2 → 7.2 ↑ 9.6 ↘ 9.4 ↙
 beste Teiler 816.3 (4.) 853.1 (3.) 930.0 (1.)
 Trefferlage 0.86 mm rechts, 0.09 mm tief
 Streuwert 12.86, horizontal: 13.57, vertikal: 12.11



Serie 2:
 9.2 ↓ 9.1 ↖ 9.3 ↓ 9.7 ↑ 8.4 ↓
 10.5 * 9.5 ↖ 7.7 ↓ 5.9 ↗ 7.5 ↙
 beste Teiler 350.1 (16.) 996.1 (14.) 1169.3 (17.)
 Trefferlage 1.48 mm rechts, 4.48 mm tief
 Streuwert 15.07, horizontal: 15.19, vertikal: 14.95

Unterschrift des Schützen

Ergebnis: **467** (491.2)

Serien: 73 83 82 74 80 75

Zähler: 8 16 15 9 5 3 3 1 0 0



Innenzehner: 2

weiteste: 5733 (21), 5508 (36), 5059 (7)

beste Teiler 261.8 (27.) 453.0 (26.) 486.1 (41.)

Trefferlage 5.53 mm links, 5.88 mm tief

Streuwert 17.43, horizontal: 17.13, vertikal: 17.73




Serie 1:

8.0 ↘	9.1 ↙	6.7 ↖	5.9 ↙	7.3 ↗
8.1 ↓	4.6 ↙	10.0 ←	8.7 ↘	8.3 ↓

beste Teiler 723.8 (8.) 1463.4 (2.) 1830.2 (9.)

Trefferlage 3.09 mm links, 10.40 mm tief

Streuwert 19.92, horizontal: 17.93, vertikal: 21.73




Serie 2:

10.1 ↓	9.5 ↗	10.0 ↑	8.4 ←	6.8 ↓
9.9 →	7.8 ↗	8.9 ←	8.9 ↘	8.2 ←

beste Teiler 715.7 (11.) 754.4 (13.) 853.5 (16.)

Trefferlage 1.89 mm links, 3.29 mm tief

Streuwert 13.66, horizontal: 13.47, vertikal: 13.83




Serie 3:

3.8 ↗	8.4 ↓	10.0 →	8.3 ↙	8.0 ↗
10.4 *	10.6 *	7.0 ←	9.5 ↓	9.2 ↓

beste Teiler 261.8 (27.) 453.0 (26.) 759.0 (23.)

Trefferlage 0.14 mm rechts, 0.62 mm hoch

Streuwert 18.45, horizontal: 15.98, vertikal: 20.63




Serie 4:

9.9 ↙	9.6 ↙	6.6 ↖	8.4 ↙	9.9 ↖
4.1 ↙	7.1 ↖	8.1 ↙	8.0 ↘	6.7 ←

beste Teiler 802.3 (31.) 807.0 (35.) 1046.5 (32.)

Trefferlage 14.89 mm links, 4.96 mm tief

Streuwert 17.72, horizontal: 16.01, vertikal: 19.27




Serie 5:

10.3 ↖	7.1 ↙	9.7 ↑	9.2 ↘	7.0 ↙
6.2 ←	9.1 →	9.2 →	5.8 ←	9.0 ↙

beste Teiler 486.1 (41.) 998.6 (43.) 1362.5 (48.)

Trefferlage 8.83 mm links, 6.77 mm tief

Streuwert 16.39, horizontal: 19.59, vertikal: 12.39



Serie 6:

10.2 →	8.6 ↙	9.3 ↙	7.2 ↘	7.2 ↖
5.6 ↓	9.4 →	4.8 ←	9.9 →	7.6 ↓

beste Teiler 598.1 (51.) 815.9 (59.) 1247.6 (57.)

Trefferlage 4.62 mm links, 10.50 mm tief

Streuwert 18.73, horizontal: 18.93, vertikal: 18.53

Meyton Elektronik

LP 60 – Wertung – **Männer**

StandNr: 102

Wagger,, Michael #70312105

StartNr: 2



10. Dezember 2017 14:13

70312 / 0


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	543	(573.6)				
Serien:	95	89	87	90	91	91
Zähler:	18	31	8	2	1	0 0 0 0 0
Innenzehner:	6					
weiteste:	3219 (21), 2957 (39), 2435 (52)					
beste Teiler	268.9 (48.) 290.6 (10.) 295.6 (6.)					
Trefferlage	3.02 mm rechts, 5.22 mm hoch					
Streuwert	7.89, horizontal: 7.27, vertikal: 8.46					




Serie 1:	9.9 ↘	9.9 ↘	10.2 ↓	10.3 ↖	9.2 ↗
	10.6 *	9.7 ↗	9.3 ←	10.1 ↑	10.6 *
beste Teiler	290.6 (10.) 295.6 (6.) 545.5 (4.)				
Trefferlage	1.55 mm links, 1.27 mm hoch				
Streuwert	6.15, horizontal: 5.43, vertikal: 6.79				




Serie 2:	10.1 ↘	9.8 ↖	9.7 ↖	10.4 *	9.6 ↗
	8.7 ↗	9.7 ↖	8.3 ↑	8.9 ↑	9.6 →
beste Teiler	434.0 (14.) 655.9 (11.) 922.7 (12.)				
Trefferlage	1.67 mm rechts, 6.72 mm hoch				
Streuwert	7.85, horizontal: 7.95, vertikal: 7.75				




Serie 3:	6.9 ↗	10.2 ↓	9.5 ↑	8.7 ↑	9.4 ↗
	10.1 ↗	9.7 ↖	8.7 ↑	9.6 ↗	9.0 ↗
beste Teiler	625.4 (22.) 690.7 (26.) 1001.6 (27.)				
Trefferlage	4.14 mm rechts, 10.37 mm hoch				
Streuwert	8.51, horizontal: 8.96, vertikal: 8.04				



Serie 4:	9.8 ↑	10.2 ↑	9.6 ↗	10.0 ↑	9.5 ↗
	9.3 →	9.7 ↑	8.9 →	7.3 ↓	10.2 ↘
beste Teiler	564.2 (32.) 580.2 (40.) 780.8 (34.)				
Trefferlage	6.04 mm rechts, 1.46 mm hoch				
Streuwert	9.10, horizontal: 6.84, vertikal: 10.89				



Serie 5:	9.6 ↘	10.2 ←	8.7 ↑	9.8 ↖	9.9 →
	9.8 ↗	9.1 ↗	10.6 *	9.4 →	9.2 ↑
beste Teiler	268.9 (48.) 613.2 (42.) 814.6 (45.)				
Trefferlage	3.69 mm rechts, 4.96 mm hoch				
Streuwert	7.13, horizontal: 6.30, vertikal: 7.88				



Serie 6:	9.6 ↖	7.9 ↑	10.0 ↗	8.9 ↗	10.5 *
	10.5 *	9.9 ↗	10.1 ↑	9.9 →	9.1 →
beste Teiler	343.8 (55.) 398.8 (56.) 680.7 (58.)				
Trefferlage	4.13 mm rechts, 6.57 mm hoch				
Streuwert	7.02, horizontal: 6.97, vertikal: 7.07				

Meyton Elektronik

LP 60 – Wertung – **Männer**

StandNr: 104

Seifert, Tobias #70817594

StartNr: 4



10. Dezember 2017 14:10

0 / 0

Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	534	(561.7)				
Serien:	91	87	89	95	82	90
Zähler:	17	28	8	6	1	0 0 0 0 0
Innenzehner:	7					
weiteste:	3380 (9), 3118 (45), 2988 (49)					
beste Teiler	32.0 (6.) 225.3 (37.) 305.9 (34.)					
Trefferlage	0.83 mm links, 0.88 mm tief					
Streuwert	10.43, horizontal: 12.52, vertikal: 7.79					



Serie 1:

10.2 →	9.2 ↓	9.7 ↘	10.2 ↗	9.0 ↘
10.9 *	10.1 ↙	9.6 →	6.7 ←	9.3 ↑


beste Teiler 32.0 (6.) 587.9 (4.) 626.9 (1.)
 Trefferlage 1.51 mm links, 1.60 mm tief
 Streuwert 10.65, horizontal: 12.14, vertikal: 8.92



Serie 2:

7.7 ←	9.3 ↗	10.1 ↘	7.9 ↙	9.3 ←
10.2 ↙	8.9 →	9.6 ↗	10.3 ↓	8.7 ↑


beste Teiler 483.4 (19.) 569.9 (16.) 698.6 (13.)
 Trefferlage 2.94 mm links, 0.93 mm hoch
 Streuwert 11.38, horizontal: 13.08, vertikal: 9.36



Serie 3:

10.4 *	8.7 →	9.1 ↗	9.5 →	9.6 ↓
9.0 ←	9.3 ←	9.7 ↘	8.3 →	9.7 ↙


beste Teiler 458.3 (21.) 974.2 (28.) 983.9 (30.)
 Trefferlage 1.36 mm rechts, 0.25 mm hoch
 Streuwert 10.11, horizontal: 12.36, vertikal: 7.19



Serie 4:

10.1 ↘	9.4 ↘	9.9 ↗	10.6 *	9.3 ↗
10.2 ↙	10.7 *	10.4 *	9.8 →	9.9 ←


beste Teiler 225.3 (37.) 305.9 (34.) 402.7 (38.)
 Trefferlage 2.12 mm rechts, 1.59 mm hoch
 Streuwert 5.77, horizontal: 6.29, vertikal: 5.20



Serie 5:

9.9 ↘	9.9 ↓	9.3 ↙	8.6 ↓	7.1 ←
7.9 ←	10.4 *	7.7 ←	7.2 →	9.1 ↗

beste Teiler 464.5 (47.) 848.9 (42.) 861.7 (41.)
 Trefferlage 5.47 mm links, 6.12 mm tief
 Streuwert 13.69, horizontal: 17.30, vertikal: 8.70



Serie 6:

8.9 →	10.5 *	9.6 ←	9.1 ←	9.3 →
10.0 ↘	8.3 ←	10.0 ↑	8.5 →	9.9 ↗

beste Teiler 333.6 (52.) 730.7 (58.) 733.3 (56.)
 Trefferlage 1.41 mm rechts, 0.34 mm tief
 Streuwert 10.03, horizontal: 12.97, vertikal: 5.76

LP 60 – Wertung – **Männer**

StandNr: 105

Fuchs,, Andreas #70406019

StartNr: 5

10. Dezember 2017 14:15

70406 / 0

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **367** (384.4)

Serien: 92 93 89 93

Zähler: 15 19 4 2 0 0 0 0 0 0



Innenzehner: 7

weiteste: 3109 (25), 2638 (8), 2295 (33)

beste Teiler 153.0 (32.) 185.6 (37.) 282.7 (7.)

Trefferlage 0.70 mm rechts, 1.89 mm tief

Streuwert 9.00, horizontal: 9.21, vertikal: 8.79




Serie 1:

10.6 *	9.3 ↓	10.2 ↙	9.0 ↓	10.1 ↘
8.3 ↗	10.6 *	7.7 ↘	9.9 ↖	10.5 *

beste Teiler 282.7 (7.) 293.5 (1.) 333.5 (10.)

Trefferlage 2.23 mm rechts, 3.04 mm tief

Streuwert 9.37, horizontal: 8.45, vertikal: 10.20




Serie 2:

9.6 ↓	10.3 ↘	9.5 ↙	9.6 ↘	9.9 ↘
10.1 ↓	9.2 ↓	9.4 ↙	10.6 *	9.8 ↘

beste Teiler 291.8 (19.) 539.3 (12.) 668.8 (16.)

Trefferlage 1.15 mm links, 4.02 mm tief

Streuwert 6.62, horizontal: 5.86, vertikal: 7.31




Serie 3:

10.3 ↖	9.4 ↗	9.0 ↑	9.8 ↗	7.1 ↓
10.0 ↙	9.6 ↗	8.3 ↖	9.0 ↘	9.8 ↖

beste Teiler 527.5 (21.) 757.7 (26.) 931.5 (30.)

Trefferlage 1.08 mm rechts, 0.34 mm hoch

Streuwert 11.60, horizontal: 10.77, vertikal: 12.37



Serie 4:

9.6 ↙	10.8 *	8.1 →	8.6 ←	10.3 ↓
9.6 ←	10.7 *	10.3 ↑	10.6 *	9.3 →

beste Teiler 153.0 (32.) 185.6 (37.) 307.7 (39.)



Trefferlage 0.65 mm rechts, 0.85 mm tief

Streuwert 8.67, horizontal: 11.81, vertikal: 3.31


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **357** (374.9)
 Serien: 88 91 84 94
 Zähler: 9 21 8 2 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3184 (23), 2491 (2), 2364 (19)
 beste Teiler 165.0 (17.) 204.1 (40.) 211.8 (4.)
 Trefferlage 3.58 mm links, 0.32 mm tief
 Streuwert 9.88, horizontal: 8.29, vertikal: 11.25




Serie 1:
 9.5 → 7.8 ↖ 8.9 ↓ 10.7 * 10.1 ←
 9.8 ↑ 9.7 ← 8.8 ↓ 9.1 ↖ 9.1 ↑
 beste Teiler 211.8 (4.) 660.3 (5.) 937.6 (6.)
 Trefferlage 3.82 mm links, 0.49 mm hoch
 Streuwert 10.15, horizontal: 9.41, vertikal: 10.85



Serie 2:
 10.5 * 10.3 ↘ 9.2 ↖ 9.6 ↗ 8.8 ↙
 9.5 ↓ 10.7 * 9.1 ↓ 8.0 ← 9.4 ↘
 beste Teiler 165.0 (17.) 352.5 (11.) 527.8 (12.)
 Trefferlage 3.42 mm links, 4.03 mm tief
 Streuwert 8.84, horizontal: 9.41, vertikal: 8.24





Serie 3:
 9.7 ↙ 9.2 ↗ 7.0 ↑ 9.4 ↖ 9.6 ↖
 8.2 ↗ 8.3 ↖ 9.4 ↓ 8.4 ↖ 8.4 ↙
 beste Teiler 1034.2 (21.) 1088.4 (25.) 1231.2 (28.)
 Trefferlage 3.90 mm links, 7.38 mm hoch
 Streuwert 12.53, horizontal: 9.13, vertikal: 15.18




Serie 4:
 9.9 ← 9.1 ↓ 10.1 ↙ 9.2 ↙ 9.8 ↘
 10.5 * 9.8 ↙ 9.4 ← 10.2 ↘ 10.7 *
 beste Teiler 204.1 (40.) 391.8 (36.) 630.5 (39.)
 Trefferlage 3.17 mm links, 5.13 mm tief
 Streuwert 5.56, horizontal: 6.08, vertikal: 4.99

Unterschrift des Schützen


Ergebnis: **370** (386.5)
 Serien: 93 94 92 91
 Zähler: 15 20 5 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 1956 (6), 1953 (36), 1857 (30)
 beste Teiler 290.9 (15.) 453.6 (25.) 470.1 (4.)
 Trefferlage 0.69 mm rechts, 0.81 mm hoch
 Streuwert 8.00, horizontal: 10.04, vertikal: 5.22




Serie 1:
 9.1 ← 9.8 ↗ 10.4 * 10.4 * 10.2 ↘
 8.5 → 9.3 → 9.9 ↘ 10.0 ↘ 9.5 →
 beste Teiler 470.1 (4.) 470.2 (3.) 601.1 (5.)
 Trefferlage 5.20 mm rechts, 0.37 mm tief
 Streuwert 7.23, horizontal: 9.32, vertikal: 4.19



Serie 2:
 9.8 → 9.5 ↖ 10.2 ↑ 9.9 → 10.6 *
 9.7 → 10.3 ↑ 9.5 → 9.9 → 10.0 ↑
 beste Teiler 290.9 (15.) 486.3 (17.) 634.5 (13.)
 Trefferlage 3.44 mm rechts, 3.36 mm hoch
 Streuwert 5.35, horizontal: 6.97, vertikal: 2.95



Serie 3:
 10.0 ↗ 8.9 ← 9.0 ↑ 10.3 ← 10.4 *
 9.6 ← 9.1 ← 9.1 ← 10.0 ↓ 8.6 ↙
 beste Teiler 453.6 (25.) 489.8 (24.) 728.4 (29.)
 Trefferlage 5.54 mm links, 1.44 mm tief
 Streuwert 8.25, horizontal: 8.58, vertikal: 7.90





Serie 4:
 8.7 ← 9.6 → 10.0 → 9.4 → 10.2 ↑
 8.5 ← 10.2 ↘ 9.6 ↗ 9.4 → 9.4 ↖
 beste Teiler 576.3 (37.) 617.6 (35.) 725.6 (33.)
 Trefferlage 0.30 mm links, 1.70 mm hoch
 Streuwert 9.11, horizontal: 12.32, vertikal: 3.76


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **315** (337.1)
 Serien: 77 75 77 86
 Zähler: 0 14 12 11 2 0 1 0 0 0
 Innenzehner: 0
 weiteste: 5075 (15), 3465 (30), 3206 (23)
 beste Teiler 845.7 (38.) 868.5 (39.) 875.6 (24.)
 Trefferlage 0.54 mm links, 0.01 mm tief
 Streuwert 15.74, horizontal: 16.54, vertikal: 14.90




Serie 1:
 8.4 ↘ 7.8 ← 8.9 ↖ 7.7 ↙ 8.1 ↘
 7.7 ← 9.0 ↗ 7.7 ↑ 9.6 → 7.2 →
 beste Teiler 1105.0 (9.) 1547.9 (7.) 1613.5 (3.)
 Trefferlage 2.08 mm links, 1.86 mm hoch
 Streuwert 16.76, horizontal: 20.03, vertikal: 12.67



Serie 2:
 8.6 ↓ 7.3 ↘ 8.6 ↘ 9.1 ↗ 4.6 ←
 7.8 ↗ 7.6 ↑ 8.1 ↓ 8.4 ↘ 9.4 ↘
 beste Teiler 1241.2 (20.) 1494.2 (14.) 1855.5 (11.)
 Trefferlage 4.59 mm rechts, 3.53 mm tief
 Streuwert 18.97, horizontal: 20.30, vertikal: 17.54



Serie 3:
 9.7 ↑ 8.9 → 6.9 ↓ 9.9 ↑ 9.5 →
 8.7 ← 7.5 ↓ 7.3 ↖ 8.7 ↓ 6.6 ↖
 beste Teiler 875.6 (24.) 1029.8 (21.) 1173.1 (25.)
 Trefferlage 2.44 mm links, 1.81 mm tief
 Streuwert 16.66, horizontal: 15.78, vertikal: 17.50





Serie 4:
 9.1 ↘ 9.8 ↑ 9.5 ← 9.4 ↓ 8.8 ↓
 7.8 ↖ 8.4 ↑ 9.9 ↖ 9.9 ↑ 9.2 ↑
 beste Teiler 845.7 (38.) 868.5 (39.) 934.9 (32.)
 Trefferlage 2.25 mm links, 3.42 mm hoch
 Streuwert 10.89, horizontal: 9.14, vertikal: 12.39


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **338** (354.7)
 Serien: 80 84 85 89
 Zähler: 12 7 14 3 2 2 0 0 0 0
 Innenzehner: 6
 weiteste: 4729 (2), 4575 (21), 3724 (15)
 beste Teiler 76.0 (25.) 163.4 (19.) 278.4 (16.)
 Trefferlage 0.61 mm rechts, 7.45 mm hoch
 Streuwert 13.27, horizontal: 13.80, vertikal: 12.72




Serie 1:
 9.4 ← 5.0 ↑ 8.2 ← 10.4 * 9.0 ↗
 7.2 → 9.4 ↑ 9.1 ↘ 6.5 ↑ 8.4 →
 beste Teiler 407.8 (4.) 1263.0 (7.) 1273.6 (1.)
 Trefferlage 2.97 mm rechts, 12.54 mm hoch
 Streuwert 15.64, horizontal: 15.11, vertikal: 16.16



Serie 2:
 10.0 → 8.8 ← 8.9 ↗ 8.6 → 6.3 ↘
 10.6 * 8.0 ↑ 7.9 ↘ 10.7 * 9.1 →
 beste Teiler 163.4 (19.) 278.4 (16.) 726.4 (11.)
 Trefferlage 0.92 mm rechts, 2.59 mm hoch
 Streuwert 14.21, horizontal: 13.36, vertikal: 15.01



Serie 3:
 5.2 ↗ 8.1 ↖ 10.4 * 8.8 ↖ 10.9 *
 8.5 ↘ 8.8 ↗ 10.1 ↗ 8.4 ↑ 10.0 ←
 beste Teiler 76.0 (25.) 423.5 (23.) 704.0 (28.)
 Trefferlage 0.01 mm rechts, 10.97 mm hoch
 Streuwert 12.80, horizontal: 14.98, vertikal: 10.16





Serie 4:
 10.3 ↓ 10.3 → 10.4 * 9.2 → 8.3 ←
 8.8 ↖ 8.8 ← 10.2 ↑ 7.8 → 9.9 ↑
 beste Teiler 431.5 (33.) 501.0 (32.) 534.7 (31.)
 Trefferlage 1.45 mm links, 3.70 mm hoch
 Streuwert 10.23, horizontal: 13.51, vertikal: 5.17


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **374** (390.8)
 Serien: 96 92 95 91
 Zähler: 19 16 5 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 1961 (17), 1945 (37), 1808 (40)
 beste Teiler 132.9 (10.) 174.1 (7.) 247.0 (33.)
 Trefferlage 0.25 mm rechts, 0.86 mm hoch
 Streuwert 7.62, horizontal: 7.62, vertikal: 7.62




Serie 1:
 10.1 ↗ 10.0 ↑ 9.5 ↘ 9.0 ↗ 9.7 ↘
 9.7 ↗ 10.7 * 10.6 * 10.1 ↖ 10.8 *
 beste Teiler 132.9 (10.) 174.1 (7.) 291.4 (8.)
 Trefferlage 2.03 mm rechts, 1.56 mm hoch
 Streuwert 6.16, horizontal: 5.48, vertikal: 6.77



Serie 2:
 9.2 → 10.3 ↖ 10.0 ↑ 9.8 ↗ 10.5 *
 9.3 ↑ 8.5 ↖ 9.1 ↗ 9.4 ↗ 9.9 ↘
 beste Teiler 347.3 (15.) 488.1 (12.) 764.0 (13.)
 Trefferlage 2.26 mm rechts, 6.66 mm hoch
 Streuwert 6.96, horizontal: 8.09, vertikal: 5.60



Serie 3:
 10.0 ↑ 10.3 ↘ 9.6 ↘ 9.7 ↖ 10.3 ↖
 10.5 * 10.0 ↓ 10.0 ↖ 8.9 → 9.9 ↗
 beste Teiler 350.7 (26.) 518.2 (22.) 519.3 (25.)
 Trefferlage 1.85 mm rechts, 1.01 mm tief
 Streuwert 6.45, horizontal: 6.86, vertikal: 6.01





Serie 4:
 9.1 ↖ 9.9 ↘ 10.6 * 10.6 * 9.1 ↖
 8.7 ↗ 8.5 ↓ 10.2 → 10.0 ↑ 8.7 ↖
 beste Teiler 247.0 (33.) 267.4 (34.) 575.3 (38.)
 Trefferlage 5.10 mm links, 3.75 mm tief
 Streuwert 8.33, horizontal: 8.13, vertikal: 8.52


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **360** (380.8)
 Serien: 85 92 93 90
 Zähler: 14 14 10 2 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2927 (3), 2474 (2), 2138 (32)
 beste Teiler 143.5 (19.) 213.8 (13.) 226.7 (38.)
 Trefferlage 1.64 mm links, 2.59 mm hoch
 Streuwert 9.29, horizontal: 9.56, vertikal: 9.01




Serie 1:
 9.7 ↘ 7.9 ↑ 7.3 ↗ 9.9 ↖ 9.5 ↗
 8.6 ↖ 10.1 ↓ 8.4 ← 10.0 ↑ 8.7 ↘
 beste Teiler 651.7 (7.) 768.1 (9.) 858.0 (4.)
 Trefferlage 2.38 mm links, 8.33 mm hoch
 Streuwert 11.11, horizontal: 10.77, vertikal: 11.44



Serie 2:
 9.6 ↙ 9.5 ↑ 10.7 * 10.0 → 8.8 ↗
 10.1 ↘ 8.7 ← 9.1 ↗ 10.8 * 9.9 ←
 beste Teiler 143.5 (19.) 213.8 (13.) 695.0 (16.)
 Trefferlage 0.75 mm rechts, 2.39 mm hoch
 Streuwert 8.10, horizontal: 9.40, vertikal: 6.54



Serie 3:
 8.4 ↗ 10.2 ↖ 10.1 ↘ 8.6 ↙ 10.2 ↖
 10.6 * 8.9 ↗ 10.7 * 10.0 ↙ 9.5 ↑
 beste Teiler 230.5 (28.) 268.0 (26.) 565.8 (25.)
 Trefferlage 0.51 mm rechts, 1.24 mm hoch
 Streuwert 8.62, horizontal: 8.53, vertikal: 8.72





Serie 4:
 9.0 ↙ 8.3 ↙ 10.6 * 8.3 ← 9.9 ↙
 9.9 → 9.8 ↘ 10.7 * 9.9 ↗ 9.9 ↙
 beste Teiler 226.7 (38.) 284.3 (33.) 817.2 (35.)
 Trefferlage 5.48 mm links, 1.61 mm tief
 Streuwert 8.19, horizontal: 9.51, vertikal: 6.61


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **354** (371.6)
 Serien: 87 90 88 89
 Zähler: 12 14 10 4 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2743 (29), 2671 (11), 2646 (36)
 beste Teiler 106.1 (32.) 202.0 (38.) 475.9 (34.)
 Trefferlage 1.37 mm rechts, 1.06 mm hoch
 Streuwert 10.68, horizontal: 10.95, vertikal: 10.40




Serie 1:
 8.6 ↖ 9.4 ↗ 10.3 ↓ 8.2 ↓ 8.6 ↙
 8.9 → 9.4 ↘ 9.3 ↓ 8.2 → 10.1 ↖
 beste Teiler 500.0 (3.) 711.7 (10.) 1242.3 (7.)
 Trefferlage 0.38 mm rechts, 4.21 mm tief
 Streuwert 11.43, horizontal: 12.72, vertikal: 9.97



Serie 2:
 7.6 ↖ 9.7 ↗ 10.0 ↓ 8.5 ↓ 9.5 ↙
 9.3 ↓ 10.0 → 9.4 ↖ 10.1 → 9.9 ↑
 beste Teiler 648.3 (19.) 744.4 (17.) 769.7 (13.)
 Trefferlage 2.90 mm links, 0.09 mm tief
 Streuwert 10.00, horizontal: 9.19, vertikal: 10.74



Serie 3:
 9.4 ↗ 10.1 ↑ 9.9 → 10.1 ↘ 9.5 ↑
 8.5 ↖ 9.1 ↘ 8.8 → 7.5 → 9.7 ↓
 beste Teiler 654.9 (24.) 655.3 (22.) 880.6 (23.)
 Trefferlage 5.18 mm rechts, 3.98 mm hoch
 Streuwert 9.92, horizontal: 9.96, vertikal: 9.88





Serie 4:
 10.2 ↖ 10.8 * 9.4 ↑ 10.4 * 7.9 →
 7.6 ↗ 8.3 ↘ 10.7 * 8.4 ↖ 10.3 →
 beste Teiler 106.1 (32.) 202.0 (38.) 475.9 (34.)
 Trefferlage 2.83 mm rechts, 4.56 mm hoch
 Streuwert 10.86, horizontal: 11.60, vertikal: 10.06


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	599.3	(570)							
Serien:	101.3	99.7	98.7	97.9	100.8	100.9			
Zähler:	33	24	3	0	0	0	0	0	0
Innenzehner:	27								
weiteste:	582 (34), 540 (21), 533 (32)								
beste Teiler	37.3 (23.)	43.3 (19.)	46.0 (37.)						
Trefferlage	0.32 mm rechts,	0.82 mm hoch							
Streuwert	1.90, horizontal: 1.95, vertikal: 1.85								




Serie 1:	10.6 *	9.8 ↑	9.5 ↑	10.6 *	10.6 *
	9.6 →	10.7 *	10.2 *	10.3 *	9.4 →
beste Teiler	55.9 (7.)	79.6 (1.)	86.7 (4.)		
Trefferlage	0.67 mm rechts,	0.81 mm hoch			
Streuwert	1.59, horizontal: 1.51, vertikal: 1.67				




Serie 2:	10.6 *	10.2 *	10.0 ↓	9.4 ←	9.0 ↑
	10.3 *	9.9 ←	9.0 ↘	10.8 *	10.5 *
beste Teiler	43.3 (19.)	86.1 (11.)	104.1 (20.)		
Trefferlage	0.60 mm links,	0.78 mm hoch			
Streuwert	2.02, horizontal: 1.96, vertikal: 2.07				




Serie 3:	8.8 ↗	10.5 *	10.8 *	9.8 ↙	10.5 *
	9.7 ↘	10.3 *	9.4 ↑	9.9 →	9.0 ↘
beste Teiler	37.3 (23.)	124.2 (25.)	125.8 (22.)		
Trefferlage	0.31 mm rechts,	0.94 mm hoch			
Streuwert	2.23, horizontal: 2.24, vertikal: 2.22				



Serie 4:	10.1 ↘	8.8 ↑	10.2 *	8.6 ↗	9.7 ↗
	10.1 ↓	10.8 *	10.7 *	9.3 ↗	9.6 ↘
beste Teiler	46.0 (37.)	66.0 (38.)	197.0 (33.)		
Trefferlage	1.42 mm rechts,	1.40 mm hoch			
Streuwert	2.05, horizontal: 1.54, vertikal: 2.45				



Serie 5:	10.5 *	10.3 *	10.0 →	10.0 →	9.9 ↑
	9.8 ↖	10.5 *	10.2 *	9.8 ↓	9.8 ↑
beste Teiler	118.5 (41.)	120.0 (47.)	155.1 (42.)		
Trefferlage	0.42 mm rechts,	0.16 mm hoch			
Streuwert	1.66, horizontal: 1.66, vertikal: 1.66				



Serie 6:	9.3 ←	10.7 *	9.4 →	10.8 *	9.8 →
	10.6 *	10.5 *	10.0 ↑	10.5 *	9.3 ←
beste Teiler	50.4 (54.)	58.2 (52.)	90.7 (56.)		
Trefferlage	0.27 mm links,	0.82 mm hoch			
Streuwert	1.82, horizontal: 2.43, vertikal: 0.88				

Meyton Elektronik

LG 60 ZR – Wertung – Junioren

StandNr: 115

Schöfbeck,, Marcel #70423062

StartNr: 15

10. Dezember 2017 14:19

70423 / 0

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **584.6** (557)

Serien: 97.3 90.2 101.4 96.2 100.2 99.3

Zähler: 26 26 7 1 0 0 0 0 0 0



Innenzehner: 20

weiteste: 917 (14), 722 (18), 652 (15)

beste Teiler 64.4 (25.) 65.4 (23.) 68.0 (30.)

Trefferlage 0.54 mm links, 0.02 mm hoch

Streuwert 2.48, horizontal: 2.76, vertikal: 2.15




Serie 1:

9.7 →	10.1 ↘	9.2 ↗	10.1 ↘	9.8 ↑
9.5 ↑	10.2 *	8.9 ↓	9.5 ↖	10.3 *

beste Teiler 158.4 (10.) 177.3 (7.) 201.6 (2.)

Trefferlage 1.05 mm rechts, 0.70 mm hoch

Streuwert 2.23, horizontal: 1.71, vertikal: 2.65




Serie 2:

10.0 ←	9.2 ↓	10.6 *	7.3 ↘	8.3 ↖
9.4 ←	8.4 ←	8.1 ↘	9.8 ↖	9.1 ↖

beste Teiler 81.0 (13.) 231.0 (11.) 282.6 (19.)

Trefferlage 1.33 mm links, 1.07 mm tief

Streuwert 3.82, horizontal: 4.30, vertikal: 3.26




Serie 3:

8.9 ↖	10.5 *	10.7 *	9.7 ↖	10.7 *
9.8 →	10.4 *	10.1 ↑	9.9 ↗	10.7 *

beste Teiler 64.4 (25.) 65.4 (23.) 68.0 (30.)

Trefferlage 0.40 mm links, 0.63 mm hoch

Streuwert 1.74, horizontal: 1.92, vertikal: 1.55




Serie 4:

10.0 →	9.0 ←	9.1 ↘	9.0 ↖	10.3 *
8.8 ↖	9.5 ←	9.7 ↘	10.6 *	10.2 *

beste Teiler 80.9 (39.) 160.6 (35.) 198.0 (40.)

Trefferlage 0.77 mm links, 0.22 mm hoch

Streuwert 2.65, horizontal: 3.32, vertikal: 1.76




Serie 5:

10.2 *	10.5 *	10.4 *	10.5 *	9.0 ←
8.9 ←	10.5 *	9.9 ←	10.3 *	10.0 ↓

beste Teiler 101.5 (44.) 111.5 (47.) 125.0 (42.)

Trefferlage 1.56 mm links, 0.54 mm tief

Streuwert 1.60, horizontal: 1.99, vertikal: 1.07



Serie 6:

9.8 ↗	9.5 ←	9.9 ↑	10.5 *	10.6 *
9.7 ↖	9.8 →	9.8 ↘	9.3 ↖	10.4 *

beste Teiler 91.0 (55.) 119.5 (54.) 144.9 (60.)

Trefferlage 0.25 mm links, 0.21 mm hoch

Streuwert 2.05, horizontal: 2.25, vertikal: 1.82

LG 60 ZR – Wertung – Junioren

StandNr: 116

Lüthi,, Julius #70421011

StartNr: 16



10. Dezember 2017 14:08

70421 / 0


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **611.7** (585)
 Serien: 101.8 101.6 102.2 103.1 102.0 101.0
 Zähler: 45 15 0 0 0 0 0 0 0
 Innenzehner: 36
 weiteste: 415 (54), 389 (43), 363 (50)
 beste Teiler 32.7 (4.) 42.2 (44.) 43.6 (46.)
 Trefferlage 0.79 mm rechts, 0.17 mm hoch
 Streuwert 1.38, horizontal: 1.64, vertikal: 1.06




Serie 1:
 10.7 * 10.2 * 10.3 * 10.8 * 10.3 *
 9.6 → 10.2 * 9.8 ↘ 9.6 → 10.3 *
 beste Teiler 32.7 (4.) 70.4 (1.) 152.0 (10.)
 Trefferlage 1.32 mm rechts, 0.39 mm hoch
 Streuwert 1.23, horizontal: 1.44, vertikal: 0.98




Serie 2:
 9.7 ← 10.5 * 10.5 * 9.8 ← 9.8 ↗
 10.0 → 10.4 * 10.5 * 10.5 * 9.9 →
 beste Teiler 101.8 (13.) 120.3 (12.) 121.8 (19.)
 Trefferlage 0.28 mm rechts, 0.11 mm hoch
 Streuwert 1.59, horizontal: 2.01, vertikal: 1.00




Serie 3:
 10.5 * 10.4 * 10.3 * 10.4 * 10.3 *
 10.0 ↗ 10.3 * 10.1 ↘ 9.8 ↑ 10.1 ↗
 beste Teiler 109.8 (21.) 144.0 (22.) 145.9 (24.)
 Trefferlage 0.45 mm rechts, 0.82 mm hoch
 Streuwert 1.24, horizontal: 1.22, vertikal: 1.25



Serie 4:
 9.7 ↗ 10.5 * 10.4 * 10.2 * 10.2 *
 10.2 * 10.2 * 10.7 * 10.4 * 10.6 *
 beste Teiler 58.2 (38.) 87.0 (40.) 120.9 (32.)
 Trefferlage 0.39 mm rechts, 0.56 mm hoch
 Streuwert 1.20, horizontal: 1.49, vertikal: 0.81



Serie 5:
 10.1 ← 10.4 * 9.4 → 10.8 * 10.3 *
 10.8 * 10.1 ↓ 9.9 ↘ 10.7 * 9.5 →
 beste Teiler 42.2 (44.) 43.6 (46.) 70.6 (49.)
 Trefferlage 1.13 mm rechts, 0.58 mm tief
 Streuwert 1.35, horizontal: 1.77, vertikal: 0.70



Serie 6:
 10.7 * 10.0 ↘ 10.7 * 9.3 → 10.1 ↗
 9.8 → 9.7 ↗ 10.0 → 10.4 * 10.3 *
 beste Teiler 69.2 (51.) 75.0 (53.) 136.6 (59.)
 Trefferlage 1.18 mm rechts, 0.24 mm tief
 Streuwert 1.52, horizontal: 1.85, vertikal: 1.08

Meyton Elektronik

LG 60 ZR – Wertung – Junioren

StandNr: 117

Fankhauser,, Thomas #70804016

StartNr: 17



10. Dezember 2017 14:07

70804 / 0


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **401.4** (385)
 Serien: 100.4 98.5 102.2 100.3
 Zähler: 27 11 2 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 546 (35), 505 (28), 454 (11)
 beste Teiler 62.8 (29.) 72.0 (5.) 77.8 (36.)
 Trefferlage 0.10 mm links, 0.16 mm hoch
 Streuwert 1.89, horizontal: 1.94, vertikal: 1.84




Serie 1:
 10.1 ↓ 9.5 ← 10.1 ↘ 9.5 ✓ 10.7 *
 10.1 ← 10.4 * 9.4 ↗ 10.0 → 10.6 *
 beste Teiler 72.0 (5.) 83.6 (10.) 129.8 (7.)
 Trefferlage 0.07 mm links, 0.45 mm tief
 Streuwert 1.85, horizontal: 1.97, vertikal: 1.71



Serie 2:
 9.1 ↑ 10.4 * 9.6 → 10.0 ← 10.6 *
 10.0 ↑ 10.2 * 9.6 ↘ 9.1 → 9.9 ↓
 beste Teiler 93.5 (15.) 146.8 (12.) 190.1 (17.)
 Trefferlage 0.50 mm rechts, 0.48 mm hoch
 Streuwert 2.18, horizontal: 2.13, vertikal: 2.22



Serie 3:
 10.6 * 10.6 * 10.1 ↑ 10.5 * 10.3 *
 10.5 * 9.5 → 8.9 ← 10.7 * 10.5 *
 beste Teiler 62.8 (29.) 78.7 (22.) 92.0 (21.)
 Trefferlage 0.32 mm links, 0.07 mm hoch
 Streuwert 1.69, horizontal: 2.13, vertikal: 1.08





Serie 4:
 10.4 * 10.4 * 10.0 ↘ 10.4 * 8.8 ↗
 10.6 * 9.3 ↘ 10.3 * 10.5 * 9.6 ✓
 beste Teiler 77.8 (36.) 121.0 (39.) 127.3 (31.)
 Trefferlage 0.53 mm links, 0.55 mm hoch
 Streuwert 1.94, horizontal: 1.63, vertikal: 2.21


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **394.8** (375)
 Serien: 99.3 98.6 100.1 96.8
 Zähler: 17 21 2 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 542 (36), 540 (33), 498 (40)
 beste Teiler 5.0 (12.) 69.4 (19.) 73.3 (22.)
 Trefferlage 0.39 mm rechts, 0.73 mm hoch
 Streuwert 2.09, horizontal: 2.35, vertikal: 1.80




Serie 1:
 10.3 * 9.9 ↑ 9.8 ↘ 10.5 * 9.8 ↖
 10.3 * 9.1 ↘ 9.7 ↑ 10.0 ↙ 9.9 ←
 beste Teiler 109.9 (4.) 157.6 (6.) 172.5 (1.)
 Trefferlage 0.39 mm links, 0.48 mm hoch
 Streuwert 1.99, horizontal: 2.09, vertikal: 1.89



Serie 2:
 9.4 ↘ 10.9 * 9.3 ↘ 9.8 ↘ 10.6 *
 9.8 ↑ 9.1 → 9.3 → 10.7 * 9.7 ↘
 beste Teiler 5.0 (12.) 69.4 (19.) 83.7 (15.)
 Trefferlage 0.13 mm rechts, 0.82 mm hoch
 Streuwert 2.24, horizontal: 2.73, vertikal: 1.61





Serie 3:
 9.4 ↗ 10.7 * 10.4 * 9.8 ↑ 10.0 ↗
 9.6 ↓ 10.4 * 10.4 * 9.4 → 10.0 ↘
 beste Teiler 73.3 (22.) 136.8 (27.) 141.4 (23.)
 Trefferlage 0.50 mm rechts, 0.56 mm hoch
 Streuwert 1.86, horizontal: 1.63, vertikal: 2.06




Serie 4:
 9.4 ↑ 9.7 → 8.8 ↗ 9.8 → 10.5 *
 8.8 ↘ 10.0 ↘ 10.6 * 10.2 * 9.0 →
 beste Teiler 90.6 (38.) 101.6 (35.) 189.2 (39.)
 Trefferlage 1.35 mm rechts, 1.08 mm hoch
 Streuwert 2.33, horizontal: 2.75, vertikal: 1.82

Unterschrift des Schützen


Ergebnis: **409.2** (390)
 Serien: 101.9 103.0 102.6 101.7
 Zähler: 30 10 0 0 0 0 0 0 0 0
 Innenzehner: 26
 weiteste: 473 (14), 462 (30), 380 (13)
 beste Teiler 53.9 (18.) 63.8 (4.) 64.0 (17.)
 Trefferlage 0.56 mm links, 0.64 mm hoch
 Streuwert 1.37, horizontal: 1.61, vertikal: 1.09




Serie 1:
 10.4 * 9.7 → 10.1 ↘ 10.7 * 10.4 *
 9.9 ↗ 10.1 ↑ 9.5 ← 10.6 * 10.5 *
 beste Teiler 63.8 (4.) 89.0 (9.) 114.7 (10.)
 Trefferlage 0.14 mm links, 0.21 mm hoch
 Streuwert 1.56, horizontal: 1.87, vertikal: 1.17



Serie 2:
 10.5 * 10.7 * 9.4 ↘ 9.1 ↑ 10.6 *
 10.4 * 10.7 * 10.7 * 10.4 * 10.5 *
 beste Teiler 53.9 (18.) 64.0 (17.) 73.2 (12.)
 Trefferlage 0.60 mm links, 1.06 mm hoch
 Streuwert 1.29, horizontal: 1.11, vertikal: 1.45



Serie 3:
 10.4 * 10.7 * 10.3 * 10.6 * 9.8 ↘
 10.3 * 10.6 * 10.2 * 10.6 * 9.1 ←
 beste Teiler 70.9 (22.) 85.4 (27.) 90.0 (29.)
 Trefferlage 0.70 mm links, 0.49 mm hoch
 Streuwert 1.42, horizontal: 1.88, vertikal: 0.70





Serie 4:
 10.2 * 10.0 ↘ 10.5 * 10.3 * 9.9 ←
 10.4 * 9.9 ↘ 10.6 * 9.8 → 10.1 ↑
 beste Teiler 77.8 (38.) 115.1 (33.) 147.7 (36.)
 Trefferlage 0.78 mm links, 0.78 mm hoch
 Streuwert 1.30, horizontal: 1.62, vertikal: 0.87


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **390.1** (372)
 Serien: 98.0 95.8 99.8 96.5
 Zähler: 16 20 4 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 603 (1), 591 (2), 549 (35)
 beste Teiler 10.8 (9.) 61.0 (21.) 116.2 (29.)
 Trefferlage 0.18 mm rechts, 0.13 mm tief
 Streuwert 2.41, horizontal: 2.73, vertikal: 2.03




Serie 1:
 8.5 ← 8.6 ↘ 9.9 → 10.5 * 10.4 *
 9.1 ↓ 10.1 ↙ 10.4 * 10.9 * 9.6 →
 beste Teiler 10.8 (9.) 116.6 (4.) 143.5 (5.)
 Trefferlage 0.15 mm links, 1.05 mm tief
 Streuwert 2.48, horizontal: 3.09, vertikal: 1.65



Serie 2:
 9.5 ↖ 9.6 → 9.4 ↙ 10.1 ↓ 9.7 ↗
 9.5 ↗ 9.6 ↘ 9.1 → 9.6 ↖ 9.7 →
 beste Teiler 220.8 (14.) 314.2 (15.) 324.1 (20.)
 Trefferlage 0.64 mm rechts, 0.33 mm hoch
 Streuwert 2.56, horizontal: 3.07, vertikal: 1.91



Serie 3:
 10.7 * 10.1 ← 10.1 → 9.0 → 9.3 ↘
 10.5 * 10.1 ↓ 10.1 ↑ 10.5 * 9.4 ←
 beste Teiler 61.0 (21.) 116.2 (29.) 124.4 (26.)
 Trefferlage 0.32 mm rechts, 0.12 mm tief
 Streuwert 2.06, horizontal: 2.51, vertikal: 1.48





Serie 4:
 8.8 ↙ 9.0 ↙ 9.9 ← 10.4 * 8.8 ↑
 10.4 * 10.3 * 9.9 ↗ 9.1 ↗ 9.9 ↓
 beste Teiler 135.9 (34.) 147.6 (36.) 168.1 (37.)
 Trefferlage 0.08 mm links, 0.29 mm hoch
 Streuwert 2.70, horizontal: 2.57, vertikal: 2.83


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **407.1** (387)
 Serien: 99.9 103.6 101.4 102.2
 Zähler: 27 13 0 0 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 409 (8), 351 (6), 305 (12)
 beste Teiler 62.2 (17.) 66.8 (20.) 68.4 (36.)
 Trefferlage 0.13 mm rechts, 0.22 mm hoch
 Streuwert 1.50, horizontal: 1.61, vertikal: 1.39




Serie 1:
 10.0 ↙ 10.2 * 9.8 ↘ 9.9 ↘ 10.5 *
 9.5 ↗ 9.9 ↑ 9.3 → 10.1 ↘ 10.7 *
 beste Teiler 69.0 (10.) 124.0 (5.) 194.7 (2.)
 Trefferlage 0.14 mm links, 1.08 mm hoch
 Streuwert 1.76, horizontal: 2.11, vertikal: 1.32



Serie 2:
 10.4 * 9.7 ↘ 10.1 ↖ 10.0 ↑ 10.7 *
 10.6 * 10.7 * 10.3 * 10.4 * 10.7 *
 beste Teiler 62.2 (17.) 66.8 (20.) 73.9 (15.)
 Trefferlage 0.23 mm rechts, 0.05 mm hoch
 Streuwert 1.24, horizontal: 1.21, vertikal: 1.26



Serie 3:
 9.8 ↘ 10.0 ↗ 10.4 * 10.5 * 10.4 *
 9.9 ↘ 10.4 * 10.1 ↗ 9.9 ↙ 10.0 ↙
 beste Teiler 124.8 (24.) 133.4 (25.) 136.4 (23.)
 Trefferlage 0.52 mm rechts, 0.29 mm tief
 Streuwert 1.51, horizontal: 1.73, vertikal: 1.25





Serie 4:
 9.9 ↘ 9.9 ↓ 9.9 ↘ 10.4 * 9.9 ↘
 10.7 * 10.2 * 10.6 * 10.5 * 10.2 *
 beste Teiler 68.4 (36.) 83.6 (38.) 113.9 (39.)
 Trefferlage 0.09 mm links, 0.06 mm hoch
 Streuwert 1.46, horizontal: 1.41, vertikal: 1.51


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **406.4** (390)
 Serien: 102.1 99.8 101.8 102.7
 Zähler: 30 10 0 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 398 (16), 376 (2), 372 (9)
 beste Teiler 11.0 (1.) 49.4 (4.) 53.7 (19.)
 Trefferlage 0.01 mm rechts, 0.27 mm hoch
 Streuwert 1.58, horizontal: 1.62, vertikal: 1.53




Serie 1:
 10.9 * 9.4 ↘ 10.5 * 10.8 * 10.1 ↘
 10.5 * 10.3 * 10.1 ↓ 9.5 ✓ 10.0 →
 beste Teiler 11.0 (1.) 49.4 (4.) 111.6 (6.)
 Trefferlage 0.73 mm rechts, 0.55 mm tief
 Streuwert 1.49, horizontal: 1.60, vertikal: 1.37



Serie 2:
 10.1 ↓ 10.1 ↖ 10.1 ← 9.8 ↖ 10.0 ←
 9.4 ↗ 9.5 ↗ 10.5 * 10.7 * 9.6 ↖
 beste Teiler 53.7 (19.) 112.0 (18.) 201.1 (11.)
 Trefferlage 0.66 mm links, 1.07 mm hoch
 Streuwert 1.71, horizontal: 1.57, vertikal: 1.84





Serie 3:
 9.7 → 10.6 * 9.8 ↘ 9.6 ↖ 10.1 ←
 10.5 * 10.7 * 10.4 * 10.2 * 10.2 *
 beste Teiler 54.7 (27.) 99.1 (22.) 120.8 (26.)
 Trefferlage 0.42 mm rechts, 0.35 mm hoch
 Streuwert 1.56, horizontal: 1.76, vertikal: 1.33




Serie 4:
 10.4 * 10.0 ↓ 10.1 ← 10.5 * 10.6 *
 10.3 * 10.4 * 10.5 * 9.8 ↖ 10.1 ↑
 beste Teiler 89.4 (35.) 103.8 (38.) 112.0 (34.)
 Trefferlage 0.43 mm links, 0.23 mm hoch
 Streuwert 1.30, horizontal: 1.34, vertikal: 1.25

Unterschrift des Schützen


Ergebnis: **393.8** (373)
 Serien: 99.1 97.5 99.0 98.2
 Zähler: 16 21 3 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 642 (38), 542 (35), 516 (11)
 beste Teiler 29.1 (5.) 37.2 (29.) 47.8 (33.)
 Trefferlage 0.42 mm rechts, 0.29 mm tief
 Streuwert 2.23, horizontal: 2.49, vertikal: 1.93




Serie 1:
 9.3 ↘ 10.4 * 9.6 ↘ 10.1 ↗ 10.8 *
 9.8 ↗ 10.1 → 9.7 ↘ 10.2 * 9.1 ←
 beste Teiler 29.1 (5.) 148.0 (2.) 178.5 (9.)
 Trefferlage 0.39 mm rechts, 0.18 mm tief
 Streuwert 2.11, horizontal: 2.34, vertikal: 1.86



Serie 2:
 8.9 ↘ 9.9 ↓ 10.3 * 9.7 ← 9.0 ←
 10.4 * 10.5 * 9.8 ↙ 9.9 ← 9.1 ↘
 beste Teiler 125.2 (17.) 141.4 (16.) 162.6 (13.)
 Trefferlage 1.44 mm links, 0.68 mm tief
 Streuwert 2.18, horizontal: 2.30, vertikal: 2.05



Serie 3:
 9.3 → 10.6 * 9.6 ↘ 9.9 → 9.4 ↑
 9.3 ↗ 10.2 * 10.5 * 10.8 * 9.4 ↓
 beste Teiler 37.2 (29.) 86.4 (22.) 111.1 (28.)
 Trefferlage 1.60 mm rechts, 0.17 mm hoch
 Streuwert 1.89, horizontal: 1.49, vertikal: 2.21





Serie 4:
 9.6 ← 10.6 * 10.8 * 9.6 ↘ 8.8 ↗
 10.4 * 10.3 * 8.4 → 9.9 ↘ 9.8 ↘
 beste Teiler 47.8 (33.) 89.1 (32.) 139.2 (36.)
 Trefferlage 1.14 mm rechts, 0.46 mm tief
 Streuwert 2.35, horizontal: 2.82, vertikal: 1.77


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **387.6** (369)
 Serien: 98.7 94.0 98.1 96.8
 Zähler: 14 21 5 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 743 (25), 555 (1), 537 (31)
 beste Teiler 63.0 (30.) 78.5 (33.) 98.3 (38.)
 Trefferlage 0.44 mm rechts, 0.32 mm hoch
 Streuwert 2.48, horizontal: 2.63, vertikal: 2.32




Serie 1:
 8.7 ↘ 10.4 * 10.2 * 10.3 * 9.7 ↘
 10.3 * 10.3 * 9.2 → 10.2 * 9.4 →
 beste Teiler 147.0 (2.) 163.5 (6.) 165.4 (4.)
 Trefferlage 1.65 mm rechts, 0.61 mm tief
 Streuwert 1.86, horizontal: 1.91, vertikal: 1.82



Serie 2:
 9.2 ↗ 9.3 → 10.0 ↘ 9.3 → 10.1 ↓
 8.8 ↑ 9.5 ↑ 9.4 ↑ 9.4 ↘ 9.0 ↓
 beste Teiler 213.9 (15.) 238.4 (13.) 372.3 (17.)
 Trefferlage 1.96 mm rechts, 0.54 mm hoch
 Streuwert 2.56, horizontal: 1.57, vertikal: 3.26



Serie 3:
 9.4 ↘ 10.3 * 9.8 ↘ 9.9 ↖ 8.0 ↖
 10.5 * 10.2 * 9.9 ↓ 9.4 ← 10.7 *
 beste Teiler 63.0 (30.) 106.1 (26.) 164.4 (22.)
 Trefferlage 0.11 mm links, 0.34 mm tief
 Streuwert 2.53, horizontal: 3.14, vertikal: 1.73





Serie 4:
 8.8 ↖ 9.6 ← 10.6 * 9.4 ← 9.9 ←
 8.9 ↖ 9.8 ↖ 10.6 * 9.9 ↖ 9.3 ↗
 beste Teiler 78.5 (33.) 98.3 (38.) 257.8 (39.)
 Trefferlage 1.71 mm links, 1.72 mm hoch
 Streuwert 1.87, horizontal: 2.08, vertikal: 1.64


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **380.4** (365)
 Serien: 96.1 96.6 87.5 100.2
 Zähler: 17 16 2 5 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 962 (23), 919 (28), 904 (27)
 beste Teiler 39.0 (36.) 58.8 (38.) 96.0 (34.)
 Trefferlage 0.09 mm rechts, 0.81 mm hoch
 Streuwert 3.06, horizontal: 3.83, vertikal: 2.02




Serie 1:
 7.7 ↗ 8.2 → 9.9 ↘ 10.1 ↘ 9.8 ↖
 9.8 ↙ 10.0 ← 10.2 * 10.2 * 10.2 *
 beste Teiler 178.7 (9.) 198.4 (10.) 199.6 (8.)
 Trefferlage 0.45 mm rechts, 0.21 mm hoch
 Streuwert 2.94, horizontal: 3.65, vertikal: 2.00



Serie 2:
 10.3 * 9.1 ↘ 9.2 ↘ 10.0 ↓ 9.0 ↖
 9.6 → 9.1 ↙ 10.6 * 10.3 * 9.4 ↗
 beste Teiler 99.7 (18.) 158.3 (11.) 161.8 (19.)
 Trefferlage 0.09 mm rechts, 0.30 mm tief
 Streuwert 2.63, horizontal: 2.87, vertikal: 2.36



Serie 3:
 10.1 ← 9.7 → 7.1 ← 9.4 ↗ 9.5 ↖
 7.5 → 7.3 ↘ 7.3 → 9.2 ↑ 10.4 *
 beste Teiler 139.7 (30.) 223.1 (21.) 316.5 (22.)
 Trefferlage 0.21 mm links, 2.20 mm hoch
 Streuwert 4.41, horizontal: 6.00, vertikal: 1.71





Serie 4:
 10.2 * 9.7 ↖ 9.5 ↖ 10.6 * 10.3 *
 10.8 * 10.1 → 10.7 * 9.4 ↘ 8.9 ↗
 beste Teiler 39.0 (36.) 58.8 (38.) 96.0 (34.)
 Trefferlage 0.04 mm rechts, 1.13 mm hoch
 Streuwert 1.87, horizontal: 2.42, vertikal: 1.07


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **389.7** (374)
 Serien: 97.1 98.6 98.7 95.3
 Zähler: 20 15 4 1 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 801 (6), 725 (33), 654 (36)
 beste Teiler 74.2 (40.) 85.0 (19.) 111.1 (28.)
 Trefferlage 0.40 mm links, 0.45 mm hoch
 Streuwert 2.45, horizontal: 2.70, vertikal: 2.17




Serie 1:
 10.0 ↗ 10.4 * 9.2 ↙ 9.8 ↑ 9.7 ↗
 7.7 ← 10.1 ↘ 10.1 ↑ 9.7 ↘ 10.4 *
 beste Teiler 133.0 (10.) 145.6 (2.) 215.1 (8.)
 Trefferlage 0.70 mm links, 1.03 mm hoch
 Streuwert 2.52, horizontal: 3.14, vertikal: 1.67



Serie 2:
 10.3 * 9.1 ↙ 10.0 ↘ 8.9 ↙ 10.1 ↑
 10.4 * 9.3 ↙ 9.8 ↙ 10.6 * 10.1 ↑
 beste Teiler 85.0 (19.) 134.4 (16.) 152.8 (11.)
 Trefferlage 1.38 mm links, 0.69 mm tief
 Streuwert 1.98, horizontal: 1.94, vertikal: 2.03



Serie 3:
 10.4 * 10.0 ↙ 10.1 ↘ 9.4 ↘ 9.3 →
 9.4 ↗ 10.4 * 10.5 * 9.6 ← 9.6 ↗
 beste Teiler 111.1 (28.) 134.2 (21.) 139.3 (27.)
 Trefferlage 0.05 mm links, 0.86 mm hoch
 Streuwert 2.08, horizontal: 2.41, vertikal: 1.69





Serie 4:
 10.2 * 9.0 ↗ 8.1 ↙ 10.5 * 8.8 →
 8.3 ↑ 9.7 ↘ 10.1 ↗ 9.9 ↙ 10.7 *
 beste Teiler 74.2 (40.) 122.0 (34.) 181.5 (31.)
 Trefferlage 0.50 mm rechts, 0.63 mm hoch
 Streuwert 3.04, horizontal: 3.16, vertikal: 2.93


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **363.3** (344)
 Serien: 86.0 90.3 91.2 95.8
 Zähler: 12 12 7 6 3 0 0 0 0 0
 Innenzehner: 10
 weiteste: 1231 (29), 1076 (28), 1002 (8)
 beste Teiler 17.8 (33.) 72.2 (24.) 79.2 (23.)
 Trefferlage 0.74 mm rechts, 0.94 mm hoch
 Streuwert 3.94, horizontal: 4.94, vertikal: 2.56




Serie 1:
 8.9 → 7.2 ↘ 9.9 ↘ 9.7 ↓ 7.6 ↗
 8.4 ↗ 8.0 ← 6.9 → 10.0 ↓ 9.4 ←
 beste Teiler 230.9 (9.) 273.5 (3.) 308.7 (4.)
 Trefferlage 0.95 mm rechts, 1.09 mm hoch
 Streuwert 4.68, horizontal: 5.91, vertikal: 2.98



Serie 2:
 8.8 → 10.6 * 9.6 ↑ 9.8 ↑ 7.8 ↗
 9.3 ↗ 8.5 ↘ 9.3 → 7.1 → 9.5 →
 beste Teiler 79.7 (12.) 288.8 (14.) 341.2 (13.)
 Trefferlage 3.28 mm rechts, 1.81 mm hoch
 Streuwert 2.86, horizontal: 2.82, vertikal: 2.91



Serie 3:
 10.3 * 10.5 * 10.6 * 10.7 * 8.9 ↘
 7.5 → 10.3 * 6.6 ← 6.0 → 9.8 ↘
 beste Teiler 72.2 (24.) 79.2 (23.) 113.0 (22.)
 Trefferlage 0.49 mm rechts, 0.08 mm tief
 Streuwert 4.61, horizontal: 6.17, vertikal: 2.11





Serie 4:
 9.6 ↑ 10.2 * 10.9 * 10.0 ↑ 9.1 ←
 10.4 * 9.6 → 8.4 ← 10.2 * 7.4 ↘
 beste Teiler 17.8 (33.) 146.0 (36.) 183.5 (39.)
 Trefferlage 1.73 mm links, 0.93 mm hoch
 Streuwert 2.78, horizontal: 3.30, vertikal: 2.13


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **383.0** (368)
 Serien: 97.5 94.8 93.9 96.8
 Zähler: 16 18 5 0 1 0 0 0 0 0
 Innenzehner: 13
 weiteste: 1212 (21), 649 (39), 635 (11)
 beste Teiler 88.1 (38.) 117.6 (24.) 121.0 (37.)
 Trefferlage 0.40 mm rechts, 0.97 mm tief
 Streuwert 2.80, horizontal: 3.38, vertikal: 2.06




Serie 1:
 9.7 ↙ 9.9 ↘ 9.7 ← 10.3 * 10.0 ↘
 10.1 → 9.9 ↙ 8.5 ↙ 10.4 * 9.0 ←
 beste Teiler 143.2 (9.) 155.6 (4.) 216.0 (6.)
 Trefferlage 1.44 mm links, 0.56 mm tief
 Streuwert 2.21, horizontal: 2.77, vertikal: 1.44



Serie 2:
 8.4 → 10.0 ↑ 9.0 ↘ 9.3 ← 9.4 ↘
 10.2 * 8.5 ↘ 9.2 ↘ 10.5 * 10.3 *
 beste Teiler 123.0 (19.) 154.7 (20.) 178.4 (16.)
 Trefferlage 1.29 mm rechts, 0.19 mm tief
 Streuwert 2.85, horizontal: 3.18, vertikal: 2.46



Serie 3:
 6.1 → 9.4 ↘ 10.4 * 10.5 * 8.6 ↓
 9.2 ↘ 10.2 * 9.1 → 10.2 * 10.2 *
 beste Teiler 117.6 (24.) 131.1 (23.) 179.1 (27.)
 Trefferlage 1.83 mm rechts, 1.20 mm tief
 Streuwert 3.35, horizontal: 4.16, vertikal: 2.29





Serie 4:
 9.1 ← 9.9 ← 9.8 ↘ 9.4 ↙ 10.3 *
 9.1 → 10.5 * 10.6 * 8.4 ↓ 9.7 →
 beste Teiler 88.1 (38.) 121.0 (37.) 156.8 (35.)
 Trefferlage 0.05 mm links, 1.92 mm tief
 Streuwert 2.28, horizontal: 2.71, vertikal: 1.75


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **393.2** (377)
 Serien: 93.6 100.1 99.0 100.5
 Zähler: 20 17 3 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 680 (8), 666 (2), 663 (25)
 beste Teiler 42.0 (34.) 53.1 (26.) 75.3 (20.)
 Trefferlage 0.01 mm rechts, 0.53 mm hoch
 Streuwert 2.28, horizontal: 2.17, vertikal: 2.39




Serie 1:
 10.2 * 8.3 ↙ 9.3 → 9.7 ↓ 9.2 →
 9.1 ↗ 9.9 ↖ 8.2 ↖ 9.6 ↓ 10.1 ↑
 beste Teiler 197.9 (1.) 208.2 (10.) 259.9 (7.)
 Trefferlage 0.45 mm links, 0.18 mm tief
 Streuwert 3.20, horizontal: 3.34, vertikal: 3.05



Serie 2:
 10.5 * 10.4 * 9.7 ↓ 10.0 ↖ 9.2 ↘
 9.3 ↗ 10.2 * 9.8 ↖ 10.3 * 10.7 *
 beste Teiler 75.3 (20.) 116.0 (11.) 142.4 (12.)
 Trefferlage 0.23 mm links, 0.09 mm hoch
 Streuwert 1.97, horizontal: 1.84, vertikal: 2.10



Serie 3:
 10.2 * 10.3 * 9.1 → 10.5 * 8.3 ↗
 10.7 * 10.6 * 9.5 ↑ 10.1 ↑ 9.7 ↑
 beste Teiler 53.1 (26.) 98.0 (27.) 115.1 (24.)
 Trefferlage 0.46 mm rechts, 1.52 mm hoch
 Streuwert 2.07, horizontal: 1.77, vertikal: 2.32



Serie 4:
 9.8 ↘ 9.8 ↗ 10.2 * 10.8 * 9.6 ↗
 10.0 ↘ 10.0 ↗ 9.8 ↑ 10.3 * 10.2 *
 beste Teiler 42.0 (34.) 168.8 (39.) 176.5 (40.)
 Trefferlage 0.27 mm rechts, 0.69 mm hoch
 Streuwert 1.69, horizontal: 1.43, vertikal: 1.91

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **402.1** (385)

Serien: 98.8 101.8 99.6 101.9

Zähler: 26 13 1 0 0 0 0 0 0 0



Innenzehner: 18

weiteste: 551 (23), 462 (9), 411 (29)

beste Teiler 45.7 (33.) 65.0 (22.) 77.1 (15.)

Trefferlage 0.34 mm rechts, 0.20 mm hoch

Streuwert 1.79, horizontal: 1.92, vertikal: 1.65




Serie 1:

9.8 ↗	9.3 ↘	9.8 ↘	10.5 *	9.4 ↗
10.0 →	10.4 *	10.1 ↙	9.1 →	10.4 *

beste Teiler 111.9 (4.) 132.2 (10.) 144.9 (7.)

Trefferlage 1.42 mm rechts, 0.08 mm tief

Streuwert 1.88, horizontal: 2.14, vertikal: 1.57




Serie 2:

9.5 ↗	10.1 ↑	10.5 *	10.4 *	10.6 *
10.0 ↘	10.3 *	10.5 *	10.0 ↘	9.9 ↘

beste Teiler 77.1 (15.) 115.4 (13.) 121.1 (18.)

Trefferlage 0.08 mm links, 0.01 mm tief

Streuwert 1.55, horizontal: 1.23, vertikal: 1.82




Serie 3:

9.6 ↗	10.7 *	8.7 →	10.4 *	9.5 ↗
10.4 *	10.4 *	10.6 *	9.3 ↗	10.0 ↗

beste Teiler 65.0 (22.) 78.4 (28.) 137.7 (27.)

Trefferlage 0.97 mm rechts, 0.71 mm hoch

Streuwert 1.96, horizontal: 2.08, vertikal: 1.84



Serie 4:

10.4 *	10.0 ↘	10.8 *	10.5 *	10.2 *
10.0 ↑	9.9 ←	9.8 ↘	9.7 ←	10.6 *

beste Teiler 45.7 (33.) 84.9 (40.) 121.9 (34.)



Trefferlage 0.92 mm links, 0.20 mm hoch

Streuwert 1.42, horizontal: 1.36, vertikal: 1.47


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **393.1** (376)
 Serien: 100.2 96.1 100.4 96.4
 Zähler: 19 18 3 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 617 (40), 569 (18), 522 (32)
 beste Teiler 55.3 (25.) 68.6 (20.) 84.7 (9.)
 Trefferlage 0.38 mm links, 0.13 mm hoch
 Streuwert 2.19, horizontal: 2.27, vertikal: 2.11




Serie 1:
 9.3 ↖ 9.7 ↑ 10.1 ← 10.2 * 10.0 ↘
 9.7 ↘ 10.2 * 10.0 ↘ 10.6 * 10.4 *
 beste Teiler 84.7 (9.) 139.6 (10.) 178.1 (7.)
 Trefferlage 0.66 mm links, 0.00 mm
 Streuwert 1.77, horizontal: 1.60, vertikal: 1.93



Serie 2:
 9.5 → 9.4 ↖ 9.5 ↗ 9.9 ↘ 9.7 ↘
 9.4 ↓ 10.1 → 8.7 ↖ 9.2 ↖ 10.7 *
 beste Teiler 68.6 (20.) 207.2 (17.) 267.9 (14.)
 Trefferlage 0.36 mm links, 0.85 mm hoch
 Streuwert 2.58, horizontal: 2.84, vertikal: 2.28





Serie 3:
 10.3 * 10.3 * 9.9 ↗ 10.0 → 10.7 *
 9.3 ↙ 9.3 ↖ 10.0 ↖ 10.5 * 10.1 ←
 beste Teiler 55.3 (25.) 116.9 (29.) 171.4 (22.)
 Trefferlage 0.27 mm links, 0.17 mm tief
 Streuwert 1.90, horizontal: 2.01, vertikal: 1.78




Serie 4:
 9.9 ↖ 8.9 → 9.8 ↖ 10.3 * 10.1 ←
 9.8 ↙ 10.0 ↑ 9.5 ↙ 9.6 ↑ 8.5 ↘
 beste Teiler 163.3 (34.) 224.0 (35.) 230.3 (37.)
 Trefferlage 0.24 mm links, 0.10 mm tief
 Streuwert 2.64, horizontal: 2.74, vertikal: 2.55

Unterschrift des Schützen


Ergebnis: **386.8** (368)
 Serien: 96.0 96.6 98.9 95.3
 Zähler: 15 19 5 1 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 818 (15), 706 (7), 633 (35)
 beste Teiler 59.0 (6.) 71.4 (8.) 129.0 (20.)
 Trefferlage 0.61 mm rechts, 0.36 mm hoch
 Streuwert 2.53, horizontal: 2.81, vertikal: 2.21




Serie 1:
 9.8 ↘ 9.5 ← 9.8 ↗ 9.3 ← 8.8 ↓
 10.7 * 8.1 → 10.7 * 9.5 ↗ 9.8 ↑
 beste Teiler 59.0 (6.) 71.4 (8.) 276.1 (10.)
 Trefferlage 0.04 mm rechts, 0.23 mm hoch
 Streuwert 2.87, horizontal: 3.21, vertikal: 2.48



Serie 2:
 9.8 ↓ 10.1 ↘ 9.0 → 9.9 ↗ 7.7 →
 9.7 ↓ 10.4 * 10.1 ↘ 9.5 ← 10.4 *
 beste Teiler 129.0 (20.) 149.7 (17.) 215.2 (18.)
 Trefferlage 1.06 mm rechts, 0.06 mm tief
 Streuwert 2.70, horizontal: 3.23, vertikal: 2.04



Serie 3:
 10.3 * 9.5 → 10.3 * 10.0 ↗ 10.2 *
 10.0 ↘ 10.4 * 9.2 ↙ 10.2 * 8.8 ↑
 beste Teiler 145.3 (27.) 166.5 (21.) 172.2 (23.)
 Trefferlage 0.09 mm rechts, 0.57 mm hoch
 Streuwert 2.17, horizontal: 1.92, vertikal: 2.39





Serie 4:
 9.5 ↗ 10.2 * 9.7 ← 9.8 ↗ 8.4 →
 8.8 → 10.2 * 9.7 ↓ 9.5 ↑ 9.5 →
 beste Teiler 178.2 (37.) 193.1 (32.) 281.1 (34.)
 Trefferlage 1.24 mm rechts, 0.69 mm hoch
 Streuwert 2.59, horizontal: 2.92, vertikal: 2.20


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **200.7** (193)
 Serien: 101.1 99.6
 Zähler: 13 7 0 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 417 (17), 389 (2), 375 (11)
 beste Teiler 85.2 (12.) 88.1 (4.) 113.7 (10.)
 Trefferlage 0.08 mm links, 0.27 mm hoch
 Streuwert 1.83, horizontal: 2.17, vertikal: 1.39





Serie 1:
 10.4 * 9.4 ↗ 10.1 ← 10.6 * 10.1 ←
 10.0 ↘ 9.9 → 9.9 ↖ 10.2 * 10.5 *
 beste Teiler 88.1 (4.) 113.7 (10.) 135.1 (1.)
 Trefferlage 0.08 mm links, 0.24 mm hoch
 Streuwert 1.70, horizontal: 2.06, vertikal: 1.23




Serie 2:
 9.5 → 10.6 * 10.1 ↖ 10.4 * 10.4 *
 9.5 ↑ 9.3 → 9.6 ↖ 10.2 * 10.0 ↖
 beste Teiler 85.2 (12.) 141.6 (14.) 145.8 (15.)
 Trefferlage 0.08 mm links, 0.29 mm hoch
 Streuwert 2.04, horizontal: 2.39, vertikal: 1.61

Unterschrift des Schützen

Ergebnis: **194.2** (183)
 Serien: 96.2 98.0
 Zähler: 7 9 4 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 660 (8), 564 (5), 559 (13)
 beste Teiler 61.9 (4.) 62.7 (12.) 83.2 (19.)
 Trefferlage 0.21 mm rechts, 0.72 mm tief
 Streuwert 2.49, horizontal: 2.35, vertikal: 2.62





Serie 1:
 10.4 * 9.9 ↙ 9.7 ↘ 10.7 * 8.7 ↓
 10.0 ↖ 9.4 ↙ 8.3 ↘ 9.5 ↓ 9.6 ↓
 beste Teiler 61.9 (4.) 137.7 (1.) 237.1 (6.)
 Trefferlage 0.34 mm links, 2.05 mm tief
 Streuwert 2.31, horizontal: 2.51, vertikal: 2.10




Serie 2:
 9.9 → 10.7 * 8.7 ↘ 9.5 ↘ 8.9 ↑
 9.8 ↗ 10.1 ↖ 9.7 ↖ 10.6 * 10.1 ↘
 beste Teiler 62.7 (12.) 83.2 (19.) 224.3 (17.)
 Trefferlage 0.77 mm rechts, 0.59 mm hoch
 Streuwert 2.33, horizontal: 2.17, vertikal: 2.47

Unterschrift des Schützen

Ergebnis: **190.8** (181)
 Serien: 91.7 99.1
 Zähler: 9 5 4 2 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 816 (8), 801 (9), 537 (3)
 beste Teiler 63.6 (14.) 74.7 (13.) 136.1 (20.)
 Trefferlage 0.61 mm links, 0.60 mm tief
 Streuwert 2.94, horizontal: 3.00, vertikal: 2.88





Serie 1:
 8.9 ↙ 9.1 ← 8.8 → 10.4 * 10.0 ↘
 9.2 ↑ 10.2 * 7.7 ↓ 7.7 ↙ 9.7 ↘
 beste Teiler 136.3 (4.) 195.0 (7.) 237.7 (5.)
 Trefferlage 1.12 mm links, 1.61 mm tief
 Streuwert 3.40, horizontal: 3.58, vertikal: 3.21




Serie 2:
 9.1 ↗ 9.8 ↘ 10.7 * 10.7 * 10.3 *
 8.9 ← 8.8 ↖ 10.1 → 10.3 * 10.4 *
 beste Teiler 63.6 (14.) 74.7 (13.) 136.1 (20.)
 Trefferlage 0.09 mm links, 0.39 mm hoch
 Streuwert 2.30, horizontal: 2.37, vertikal: 2.22

Unterschrift des Schützen

Ergebnis: **182.5** (175)
 Serien: 93.4 89.1
 Zähler: 7 3 8 2 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 904 (15), 890 (20), 707 (4)
 beste Teiler 135.3 (5.) 136.3 (12.) 160.0 (1.)
 Trefferlage 1.84 mm links, 0.81 mm hoch
 Streuwert 3.46, horizontal: 3.76, vertikal: 3.13





Serie 1:
 10.3 * 8.6 ← 9.1 → 8.1 ← 10.4 *
 8.3 ← 10.0 ↗ 10.1 → 10.3 * 8.2 ↖
 beste Teiler 135.3 (5.) 160.0 (1.) 160.3 (9.)
 Trefferlage 1.58 mm links, 0.41 mm hoch
 Streuwert 3.25, horizontal: 4.30, vertikal: 1.62




Serie 2:
 9.6 ↘ 10.4 * 8.8 ↓ 8.4 ↖ 7.3 ↗
 9.5 ↘ 8.8 ↖ 8.9 ↗ 10.0 ↖ 7.4 ↖
 beste Teiler 136.3 (12.) 228.5 (19.) 350.9 (11.)
 Trefferlage 2.10 mm links, 1.21 mm hoch
 Streuwert 3.81, horizontal: 3.36, vertikal: 4.21

Unterschrift des Schützen

Ergebnis: **197.9** (188)
 Serien: 101.9 96.0
 Zähler: 11 7 1 1 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 757 (20), 507 (17), 487 (16)
 beste Teiler 55.0 (3.) 69.0 (12.) 82.7 (4.)
 Trefferlage 1.33 mm links, 0.07 mm tief
 Streuwert 2.11, horizontal: 2.65, vertikal: 1.36





Serie 1:
 10.2 * 10.2 * 10.7 * 10.6 * 10.6 *
 9.7 ↘ 10.2 * 9.9 ← 9.5 ← 10.3 *
 beste Teiler 55.0 (3.) 82.7 (4.) 98.0 (5.)
 Trefferlage 0.41 mm links, 0.54 mm tief
 Streuwert 1.53, horizontal: 1.92, vertikal: 1.00




Serie 2:
 9.3 ← 10.7 * 10.4 * 10.0 ↓ 9.9 ↑
 9.0 ← 8.9 ← 9.4 ← 10.5 * 7.9 ←
 beste Teiler 69.0 (12.) 110.2 (19.) 135.7 (13.)
 Trefferlage 2.25 mm links, 0.39 mm hoch
 Streuwert 2.42, horizontal: 3.04, vertikal: 1.56

Unterschrift des Schützen

Ergebnis: **192.2** (184)
 Serien: 97.1 95.1
 Zähler: 7 11 1 1 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 764 (17), 532 (6), 500 (15)
 beste Teiler 54.1 (7.) 168.0 (12.) 192.5 (4.)
 Trefferlage 0.43 mm rechts, 0.88 mm hoch
 Streuwert 2.60, horizontal: 3.01, vertikal: 2.12





Serie 1:
 9.2 ← 9.8 ↘ 10.0 ↘ 10.2 * 10.0 ↖
 8.8 ↑ 10.7 * 9.4 ↑ 9.7 → 9.3 ↗
 beste Teiler 54.1 (7.) 192.5 (4.) 242.0 (3.)
 Trefferlage 0.41 mm links, 1.32 mm hoch
 Streuwert 2.30, horizontal: 2.46, vertikal: 2.13




Serie 2:
 10.1 ← 10.3 * 10.1 ↘ 9.0 ↑ 9.0 →
 9.9 ↓ 7.9 → 9.9 ↗ 9.2 ↖ 9.7 →
 beste Teiler 168.0 (12.) 208.0 (13.) 222.2 (11.)
 Trefferlage 1.27 mm rechts, 0.44 mm hoch
 Streuwert 2.83, horizontal: 3.39, vertikal: 2.13

Unterschrift des Schützen

Ergebnis: **191.9** (183)
 Serien: 95.2 96.7
 Zähler: 6 12 1 1 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 975 (14), 607 (18), 478 (4)
 beste Teiler 90.4 (16.) 105.0 (12.) 157.2 (13.)
 Trefferlage 1.19 mm links, 0.99 mm hoch
 Streuwert 2.61, horizontal: 3.27, vertikal: 1.72





Serie 1:
 9.3 ↘ 9.6 ↖ 9.3 ↙ 9.0 ↖ 9.4 ↖
 9.9 ↗ 9.3 → 9.2 ← 9.9 ↗ 10.3 *
 beste Teiler 172.8 (10.) 255.5 (6.) 266.4 (9.)
 Trefferlage 0.63 mm links, 1.88 mm hoch
 Streuwert 2.34, horizontal: 2.92, vertikal: 1.55




Serie 2:
 10.1 → 10.5 * 10.3 * 7.1 ↙ 9.9 ←
 10.6 * 9.8 ← 8.5 ← 9.7 ↘ 10.2 *
 beste Teiler 90.4 (16.) 105.0 (12.) 157.2 (13.)
 Trefferlage 1.75 mm links, 0.11 mm hoch
 Streuwert 2.78, horizontal: 3.66, vertikal: 1.45

Unterschrift des Schützen

Ergebnis: **155.2** (150)
 Serien: 78.8 76.4
 Zähler: 2 6 1 6 2 2 1 0 0 0
 Innenzehner: 1
 weiteste: 1568 (14), 1457 (4), 1350 (11)
 beste Teiler 164.4 (9.) 204.4 (6.) 380.7 (18.)
 Trefferlage 0.97 mm rechts, 0.07 mm tief
 Streuwert 6.44, horizontal: 8.79, vertikal: 2.37





Serie 1:
 7.2 ↙ 7.0 → 8.3 → 5.1 ↘ 9.0 ←
 10.1 ↗ 7.0 → 7.5 ← 10.3 * 7.3 ↘
 beste Teiler 164.4 (9.) 204.4 (6.) 493.8 (5.)
 Trefferlage 2.70 mm rechts, 0.88 mm tief
 Streuwert 6.00, horizontal: 8.07, vertikal: 2.63




Serie 2:
 5.6 ↙ 9.0 ← 7.0 → 4.7 ← 9.2 ↘
 6.7 ← 9.1 → 9.4 ↘ 9.3 → 6.4 →
 beste Teiler 380.7 (18.) 401.7 (19.) 430.8 (15.)
 Trefferlage 0.75 mm links, 0.73 mm hoch
 Streuwert 6.89, horizontal: 9.56, vertikal: 1.86

Unterschrift des Schützen

Ergebnis: **202.0** (191)
 Serien: 103.6 98.4
 Zähler: 12 7 1 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 598 (13), 393 (11), 338 (20)
 beste Teiler 21.0 (2.) 62.6 (6.) 72.0 (15.)
 Trefferlage 0.57 mm links, 0.42 mm hoch
 Streuwert 1.75, horizontal: 2.10, vertikal: 1.30





Serie 1:
 9.9 ↘ 10.9 * 10.5 * 9.7 → 10.4 *
 10.7 * 10.4 * 10.1 ↑ 10.4 * 10.6 *
 beste Teiler 21.0 (2.) 62.6 (6.) 78.2 (10.)
 Trefferlage 0.33 mm links, 0.41 mm hoch
 Streuwert 1.21, horizontal: 1.36, vertikal: 1.05




Serie 2:
 9.4 → 10.3 * 8.6 ← 9.8 ↑ 10.7 *
 9.9 ↘ 10.1 ↘ 10.2 * 9.8 → 9.6 ↙
 beste Teiler 72.0 (15.) 157.0 (12.) 192.5 (18.)
 Trefferlage 0.80 mm links, 0.43 mm hoch
 Streuwert 2.21, horizontal: 2.71, vertikal: 1.57

Unterschrift des Schützen

Ergebnis: **203.4** (194)
 Serien: 102.4 101.0
 Zähler: 14 6 0 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 410 (12), 391 (1), 350 (14)
 beste Teiler 68.0 (8.) 70.5 (20.) 80.6 (3.)
 Trefferlage 0.50 mm links, 0.83 mm tief
 Streuwert 1.46, horizontal: 1.84, vertikal: 0.95





Serie 1:
 9.4 ← 10.4 * 10.6 * 10.6 * 10.4 *
 10.1 ↙ 10.3 * 10.7 * 9.7 ← 10.2 *
 beste Teiler 68.0 (8.) 80.6 (3.) 94.6 (4.)
 Trefferlage 0.91 mm links, 1.05 mm tief
 Streuwert 1.10, horizontal: 1.45, vertikal: 0.55




Serie 2:
 10.5 * 9.3 ↘ 10.4 * 9.6 → 10.1 ←
 9.9 ← 9.6 → 10.5 * 10.4 * 10.7 *
 beste Teiler 70.5 (20.) 108.1 (11.) 124.2 (18.)
 Trefferlage 0.08 mm links, 0.61 mm tief
 Streuwert 1.75, horizontal: 2.16, vertikal: 1.22

Unterschrift des Schützen

Ergebnis: **172** (179.5)
 Serien: 87 85
 Zähler: 4 7 7 1 1 0 0 0 0 0
 Innenzehner: 1
 weiteste: 3632 (18), 2560 (3), 2385 (17)
 beste Teiler 293.8 (5.) 631.6 (16.) 732.1 (6.)
 Trefferlage 0.21 mm rechts, 12.41 mm tief
 Streuwert 9.14, horizontal: 9.73, vertikal: 8.49



Serie 1:
 9.8 ↘ 8.8 ↓ 7.8 ↙ 9.4 → 10.6 *
 10.0 ← 8.4 ↓ 9.5 ↓ 9.3 ← 8.0 ↙
 beste Teiler 293.8 (5.) 732.1 (6.) 959.5 (1.)
 Trefferlage 3.46 mm links, 10.00 mm tief
 Streuwert 8.82, horizontal: 9.26, vertikal: 8.37



Serie 2:
 9.6 ↓ 9.0 ↙ 9.1 → 8.4 ↓ 10.0 ↙
 10.2 ↙ 8.0 ↓ 6.4 ↘ 8.8 ↘ 8.4 ↓
 beste Teiler 631.6 (16.) 771.7 (15.) 1048.4 (11.)
 Trefferlage 3.89 mm rechts, 14.81 mm tief
 Streuwert 8.77, horizontal: 9.18, vertikal: 8.33

Unterschrift des Schützen