




Ergebnis:	523						(550.5)
Serien:	87	90	90	87	86	83	
Zähler:	12	24	19	5	0	0	0
Innenzehner:	7						
weiteste:	2700 (42), 2582 (34), 2580 (14)						
beste Teiler	129.0 (32.) 132.6 (39.) 179.9 (46.)						
Trefferlage	4.18 mm rechts, 2.08 mm hoch						
Streuwert	10.85, horizontal: 10.67, vertikal: 11.04						




Serie 1:

10.1 →	8.0 ↗	9.5 ↓	8.3 ↓	8.6 →
9.8 ↗	9.7 ↘	9.4 ↑	9.8 ↑	8.6 ↑
beste Teiler	716.8 (1.) 905.5 (6.) 930.5 (9.)			
Trefferlage	4.60 mm rechts, 4.74 mm hoch			
Streuwert	10.32, horizontal: 8.02, vertikal: 12.19			




Serie 2:

9.7 →	10.1 ↓	9.3 ↘	7.7 ↗	9.3 ↗
9.7 ↖	9.9 ↓	9.7 ↘	10.4 *	9.3 ↑
beste Teiler	404.0 (19.) 714.2 (12.) 869.8 (17.)			
Trefferlage	2.59 mm rechts, 0.60 mm hoch			
Streuwert	9.30, horizontal: 8.32, vertikal: 10.19			




Serie 3:

10.5 *	9.2 ↖	8.9 →	8.4 ↘	10.5 *
8.1 ↓	10.5 *	9.7 ↑	9.2 ↓	9.1 →
beste Teiler	357.4 (25.) 366.0 (21.) 377.1 (27.)			
Trefferlage	5.90 mm rechts, 2.01 mm tief			
Streuwert	9.33, horizontal: 8.59, vertikal: 10.01			




Serie 4:

8.0 →	10.8 *	8.2 ↓	7.7 ↖	9.6 ↗
8.5 ↖	10.3 ↗	8.7 ↘	10.8 *	9.3 ←
beste Teiler	129.0 (32.) 132.6 (39.) 507.9 (37.)			
Trefferlage	2.50 mm links, 1.71 mm tief			
Streuwert	12.11, horizontal: 13.17, vertikal: 10.95			




Serie 5:

8.1 ↑	7.6 ↗	9.5 ↖	8.3 →	10.2 ←
10.7 *	8.0 ↘	8.5 ↑	10.2 →	8.1 →
beste Teiler	179.9 (46.) 581.7 (45.) 625.2 (49.)			
Trefferlage	4.38 mm rechts, 9.90 mm hoch			
Streuwert	11.01, horizontal: 11.29, vertikal: 10.72			



Serie 6:

9.6 ↘	9.4 ↖	8.4 ↘	9.7 →	8.1 →
7.9 →	8.8 →	7.8 ↘	9.2 ↗	9.5 →
beste Teiler	1016.0 (54.) 1113.3 (51.) 1193.9 (60.)			
Trefferlage	10.14 mm rechts, 0.99 mm hoch			
Streuwert	10.92, horizontal: 11.92, vertikal: 9.82			



LP 60 – Wertung – **Junioren**

StandNr: 101

Lackner,, Thomas #70420073

StartNr: 1



3. Februar 2019 16:26

SG_Söller_Sportschützen

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	540	(570.4)				
Serien:	90	86	87	93	91	93
Zähler:	17	32	6	4	1	0 0 0 0 0
Innenzehner:	8					
weiteste:	3369 (20), 2945 (1), 2651 (16)					
beste Teiler	104.7 (13.) 299.5 (31.) 338.6 (59.)					
Trefferlage	0.96 mm links, 2.51 mm hoch					
Streuwert	9.28, horizontal: 9.49, vertikal: 9.07					




Serie 1:

7.3 ←	9.3 ↘	8.3 ↑	10.0 ↓	9.8 ↗
9.8 ↘	10.0 ↘	10.2 ↗	9.0 ←	9.9 ↗
beste Teiler	620.1 (8.) 742.9 (7.) 768.8 (4.)			
Trefferlage	4.30 mm links, 4.40 mm hoch			
Streuwert	9.93, horizontal: 10.91, vertikal: 8.84			




Serie 2:

8.8 ←	10.1 ←	10.8 *	9.9 ↗	10.1 ↖
7.6 ↗	7.9 ↑	9.7 ↑	10.4 *	6.7 ↗
beste Teiler	104.7 (13.) 419.3 (19.) 657.1 (15.)			
Trefferlage	1.72 mm rechts, 8.87 mm hoch			
Streuwert	10.99, horizontal: 12.12, vertikal: 9.74			




Serie 3:

9.7 ←	7.8 ↑	9.9 ↑	8.8 ↖	9.7 ←
9.3 →	8.1 ←	10.4 *	9.7 ↗	9.6 ↘
beste Teiler	403.1 (28.) 830.0 (23.) 967.8 (25.)			
Trefferlage	4.79 mm links, 4.80 mm hoch			
Streuwert	9.51, horizontal: 10.27, vertikal: 8.68			




Serie 4:

10.6 *	10.1 →	9.5 ↖	9.8 ↑	9.6 ↑
9.5 ↗	10.4 *	8.7 →	10.4 *	9.1 ↗
beste Teiler	299.5 (31.) 430.8 (39.) 457.6 (37.)			
Trefferlage	1.73 mm rechts, 1.72 mm hoch			
Streuwert	7.73, horizontal: 8.01, vertikal: 7.43			



Serie 5:

9.8 ↓	9.7 ↓	9.6 ↗	10.4 *	8.7 ↘
9.0 ↓	9.7 ↗	9.4 →	10.3 →	9.6 ↗
beste Teiler	460.4 (44.) 511.6 (49.) 931.2 (41.)			
Trefferlage	2.37 mm rechts, 6.02 mm tief			
Streuwert	6.97, horizontal: 7.06, vertikal: 6.87			



Serie 6:

9.6 ↖	9.2 ↗	9.9 ↓	10.0 ↑	10.1 ←
9.6 ↖	9.9 →	9.7 ↗	10.5 *	9.4 ↖
beste Teiler	338.6 (59.) 642.7 (55.) 777.0 (54.)			
Trefferlage	2.54 mm links, 1.32 mm hoch			
Streuwert	6.92, horizontal: 6.71, vertikal: 7.13			

Meyton Elektronik

LP 60 – Wertung – **Männer**

StandNr: 102

Höllwarth,, David #70802020

StartNr: 2



3. Februar 2019 16:22

SG_Aschau


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	534	(561.1)				
Serien:	93	86	91	87	87	90
Zähler:	15	30	11	2	2	0 0 0 0 0
Innenzehner:	6					
weiteste:	3249 (20), 3237 (31), 3062 (41)					
beste Teiler	150.0 (17.) 267.3 (33.) 361.1 (3.)					
Trefferlage	4.08 mm rechts, 2.40 mm hoch					
Streuwert	9.87, horizontal: 11.24, vertikal: 8.28					




Serie 1:	9.6 ↑	10.2 ←	10.5 *	9.8 ↑	10.0 ←
	8.5 ↖	9.0 ↗	8.4 ↗	10.4 ↑	10.0 ↑
beste Teiler	361.1 (3.) 476.1 (9.) 639.4 (2.)				
Trefferlage	0.15 mm rechts, 5.46 mm hoch				
Streuwert	7.98, horizontal: 10.02, vertikal: 5.21				




Serie 2:	8.6 ↗	8.4 ←	9.1 ↓	9.1 ↗	9.5 ↑
	10.2 ↗	10.8 *	9.4 ↑	8.8 ↘	6.9 ←
beste Teiler	150.0 (17.) 634.8 (16.) 1163.3 (15.)				
Trefferlage	0.39 mm links, 3.01 mm hoch				
Streuwert	12.51, horizontal: 14.86, vertikal: 9.58				




Serie 3:	10.5 *	9.5 ←	10.5 *	9.1 →	9.7 ↖
	9.9 ↓	8.8 ↑	9.8 →	9.6 →	9.1 ↖
beste Teiler	371.3 (23.) 396.8 (21.) 816.3 (26.)				
Trefferlage	0.06 mm rechts, 3.31 mm hoch				
Streuwert	8.02, horizontal: 8.12, vertikal: 7.91				



Serie 4:	6.9 →	9.7 ↖	10.6 *	7.3 →	9.7 →
	9.1 ↗	9.4 ↘	9.3 ↘	9.9 ↓	10.3 →
beste Teiler	267.3 (33.) 552.4 (40.) 856.4 (39.)				
Trefferlage	9.59 mm rechts, 0.64 mm hoch				
Streuwert	10.17, horizontal: 12.40, vertikal: 7.27				



Serie 5:	7.1 ↗	9.5 ↖	8.6 →	9.4 ↘	8.0 →
	10.5 *	9.9 ↑	8.4 ↓	9.3 ↗	10.2 →
beste Teiler	395.3 (46.) 618.2 (50.) 813.6 (47.)				
Trefferlage	7.67 mm rechts, 1.13 mm hoch				
Streuwert	11.09, horizontal: 10.44, vertikal: 11.70				



Serie 6:	8.9 ↗	9.3 →	10.2 ↑	9.7 →	9.2 ↗
	10.0 ↘	9.1 ↘	9.5 ↖	8.7 →	9.7 →
beste Teiler	582.8 (53.) 732.2 (56.) 962.6 (60.)				
Trefferlage	7.38 mm rechts, 0.84 mm hoch				
Streuwert	7.73, horizontal: 7.76, vertikal: 7.69				

Meyton Elektronik

LP 60 – Wertung – **Frauen**

StandNr: 103

Blum,, Verena #70512017

StartNr: 3



3. Februar 2019 16:14

SG_See


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367** (387.3)
 Serien: 91 94 91 91
 Zähler: 13 21 6 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2014 (30), 1928 (12), 1789 (40)
 beste Teiler 97.3 (23.) 104.9 (2.) 254.1 (33.)
 Trefferlage 0.27 mm links, 0.42 mm tief
 Streuwert 8.05, horizontal: 8.45, vertikal: 7.62




Serie 1:
 8.9 ← 10.8 * 10.5 * 9.9 ↑ 10.2 ↘
 9.5 ↑ 8.8 → 9.8 ↗ 9.9 ↓ 9.7 ↑
 beste Teiler 104.9 (2.) 360.4 (3.) 583.0 (5.)
 Trefferlage 0.48 mm rechts, 1.56 mm hoch
 Streuwert 7.58, horizontal: 8.26, vertikal: 6.82



Serie 2:
 10.3 ↑ 8.5 ↘ 9.8 ↙ 10.6 * 9.7 ↗
 10.2 → 9.0 ← 10.0 ↖ 10.0 ↘ 9.3 ↘
 beste Teiler 284.0 (14.) 558.0 (11.) 604.2 (16.)
 Trefferlage 2.11 mm links, 0.83 mm tief
 Streuwert 7.88, horizontal: 8.33, vertikal: 7.40



Serie 3:
 9.2 ↓ 9.8 ↑ 10.8 * 9.8 ← 9.2 ←
 9.3 ↓ 10.1 ↘ 9.9 ↘ 9.3 ↘ 8.4 ←
 beste Teiler 97.3 (23.) 703.2 (27.) 874.8 (28.)
 Trefferlage 2.57 mm links, 4.20 mm tief
 Streuwert 8.21, horizontal: 9.13, vertikal: 7.17





Serie 4:
 9.7 → 9.5 ↘ 10.6 * 9.5 ↘ 9.4 ↘
 9.6 → 10.1 ↖ 8.7 ↗ 10.3 → 8.7 ↑
 beste Teiler 254.1 (33.) 532.7 (39.) 705.8 (37.)
 Trefferlage 3.12 mm rechts, 1.80 mm hoch
 Streuwert 8.31, horizontal: 8.10, vertikal: 8.53


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **326** (343.8)
 Serien: 71 88 82 85
 Zähler: 5 12 12 8 1 2 0 0 0 0
 Innenzehner: 2
 weiteste: 4130 (7), 4126 (4), 3897 (3)
 beste Teiler 83.2 (20.) 288.1 (31.) 512.6 (29.)
 Trefferlage 0.89 mm rechts, 0.99 mm hoch
 Streuwert 15.10, horizontal: 13.85, vertikal: 16.25




Serie 1:
 7.8 ↗ 7.8 ↘ 6.1 ↑ 5.8 ↗ 9.0 ←
 8.8 ↑ 5.8 ↙ 9.1 ↓ 7.0 ↑ 8.1 ←
 beste Teiler 1463.9 (8.) 1593.5 (5.) 1685.0 (6.)
 Trefferlage 1.73 mm links, 9.62 mm hoch
 Streuwert 20.46, horizontal: 19.84, vertikal: 21.07



Serie 2:
 8.6 ↘ 9.7 ↓ 9.1 ↘ 10.3 ↘ 7.2 ↑
 9.2 ↗ 8.8 → 9.1 ↖ 9.8 ↖ 10.8 *
 beste Teiler 83.2 (20.) 523.3 (14.) 898.0 (19.)
 Trefferlage 4.70 mm rechts, 1.78 mm hoch
 Streuwert 10.97, horizontal: 7.83, vertikal: 13.40



Serie 3:
 7.9 → 9.3 ↗ 7.6 ↓ 8.4 ↓ 8.4 ↘
 7.6 ← 8.4 ↑ 9.0 ↙ 10.3 ↓ 9.4 ↙
 beste Teiler 512.6 (29.) 1278.6 (30.) 1329.1 (22.)
 Trefferlage 3.80 mm links, 4.43 mm tief
 Streuwert 14.11, horizontal: 13.52, vertikal: 14.67





Serie 4:
 10.6 * 8.8 → 9.5 → 10.0 ↑ 8.8 ↙
 8.5 ← 8.3 ↘ 8.9 ↓ 9.0 ↘ 7.2 ↗
 beste Teiler 288.1 (31.) 783.2 (34.) 1163.1 (33.)
 Trefferlage 4.43 mm rechts, 2.98 mm tief
 Streuwert 12.34, horizontal: 11.48, vertikal: 13.14


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **346** (365.7)
 Serien: 88 87 82 89
 Zähler: 7 17 11 5 0 0 0 0 0 0
 Innenzehner: 1
 weiteste: 3019 (24), 2579 (28), 2481 (4)
 beste Teiler 212.8 (14.) 504.0 (6.) 658.2 (22.)
 Trefferlage 3.29 mm links, 0.50 mm hoch
 Streuwert 11.05, horizontal: 8.15, vertikal: 13.32




Serie 1:
 8.3 ↘ 8.9 ↗ 10.0 ↖ 7.8 ↓ 10.0 ↗
 10.3 ↗ 8.6 ↗ 9.7 ↓ 9.7 ↓ 9.9 →
 beste Teiler 504.0 (6.) 728.4 (5.) 760.4 (3.)
 Trefferlage 3.13 mm rechts, 2.44 mm tief
 Streuwert 10.34, horizontal: 6.51, vertikal: 13.10



Serie 2:
 10.0 ↖ 8.4 ↑ 9.0 ↖ 10.7 * 7.9 ↓
 9.2 ↑ 8.8 ↑ 9.0 ↖ 9.5 ↖ 8.6 ↑
 beste Teiler 212.8 (14.) 770.8 (11.) 1136.5 (19.)
 Trefferlage 5.02 mm links, 5.74 mm hoch
 Streuwert 10.35, horizontal: 4.03, vertikal: 14.07



Serie 3:
 9.2 ↓ 10.1 ↖ 8.6 ↖ 7.2 ↖ 7.9 ↓
 9.6 ↗ 8.5 ↖ 7.7 ↑ 8.4 ↖ 9.3 ↖
 beste Teiler 658.2 (22.) 1041.4 (26.) 1297.6 (30.)
 Trefferlage 6.75 mm links, 1.73 mm tief
 Streuwert 13.66, horizontal: 9.42, vertikal: 16.87





Serie 4:
 9.6 ↖ 9.9 ↖ 8.6 ↗ 8.4 ↖ 9.7 ↖
 10.0 ↖ 9.7 ↖ 9.9 ↓ 9.5 ↖ 9.6 ↓
 beste Teiler 777.1 (36.) 811.2 (38.) 841.9 (32.)
 Trefferlage 4.53 mm links, 0.44 mm hoch
 Streuwert 8.53, horizontal: 8.74, vertikal: 8.33


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	596.9	(565)							
Serien:	98.7	98.1	99.1	101.6	99.4	100.0			
Zähler:	27	31	2	0	0	0	0	0	0
Innenzehner:	23								
weiteste:	606 (13), 516 (44), 486 (32)								
beste Teiler	18.9 (33.)	31.5 (5.)	36.8 (34.)						
Trefferlage	0.46 mm rechts,	0.10 mm tief							
Streuwert	2.04, horizontal: 2.33, vertikal: 1.70								




Serie 1:	9.2 ↘	10.2 *	10.3 *	9.3 ←	10.8 *
	10.5 *	9.1 ↘	9.9 ↙	9.8 ↓	9.6 ↑
beste Teiler	31.5 (5.)	116.0 (6.)	156.4 (3.)		
Trefferlage	0.32 mm rechts,	0.67 mm tief			
Streuwert	2.20, horizontal: 2.46, vertikal: 1.91				




Serie 2:	10.8 *	9.9 ↖	8.5 ↖	10.4 *	9.4 ↖
	9.7 ↘	9.6 →	10.0 ↓	9.8 ↓	10.0 ←
beste Teiler	44.2 (11.)	127.9 (14.)	239.4 (18.)		
Trefferlage	0.70 mm links,	0.51 mm tief			
Streuwert	2.29, horizontal: 2.73, vertikal: 1.75				




Serie 3:	9.2 ↘	9.4 ↓	10.6 *	9.4 →	9.9 ↓
	9.4 →	10.5 *	10.4 *	10.6 *	9.7 →
beste Teiler	76.8 (29.)	92.1 (23.)	124.7 (27.)		
Trefferlage	1.11 mm rechts,	1.02 mm tief			
Streuwert	1.89, horizontal: 2.21, vertikal: 1.49				



Serie 4:	10.4 *	9.0 →	10.9 *	10.8 *	10.0 ↖
	10.7 *	9.7 →	10.7 *	9.5 ↑	9.9 ↘
beste Teiler	18.9 (33.)	36.8 (34.)	59.9 (38.)		
Trefferlage	0.64 mm rechts,	0.59 mm hoch			
Streuwert	1.71, horizontal: 2.07, vertikal: 1.26				



Serie 5:	10.4 *	9.3 →	10.6 *	8.9 ↖	10.1 ↖
	9.7 →	9.8 ←	10.7 *	10.4 *	9.5 →
beste Teiler	71.7 (48.)	92.1 (43.)	129.0 (41.)		
Trefferlage	0.06 mm rechts,	0.77 mm hoch			
Streuwert	2.08, horizontal: 2.59, vertikal: 1.39				



Serie 6:	10.8 *	10.6 *	9.7 →	9.2 ↗	10.2 *
	9.1 ↘	10.8 *	9.9 ↗	9.9 →	9.8 ↑
beste Teiler	45.4 (51.)	47.8 (57.)	87.0 (52.)		
Trefferlage	1.32 mm rechts,	0.21 mm hoch			
Streuwert	1.82, horizontal: 1.75, vertikal: 1.89				

Meyton Elektronik

LG 60 ZR – Wertung – Juniorinnen

StandNr: 107

Schrödl,, Julia #70407043

StartNr: 7



3. Februar 2019 16:06

SG_Ebbser_Schützen


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	596.8	(569)
Serien:	99.4	100.3 95.3 102.0 100.2 99.6
Zähler:	32 25 3 0 0 0 0 0 0 0	
Innenzehner:	25	
weiteste:	694 (27), 659 (49), 552 (29)	
beste Teiler	39.1 (32.) 56.0 (22.) 66.9 (12.)	
Trefferlage	0.05 mm links, 0.42 mm hoch	
Streuwert	2.03, horizontal: 2.33, vertikal: 1.68	




Serie 1:	10.5 *	10.5 *	9.9 →	9.4 →	9.1 ↘
	9.6 ↗	10.6 *	10.2 *	9.2 ↘	10.4 *
beste Teiler	90.8 (7.)	110.6 (1.)	111.5 (2.)		
Trefferlage	0.75 mm rechts, 0.89 mm hoch				
Streuwert	1.97, horizontal: 2.22, vertikal: 1.68				




Serie 2:	10.1 ↗	10.7 *	10.4 *	10.0 ↘	10.2 *
	9.9 ↗	9.9 ↙	9.7 ↖	9.4 ←	10.0 ↘
beste Teiler	66.9 (12.)	139.0 (13.)	181.4 (15.)		
Trefferlage	0.53 mm links, 0.20 mm hoch				
Streuwert	1.78, horizontal: 2.02, vertikal: 1.50				




Serie 3:	9.0 ↖	10.7 *	9.7 ↖	9.8 ↗	9.9 ↑
	9.7 →	8.2 →	9.8 ↑	8.7 ←	9.8 ↘
beste Teiler	56.0 (22.)	259.3 (25.)	278.0 (24.)		
Trefferlage	0.14 mm rechts, 1.25 mm hoch				
Streuwert	2.75, horizontal: 3.54, vertikal: 1.60				



Serie 4:	10.3 *	10.8 *	10.1 ↘	9.9 ↙	10.5 *
	10.2 *	9.7 ↓	9.8 ↖	10.4 *	10.3 *
beste Teiler	39.1 (32.)	109.0 (35.)	145.6 (39.)		
Trefferlage	0.00 mm , 0.51 mm tief				
Streuwert	1.50, horizontal: 1.42, vertikal: 1.58				



Serie 5:	10.5 *	10.0 ↖	10.6 *	10.6 *	10.4 *
	9.4 ↙	9.9 ↘	10.0 ↗	8.3 ←	10.5 *
beste Teiler	89.9 (44.)	99.4 (43.)	109.2 (41.)		
Trefferlage	1.04 mm links, 0.18 mm hoch				
Streuwert	1.98, horizontal: 2.40, vertikal: 1.45				



Serie 6:	10.3 *	10.2 *	10.4 *	10.5 *	9.3 ↘
	10.5 *	9.2 ↘	10.1 ↖	9.9 →	9.2 ↗
beste Teiler	114.7 (54.)	125.6 (56.)	150.4 (53.)		
Trefferlage	0.35 mm rechts, 0.53 mm hoch				
Streuwert	2.02, horizontal: 2.02, vertikal: 2.02				

LG 60 ZR – Wertung – Junioren

StandNr: 108

Achenrainer,, Maximilian #70504016

StartNr: 8



3. Februar 2019 16:27

SG_Kaunertal


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **603.0** (578)
 Serien: 103.4 101.4 96.9 98.0 100.2 103.1
 Zähler: 41 17 1 1 0 0 0 0 0 0
 Innenzehner: 27
 weiteste: 843 (24), 569 (39), 438 (40)
 beste Teiler 39.5 (43.) 45.6 (14.) 65.3 (1.)
 Trefferlage 0.10 mm links, 0.21 mm tief
 Streuwert 1.85, horizontal: 2.08, vertikal: 1.59




Serie 1:
 10.7 * 10.7 * 10.4 * 10.4 * 10.2 *
 10.1 ↙ 10.2 * 10.0 ↘ 10.0 ↘ 10.7 *
 beste Teiler 65.3 (1.) 68.0 (2.) 70.0 (10.)
 Trefferlage 0.53 mm links, 0.29 mm hoch
 Streuwert 1.19, horizontal: 1.17, vertikal: 1.21




Serie 2:
 10.2 * 10.1 ↑ 10.6 * 10.8 * 10.3 *
 9.9 → 9.4 ↘ 9.7 ↑ 10.5 * 9.9 ↙
 beste Teiler 45.6 (14.) 76.4 (13.) 116.1 (19.)
 Trefferlage 0.27 mm links, 0.92 mm hoch
 Streuwert 1.54, horizontal: 1.70, vertikal: 1.36




Serie 3:
 10.0 ↗ 10.0 ↘ 9.9 → 7.6 → 9.9 →
 10.3 * 9.2 ↑ 9.7 ↘ 10.6 * 9.7 ↓
 beste Teiler 86.7 (29.) 174.5 (26.) 234.4 (21.)
 Trefferlage 1.82 mm rechts, 0.15 mm tief
 Streuwert 2.40, horizontal: 2.64, vertikal: 2.13



Serie 4:
 10.1 ← 10.2 * 10.0 ← 9.6 ↓ 9.7 ↓
 10.1 ↘ 10.3 * 10.1 ← 8.7 ← 9.2 ↙
 beste Teiler 175.6 (37.) 193.4 (32.) 210.8 (36.)
 Trefferlage 1.96 mm links, 1.10 mm tief
 Streuwert 1.63, horizontal: 1.86, vertikal: 1.37



Serie 5:
 9.9 ← 9.6 ↙ 10.8 * 10.0 ↓ 9.4 →
 9.7 → 10.1 ↙ 10.4 * 10.4 * 9.9 ↑
 beste Teiler 39.5 (43.) 135.8 (49.) 143.9 (48.)
 Trefferlage 0.11 mm rechts, 0.52 mm tief
 Streuwert 1.83, horizontal: 1.99, vertikal: 1.65



Serie 6:
 10.4 * 10.0 ↓ 10.3 * 10.4 * 10.2 *
 10.3 * 10.0 ↓ 10.4 * 10.6 * 10.5 *
 beste Teiler 95.8 (59.) 109.2 (60.) 127.0 (54.)
 Trefferlage 0.21 mm rechts, 0.75 mm tief
 Streuwert 1.10, horizontal: 1.17, vertikal: 1.03



LG 60 ZR – Wertung – **Juniorinnen**
StandNr: 109
Taylor,, Tania #70415171

StartNr: 9
3. Februar 2019 16:29
SG_Münster


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **607.4** (581)
 Serien: 101.6 103.0 101.3 102.7 100.2 98.6
 Zähler: 42 17 1 0 0 0 0 0 0 0
 Innenzehner: 33
 weiteste: 598 (58), 481 (25), 473 (59)
 beste Teiler 35.1 (26.) 36.6 (1.) 42.0 (30.)
 Trefferlage 0.20 mm rechts, 0.09 mm tief
 Streuwert 1.71, horizontal: 1.92, vertikal: 1.47




Serie 1:
 10.8 * 9.2 ↖ 10.1 ← 10.6 * 10.3 *
 10.2 * 9.7 ↘ 10.3 * 9.8 ↗ 10.6 *
 beste Teiler 36.6 (1.) 90.0 (4.) 99.4 (10.)
 Trefferlage 0.20 mm links, 0.27 mm hoch
 Streuwert 1.71, horizontal: 2.08, vertikal: 1.22




Serie 2:
 10.6 * 9.9 ↘ 10.2 * 10.4 * 10.4 *
 10.4 * 9.8 ↖ 10.3 * 10.3 * 10.7 *
 beste Teiler 67.1 (20.) 98.0 (11.) 131.5 (15.)
 Trefferlage 0.21 mm rechts, 0.49 mm hoch
 Streuwert 1.25, horizontal: 1.11, vertikal: 1.37




Serie 3:
 9.6 ↙ 10.3 * 10.6 * 9.9 ← 9.0 ↘
 10.8 * 10.4 * 10.2 * 9.7 → 10.8 *
 beste Teiler 35.1 (26.) 42.0 (30.) 89.1 (23.)
 Trefferlage 0.30 mm rechts, 0.81 mm tief
 Streuwert 1.74, horizontal: 2.29, vertikal: 0.89



Serie 4:
 10.0 ↗ 10.7 * 10.0 ↓ 10.7 * 9.8 ↙
 10.5 * 9.8 ↙ 10.1 ↗ 10.6 * 10.5 *
 beste Teiler 51.6 (32.) 74.9 (34.) 93.7 (39.)
 Trefferlage 0.31 mm links, 0.46 mm tief
 Streuwert 1.36, horizontal: 1.37, vertikal: 1.35



Serie 5:
 10.2 * 9.8 ↗ 10.1 ↖ 10.0 ↘ 10.2 *
 10.1 ↓ 9.1 ← 9.8 → 10.2 * 10.7 *
 beste Teiler 75.2 (50.) 178.8 (49.) 184.5 (41.)
 Trefferlage 0.03 mm links, 0.27 mm hoch
 Streuwert 1.87, horizontal: 2.29, vertikal: 1.32



Serie 6:
 10.0 ← 10.6 * 10.4 * 10.4 * 10.0 ↑
 9.7 ↗ 10.5 * 8.6 ↘ 9.1 ↘ 9.3 ↓
 beste Teiler 84.8 (52.) 115.0 (57.) 138.1 (53.)
 Trefferlage 1.24 mm rechts, 0.35 mm tief
 Streuwert 2.19, horizontal: 2.15, vertikal: 2.22

Meyton Elektronik

LG 60 ZR – Wertung – Juniorinnen

StandNr: 110

Kathrein,, Johanna #70209011

StartNr: 10



3. Februar 2019 16:11

SG_Hötting-Ibk


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	589.2	(562)					
Serien:	98.8	98.3	97.4	97.9	96.7	100.1	
Zähler:	24	34	2	0	0	0	0
Innenzehner:	18						
weiteste:	549 (9), 508 (45), 491 (32)						
beste Teiler	101.8 (7.) 106.5 (47.) 113.2 (56.)						
Trefferlage	0.51 mm rechts, 0.27 mm hoch						
Streuwert	2.12, horizontal: 2.39, vertikal: 1.82						




Serie 1:	9.2 ↘	9.8 ↗	9.2 →	10.1 ↑	10.4 *
	10.4 *	10.5 *	10.2 *	8.8 ↓	10.2 *
beste Teiler	101.8 (7.) 129.4 (5.) 136.4 (6.)				
Trefferlage	0.15 mm rechts, 0.30 mm hoch				
Streuwert	2.27, horizontal: 2.41, vertikal: 2.12				




Serie 2:	9.0 ↗	9.6 ↗	10.1 ↘	10.4 *	9.7 ↗
	9.6 ↓	9.8 ↓	10.2 *	10.2 *	9.7 ↗
beste Teiler	141.8 (14.) 179.0 (19.) 193.6 (18.)				
Trefferlage	1.20 mm rechts, 0.43 mm hoch				
Streuwert	1.96, horizontal: 1.77, vertikal: 2.14				




Serie 3:	9.9 ↓	9.7 ↗	9.4 ↘	9.6 →	9.6 →
	9.3 →	10.1 ↓	9.4 →	10.0 ←	10.4 *
beste Teiler	131.5 (30.) 202.5 (27.) 236.0 (29.)				
Trefferlage	1.19 mm rechts, 0.31 mm hoch				
Streuwert	2.13, horizontal: 2.49, vertikal: 1.70				



Serie 4:	10.4 *	9.0 ↗	10.2 *	10.2 *	9.5 →
	9.6 ←	10.1 ↗	9.6 ↗	9.7 ↗	9.6 ↘
beste Teiler	127.5 (31.) 195.4 (33.) 198.6 (34.)				
Trefferlage	0.88 mm rechts, 1.17 mm hoch				
Streuwert	2.05, horizontal: 2.38, vertikal: 1.66				



Serie 5:	9.6 →	9.5 ↘	10.4 *	9.5 ←	8.9 ↙
	9.6 ↙	10.5 *	9.8 ↙	9.9 ↘	9.0 ↗
beste Teiler	106.5 (47.) 132.8 (43.) 258.5 (49.)				
Trefferlage	0.64 mm links, 0.84 mm tief				
Streuwert	2.43, horizontal: 2.90, vertikal: 1.85				



Serie 6:	9.9 ↘	10.1 →	9.9 →	10.2 *	9.9 ↘
	10.5 *	9.7 ↘	10.2 *	9.5 →	10.2 *
beste Teiler	113.2 (56.) 182.0 (54.) 192.0 (60.)				
Trefferlage	0.31 mm rechts, 0.24 mm hoch				
Streuwert	1.81, horizontal: 2.30, vertikal: 1.14				

LG 60 ZR – Wertung – **Männer**

StandNr: 111

Fuchs,, Andreas #70406019

StartNr: 11



3. Februar 2019 16:20

SG_Bruckhäusl


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **593.4** (567)
 Serien: 100.1 96.0 100.3 99.1 96.5 101.4
 Zähler: 31 26 2 1 0 0 0 0 0 0
 Innenzehner: 23
 weiteste: 761 (11), 675 (32), 513 (18)
 beste Teiler 56.7 (7.) 61.0 (57.) 63.5 (30.)
 Trefferlage 0.19 mm links, 0.21 mm hoch
 Streuwert 2.20, horizontal: 2.47, vertikal: 1.88




Serie 1:
 9.9 ↖ 10.0 ↘ 9.7 → 9.8 ↑ 10.4 *
 9.2 ↖ 10.7 * 9.7 ↗ 10.6 * 10.1 ↓
 beste Teiler 56.7 (7.) 82.5 (9.) 135.2 (5.)
 Trefferlage 0.06 mm links, 0.52 mm hoch
 Streuwert 1.90, horizontal: 2.09, vertikal: 1.70




Serie 2:
 7.9 ↘ 9.0 ↖ 10.0 ↘ 10.0 ↙ 9.8 ↘
 10.4 * 10.5 * 8.9 ↖ 10.3 * 9.2 ↖
 beste Teiler 110.7 (17.) 129.6 (16.) 151.9 (19.)
 Trefferlage 0.41 mm links, 0.27 mm tief
 Streuwert 2.90, horizontal: 3.28, vertikal: 2.47




Serie 3:
 10.2 * 9.6 ↖ 10.6 * 10.1 ↑ 9.0 →
 9.8 ↗ 9.5 ↖ 10.6 * 10.2 * 10.7 *
 beste Teiler 63.5 (30.) 87.6 (28.) 91.7 (23.)
 Trefferlage 0.09 mm rechts, 1.10 mm hoch
 Streuwert 1.82, horizontal: 2.20, vertikal: 1.35



Serie 4:
 10.3 * 8.3 → 9.3 ↓ 9.8 ↘ 9.7 ←
 10.7 * 10.1 ↓ 10.4 * 10.5 * 10.0 ↘
 beste Teiler 68.0 (36.) 101.9 (39.) 150.8 (38.)
 Trefferlage 0.68 mm rechts, 0.99 mm tief
 Streuwert 2.14, horizontal: 2.63, vertikal: 1.50



Serie 5:
 9.5 ← 9.3 ↖ 10.7 * 9.0 ← 9.7 ↖
 9.1 ↗ 9.2 ↑ 9.8 ↑ 9.5 ↙ 10.7 *
 beste Teiler 64.9 (50.) 71.5 (43.) 299.3 (48.)
 Trefferlage 1.16 mm links, 0.82 mm hoch
 Streuwert 2.46, horizontal: 2.84, vertikal: 2.00



Serie 6:
 10.4 * 9.8 ↑ 10.5 * 9.7 ↘ 10.0 ↑
 10.2 * 10.7 * 10.4 * 9.2 ← 10.5 *
 beste Teiler 61.0 (57.) 108.3 (60.) 121.3 (53.)
 Trefferlage 0.30 mm links, 0.07 mm hoch
 Streuwert 1.72, horizontal: 1.76, vertikal: 1.69

LG 60 ZR – Wertung – Frauen

StandNr: 112

Kathrein,, Barbara #70504004

StartNr: 12



3. Februar 2019 16:08

SG_Kaunertal


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **395.3** (377)
 Serien: 96.7 96.7 101.3 100.6
 Zähler: 21 15 4 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 635 (10), 619 (3), 554 (17)
 beste Teiler 39.6 (30.) 50.2 (38.) 102.5 (32.)
 Trefferlage 0.33 mm rechts, 0.56 mm hoch
 Streuwert 2.14, horizontal: 2.30, vertikal: 1.98




Serie 1:
 10.3 * 9.2 ↓ 8.5 ↑ 9.5 ↗ 10.4 *
 9.8 ← 10.5 * 9.8 ↑ 10.3 * 8.4 ↘
 beste Teiler 107.5 (7.) 128.1 (5.) 154.3 (9.)
 Trefferlage 1.29 mm links, 1.39 mm hoch
 Streuwert 2.34, horizontal: 1.34, vertikal: 3.03



Serie 2:
 9.2 ↖ 9.6 ↗ 10.5 * 8.8 → 10.4 *
 10.1 ↘ 8.7 → 9.5 ↘ 10.0 ← 9.9 →
 beste Teiler 119.8 (13.) 140.2 (15.) 221.0 (16.)
 Trefferlage 1.36 mm rechts, 0.50 mm hoch
 Streuwert 2.40, horizontal: 2.87, vertikal: 1.80





Serie 3:
 9.9 → 10.0 ↓ 10.3 * 10.1 ↗ 10.3 *
 9.9 ↘ 9.8 ↑ 10.2 * 10.0 ← 10.8 *
 beste Teiler 39.6 (30.) 162.4 (25.) 168.1 (23.)
 Trefferlage 0.77 mm rechts, 0.06 mm tief
 Streuwert 1.53, horizontal: 1.47, vertikal: 1.59




Serie 4:
 9.8 ↗ 10.5 * 10.5 * 10.5 * 10.0 ↖
 9.3 → 10.5 * 10.8 * 9.4 ← 9.3 →
 beste Teiler 50.2 (38.) 102.5 (32.) 114.7 (33.)
 Trefferlage 0.49 mm rechts, 0.42 mm hoch
 Streuwert 1.89, horizontal: 2.53, vertikal: 0.87

Unterschrift des Schützen


Ergebnis: **383.8** (368)
 Serien: 96.3 96.9 93.1 97.5
 Zähler: 18 13 8 1 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 833 (8), 730 (22), 715 (17)
 beste Teiler 12.0 (5.) 51.2 (40.) 88.4 (2.)
 Trefferlage 0.83 mm links, 1.58 mm hoch
 Streuwert 2.53, horizontal: 2.67, vertikal: 2.37




Serie 1:
 10.0 ↗ 10.6 * 9.4 ↖ 9.2 ↘ 10.9 *
 9.1 ← 10.4 * 7.6 ↘ 8.7 → 10.4 *
 beste Teiler 12.0 (5.) 88.4 (2.) 129.0 (7.)
 Trefferlage 1.30 mm links, 1.04 mm hoch
 Streuwert 2.81, horizontal: 3.39, vertikal: 2.06



Serie 2:
 10.4 * 9.7 → 10.4 * 9.3 ↘ 10.6 *
 8.3 ↑ 8.1 ↘ 10.2 * 10.1 ↗ 9.8 →
 beste Teiler 93.8 (15.) 131.4 (11.) 146.0 (13.)
 Trefferlage 0.45 mm links, 1.73 mm hoch
 Streuwert 2.48, horizontal: 2.87, vertikal: 2.01



Serie 3:
 8.9 ↗ 8.0 ↑ 10.0 → 9.8 ↘ 8.9 ↘
 10.3 * 9.1 ← 8.6 ↘ 9.1 ↑ 10.4 *
 beste Teiler 140.8 (30.) 174.8 (26.) 229.8 (23.)
 Trefferlage 1.03 mm links, 2.49 mm hoch
 Streuwert 2.71, horizontal: 2.76, vertikal: 2.65





Serie 4:
 9.3 ↑ 9.0 ↖ 9.6 ↘ 10.0 → 8.8 ↑
 9.6 ↙ 10.1 ↘ 10.3 * 10.1 ↓ 10.7 *
 beste Teiler 51.2 (40.) 170.6 (38.) 207.1 (39.)
 Trefferlage 0.54 mm links, 1.05 mm hoch
 Streuwert 2.31, horizontal: 1.77, vertikal: 2.74


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371.3** (352)
 Serien: 94.9 91.8 91.0 93.6
 Zähler: 12 16 9 1 1 0 0 1 0 0
 Innenzehner: 6
 weiteste: 1751 (21), 1215 (18), 972 (32)
 beste Teiler 60.8 (30.) 107.5 (25.) 134.4 (34.)
 Trefferlage 0.20 mm rechts, 0.69 mm tief
 Streuwert 3.71, horizontal: 3.76, vertikal: 3.67




Serie 1:
 8.7 ↗ 9.8 ← 10.0 ↗ 9.7 ↗ 9.9 ↑
 10.2 * 9.6 ↙ 10.1 → 8.1 ↖ 8.8 ↙
 beste Teiler 195.9 (6.) 210.6 (8.) 239.2 (3.)
 Trefferlage 0.83 mm links, 0.95 mm hoch
 Streuwert 2.86, horizontal: 3.00, vertikal: 2.71



Serie 2:
 8.7 ↓ 9.8 ↗ 9.7 ↘ 9.9 ↘ 10.0 ←
 8.9 ↖ 8.8 ↘ 6.1 ↘ 9.9 ↖ 10.0 ↙
 beste Teiler 237.2 (15.) 240.7 (20.) 261.6 (19.)
 Trefferlage 0.89 mm rechts, 1.82 mm tief
 Streuwert 3.64, horizontal: 3.72, vertikal: 3.56



Serie 3:
 3.9 ↘ 8.1 ↖ 8.5 ↙ 9.9 ↙ 10.5 *
 10.1 ↖ 9.8 ← 9.3 ↓ 10.2 * 10.7 *
 beste Teiler 60.8 (30.) 107.5 (25.) 181.0 (29.)
 Trefferlage 0.57 mm links, 1.83 mm tief
 Streuwert 4.73, horizontal: 4.77, vertikal: 4.69





Serie 4:
 9.4 ↘ 7.1 ↘ 10.2 * 10.4 * 9.8 ↘
 10.1 ↗ 9.6 ↖ 9.1 → 9.6 ↗ 8.3 ↖
 beste Teiler 134.4 (34.) 194.8 (33.) 217.7 (36.)
 Trefferlage 1.32 mm rechts, 0.07 mm tief
 Streuwert 3.30, horizontal: 3.43, vertikal: 3.17


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **386.5** (369)
 Serien: 99.3 94.6 96.7 95.9
 Zähler: 18 14 7 1 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 983 (16), 716 (35), 652 (23)
 beste Teiler 65.8 (5.) 91.4 (7.) 94.5 (34.)
 Trefferlage 0.12 mm links, 0.12 mm hoch
 Streuwert 2.70, horizontal: 2.82, vertikal: 2.57




Serie 1:
 8.6 ↘ 9.6 ← 8.9 → 10.5 * 10.7 *
 9.6 ← 10.6 * 10.3 * 10.4 * 10.1 ↓
 beste Teiler 65.8 (5.) 91.4 (7.) 118.9 (4.)
 Trefferlage 0.67 mm links, 0.19 mm hoch
 Streuwert 2.24, horizontal: 2.74, vertikal: 1.59



Serie 2:
 9.8 ↑ 9.6 ← 10.1 ↓ 9.5 ↑ 9.5 →
 7.0 ↘ 9.9 ↑ 8.9 ↑ 10.1 ↗ 10.2 *
 beste Teiler 191.7 (20.) 208.1 (13.) 222.9 (19.)
 Trefferlage 0.47 mm links, 1.67 mm hoch
 Streuwert 2.95, horizontal: 2.96, vertikal: 2.95



Serie 3:
 10.3 * 9.4 ↙ 8.3 ↘ 9.6 ↘ 10.4 *
 8.5 → 10.0 → 10.2 * 9.5 ← 10.5 *
 beste Teiler 106.0 (30.) 135.1 (25.) 159.2 (21.)
 Trefferlage 0.78 mm rechts, 0.71 mm tief
 Streuwert 2.61, horizontal: 2.99, vertikal: 2.17





Serie 4:
 10.1 ↓ 9.1 → 9.5 ← 10.6 * 8.1 ↘
 10.4 * 8.8 ↑ 10.4 * 9.5 ↘ 9.4 ←
 beste Teiler 94.5 (34.) 133.0 (38.) 150.8 (36.)
 Trefferlage 0.12 mm links, 0.65 mm tief
 Streuwert 2.87, horizontal: 2.82, vertikal: 2.92


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371.3** (354)
 Serien: 93.6 94.7 91.7 91.3
 Zähler: 10 17 10 3 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 879 (23), 875 (29), 788 (30)
 beste Teiler 75.0 (27.) 123.9 (17.) 127.3 (26.)
 Trefferlage 0.96 mm links, 0.79 mm hoch
 Streuwert 3.22, horizontal: 3.61, vertikal: 2.77




Serie 1:
 9.5 ↓ 9.9 ↖ 8.9 ↑ 9.1 ↓ 9.8 ↙
 10.4 * 8.5 ↗ 8.2 ← 9.1 ↖ 10.2 *
 beste Teiler 150.6 (6.) 181.4 (10.) 259.7 (2.)
 Trefferlage 1.22 mm links, 0.55 mm hoch
 Streuwert 3.05, horizontal: 2.90, vertikal: 3.18



Serie 2:
 8.8 → 8.6 ↗ 8.7 → 9.2 → 9.5 ↖
 9.7 → 10.5 * 9.5 ↖ 10.1 ← 10.1 ↖
 beste Teiler 123.9 (17.) 206.7 (19.) 208.4 (20.)
 Trefferlage 1.11 mm rechts, 1.03 mm hoch
 Streuwert 2.74, horizontal: 3.49, vertikal: 1.70



Serie 3:
 9.4 ↗ 9.5 ↓ 7.4 ← 9.4 ↖ 10.0 ↖
 10.4 * 10.7 * 9.6 → 7.5 ↖ 7.8 ↖
 beste Teiler 75.0 (27.) 127.3 (26.) 237.4 (25.)
 Trefferlage 2.17 mm links, 1.35 mm hoch
 Streuwert 3.44, horizontal: 4.17, vertikal: 2.51





Serie 4:
 8.7 ↖ 10.1 → 8.2 ↖ 9.1 ↑ 9.8 ↓
 8.5 ↖ 9.3 → 8.0 ↓ 9.2 ↗ 10.4 *
 beste Teiler 135.7 (40.) 225.1 (32.) 299.0 (35.)
 Trefferlage 1.57 mm links, 0.25 mm hoch
 Streuwert 3.51, horizontal: 3.38, vertikal: 3.63


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **388.1** (372)
 Serien: 95.7 97.2 95.9 99.3
 Zähler: 17 18 5 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 738 (26), 718 (3), 628 (7)
 beste Teiler 57.0 (39.) 64.4 (6.) 91.8 (22.)
 Trefferlage 0.81 mm rechts, 0.98 mm hoch
 Streuwert 2.37, horizontal: 2.93, vertikal: 1.63




Serie 1:
 9.9 ↘ 9.5 ↖ 8.1 ↗ 9.9 ↗ 9.8 ↗
 10.7 * 8.4 → 10.0 ↖ 10.0 ↗ 9.4 ↗
 beste Teiler 64.4 (6.) 230.7 (9.) 247.7 (8.)
 Trefferlage 1.30 mm rechts, 1.91 mm hoch
 Streuwert 2.33, horizontal: 2.69, vertikal: 1.89



Serie 2:
 9.3 → 9.8 ↗ 9.8 ↗ 10.1 ↘ 10.3 *
 10.2 * 10.4 * 9.4 ← 9.0 → 8.9 →
 beste Teiler 148.6 (17.) 169.2 (15.) 176.1 (16.)
 Trefferlage 1.46 mm rechts, 0.66 mm hoch
 Streuwert 2.20, horizontal: 2.72, vertikal: 1.49



Serie 3:
 8.6 → 10.6 * 10.5 * 9.0 ← 10.5 *
 8.0 → 9.2 ↘ 9.3 ← 10.0 ↙ 10.2 *
 beste Teiler 91.8 (22.) 105.3 (25.) 125.1 (23.)
 Trefferlage 0.95 mm rechts, 0.19 mm hoch
 Streuwert 2.89, horizontal: 3.88, vertikal: 1.30





Serie 4:
 9.4 ↗ 10.0 ← 10.5 * 10.3 * 9.5 ↑
 10.4 * 9.4 ← 9.8 ↗ 10.7 * 9.3 ←
 beste Teiler 57.0 (39.) 101.5 (33.) 144.4 (36.)
 Trefferlage 0.45 mm links, 1.18 mm hoch
 Streuwert 1.89, horizontal: 2.24, vertikal: 1.46


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	398.4	(380)
Serien:	98.9	97.1 100.4 102.0
Zähler:	22	16 2 0 0 0 0 0 0 0
Innenzehner:	19	
weiteste:	514 (20),	508 (11), 481 (10)
beste Teiler	60.9 (9.)	74.0 (22.) 115.4 (16.)
Trefferlage	0.09 mm rechts, 0.48 mm hoch	
Streuwert	1.93, horizontal: 2.18, vertikal: 1.65	




Serie 1:	9.5 →	9.7 ↓	10.4 *	9.9 →	10.2 *
	9.8 ←	9.9 ↖	9.8 ↗	10.7 *	9.0 →
beste Teiler	60.9 (9.)	137.2 (3.)	198.6 (5.)		
Trefferlage	0.61 mm rechts, 0.24 mm hoch				
Streuwert	2.09, horizontal: 2.50, vertikal: 1.58				



Serie 2:	8.9 ↖	10.3 *	10.1 ↓	9.4 ↗	9.7 →
	10.5 *	9.5 ↗	10.3 *	9.5 ↖	8.9 ↖
beste Teiler	115.4 (16.)	157.0 (12.)	166.2 (18.)		
Trefferlage	0.84 mm links, 1.42 mm hoch				
Streuwert	2.20, horizontal: 2.55, vertikal: 1.78				



Serie 3:	10.4 *	10.7 *	9.4 ←	10.4 *	9.6 →
	10.2 *	10.0 ↓	9.8 →	9.7 ↘	10.2 *
beste Teiler	74.0 (22.)	132.1 (24.)	132.3 (21.)		
Trefferlage	0.54 mm rechts, 0.19 mm tief				
Streuwert	1.79, horizontal: 2.02, vertikal: 1.52				



Serie 4:	10.4 *	10.2 *	9.3 ↘	10.0 ↖	10.3 *
	10.5 *	10.5 *	10.3 *	10.3 *	10.2 *
beste Teiler	117.7 (37.)	119.2 (36.)	137.9 (31.)		
Trefferlage	0.08 mm rechts, 0.48 mm hoch				
Streuwert	1.50, horizontal: 1.48, vertikal: 1.51				

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **394.6** (378)

Serien: 97.1 99.9 99.1 98.5

Zähler: 18 22 0 0 0 0 0 0 0 0



Innenzehner: 14

weiteste: 496 (15), 479 (4), 456 (25)

beste Teiler 76.2 (24.) 94.4 (17.) 99.6 (38.)

Trefferlage 0.08 mm links, 0.57 mm hoch

Streuwert 2.08, horizontal: 2.34, vertikal: 1.79




Serie 1:

9.4 →	9.3 ↗	10.5 *	9.0 ↖	9.4 ↖
10.0 ←	9.5 ↘	10.5 *	9.6 ↖	9.9 →

beste Teiler 103.7 (3.) 119.5 (8.) 244.0 (6.)

Trefferlage 0.45 mm links, 1.28 mm hoch

Streuwert 2.26, horizontal: 2.97, vertikal: 1.15




Serie 2:

10.3 *	10.2 *	10.1 ↖	9.9 ↓	9.0 ↗
10.3 *	10.6 *	10.1 ↗	9.7 ↗	9.7 →

beste Teiler 94.4 (17.) 167.7 (16.) 170.6 (11.)

Trefferlage 0.07 mm links, 0.03 mm tief

Streuwert 1.99, horizontal: 2.19, vertikal: 1.76




Serie 3:

10.3 *	10.2 *	9.5 ↘	10.6 *	9.1 ↖
10.2 *	9.9 ↗	10.2 *	9.3 ↓	9.8 ←

beste Teiler 76.2 (24.) 174.1 (21.) 187.2 (28.)

Trefferlage 0.21 mm links, 0.38 mm hoch

Streuwert 2.08, horizontal: 2.12, vertikal: 2.04



Serie 4:

9.8 ↑	9.5 ↗	10.5 *	10.0 →	10.4 *
9.2 →	9.3 ↗	10.6 *	9.7 ↖	9.5 ↗

beste Teiler 99.6 (38.) 103.0 (33.) 137.9 (35.)



Trefferlage 0.40 mm rechts, 0.66 mm hoch

Streuwert 2.17, horizontal: 2.27, vertikal: 2.06


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **392.6** (375)
 Serien: 97.6 96.7 97.4 100.9
 Zähler: 18 19 3 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 631 (25), 576 (26), 532 (13)
 beste Teiler 7.8 (6.) 70.6 (39.) 103.4 (40.)
 Trefferlage 0.09 mm links, 0.36 mm tief
 Streuwert 2.30, horizontal: 2.56, vertikal: 2.00




Serie 1:
 9.1 ↘ 9.3 ↙ 10.1 ↓ 9.8 ↙ 9.9 ↗
 10.9 * 9.9 ↙ 9.2 ↘ 9.0 ↘ 10.4 *
 beste Teiler 7.8 (6.) 144.4 (10.) 206.4 (3.)
 Trefferlage 0.82 mm links, 0.52 mm tief
 Streuwert 2.34, horizontal: 2.50, vertikal: 2.18



Serie 2:
 9.0 ← 10.4 * 8.8 ↘ 9.1 ↓ 9.3 ↗
 9.5 → 10.5 * 9.6 ↘ 10.2 * 10.3 *
 beste Teiler 112.3 (17.) 133.4 (12.) 175.4 (20.)
 Trefferlage 0.81 mm rechts, 0.87 mm tief
 Streuwert 2.48, horizontal: 2.88, vertikal: 2.02



Serie 3:
 9.7 ↙ 10.5 * 9.9 ← 10.2 * 8.4 ←
 8.6 ↘ 10.1 ↑ 10.5 * 9.0 ↓ 10.5 *
 beste Teiler 111.9 (22.) 116.5 (30.) 124.3 (28.)
 Trefferlage 0.66 mm links, 0.43 mm tief
 Streuwert 2.58, horizontal: 2.79, vertikal: 2.36





Serie 4:
 9.5 ↘ 10.5 * 10.0 → 10.4 * 9.5 ↘
 9.9 ↘ 10.4 * 9.5 → 10.7 * 10.5 *
 beste Teiler 70.6 (39.) 103.4 (40.) 124.2 (32.)
 Trefferlage 0.26 mm rechts, 0.38 mm hoch
 Streuwert 1.77, horizontal: 2.06, vertikal: 1.41


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **196.1** (188)
 Serien: 97.4 98.7
 Zähler: 11 7 1 1 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 832 (3), 747 (6), 482 (14)
 beste Teiler 21.8 (9.) 103.3 (5.) 109.0 (11.)
 Trefferlage 1.00 mm links, 0.31 mm hoch
 Streuwert 2.46, horizontal: 3.29, vertikal: 1.15





Serie 1:
 9.4 ← 10.4 * 7.6 ← 10.5 * 10.5 *
 8.0 ↖ 10.5 * 9.8 → 10.9 * 9.8 →
 beste Teiler 21.8 (9.) 103.3 (5.) 113.2 (7.)
 Trefferlage 1.21 mm links, 0.44 mm hoch
 Streuwert 2.84, horizontal: 3.91, vertikal: 0.90




Serie 2:
 10.5 * 10.0 ↘ 10.1 ↖ 9.0 ↖ 10.4 *
 10.2 * 9.1 ← 10.1 ↘ 9.8 → 9.5 ↖
 beste Teiler 109.0 (11.) 142.0 (15.) 185.8 (16.)
 Trefferlage 0.78 mm links, 0.18 mm hoch
 Streuwert 2.16, horizontal: 2.73, vertikal: 1.39

Unterschrift des Schützen

Ergebnis: **197.3** (189)
 Serien: 100.6 96.7
 Zähler: 11 7 2 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 595 (4), 529 (3), 500 (18)
 beste Teiler 18.7 (17.) 30.6 (9.) 39.2 (10.)
 Trefferlage 0.40 mm rechts, 1.01 mm tief
 Streuwert 2.23, horizontal: 2.32, vertikal: 2.14





Serie 1:
 10.5 * 10.1 ↓ 8.8 ↙ 8.6 ↓ 10.3 *
 10.3 * 10.3 * 10.1 ↘ 10.8 * 10.8 *
 beste Teiler 30.6 (9.) 39.2 (10.) 122.3 (1.)
 Trefferlage 0.58 mm links, 1.34 mm tief
 Streuwert 1.83, horizontal: 1.34, vertikal: 2.21




Serie 2:
 9.6 ↑ 10.1 ↓ 9.2 ← 9.2 ↘ 10.7 *
 9.8 ↘ 10.9 * 9.0 → 9.0 → 9.2 ↘
 beste Teiler 18.7 (17.) 57.4 (15.) 224.0 (12.)
 Trefferlage 1.39 mm rechts, 0.69 mm tief
 Streuwert 2.44, horizontal: 2.72, vertikal: 2.13

Unterschrift des Schützen

Ergebnis: **193.4** (184)
 Serien: 95.4 98.0
 Zähler: 7 10 3 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 674 (7), 671 (15), 515 (8)
 beste Teiler 73.1 (4.) 107.3 (5.) 115.0 (17.)
 Trefferlage 1.01 mm links, 0.36 mm hoch
 Streuwert 2.54, horizontal: 2.95, vertikal: 2.04





Serie 1:
 9.3 → 9.1 → 9.4 ↑ 10.7 * 10.5 *
 10.4 * 8.3 ↖ 8.9 ↙ 9.3 ↗ 9.5 ↖
 beste Teiler 73.1 (4.) 107.3 (5.) 135.5 (6.)
 Trefferlage 0.02 mm links, 0.68 mm hoch
 Streuwert 2.93, horizontal: 3.54, vertikal: 2.16




Serie 2:
 10.2 * 9.9 ↖ 9.8 ↖ 9.5 ↖ 8.3 ←
 9.4 ↙ 10.5 * 10.3 * 9.9 ← 10.2 *
 beste Teiler 115.0 (17.) 156.8 (18.) 177.7 (20.)
 Trefferlage 1.99 mm links, 0.04 mm hoch
 Streuwert 1.95, horizontal: 1.93, vertikal: 1.97

Unterschrift des Schützen

Ergebnis: **201.1** (191)
 Serien: 100.2 100.9
 Zähler: 13 5 2 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 589 (10), 531 (11), 402 (9)
 beste Teiler 25.1 (20.) 62.2 (6.) 71.5 (8.)
 Trefferlage 0.84 mm rechts, 0.70 mm tief
 Streuwert 1.82, horizontal: 1.84, vertikal: 1.79





Serie 1:
 10.1 ↘ 9.8 ↗ 10.3 * 9.7 ↘ 10.5 *
 10.7 * 10.5 * 10.7 * 9.3 → 8.6 ↘
 beste Teiler 62.2 (6.) 71.5 (8.) 115.5 (7.)
 Trefferlage 1.39 mm rechts, 0.36 mm tief
 Streuwert 1.82, horizontal: 2.02, vertikal: 1.59



Serie 2:
 8.8 ↓ 10.2 * 10.2 * 9.7 ↘ 9.5 ↓
 10.0 ← 10.5 * 10.5 * 10.6 * 10.9 *
 beste Teiler 25.1 (20.) 82.2 (19.) 112.0 (18.)
 Trefferlage 0.29 mm rechts, 1.04 mm tief
 Streuwert 1.78, horizontal: 1.55, vertikal: 1.99

Unterschrift des Schützen



Ergebnis: **25.0** (24)
 Serien: 25.0
 Zähler: 0 1 1 1 0 0 0 0 0 0
 Innenzehner: 0
 weiteste: 868 (1), 741 (3), 352 (2)
 beste Teiler 352.9 (2.) 741.0 (3.) 868.2 (1.)
 Trefferlage 1.99 mm links, 4.29 mm hoch
 Streuwert 4.35, horizontal: 4.87, vertikal: 3.75




Serie 1:
 7.5 ↖ 9.5 → 8.0 ↖
 beste Teiler 352.9 (2.) 741.0 (3.) 868.2 (1.)
 Trefferlage 1.99 mm links, 4.29 mm hoch
 Streuwert 4.35, horizontal: 4.87, vertikal: 3.75

Unterschrift des Schützen

Ergebnis: **181.2** (174)
 Serien: 92.2 89.0
 Zähler: 5 9 2 3 1 0 0 0 0 0
 Innenzehner: 2
 weiteste: 1106 (16), 839 (15), 834 (1)
 beste Teiler 58.0 (18.) 132.7 (20.) 205.4 (8.)
 Trefferlage 0.00 mm , 0.27 mm tief
 Streuwert 3.95, horizontal: 5.30, vertikal: 1.77





Serie 1:
 7.6 ← 9.6 ← 9.4 ← 8.6 → 9.1 →
 9.0 ← 9.9 → 10.1 ↓ 9.6 ↑ 9.3 →
 beste Teiler 205.4 (8.) 269.1 (7.) 341.7 (2.)
 Trefferlage 0.25 mm links, 0.56 mm hoch
 Streuwert 3.45, horizontal: 4.63, vertikal: 1.51




Serie 2:
 10.1 ↖ 9.0 → 7.6 ↘ 10.1 → 7.6 ←
 6.5 ↘ 9.0 ← 10.7 * 8.0 ← 10.4 *
 beste Teiler 58.0 (18.) 132.7 (20.) 225.0 (14.)
 Trefferlage 0.25 mm rechts, 1.12 mm tief
 Streuwert 4.50, horizontal: 6.15, vertikal: 1.66

Unterschrift des Schützen

Ergebnis: **190.3** (181)
 Serien: 96.5 93.8
 Zähler: 5 11 4 0 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 672 (14), 639 (4), 626 (12)
 beste Teiler 74.6 (8.) 114.9 (3.) 198.1 (16.)
 Trefferlage 0.73 mm rechts, 0.51 mm tief
 Streuwert 2.84, horizontal: 3.01, vertikal: 2.66





Serie 1:
 9.9 ↙ 9.5 ↓ 10.5 * 8.4 → 9.6 ←
 10.0 → 8.5 ↓ 10.7 * 9.5 ↓ 9.9 →
 beste Teiler 74.6 (8.) 114.9 (3.) 240.4 (6.)
 Trefferlage 0.91 mm rechts, 1.39 mm tief
 Streuwert 2.50, horizontal: 2.67, vertikal: 2.32




Serie 2:
 9.7 ↑ 8.4 ↗ 9.0 ← 8.3 → 9.2 ↘
 10.2 * 9.9 ↘ 10.1 ↓ 9.9 ↓ 9.1 ↑
 beste Teiler 198.1 (16.) 216.3 (18.) 254.1 (19.)
 Trefferlage 0.56 mm rechts, 0.36 mm hoch
 Streuwert 3.14, horizontal: 3.45, vertikal: 2.80

Unterschrift des Schützen

Ergebnis: **180.3** (174)
 Serien: 91.5 88.8
 Zähler: 5 8 4 2 1 0 0 0 0 0
 Innenzehner: 3
 weiteste: 1047 (18), 999 (3), 915 (17)
 beste Teiler 146.0 (9.) 165.7 (11.) 184.6 (16.)
 Trefferlage 1.62 mm links, 1.19 mm tief
 Streuwert 3.75, horizontal: 4.80, vertikal: 2.26





Serie 1:
 8.3 ↓ 8.0 ← 7.0 ↙ 10.0 ← 9.6 ↓
 10.0 ← 9.5 → 9.3 ← 10.4 * 9.4 →
 beste Teiler 146.0 (9.) 235.7 (6.) 244.2 (4.)
 Trefferlage 1.83 mm links, 2.18 mm tief
 Streuwert 3.23, horizontal: 4.01, vertikal: 2.18




Serie 2:
 10.3 * 9.0 ← 9.5 ↖ 8.8 → 8.1 ↖
 10.2 * 7.3 → 6.8 ← 9.3 ↖ 9.5 →
 beste Teiler 165.7 (11.) 184.6 (16.) 354.4 (20.)
 Trefferlage 1.41 mm links, 0.20 mm tief
 Streuwert 4.25, horizontal: 5.69, vertikal: 1.95

Unterschrift des Schützen

Ergebnis: **191.4** (181)
 Serien: 96.0 95.4
 Zähler: 7 7 6 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 717 (18), 606 (15), 593 (10)
 beste Teiler 21.0 (16.) 50.4 (5.) 79.6 (7.)
 Trefferlage 0.24 mm rechts, 0.61 mm tief
 Streuwert 2.85, horizontal: 3.38, vertikal: 2.19





Serie 1:
 9.9 → 8.6 → 9.3 → 10.0 ↓ 10.8 *
 8.9 ↙ 10.6 * 9.5 ← 9.8 ↘ 8.6 ↘
 beste Teiler 50.4 (5.) 79.6 (7.) 226.0 (4.)
 Trefferlage 1.31 mm rechts, 1.03 mm tief
 Streuwert 2.56, horizontal: 2.97, vertikal: 2.08




Serie 2:
 9.7 ↓ 10.4 * 8.7 ↖ 10.1 ↘ 8.5 ↘
 10.9 * 10.1 ↘ 8.1 ← 9.4 ↓ 9.5 ↖
 beste Teiler 21.0 (16.) 126.7 (12.) 216.4 (14.)
 Trefferlage 0.83 mm links, 0.19 mm tief
 Streuwert 3.02, horizontal: 3.57, vertikal: 2.33

Unterschrift des Schützen

Ergebnis: **196.4** (188)
 Serien: 99.4 97.0
 Zähler: 9 10 1 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 661 (16), 481 (14), 440 (13)
 beste Teiler 102.4 (6.) 115.4 (15.) 144.7 (20.)
 Trefferlage 0.45 mm rechts, 0.04 mm tief
 Streuwert 2.23, horizontal: 2.90, vertikal: 1.25





Serie 1:
 9.8 ↖ 9.9 ↗ 9.9 → 10.0 ↗ 9.5 →
 10.5 * 10.0 ↘ 9.8 ← 10.2 * 9.8 ←
 beste Teiler 102.4 (6.) 185.3 (9.) 233.6 (7.)
 Trefferlage 0.41 mm rechts, 0.35 mm hoch
 Streuwert 1.88, horizontal: 2.29, vertikal: 1.37




Serie 2:
 9.9 ← 10.0 → 9.2 → 9.0 ↖ 10.5 *
 8.3 → 10.3 * 9.2 → 10.2 * 10.4 *
 beste Teiler 115.4 (15.) 144.7 (20.) 170.4 (17.)
 Trefferlage 0.49 mm rechts, 0.44 mm tief
 Streuwert 2.61, horizontal: 3.54, vertikal: 1.04

Unterschrift des Schützen

Ergebnis: **192.5** (182)
 Serien: 95.2 97.3
 Zähler: 7 9 3 1 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 809 (2), 583 (14), 537 (7)
 beste Teiler 98.3 (17.) 109.5 (8.) 125.2 (3.)
 Trefferlage 1.70 mm rechts, 0.87 mm hoch
 Streuwert 2.35, horizontal: 2.64, vertikal: 2.03





Serie 1:
 9.8 ↗ 7.7 → 10.5 * 8.9 ↗ 9.6 ↗
 9.5 ↑ 8.8 → 10.5 * 10.3 * 9.6 ↑
 beste Teiler 109.5 (8.) 125.2 (3.) 172.0 (9.)
 Trefferlage 2.08 mm rechts, 2.19 mm hoch
 Streuwert 2.12, horizontal: 2.80, vertikal: 1.08




Serie 2:
 9.3 ↗ 10.0 ↘ 10.1 ↓ 8.6 → 9.9 →
 10.1 ↓ 10.6 * 9.2 ↘ 9.7 → 9.8 ←
 beste Teiler 98.3 (17.) 205.4 (13.) 224.8 (16.)
 Trefferlage 1.32 mm rechts, 0.45 mm tief
 Streuwert 2.26, horizontal: 2.56, vertikal: 1.91

Unterschrift des Schützen

Ergebnis: **201.1** (192)
 Serien: 102.6 98.5
 Zähler: 14 5 0 1 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 827 (20), 408 (13), 395 (19)
 beste Teiler 23.4 (16.) 57.0 (7.) 60.9 (12.)
 Trefferlage 0.78 mm rechts, 0.18 mm hoch
 Streuwert 2.01, horizontal: 2.56, vertikal: 1.22





Serie 1:
 10.6 * 9.6 ← 10.1 ← 10.1 ↑ 10.3 *
 10.5 * 10.7 * 10.7 * 10.4 * 9.6 →
 beste Teiler 57.0 (7.) 75.1 (8.) 95.1 (1.)
 Trefferlage 0.06 mm rechts, 0.01 mm tief
 Streuwert 1.46, horizontal: 1.81, vertikal: 1.00




Serie 2:
 10.2 * 10.7 * 9.3 → 10.6 * 10.3 *
 10.9 * 9.4 → 10.1 ← 9.4 ↑ 7.6 →
 beste Teiler 23.4 (16.) 60.9 (12.) 85.0 (14.)
 Trefferlage 1.49 mm rechts, 0.38 mm hoch
 Streuwert 2.40, horizontal: 3.08, vertikal: 1.43

Unterschrift des Schützen

Ergebnis: **183.3** (176)
 Serien: 91.6 91.7
 Zähler: 6 8 4 0 2 0 0 0 0 0
 Innenzehner: 5
 weiteste: 1149 (3), 1115 (20), 644 (14)
 beste Teiler 85.0 (4.) 94.3 (17.) 137.4 (16.)
 Trefferlage 2.27 mm rechts, 0.81 mm hoch
 Streuwert 3.44, horizontal: 4.46, vertikal: 1.95





Serie 1:
 9.2 → 10.1 → 6.4 → 10.6 * 9.3 →
 8.4 → 9.4 ← 9.1 ↗ 8.8 ← 10.3 *
 beste Teiler 85.0 (4.) 155.2 (10.) 217.9 (2.)
 Trefferlage 2.38 mm rechts, 0.44 mm hoch
 Streuwert 3.54, horizontal: 4.85, vertikal: 1.23




Serie 2:
 9.5 ← 9.2 → 10.2 * 8.4 → 9.1 ↗
 10.4 * 10.6 * 8.6 ↘ 9.2 ← 6.5 ↗
 beste Teiler 94.3 (17.) 137.4 (16.) 188.2 (13.)
 Trefferlage 2.16 mm rechts, 1.17 mm hoch
 Streuwert 3.50, horizontal: 4.29, vertikal: 2.49

Unterschrift des Schützen

Ergebnis: **177.7** (170)
 Serien: 88.6 89.1
 Zähler: 2 10 4 4 0 0 0 0 0 0
 Innenzehner: 1
 weiteste: 954 (2), 916 (7), 793 (18)
 beste Teiler 72.4 (8.) 240.8 (16.) 365.1 (20.)
 Trefferlage 0.06 mm links, 1.91 mm hoch
 Streuwert 3.80, horizontal: 5.10, vertikal: 1.70



Serie 1:
 8.6 → 7.1 ↖ 8.6 → 9.3 ↖ 9.0 →
 9.1 ← 7.3 → 10.7 * 9.5 ↑ 9.4 ←
 beste Teiler 72.4 (8.) 372.3 (9.) 392.9 (10.)
 Trefferlage 0.36 mm rechts, 1.42 mm hoch
 Streuwert 4.18, horizontal: 5.62, vertikal: 1.85



Serie 2:
 7.9 ← 8.7 ← 9.2 ↗ 8.5 ↖ 9.1 ↖
 10.0 ↘ 9.4 ↘ 7.8 → 9.0 ↗ 9.5 ↗
 beste Teiler 240.8 (16.) 365.1 (20.) 380.4 (17.)
 Trefferlage 0.50 mm links, 2.40 mm hoch
 Streuwert 3.54, horizontal: 4.78, vertikal: 1.46

Unterschrift des Schützen