





Ergebnis: **593.6** (570)
 Serien: 98.4 99.7 96.5 101.6 100.9 96.5
 Zähler: 36 18 6 0 0 0 0 0 0
 Innenzehner: 25
 weiteste: 641 (20), 581 (28), 564 (53)
 beste Teiler 29.0 (8.) 30.6 (57.) 31.0 (32.)
 Trefferlage 0.27 mm links, 0.04 mm tief
 Streuwert 2.19, horizontal: 2.37, vertikal: 2.01




Serie 1:
 10.0 ← 10.1 ↘ 9.4 ← 9.1 ← 9.7 ↘
 9.3 ↘ 10.0 ↓ 10.8 * 10.0 ↗ 10.0 ↑
 beste Teiler 29.0 (8.) 221.3 (2.) 231.9 (9.)
 Trefferlage 0.58 mm links, 0.47 mm tief
 Streuwert 2.19, horizontal: 2.36, vertikal: 2.00




Serie 2:
 9.8 ↗ 10.3 * 10.2 * 10.6 * 10.1 ↓
 10.4 * 9.2 ↓ 10.6 * 10.1 ↗ 8.4 ↘
 beste Teiler 81.5 (14.) 100.8 (18.) 140.0 (16.)
 Trefferlage 0.58 mm links, 0.10 mm hoch
 Streuwert 2.16, horizontal: 1.90, vertikal: 2.40




Serie 3:
 10.3 * 10.0 ↗ 10.2 * 10.3 * 8.8 ←
 10.2 * 9.7 → 8.6 ← 9.1 ↗ 9.3 →
 beste Teiler 156.0 (24.) 173.2 (21.) 192.7 (26.)
 Trefferlage 0.25 mm rechts, 0.72 mm hoch
 Streuwert 2.64, horizontal: 3.40, vertikal: 1.53



Serie 4:
 10.2 * 10.8 * 10.6 * 9.3 ↑ 9.0 ↘
 10.1 ← 10.2 * 10.2 * 10.5 * 10.7 *
 beste Teiler 31.0 (32.) 67.2 (40.) 87.3 (33.)
 Trefferlage 0.40 mm links, 0.67 mm hoch
 Streuwert 1.73, horizontal: 1.75, vertikal: 1.70



Serie 5:
 10.7 * 9.4 ← 10.4 * 9.6 ↘ 9.8 ↘
 10.0 → 10.6 * 10.0 ← 10.6 * 9.8 ↑
 beste Teiler 63.0 (41.) 76.0 (47.) 77.8 (49.)
 Trefferlage 0.24 mm links, 0.13 mm tief
 Streuwert 1.77, horizontal: 2.00, vertikal: 1.50



Serie 6:
 8.8 ↓ 9.2 ↓ 8.7 → 10.6 * 8.8 →
 10.4 * 10.8 * 9.3 ↓ 9.6 ↓ 10.3 *
 beste Teiler 30.6 (57.) 100.9 (54.) 130.7 (56.)
 Trefferlage 0.05 mm links, 1.16 mm tief
 Streuwert 2.70, horizontal: 2.89, vertikal: 2.50

LG 60 ZR – Wertung – Junioren

StandNr: 101

Stefan, Lintner, #70209053

StartNr: 1



15. Januar 2017 13:19

SG Hötting


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **611.2** (582)
 Serien: 101.3 103.1 102.1 101.1 100.3 103.3
 Zähler: 43 16 1 0 0 0 0 0 0
 Innenzehner: 36
 weiteste: 510 (48), 447 (2), 440 (35)
 beste Teiler 41.7 (42.) 44.1 (57.) 45.6 (24.)
 Trefferlage 0.46 mm links, 0.12 mm hoch
 Streuwert 1.56, horizontal: 1.75, vertikal: 1.34




Serie 1:
 10.4 * 9.2 ↘ 10.3 * 10.2 * 10.3 *
 9.5 ↙ 10.5 * 10.5 * 10.5 * 9.9 ←
 beste Teiler 102.5 (9.) 121.6 (8.) 125.8 (7.)
 Trefferlage 0.04 mm rechts, 0.16 mm tief
 Streuwert 1.75, horizontal: 2.15, vertikal: 1.23




Serie 2:
 10.4 * 10.7 * 10.1 ↘ 10.6 * 9.9 ←
 10.0 ← 10.0 ← 10.7 * 10.6 * 10.1 ↑
 beste Teiler 56.8 (18.) 67.0 (12.) 85.7 (14.)
 Trefferlage 0.67 mm links, 0.08 mm hoch
 Streuwert 1.22, horizontal: 1.38, vertikal: 1.03




Serie 3:
 9.5 ← 10.4 * 10.3 * 10.8 * 10.6 *
 10.7 * 9.7 ↑ 10.4 * 9.7 ↑ 10.0 ↘
 beste Teiler 45.6 (24.) 74.6 (26.) 92.7 (25.)
 Trefferlage 0.08 mm links, 0.62 mm hoch
 Streuwert 1.53, horizontal: 1.56, vertikal: 1.51



Serie 4:
 10.3 * 9.9 ↘ 10.4 * 9.3 ← 9.2 ↑
 10.7 * 10.4 * 10.6 * 10.4 * 9.9 ←
 beste Teiler 63.6 (36.) 86.7 (38.) 133.1 (37.)
 Trefferlage 0.94 mm links, 0.50 mm hoch
 Streuwert 1.64, horizontal: 1.66, vertikal: 1.62



Serie 5:
 10.0 ↘ 10.8 * 10.4 * 10.6 * 10.6 *
 9.7 ↘ 9.3 ← 8.9 ← 9.6 ↓ 10.4 *
 beste Teiler 41.7 (42.) 79.3 (44.) 93.6 (45.)
 Trefferlage 1.04 mm links, 0.18 mm tief
 Streuwert 1.90, horizontal: 2.29, vertikal: 1.39



Serie 6:
 10.4 * 10.1 ↓ 9.9 ↘ 10.6 * 10.4 *
 10.2 * 10.8 * 9.7 ← 10.5 * 10.7 *
 beste Teiler 44.1 (57.) 63.8 (60.) 91.4 (54.)
 Trefferlage 0.10 mm links, 0.09 mm tief
 Streuwert 1.31, horizontal: 1.33, vertikal: 1.29

Meyton Elektronik

LG 60 ZR – Wertung – Männer

StandNr: 102

Peter–Paul, Walder, #70606050

StartNr: 2



15. Januar 2017 12:51

SG Innervillgraten


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **404.6** (387)
 Serien: 100.0 101.9 100.5 102.2
 Zähler: 29 9 2 0 0 0 0 0 0 0
 Innenzehner: 21
 weiteste: 526 (28), 504 (4), 424 (2)
 beste Teiler 11.4 (5.) 40.4 (3.) 55.1 (40.)
 Trefferlage 0.24 mm links, 0.68 mm tief
 Streuwert 1.62, horizontal: 1.69, vertikal: 1.55




Serie 1:
 10.0 ↑ 9.3 ↓ 10.8 * 8.9 ← 10.9 *
 10.2 * 10.1 ← 9.9 ↘ 10.0 ← 9.9 →
 beste Teiler 11.4 (5.) 40.4 (3.) 198.1 (6.)
 Trefferlage 0.59 mm links, 0.21 mm tief
 Streuwert 2.02, horizontal: 2.26, vertikal: 1.76



Serie 2:
 10.3 * 9.6 ↘ 10.1 ↖ 10.1 ↘ 10.3 *
 10.2 * 10.3 * 10.3 * 10.2 * 10.5 *
 beste Teiler 123.0 (20.) 160.3 (15.) 165.4 (17.)
 Trefferlage 0.50 mm rechts, 0.84 mm tief
 Streuwert 1.29, horizontal: 1.35, vertikal: 1.23





Serie 3:
 10.7 * 9.9 ↖ 10.5 * 10.3 * 9.9 ↘
 10.1 ↘ 10.1 ↖ 8.8 ↘ 10.7 * 9.5 ↖
 beste Teiler 60.9 (29.) 72.1 (21.) 108.2 (23.)
 Trefferlage 0.57 mm links, 0.95 mm tief
 Streuwert 1.75, horizontal: 1.91, vertikal: 1.58




Serie 4:
 9.6 ↑ 10.4 * 9.8 ↓ 10.4 * 10.2 *
 10.2 * 10.5 * 10.0 ↖ 10.4 * 10.7 *
 beste Teiler 55.1 (40.) 114.9 (37.) 138.4 (39.)
 Trefferlage 0.30 mm links, 0.71 mm tief
 Streuwert 1.40, horizontal: 0.99, vertikal: 1.71

Unterschrift des Schützen


Ergebnis: **408.0** (391)
 Serien: 102.7 101.3 101.3 102.7
 Zähler: 31 9 0 0 0 0 0 0 0 0
 Innenzehner: 22
 weiteste: 494 (8), 460 (21), 377 (14)
 beste Teiler 22.0 (9.) 31.1 (25.) 31.2 (39.)
 Trefferlage 0.09 mm links, 0.14 mm hoch
 Streuwert 1.57, horizontal: 1.71, vertikal: 1.42




Serie 1:
 10.0 ← 10.8 * 10.3 * 10.3 * 10.3 *
 10.6 * 10.5 * 9.0 ↖ 10.9 * 10.0 ↖
 beste Teiler 22.0 (9.) 43.1 (2.) 95.2 (6.)
 Trefferlage 0.60 mm links, 0.50 mm hoch
 Streuwert 1.50, horizontal: 1.79, vertikal: 1.14



Serie 2:
 10.5 * 10.2 * 10.0 ← 9.4 → 10.6 *
 10.2 * 10.4 * 10.0 ↑ 10.3 * 9.7 →
 beste Teiler 77.0 (15.) 116.1 (11.) 138.2 (17.)
 Trefferlage 0.53 mm rechts, 0.61 mm hoch
 Streuwert 1.54, horizontal: 1.94, vertikal: 0.97



Serie 3:
 9.1 ↗ 10.1 ↓ 9.5 ↓ 10.1 ↗ 10.8 *
 9.9 ↓ 10.8 * 10.0 ↙ 10.6 * 10.4 *
 beste Teiler 31.1 (25.) 32.3 (27.) 92.3 (29.)
 Trefferlage 0.32 mm rechts, 0.63 mm tief
 Streuwert 1.74, horizontal: 1.49, vertikal: 1.96





Serie 4:
 10.4 * 10.7 * 10.3 * 9.7 ↖ 9.9 ↖
 10.1 ↓ 10.8 * 10.1 ↙ 10.8 * 9.9 ←
 beste Teiler 31.2 (39.) 33.2 (37.) 64.0 (32.)
 Trefferlage 0.63 mm links, 0.08 mm hoch
 Streuwert 1.37, horizontal: 1.47, vertikal: 1.27


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **397.3** (379)
 Serien: 99.4 99.4 98.3 100.2
 Zähler: 23 13 4 0 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 624 (10), 575 (29), 558 (2)
 beste Teiler 41.0 (25.) 42.5 (3.) 63.1 (5.)
 Trefferlage 0.15 mm links, 0.56 mm hoch
 Streuwert 2.11, horizontal: 2.26, vertikal: 1.95




Serie 1:
 9.1 ← 8.7 ← 10.8 * 10.4 * 10.7 *
 10.6 * 10.3 * 10.0 ↓ 10.3 * 8.5 →
 beste Teiler 42.5 (3.) 63.1 (5.) 86.2 (6.)
 Trefferlage 0.79 mm links, 0.30 mm tief
 Streuwert 2.34, horizontal: 3.09, vertikal: 1.20



Serie 2:
 10.5 * 9.8 ↑ 10.2 * 9.5 ↖ 10.3 *
 10.4 * 10.0 ↘ 9.3 ↗ 10.0 ↙ 9.4 ←
 beste Teiler 118.1 (11.) 141.1 (16.) 166.0 (15.)
 Trefferlage 0.69 mm links, 0.87 mm hoch
 Streuwert 1.86, horizontal: 1.93, vertikal: 1.79



Serie 3:
 9.6 ↑ 9.4 ↘ 9.7 ↖ 10.4 * 10.8 *
 9.4 ↑ 10.7 * 9.3 ↗ 8.7 ↖ 10.3 *
 beste Teiler 41.0 (25.) 68.7 (27.) 130.0 (24.)
 Trefferlage 0.32 mm rechts, 1.34 mm hoch
 Streuwert 2.21, horizontal: 1.96, vertikal: 2.43





Serie 4:
 10.2 * 9.6 ↑ 9.9 ↖ 10.5 * 10.4 *
 10.2 * 10.6 * 8.8 ↗ 10.3 * 9.7 ↓
 beste Teiler 81.0 (37.) 116.3 (34.) 136.7 (35.)
 Trefferlage 0.54 mm rechts, 0.35 mm hoch
 Streuwert 1.96, horizontal: 1.83, vertikal: 2.08


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **393.9** (375)
 Serien: 97.0 97.0 101.2 98.7
 Zähler: 20 16 3 1 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 820 (40), 577 (11), 522 (8)
 beste Teiler 65.7 (29.) 94.7 (38.) 103.4 (6.)
 Trefferlage 0.15 mm links, 0.13 mm hoch
 Streuwert 2.28, horizontal: 2.76, vertikal: 1.65




Serie 1:
 8.9 → 10.0 ↙ 10.3 * 9.9 ↓ 9.5 ←
 10.5 * 9.0 ↑ 8.9 ← 10.2 * 9.8 ↘
 beste Teiler 103.4 (6.) 162.3 (3.) 189.1 (9.)
 Trefferlage 0.43 mm links, 0.24 mm tief
 Streuwert 2.53, horizontal: 2.76, vertikal: 2.28



Serie 2:
 8.6 → 10.4 * 10.5 * 9.8 ← 10.3 *
 9.7 ← 9.4 ↗ 9.6 → 9.6 ↗ 9.1 ←
 beste Teiler 108.9 (13.) 127.1 (12.) 164.5 (15.)
 Trefferlage 0.06 mm rechts, 0.41 mm hoch
 Streuwert 2.53, horizontal: 3.31, vertikal: 1.36



Serie 3:
 10.4 * 9.5 ↓ 10.5 * 9.9 → 10.4 *
 10.5 * 9.2 ↘ 9.6 ← 10.7 * 10.5 *
 beste Teiler 65.7 (29.) 105.7 (30.) 116.2 (26.)
 Trefferlage 0.25 mm rechts, 0.10 mm hoch
 Streuwert 1.76, horizontal: 2.06, vertikal: 1.41





Serie 4:
 10.4 * 10.1 ↗ 9.8 ↗ 9.4 ← 10.3 *
 10.0 ↑ 10.3 * 10.6 * 10.1 → 7.7 ←
 beste Teiler 94.7 (38.) 149.5 (31.) 157.0 (35.)
 Trefferlage 0.48 mm links, 0.25 mm hoch
 Streuwert 2.48, horizontal: 3.13, vertikal: 1.59


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **369.9** (355)
 Serien: 89.0 90.8 92.5 97.6
 Zähler: 9 19 10 2 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 880 (7), 868 (26), 703 (12)
 beste Teiler 77.2 (35.) 90.8 (40.) 107.2 (17.)
 Trefferlage 0.53 mm links, 1.64 mm hoch
 Streuwert 3.09, horizontal: 3.69, vertikal: 2.35




Serie 1:
 9.1 ↗ 9.0 ↖ 9.0 → 9.0 ↗ 9.1 ↗
 8.5 ↑ 7.4 ← 8.8 ↗ 10.3 * 8.8 ↖
 beste Teiler 162.8 (9.) 452.6 (1.) 465.8 (5.)
 Trefferlage 0.33 mm rechts, 3.07 mm hoch
 Streuwert 3.27, horizontal: 4.31, vertikal: 1.70



Serie 2:
 9.2 ↗ 8.1 ← 8.7 ↘ 9.3 ↑ 8.6 ↑
 9.1 ← 10.5 * 10.2 * 8.2 → 8.9 ↖
 beste Teiler 107.2 (17.) 191.8 (18.) 417.7 (14.)
 Trefferlage 0.73 mm links, 1.67 mm hoch
 Streuwert 3.49, horizontal: 3.90, vertikal: 3.03



Serie 3:
 9.2 ↑ 9.6 ↗ 9.3 ↗ 9.5 ↑ 9.2 ↑
 7.5 ← 10.0 ← 9.0 ← 10.3 * 8.9 ↖
 beste Teiler 171.2 (29.) 231.6 (27.) 340.2 (22.)
 Trefferlage 1.27 mm links, 1.95 mm hoch
 Streuwert 2.96, horizontal: 3.81, vertikal: 1.73





Serie 4:
 9.5 ↖ 9.2 ← 9.2 → 10.2 * 10.6 *
 8.8 ↖ 10.2 * 9.9 ↘ 9.4 → 10.6 *
 beste Teiler 77.2 (35.) 90.8 (40.) 195.6 (34.)
 Trefferlage 0.47 mm links, 0.13 mm tief
 Streuwert 2.46, horizontal: 3.04, vertikal: 1.70


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **409.6** (393)
 Serien: 101.5 103.3 102.7 102.1
 Zähler: 33 7 0 0 0 0 0 0 0 0
 Innenzehner: 24
 weiteste: 403 (4), 392 (2), 387 (30)
 beste Teiler 38.2 (14.) 40.5 (39.) 62.2 (27.)
 Trefferlage 0.35 mm rechts, 0.07 mm hoch
 Streuwert 1.46, horizontal: 1.65, vertikal: 1.25




Serie 1:
 10.4 * 9.4 ↗ 10.1 ← 9.3 ↖ 10.7 *
 10.2 * 10.4 * 10.2 * 10.5 * 10.3 *
 beste Teiler 67.0 (5.) 112.3 (9.) 137.9 (7.)
 Trefferlage 0.08 mm links, 0.24 mm hoch
 Streuwert 1.69, horizontal: 1.90, vertikal: 1.46



Serie 2:
 10.6 * 10.0 ↘ 10.0 ↓ 10.8 * 10.6 *
 10.0 ← 10.6 * 10.0 → 10.0 ↓ 10.7 *
 beste Teiler 38.2 (14.) 73.0 (20.) 76.9 (11.)
 Trefferlage 0.07 mm links, 0.24 mm tief
 Streuwert 1.31, horizontal: 1.25, vertikal: 1.37



Serie 3:
 9.9 ↘ 10.6 * 10.7 * 10.0 ↑ 10.0 →
 10.1 → 10.7 * 10.7 * 10.6 * 9.4 →
 beste Teiler 62.2 (27.) 66.0 (28.) 66.4 (23.)
 Trefferlage 0.87 mm rechts, 0.05 mm hoch
 Streuwert 1.37, horizontal: 1.60, vertikal: 1.09





Serie 4:
 9.5 → 10.5 * 9.4 ↗ 10.5 * 10.2 *
 10.4 * 9.9 → 10.5 * 10.8 * 10.4 *
 beste Teiler 40.5 (39.) 101.1 (38.) 105.0 (32.)
 Trefferlage 0.70 mm rechts, 0.23 mm hoch
 Streuwert 1.52, horizontal: 1.78, vertikal: 1.21


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **409.8** (390)
 Serien: 101.1 103.2 104.1 101.4
 Zähler: 31 8 1 0 0 0 0 0 0
 Innenzehner: 28
 weiteste: 536 (31), 422 (2), 413 (8)
 beste Teiler 47.3 (11.) 49.6 (9.) 50.3 (13.)
 Trefferlage 0.25 mm rechts, 0.11 mm hoch
 Streuwert 1.49, horizontal: 1.58, vertikal: 1.39




Serie 1:
 10.4 * 9.3 → 9.5 ↘ 10.5 * 9.9 →
 10.5 * 10.6 * 9.3 ↑ 10.8 * 10.3 *
 beste Teiler 49.6 (9.) 79.0 (7.) 111.0 (6.)
 Trefferlage 0.75 mm rechts, 0.15 mm hoch
 Streuwert 1.77, horizontal: 1.83, vertikal: 1.72



Serie 2:
 10.8 * 10.5 * 10.8 * 9.8 ↗ 9.8 →
 9.6 → 10.4 * 10.5 * 10.4 * 10.6 *
 beste Teiler 47.3 (11.) 50.3 (13.) 90.1 (20.)
 Trefferlage 0.75 mm rechts, 0.37 mm hoch
 Streuwert 1.23, horizontal: 1.43, vertikal: 0.99





Serie 3:
 10.1 ↘ 10.3 * 10.6 * 10.4 * 10.4 *
 10.2 * 10.4 * 10.6 * 10.6 * 10.5 *
 beste Teiler 76.5 (29.) 85.7 (28.) 89.8 (23.)
 Trefferlage 0.31 mm links, 0.36 mm hoch
 Streuwert 0.99, horizontal: 0.98, vertikal: 1.01




Serie 4:
 8.8 ↘ 10.5 * 10.5 * 10.4 * 10.1 ↘
 10.4 * 10.4 * 10.0 ↓ 10.7 * 9.6 ↙
 beste Teiler 65.7 (39.) 106.5 (32.) 125.6 (33.)
 Trefferlage 0.17 mm links, 0.44 mm tief
 Streuwert 1.76, horizontal: 1.82, vertikal: 1.70

Unterschrift des Schützen


Ergebnis: **370.6** (353)
 Serien: 94.4 91.9 90.5 93.8
 Zähler: 11 19 5 3 1 1 0 0 0 0
 Innenzehner: 7
 weiteste: 1376 (30), 1077 (17), 935 (29)
 beste Teiler 73.4 (28.) 98.6 (22.) 147.7 (31.)
 Trefferlage 0.21 mm links, 1.70 mm tief
 Streuwert 3.41, horizontal: 3.16, vertikal: 3.65




Serie 1:
 9.4 ↑ 10.0 ← 10.3 * 9.2 ↘ 9.1 ↓
 9.1 ↓ 7.2 ↘ 10.1 ↑ 9.9 ↑ 10.1 ↘
 beste Teiler 163.2 (3.) 203.2 (10.) 222.2 (8.)
 Trefferlage 0.19 mm links, 0.12 mm tief
 Streuwert 3.26, horizontal: 2.98, vertikal: 3.51



Serie 2:
 9.6 ↓ 9.6 ↓ 9.9 ↓ 9.6 ↗ 8.9 ↓
 9.4 → 6.6 ↘ 10.3 * 8.6 ↓ 9.4 ↘
 beste Teiler 164.1 (18.) 267.1 (13.) 341.2 (12.)
 Trefferlage 1.11 mm rechts, 3.02 mm tief
 Streuwert 2.87, horizontal: 3.18, vertikal: 2.51



Serie 3:
 10.2 * 10.6 * 8.1 ↓ 9.9 → 9.3 →
 9.9 ↘ 9.2 ↗ 10.7 * 7.2 ← 5.4 ↓
 beste Teiler 73.4 (28.) 98.6 (22.) 198.2 (21.)
 Trefferlage 0.47 mm links, 1.71 mm tief
 Streuwert 4.43, horizontal: 4.01, vertikal: 4.82





Serie 4:
 10.4 * 9.0 ↓ 9.9 ↓ 8.9 ↑ 7.8 ↓
 8.5 ← 10.2 * 9.5 ↗ 10.0 ↓ 9.6 ↓
 beste Teiler 147.7 (31.) 187.2 (37.) 239.4 (39.)
 Trefferlage 1.30 mm links, 1.94 mm tief
 Streuwert 2.81, horizontal: 2.18, vertikal: 3.32


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **379.9** (363)
 Serien: 96.1 94.0 92.2 97.6
 Zähler: 17 13 7 2 1 0 0 0 0 0
 Innenzehner: 13
 weiteste: 1051 (22), 845 (20), 785 (12)
 beste Teiler 78.2 (35.) 79.2 (31.) 79.6 (14.)
 Trefferlage 0.46 mm links, 0.01 mm hoch
 Streuwert 3.10, horizontal: 3.71, vertikal: 2.34




Serie 1:
 10.2 * 9.0 ↘ 10.4 * 10.5 * 10.0 ↑
 9.2 ↘ 10.4 * 10.2 * 8.2 ↘ 8.0 ←
 beste Teiler 107.3 (4.) 134.1 (7.) 143.5 (3.)
 Trefferlage 1.15 mm links, 0.02 mm hoch
 Streuwert 2.89, horizontal: 3.22, vertikal: 2.52



Serie 2:
 10.2 * 7.8 ← 10.2 * 10.6 * 10.5 *
 8.5 ← 9.3 → 9.7 ↓ 9.6 ← 7.6 ↗
 beste Teiler 79.6 (14.) 121.7 (15.) 181.6 (11.)
 Trefferlage 0.94 mm links, 0.17 mm tief
 Streuwert 3.41, horizontal: 3.88, vertikal: 2.87



Serie 3:
 10.0 ↑ 6.7 ← 8.9 ↙ 9.6 ↘ 10.1 ↗
 8.5 ← 10.5 * 9.0 ← 10.6 * 8.3 →
 beste Teiler 95.2 (29.) 121.4 (27.) 223.2 (25.)
 Trefferlage 1.51 mm links, 0.18 mm tief
 Streuwert 3.66, horizontal: 4.68, vertikal: 2.20





Serie 4:
 10.6 * 8.5 ↗ 9.0 → 9.6 → 10.6 *
 9.9 → 10.1 ← 9.9 ↓ 9.7 ↘ 9.7 ↗
 beste Teiler 78.2 (35.) 79.2 (31.) 215.6 (37.)
 Trefferlage 1.73 mm rechts, 0.37 mm hoch
 Streuwert 2.13, horizontal: 2.22, vertikal: 2.04


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **386.2** (366)
 Serien: 94.1 93.3 98.6 100.2
 Zähler: 14 20 4 2 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 939 (17), 904 (8), 735 (19)
 beste Teiler 54.6 (16.) 59.0 (26.) 78.1 (28.)
 Trefferlage 0.96 mm links, 0.59 mm hoch
 Streuwert 2.62, horizontal: 3.37, vertikal: 1.54




Serie 1:
 9.9 ↖ 9.9 ↓ 8.5 ↖ 8.9 ← 10.4 *
 10.1 ↑ 9.5 ← 7.3 ← 9.5 ↘ 10.1 ↗
 beste Teiler 130.7 (5.) 223.6 (10.) 224.5 (6.)
 Trefferlage 2.48 mm links, 0.98 mm hoch
 Streuwert 2.66, horizontal: 3.47, vertikal: 1.44



Serie 2:
 10.2 * 9.9 ↖ 9.4 ← 9.2 ↘ 10.2 *
 10.7 * 7.2 ← 9.4 ← 8.0 → 9.1 →
 beste Teiler 54.6 (16.) 176.3 (15.) 198.7 (11.)
 Trefferlage 0.01 mm links, 0.31 mm tief
 Streuwert 3.55, horizontal: 4.93, vertikal: 0.94





Serie 3:
 9.4 ↘ 10.6 * 9.5 ↘ 8.6 ← 9.9 ↑
 10.7 * 9.8 ↘ 10.6 * 9.6 ↑ 9.9 ↘
 beste Teiler 59.0 (26.) 78.1 (28.) 86.7 (22.)
 Trefferlage 1.35 mm links, 1.20 mm hoch
 Streuwert 1.92, horizontal: 2.31, vertikal: 1.42




Serie 4:
 9.8 ↗ 10.6 * 10.2 * 10.4 * 9.8 ↓
 9.5 ↗ 10.1 ↘ 10.3 * 9.8 ↑ 9.7 ↖
 beste Teiler 82.7 (32.) 147.7 (34.) 156.3 (38.)
 Trefferlage 0.02 mm links, 0.52 mm hoch
 Streuwert 1.80, horizontal: 1.65, vertikal: 1.94

Unterschrift des Schützen


Ergebnis: **373.5** (358)
 Serien: 94.3 91.4 90.8 97.0
 Zähler: 13 15 9 3 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 881 (17), 809 (26), 783 (3)
 beste Teiler 94.1 (7.) 117.5 (8.) 123.2 (1.)
 Trefferlage 0.34 mm rechts, 1.00 mm hoch
 Streuwert 3.17, horizontal: 3.79, vertikal: 2.40




Serie 1:
 10.5 * 9.2 ↘ 7.8 ↙ 8.6 → 8.1 ↗
 8.8 ↗ 10.6 * 10.5 * 10.0 ↑ 10.2 *
 beste Teiler 94.1 (7.) 117.5 (8.) 123.2 (1.)
 Trefferlage 0.85 mm rechts, 1.21 mm hoch
 Streuwert 3.21, horizontal: 3.54, vertikal: 2.85



Serie 2:
 10.2 * 8.3 ← 9.4 ← 9.0 ↘ 9.0 ↘
 10.2 * 7.4 → 8.4 ↘ 10.3 * 9.2 →
 beste Teiler 153.6 (19.) 190.2 (11.) 190.2 (16.)
 Trefferlage 0.05 mm links, 0.55 mm hoch
 Streuwert 3.73, horizontal: 4.73, vertikal: 2.33



Serie 3:
 8.6 ↗ 9.0 ↑ 10.4 * 8.5 ↘ 9.1 ↘
 7.7 → 9.4 ↘ 8.4 ← 9.9 → 9.8 ↘
 beste Teiler 135.7 (23.) 271.2 (29.) 281.8 (30.)
 Trefferlage 0.24 mm rechts, 1.85 mm hoch
 Streuwert 3.50, horizontal: 4.29, vertikal: 2.48





Serie 4:
 9.6 ↘ 10.0 ↙ 9.0 ← 9.7 ↘ 9.8 ↗
 9.9 → 10.4 * 10.1 ↙ 10.0 ↑ 8.5 →
 beste Teiler 137.5 (37.) 213.8 (38.) 232.1 (39.)
 Trefferlage 0.33 mm rechts, 0.40 mm hoch
 Streuwert 2.48, horizontal: 2.93, vertikal: 1.95


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **381.9** (364)
 Serien: 95.0 93.3 98.5 95.1
 Zähler: 13 18 9 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 695 (17), 646 (2), 570 (23)
 beste Teiler 54.7 (25.) 69.6 (4.) 75.5 (10.)
 Trefferlage 0.03 mm links, 0.69 mm tief
 Streuwert 2.75, horizontal: 3.23, vertikal: 2.18




Serie 1:
 8.8 ← 8.4 → 9.1 ← 10.7 * 10.2 *
 8.7 ↘ 9.1 ↑ 9.3 → 10.0 ← 10.7 *
 beste Teiler 69.6 (4.) 75.5 (10.) 176.0 (5.)
 Trefferlage 0.21 mm rechts, 0.33 mm tief
 Streuwert 3.08, horizontal: 3.68, vertikal: 2.33



Serie 2:
 9.0 ↘ 10.1 ↖ 10.2 * 9.0 ↓ 9.9 ↙
 9.1 → 8.2 ↘ 8.7 → 9.8 → 9.3 →
 beste Teiler 197.3 (13.) 204.6 (12.) 269.4 (15.)
 Trefferlage 1.89 mm rechts, 1.20 mm tief
 Streuwert 2.79, horizontal: 3.03, vertikal: 2.52



Serie 3:
 10.4 * 9.9 → 8.7 ↙ 10.1 ↖ 10.7 *
 9.7 ↘ 10.6 * 8.9 ← 10.0 ↑ 9.5 ↓
 beste Teiler 54.7 (25.) 91.0 (27.) 129.2 (21.)
 Trefferlage 0.94 mm links, 0.51 mm tief
 Streuwert 2.24, horizontal: 2.57, vertikal: 1.86





Serie 4:
 9.2 ← 9.4 → 9.7 ↓ 10.2 * 9.8 ←
 9.6 ↙ 10.4 * 8.8 ← 8.9 ← 9.1 ↑
 beste Teiler 141.3 (37.) 184.3 (34.) 295.7 (35.)
 Trefferlage 1.28 mm links, 0.74 mm tief
 Streuwert 2.62, horizontal: 2.99, vertikal: 2.18


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **396.0** (379)
 Serien: 101.5 95.2 99.8 99.5
 Zähler: 23 13 4 0 0 0 0 0 0 0
 Innenzehner: 18
 weiteste: 665 (20), 641 (15), 610 (14)
 beste Teiler 42.4 (25.) 45.2 (5.) 54.2 (8.)
 Trefferlage 0.00 mm , 0.50 mm hoch
 Streuwert 2.20, horizontal: 2.29, vertikal: 2.11




Serie 1:
 9.2 ↓ 10.2 * 9.9 ↑ 10.5 * 10.8 *
 10.3 * 10.1 ↖ 10.7 * 10.3 * 9.5 ↑
 beste Teiler 45.2 (5.) 54.2 (8.) 125.2 (4.)
 Trefferlage 0.30 mm links, 0.08 mm hoch
 Streuwert 1.73, horizontal: 0.92, vertikal: 2.26



Serie 2:
 10.3 * 9.0 → 10.0 ↖ 8.5 ← 8.4 ↗
 10.5 * 10.5 * 10.4 * 9.3 ↑ 8.3 ↖
 beste Teiler 105.0 (17.) 109.7 (16.) 136.0 (18.)
 Trefferlage 0.29 mm links, 1.67 mm hoch
 Streuwert 2.85, horizontal: 3.22, vertikal: 2.42



Serie 3:
 10.1 ↑ 9.4 ↖ 10.2 * 8.9 → 10.8 *
 9.4 ← 10.7 * 9.3 ← 10.7 * 10.3 *
 beste Teiler 42.4 (25.) 60.3 (29.) 74.3 (27.)
 Trefferlage 0.25 mm links, 0.51 mm hoch
 Streuwert 2.15, horizontal: 2.64, vertikal: 1.51





Serie 4:
 10.1 ↓ 9.8 ↘ 9.7 ↑ 9.8 → 10.3 *
 10.0 ↑ 9.5 ↘ 9.4 → 10.4 * 10.5 *
 beste Teiler 115.7 (40.) 126.9 (39.) 175.3 (35.)
 Trefferlage 0.83 mm rechts, 0.28 mm tief
 Streuwert 1.88, horizontal: 1.87, vertikal: 1.89


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **394.5** (378)
 Serien: 101.5 95.9 95.7 101.4
 Zähler: 21 16 3 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 654 (19), 539 (15), 510 (30)
 beste Teiler 20.6 (33.) 71.0 (5.) 79.2 (32.)
 Trefferlage 0.30 mm rechts, 0.84 mm hoch
 Streuwert 2.10, horizontal: 2.44, vertikal: 1.70




Serie 1:
 9.7 ↗ 10.4 * 10.3 * 10.5 * 10.7 *
 10.1 ↓ 10.4 * 9.5 → 9.8 → 10.1 ↗
 beste Teiler 71.0 (5.) 103.7 (4.) 131.9 (2.)
 Trefferlage 0.83 mm rechts, 0.13 mm hoch
 Streuwert 1.52, horizontal: 1.49, vertikal: 1.54



Serie 2:
 10.5 * 9.9 ↗ 10.4 * 9.9 ↗ 8.8 ↖
 9.5 ← 10.0 ↖ 9.2 → 8.3 ↗ 9.4 →
 beste Teiler 108.9 (11.) 133.3 (13.) 246.6 (17.)
 Trefferlage 0.36 mm rechts, 1.31 mm hoch
 Streuwert 2.62, horizontal: 3.48, vertikal: 1.29



Serie 3:
 10.2 * 9.4 ↖ 9.0 ↖ 9.4 → 9.9 →
 9.7 ↗ 9.0 ↖ 10.2 * 10.0 ↖ 8.9 ↗
 beste Teiler 176.0 (28.) 186.9 (21.) 228.8 (29.)
 Trefferlage 0.15 mm rechts, 1.23 mm hoch
 Streuwert 2.56, horizontal: 3.01, vertikal: 2.01





Serie 4:
 10.2 * 10.6 * 10.9 * 10.0 ↗ 9.5 ↖
 9.4 ↗ 10.4 * 10.0 ↖ 10.1 ↖ 10.3 *
 beste Teiler 20.6 (33.) 79.2 (32.) 143.1 (37.)
 Trefferlage 0.12 mm links, 0.67 mm hoch
 Streuwert 1.62, horizontal: 1.35, vertikal: 1.86


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **394.3** (375)
 Serien: 98.8 97.8 98.7 99.0
 Zähler: 15 25 0 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 497 (33), 477 (7), 456 (13)
 beste Teiler 44.0 (1.) 51.2 (12.) 77.4 (9.)
 Trefferlage 0.38 mm rechts, 0.26 mm tief
 Streuwert 2.08, horizontal: 2.25, vertikal: 1.90




Serie 1:
 10.8 * 9.4 ← 9.8 → 9.9 ↘ 9.6 ↗
 9.8 → 9.0 ↓ 9.8 ← 10.6 * 10.1 ↓
 beste Teiler 44.0 (1.) 77.4 (9.) 218.9 (10.)
 Trefferlage 0.51 mm rechts, 0.76 mm tief
 Streuwert 2.07, horizontal: 2.30, vertikal: 1.82



Serie 2:
 9.7 ↓ 10.7 * 9.1 ↘ 10.2 * 9.2 ↘
 9.7 ↑ 9.8 ↓ 9.5 ↗ 10.0 ↓ 9.9 →
 beste Teiler 51.2 (12.) 191.2 (14.) 237.6 (19.)
 Trefferlage 1.19 mm rechts, 0.75 mm tief
 Streuwert 2.07, horizontal: 1.77, vertikal: 2.33



Serie 3:
 9.5 → 10.0 ↘ 9.9 → 9.6 ← 10.4 *
 9.6 ← 9.8 ← 10.2 * 10.2 * 9.5 ↘
 beste Teiler 138.2 (25.) 179.7 (28.) 194.9 (29.)
 Trefferlage 0.10 mm rechts, 0.55 mm tief
 Streuwert 2.05, horizontal: 2.52, vertikal: 1.44





Serie 4:
 10.3 * 10.5 * 9.0 ↘ 9.3 ↘ 10.3 *
 9.9 ← 9.5 ↗ 10.1 ↗ 9.9 ↗ 10.2 *
 beste Teiler 117.6 (32.) 166.9 (31.) 169.6 (35.)
 Trefferlage 0.28 mm links, 1.02 mm hoch
 Streuwert 2.02, horizontal: 2.43, vertikal: 1.51


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **403.2** (382)
 Serien: 98.7 102.7 98.2 103.6
 Zähler: 24 14 2 0 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 697 (10), 670 (21), 412 (26)
 beste Teiler 30.1 (34.) 49.2 (15.) 66.4 (17.)
 Trefferlage 0.66 mm rechts, 0.20 mm tief
 Streuwert 1.85, horizontal: 2.07, vertikal: 1.59




Serie 1:
 10.2 * 9.6 ↙ 9.8 ← 10.4 * 9.9 ↘
 10.7 * 9.6 ↘ 10.6 * 9.7 ↖ 8.2 →
 beste Teiler 68.0 (6.) 100.0 (8.) 137.7 (4.)
 Trefferlage 0.27 mm rechts, 0.51 mm tief
 Streuwert 2.38, horizontal: 2.92, vertikal: 1.66



Serie 2:
 9.8 ↘ 10.6 * 9.8 → 10.7 * 10.8 *
 10.2 * 10.7 * 9.9 ↓ 10.3 * 9.9 ↗
 beste Teiler 49.2 (15.) 66.4 (17.) 73.7 (14.)
 Trefferlage 0.64 mm rechts, 0.64 mm tief
 Streuwert 1.36, horizontal: 1.27, vertikal: 1.45





Serie 3:
 8.3 → 9.7 ↑ 9.4 → 10.5 * 10.0 ↓
 9.3 ↗ 10.0 → 10.5 * 10.2 * 10.3 *
 beste Teiler 104.5 (24.) 114.5 (28.) 165.9 (30.)
 Trefferlage 1.68 mm rechts, 0.16 mm hoch
 Streuwert 2.11, horizontal: 2.33, vertikal: 1.85




Serie 4:
 10.1 ↓ 10.7 * 10.7 * 10.8 * 9.7 ↓
 10.1 → 10.7 * 10.4 * 9.8 ↖ 10.6 *
 beste Teiler 30.1 (34.) 70.1 (33.) 70.7 (37.)
 Trefferlage 0.05 mm rechts, 0.17 mm hoch
 Streuwert 1.30, horizontal: 1.15, vertikal: 1.44

Unterschrift des Schützen


Ergebnis: **397.0** (381)
 Serien: 97.4 100.4 101.3 97.9
 Zähler: 25 12 2 1 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 995 (3), 744 (37), 627 (35)
 beste Teiler 23.6 (14.) 53.7 (4.) 69.3 (33.)
 Trefferlage 0.77 mm rechts, 0.59 mm tief
 Streuwert 2.20, horizontal: 2.71, vertikal: 1.52




Serie 1:
 10.1 ↗ 10.2 * 7.0 → 10.7 * 9.9 ↘
 9.1 ↓ 10.3 * 10.2 * 9.8 ← 10.1 →
 beste Teiler 53.7 (4.) 157.7 (7.) 177.1 (2.)
 Trefferlage 1.16 mm rechts, 0.71 mm tief
 Streuwert 2.75, horizontal: 3.33, vertikal: 2.00



Serie 2:
 9.1 → 9.0 → 10.4 * 10.9 * 10.4 *
 10.2 * 9.5 ← 10.5 * 10.4 * 10.0 ↓
 beste Teiler 23.6 (14.) 104.0 (18.) 126.8 (19.)
 Trefferlage 0.53 mm rechts, 1.23 mm tief
 Streuwert 1.78, horizontal: 2.44, vertikal: 0.59





Serie 3:
 10.4 * 10.3 * 10.6 * 9.5 ← 9.4 ↘
 10.3 * 9.9 ← 9.8 ↑ 10.5 * 10.6 *
 beste Teiler 96.4 (23.) 98.8 (30.) 117.5 (29.)
 Trefferlage 0.13 mm links, 0.05 mm tief
 Streuwert 1.74, horizontal: 1.88, vertikal: 1.58




Serie 4:
 10.1 ↖ 10.4 * 10.7 * 10.1 ↖ 8.4 →
 9.4 → 8.0 → 10.4 * 10.6 * 9.8 →
 beste Teiler 69.3 (33.) 79.9 (39.) 131.0 (38.)
 Trefferlage 1.52 mm rechts, 0.38 mm tief
 Streuwert 2.43, horizontal: 3.07, vertikal: 1.54

Unterschrift des Schützen


Ergebnis: **382.3** (362)
 Serien: 97.2 95.8 96.8 92.5
 Zähler: 14 17 7 1 1 0 0 0 0 0
 Innenzehner: 10
 weiteste: 1077 (36), 866 (19), 618 (8)
 beste Teiler 18.0 (18.) 35.1 (21.) 38.3 (5.)
 Trefferlage 0.36 mm links, 0.68 mm hoch
 Streuwert 2.88, horizontal: 3.32, vertikal: 2.35




Serie 1:
 10.0 ↘ 9.9 ↓ 9.0 → 10.3 * 10.8 *
 9.0 → 9.7 ↗ 8.5 ↖ 10.1 ↑ 9.9 ↗
 beste Teiler 38.3 (5.) 159.0 (4.) 222.1 (9.)
 Trefferlage 0.79 mm rechts, 0.62 mm hoch
 Streuwert 2.49, horizontal: 2.83, vertikal: 2.08



Serie 2:
 9.2 → 10.2 * 9.5 ↖ 10.2 * 9.4 ↘
 8.5 ↖ 10.1 ↑ 10.9 * 7.5 ↖ 10.3 *
 beste Teiler 18.0 (18.) 160.7 (20.) 192.7 (14.)
 Trefferlage 1.15 mm links, 0.81 mm hoch
 Streuwert 2.93, horizontal: 3.63, vertikal: 1.99



Serie 3:
 10.8 * 10.4 * 8.9 ↖ 8.7 ↘ 8.9 →
 9.7 ↓ 9.6 ↑ 10.3 * 9.8 ↘ 9.7 ↖
 beste Teiler 35.1 (21.) 143.3 (22.) 170.4 (28.)
 Trefferlage 0.73 mm links, 0.02 mm tief
 Streuwert 2.62, horizontal: 2.85, vertikal: 2.37





Serie 4:
 9.6 ↖ 9.4 → 9.9 ↖ 10.5 * 10.1 ↑
 6.6 ↖ 9.3 → 8.6 → 8.9 ↖ 9.6 ↓
 beste Teiler 103.2 (34.) 210.2 (35.) 264.4 (33.)
 Trefferlage 0.35 mm links, 1.33 mm hoch
 Streuwert 3.53, horizontal: 4.01, vertikal: 2.98


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **383.9** (365)
 Serien: 93.0 94.7 97.0 99.2
 Zähler: 13 19 8 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 747 (13), 645 (3), 604 (8)
 beste Teiler 34.9 (36.) 65.0 (4.) 70.3 (40.)
 Trefferlage 0.16 mm links, 0.04 mm tief
 Streuwert 2.73, horizontal: 3.31, vertikal: 1.99




Serie 1:
 9.7 ↘ 10.1 ↗ 8.4 → 10.7 * 9.7 ←
 8.8 → 9.0 → 8.5 ↓ 9.5 ✓ 8.6 ←
 beste Teiler 65.0 (4.) 217.5 (2.) 306.9 (5.)
 Trefferlage 0.44 mm rechts, 0.69 mm tief
 Streuwert 3.30, horizontal: 4.08, vertikal: 2.29



Serie 2:
 9.4 ↘ 10.5 * 8.0 ← 9.4 → 10.6 *
 8.7 ← 9.9 → 9.7 ← 8.9 ↘ 9.6 ←
 beste Teiler 87.6 (15.) 116.2 (12.) 265.0 (17.)
 Trefferlage 1.09 mm links, 0.42 mm hoch
 Streuwert 2.98, horizontal: 3.88, vertikal: 1.64





Serie 3:
 9.8 ↘ 9.0 ← 10.3 * 10.1 ↘ 9.0 →
 10.2 * 9.9 ↘ 10.0 ↘ 9.6 ↘ 9.1 ↘
 beste Teiler 154.3 (23.) 181.4 (26.) 215.2 (24.)
 Trefferlage 0.78 mm rechts, 1.06 mm tief
 Streuwert 2.32, horizontal: 2.85, vertikal: 1.62




Serie 4:
 9.1 ↘ 8.9 ↗ 9.6 → 10.4 * 10.5 *
 10.8 * 10.1 ↘ 9.4 ← 9.7 ↘ 10.7 *
 beste Teiler 34.9 (36.) 70.3 (40.) 106.0 (35.)
 Trefferlage 0.78 mm links, 1.14 mm hoch
 Streuwert 2.01, horizontal: 2.22, vertikal: 1.78

Unterschrift des Schützen

Ergebnis: **173.4** (164)
 Serien: 89.0 84.4
 Zähler: 1 8 6 4 1 0 0 0 0 0
 Innenzehner: 0
 weiteste: 1067 (15), 914 (16), 877 (9)
 beste Teiler 236.4 (19.) 335.2 (4.) 341.2 (6.)
 Trefferlage 0.65 mm links, 0.53 mm hoch
 Streuwert 4.39, horizontal: 5.18, vertikal: 3.41





Serie 1:
 8.7 ↘ 8.3 ↙ 8.9 ← 9.6 ↓ 9.0 ↙
 9.6 ↑ 9.0 ↘ 9.0 ← 7.4 → 9.5 ↑
 beste Teiler 335.2 (4.) 341.2 (6.) 359.0 (10.)
 Trefferlage 1.59 mm links, 0.24 mm hoch
 Streuwert 3.82, horizontal: 4.21, vertikal: 3.39




Serie 2:
 8.9 ↘ 9.5 ↘ 7.8 → 8.8 → 6.7 ←
 7.3 ↘ 8.4 ↘ 9.5 ← 10.0 ↙ 7.5 →
 beste Teiler 236.4 (19.) 354.2 (12.) 357.3 (18.)
 Trefferlage 0.29 mm rechts, 0.81 mm hoch
 Streuwert 5.00, horizontal: 6.08, vertikal: 3.60

Unterschrift des Schützen

Ergebnis: **186.1** (177)
 Serien: 93.1 93.0
 Zähler: 3 12 4 1 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 872 (11), 745 (7), 584 (5)
 beste Teiler 48.0 (3.) 57.0 (15.) 138.4 (2.)
 Trefferlage 1.62 mm links, 0.72 mm tief
 Streuwert 3.05, horizontal: 2.91, vertikal: 3.18





Serie 1:
 9.1 ↙ 10.4 * 10.8 * 9.8 ← 8.6 ↖
 8.7 ↑ 8.0 ← 9.3 ↙ 9.5 → 8.9 ↙
 beste Teiler 48.0 (3.) 138.4 (2.) 295.7 (4.)
 Trefferlage 2.01 mm links, 0.62 mm tief
 Streuwert 3.02, horizontal: 2.58, vertikal: 3.41




Serie 2:
 7.5 ← 9.3 ↙ 9.3 ↓ 9.6 ↘ 10.7 *
 9.4 → 9.4 ↙ 9.4 ↘ 9.3 ↗ 9.1 ↖
 beste Teiler 57.0 (15.) 329.4 (14.) 377.7 (18.)
 Trefferlage 1.23 mm links, 0.82 mm tief
 Streuwert 3.21, horizontal: 3.29, vertikal: 3.12

Unterschrift des Schützen

Ergebnis: **193.4** (184)
 Serien: 94.0 99.4
 Zähler: 8 9 2 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 751 (2), 589 (9), 501 (3)
 beste Teiler 81.8 (12.) 86.5 (13.) 97.0 (11.)
 Trefferlage 0.70 mm links, 1.15 mm tief
 Streuwert 2.47, horizontal: 3.36, vertikal: 0.98





Serie 1:
 9.6 ↘ 7.9 → 8.9 ← 9.0 ↘ 10.2 *
 10.4 * 10.0 ↘ 10.1 ← 8.6 ← 9.3 ←
 beste Teiler 129.5 (6.) 192.4 (5.) 215.4 (8.)
 Trefferlage 0.29 mm links, 1.26 mm tief
 Streuwert 3.06, horizontal: 4.20, vertikal: 1.07




Serie 2:
 10.6 * 10.6 * 10.6 * 9.6 ← 9.5 ↘
 9.0 ← 9.6 ← 9.9 ↘ 10.4 * 9.6 ↙
 beste Teiler 81.8 (12.) 86.5 (13.) 97.0 (11.)
 Trefferlage 1.10 mm links, 1.05 mm tief
 Streuwert 1.83, horizontal: 2.41, vertikal: 0.93

Unterschrift des Schützen

Ergebnis: **167.0** (159)
 Serien: 81.2 85.8
 Zähler: 2 4 5 9 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 957 (7), 944 (13), 913 (10)
 beste Teiler 134.9 (2.) 138.9 (18.) 311.6 (6.)
 Trefferlage 0.61 mm rechts, 0.60 mm tief
 Streuwert 5.03, horizontal: 5.39, vertikal: 4.65





Serie 1:
 8.5 ↕ 10.4 * 7.3 → 7.4 ↘ 8.2 ↙
 9.7 ↗ 7.1 ↓ 7.5 ↓ 7.8 ↗ 7.3 →
 beste Teiler 134.9 (2.) 311.6 (6.) 614.5 (1.)
 Trefferlage 2.10 mm rechts, 1.57 mm tief
 Streuwert 5.26, horizontal: 5.34, vertikal: 5.17




Serie 2:
 8.2 ↗ 7.6 ↑ 7.2 ↖ 7.6 ← 8.1 ↙
 9.2 ↓ 8.8 → 10.4 * 9.1 ↘ 9.6 ↙
 beste Teiler 138.9 (18.) 341.5 (20.) 435.9 (16.)
 Trefferlage 0.87 mm links, 0.36 mm hoch
 Streuwert 4.72, horizontal: 5.27, vertikal: 4.10

Unterschrift des Schützen

Ergebnis: **173.0** (164)
 Serien: 87.4 85.6
 Zähler: 2 5 9 3 1 0 0 0 0 0
 Innenzehner: 2
 weiteste: 1003 (6), 965 (14), 856 (3)
 beste Teiler 39.2 (8.) 153.5 (9.) 435.8 (16.)
 Trefferlage 1.16 mm links, 2.46 mm tief
 Streuwert 4.02, horizontal: 4.33, vertikal: 3.69





Serie 1:
 9.2 ↓ 8.4 ↙ 7.5 ↓ 7.7 ← 8.9 ←
 6.9 ↘ 8.6 ↙ 10.8 * 10.3 * 9.1 ←
 beste Teiler 39.2 (8.) 153.5 (9.) 439.6 (1.)
 Trefferlage 3.63 mm links, 2.00 mm tief
 Streuwert 3.43, horizontal: 3.15, vertikal: 3.69




Serie 2:
 8.4 ↙ 8.7 ↘ 9.0 ↓ 7.1 ↓ 8.5 →
 9.2 ↘ 9.1 ↓ 8.8 ↙ 8.0 ↗ 8.8 ↘
 beste Teiler 435.8 (16.) 462.4 (17.) 491.4 (13.)
 Trefferlage 1.31 mm rechts, 2.92 mm tief
 Streuwert 3.92, horizontal: 3.99, vertikal: 3.84

Unterschrift des Schützen

Ergebnis: **186.3** (178)
 Serien: 91.5 94.8
 Zähler: 5 10 3 2 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 962 (20), 881 (4), 675 (5)
 beste Teiler 63.8 (11.) 188.6 (13.) 208.6 (10.)
 Trefferlage 1.11 mm rechts, 1.42 mm tief
 Streuwert 3.16, horizontal: 3.95, vertikal: 2.08





Serie 1:
 10.1 ↓ 9.0 → 8.4 ↘ 7.4 ← 8.3 →
 9.9 ↘ 9.7 ↘ 9.0 ← 9.6 ↘ 10.1 ↖
 beste Teiler 208.6 (10.) 215.6 (1.) 264.5 (6.)
 Trefferlage 0.80 mm rechts, 1.12 mm tief
 Streuwert 3.58, horizontal: 4.65, vertikal: 2.01




Serie 2:
 10.7 * 8.5 ↓ 10.2 * 9.2 ↓ 9.8 ↙
 10.0 ↙ 9.9 → 9.6 ↘ 9.8 ↓ 7.1 →
 beste Teiler 63.8 (11.) 188.6 (13.) 242.7 (16.)
 Trefferlage 1.42 mm rechts, 1.73 mm tief
 Streuwert 2.84, horizontal: 3.35, vertikal: 2.22

Unterschrift des Schützen

Ergebnis: **179.2** (169)
 Serien: 89.6 89.6
 Zähler: 5 3 8 4 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 886 (4), 863 (11), 779 (1)
 beste Teiler 38.0 (9.) 173.9 (2.) 180.8 (10.)
 Trefferlage 1.30 mm rechts, 0.98 mm tief
 Streuwert 3.84, horizontal: 4.12, vertikal: 3.54





Serie 1:
 7.8 ↓ 10.3 * 8.6 → 7.4 → 8.9 ↘
 8.7 ↘ 7.9 ↘ 9.0 ↗ 10.8 * 10.2 *
 beste Teiler 38.0 (9.) 173.9 (2.) 180.8 (10.)
 Trefferlage 3.69 mm rechts, 1.91 mm tief
 Streuwert 2.89, horizontal: 2.51, vertikal: 3.23




Serie 2:
 7.5 ↙ 8.5 ← 9.0 ↖ 8.8 ↙ 10.1 ↘
 8.6 ↑ 9.8 ↘ 8.9 ↑ 8.2 → 10.2 *
 beste Teiler 185.1 (20.) 201.6 (15.) 290.2 (17.)
 Trefferlage 1.09 mm links, 0.05 mm tief
 Streuwert 3.94, horizontal: 4.11, vertikal: 3.76

Unterschrift des Schützen

Ergebnis: **194.4** (185)
 Serien: 98.4 96.0
 Zähler: 7 11 2 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 598 (13), 580 (12), 485 (11)
 beste Teiler 94.9 (20.) 104.2 (3.) 111.0 (15.)
 Trefferlage 2.10 mm links, 0.34 mm hoch
 Streuwert 1.95, horizontal: 2.29, vertikal: 1.55





Serie 1:
 10.1 ← 9.1 ← 10.5 * 9.7 ↓ 10.5 *
 9.3 ← 9.2 ↗ 10.4 * 9.8 ← 9.8 ↖
 beste Teiler 104.2 (3.) 125.0 (5.) 147.2 (8.)
 Trefferlage 1.25 mm links, 0.03 mm tief
 Streuwert 2.07, horizontal: 2.18, vertikal: 1.96




Serie 2:
 9.0 ↖ 8.6 ← 8.6 ← 10.0 ← 10.5 *
 9.7 ← 9.7 ↘ 9.4 ← 9.9 ↖ 10.6 *
 beste Teiler 94.9 (20.) 111.0 (15.) 247.3 (14.)
 Trefferlage 2.96 mm links, 0.72 mm hoch
 Streuwert 1.67, horizontal: 2.16, vertikal: 0.95

Unterschrift des Schützen

Ergebnis: **186.5** (176)
 Serien: 95.6 90.9
 Zähler: 4 9 6 1 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 901 (17), 705 (20), 679 (14)
 beste Teiler 57.4 (19.) 83.3 (18.) 188.5 (3.)
 Trefferlage 2.02 mm links, 0.58 mm hoch
 Streuwert 3.00, horizontal: 3.20, vertikal: 2.78





Serie 1:
 9.5 ↑ 8.3 ↖ 10.2 * 10.1 ↘ 9.0 ↑
 9.9 ↙ 9.9 ↑ 9.3 ← 9.5 ← 9.9 ↗
 beste Teiler 188.5 (3.) 214.9 (4.) 252.6 (7.)
 Trefferlage 1.52 mm links, 1.31 mm hoch
 Streuwert 2.39, horizontal: 2.49, vertikal: 2.28




Serie 2:
 9.9 ↘ 9.9 ↗ 8.4 ↘ 8.2 ↖ 8.9 ↖
 8.9 ↙ 7.3 ← 10.6 * 10.7 * 8.1 ↖
 beste Teiler 57.4 (19.) 83.3 (18.) 268.8 (12.)
 Trefferlage 2.52 mm links, 0.14 mm tief
 Streuwert 3.52, horizontal: 3.85, vertikal: 3.16

Unterschrift des Schützen

Ergebnis: **180.0** (171)
 Serien: 89.2 90.8
 Zähler: 6 3 8 2 1 0 0 0 0 0
 Innenzehner: 5
 weiteste: 1077 (7), 936 (8), 848 (12)
 beste Teiler 38.8 (15.) 122.3 (4.) 129.1 (2.)
 Trefferlage 0.75 mm links, 1.98 mm hoch
 Streuwert 3.80, horizontal: 3.94, vertikal: 3.65





Serie 1:
 8.8 ↘ 10.4 * 8.6 ← 10.5 * 9.5 ↑
 8.9 ↙ 6.6 ↖ 7.2 ↖ 9.1 → 9.6 ↗
 beste Teiler 122.3 (4.) 129.1 (2.) 341.6 (10.)
 Trefferlage 1.11 mm links, 1.11 mm hoch
 Streuwert 4.18, horizontal: 4.40, vertikal: 3.96




Serie 2:
 8.6 → 7.6 ↖ 10.4 * 8.0 ↗ 10.8 *
 10.0 → 10.2 * 8.4 ↖ 8.7 ↖ 8.1 ↖
 beste Teiler 38.8 (15.) 145.0 (13.) 199.1 (17.)
 Trefferlage 0.40 mm links, 2.85 mm hoch
 Streuwert 3.46, horizontal: 3.63, vertikal: 3.28

Unterschrift des Schützen

Ergebnis: **198.6** (192)
 Serien: 99.1 99.5
 Zähler: 13 6 1 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 536 (2), 455 (10), 409 (20)
 beste Teiler 129.3 (16.) 131.2 (5.) 152.7 (9.)
 Trefferlage 1.13 mm rechts, 0.21 mm hoch
 Streuwert 1.83, horizontal: 2.18, vertikal: 1.38





Serie 1:
 10.0 → 8.8 ↗ 10.3 * 9.9 → 10.4 *
 10.0 ↘ 10.1 → 10.2 * 10.3 * 9.1 →
 beste Teiler 131.2 (5.) 152.7 (9.) 159.1 (3.)
 Trefferlage 1.51 mm rechts, 0.33 mm hoch
 Streuwert 1.82, horizontal: 2.06, vertikal: 1.54




Serie 2:
 10.3 * 9.4 ↘ 9.9 → 10.2 * 9.7 ↙
 10.4 * 10.2 * 10.0 ← 10.1 ↖ 9.3 →
 beste Teiler 129.3 (16.) 157.1 (11.) 193.0 (17.)
 Trefferlage 0.74 mm rechts, 0.09 mm hoch
 Streuwert 1.88, horizontal: 2.33, vertikal: 1.28

Unterschrift des Schützen

Ergebnis: **195.1** (186)
 Serien: 96.6 98.5
 Zähler: 9 9 1 1 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 889 (10), 515 (13), 453 (20)
 beste Teiler 77.0 (17.) 99.0 (14.) 99.9 (8.)
 Trefferlage 0.63 mm rechts, 0.98 mm tief
 Streuwert 2.42, horizontal: 3.03, vertikal: 1.58





Serie 1:
 9.2 → 10.4 * 9.7 ↘ 9.6 ↘ 9.5 ↘
 10.0 ↖ 10.5 * 10.6 * 9.7 ↗ 7.4 →
 beste Teiler 99.9 (8.) 109.8 (7.) 132.9 (2.)
 Trefferlage 1.76 mm rechts, 0.99 mm tief
 Streuwert 2.49, horizontal: 3.20, vertikal: 1.46




Serie 2:
 9.7 ↘ 10.0 ↙ 8.9 ↘ 10.6 * 10.2 *
 9.2 ← 10.6 * 9.8 ↘ 10.4 * 9.1 ←
 beste Teiler 77.0 (17.) 99.0 (14.) 137.2 (19.)
 Trefferlage 0.49 mm links, 0.98 mm tief
 Streuwert 2.17, horizontal: 2.51, vertikal: 1.78

Unterschrift des Schützen

Ergebnis: **198.3** (191)
 Serien: 98.9 99.4
 Zähler: 12 7 1 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 505 (2), 378 (15), 372 (3)
 beste Teiler 89.4 (6.) 126.1 (8.) 136.7 (14.)
 Trefferlage 0.32 mm links, 0.90 mm tief
 Streuwert 1.89, horizontal: 2.23, vertikal: 1.46





Serie 1:
 9.6 ↓ 8.9 → 9.5 ↘ 10.2 * 10.1 ←
 10.6 * 10.0 ↗ 10.4 * 9.6 ← 10.0 ↘
 beste Teiler 89.4 (6.) 126.1 (8.) 183.4 (4.)
 Trefferlage 0.80 mm rechts, 0.60 mm tief
 Streuwert 2.03, horizontal: 2.41, vertikal: 1.56




Serie 2:
 10.1 ← 10.1 ← 10.1 ↓ 10.4 * 9.4 ↗
 9.5 ↙ 10.2 * 9.7 ↙ 9.7 ↓ 10.2 *
 beste Teiler 136.7 (14.) 197.4 (17.) 199.0 (20.)
 Trefferlage 1.44 mm links, 1.19 mm tief
 Streuwert 1.37, horizontal: 1.38, vertikal: 1.36

Unterschrift des Schützen

Ergebnis: **178.7** (173)
 Serien: 86.8 91.9
 Zähler: 5 7 5 2 1 0 0 0 0 0
 Innenzehner: 3
 weiteste: 1249 (1), 919 (7), 877 (3)
 beste Teiler 122.4 (5.) 179.1 (18.) 190.3 (10.)
 Trefferlage 0.47 mm rechts, 3.18 mm tief
 Streuwert 3.46, horizontal: 4.64, vertikal: 1.58





Serie 1:
 6.0 → 8.1 ↘ 7.4 → 9.3 ↙ 10.5 *
 9.1 ↘ 7.3 ↘ 8.8 ← 10.1 ↓ 10.2 *
 beste Teiler 122.4 (5.) 190.3 (10.) 225.5 (9.)
 Trefferlage 2.07 mm rechts, 2.99 mm tief
 Streuwert 4.19, horizontal: 5.69, vertikal: 1.64




Serie 2:
 8.8 ↘ 9.3 ↓ 10.1 ↙ 9.3 ↓ 9.2 ←
 9.2 ← 8.5 ↓ 10.2 * 9.1 ↓ 8.2 ↙
 beste Teiler 179.1 (18.) 225.5 (13.) 409.6 (12.)
 Trefferlage 1.12 mm links, 3.38 mm tief
 Streuwert 2.22, horizontal: 2.71, vertikal: 1.58

Unterschrift des Schützen

Ergebnis: **189.0** (179)
 Serien: 94.5 94.5
 Zähler: 5 10 4 1 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 755 (17), 705 (8), 695 (10)
 beste Teiler 136.7 (20.) 150.7 (3.) 172.6 (5.)
 Trefferlage 0.00 mm , 0.25 mm tief
 Streuwert 3.04, horizontal: 3.57, vertikal: 2.40





Serie 1:
 9.3 ↘ 9.1 ← 10.4 * 10.1 ↓ 10.3 *
 9.8 ↗ 9.6 ← 8.1 → 9.6 → 8.2 ↘
 beste Teiler 150.7 (3.) 172.6 (5.) 216.6 (4.)
 Trefferlage 1.26 mm rechts, 0.54 mm tief
 Streuwert 2.98, horizontal: 3.61, vertikal: 2.17




Serie 2:
 9.7 ↙ 10.2 * 9.8 ← 9.2 ↑ 9.9 →
 8.7 ↙ 7.9 ← 8.9 ↘ 9.8 ↘ 10.4 *
 beste Teiler 136.7 (20.) 181.4 (12.) 265.1 (15.)
 Trefferlage 1.28 mm links, 0.03 mm hoch
 Streuwert 2.96, horizontal: 3.21, vertikal: 2.69

Unterschrift des Schützen

Ergebnis: **185.4** (175)
 Serien: 91.2 94.2
 Zähler: 5 9 3 2 1 0 0 0 0 0
 Innenzehner: 4
 weiteste: 1038 (5), 837 (7), 833 (20)
 beste Teiler 88.0 (15.) 130.7 (13.) 142.8 (11.)
 Trefferlage 0.41 mm rechts, 0.06 mm tief
 Streuwert 3.56, horizontal: 4.84, vertikal: 1.38





Serie 1:
 8.8 ← 9.9 ↙ 9.8 ↓ 9.8 ↖ 6.8 →
 9.0 ↗ 7.6 → 10.0 ↘ 9.9 ↗ 9.6 ↘
 beste Teiler 243.4 (8.) 257.0 (2.) 268.8 (9.)
 Trefferlage 1.18 mm rechts, 0.17 mm hoch
 Streuwert 3.84, horizontal: 5.16, vertikal: 1.71




Serie 2:
 10.4 * 9.1 ← 10.4 * 8.7 ← 10.6 *
 9.5 ← 9.1 ← 10.3 * 8.5 → 7.6 →
 beste Teiler 88.0 (15.) 130.7 (13.) 142.8 (11.)
 Trefferlage 0.34 mm links, 0.30 mm tief
 Streuwert 3.35, horizontal: 4.64, vertikal: 1.00

Unterschrift des Schützen

Ergebnis: **194.2** (186)
 Serien: 102.1 92.1
 Zähler: 8 10 2 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 680 (13), 626 (18), 479 (12)
 beste Teiler 1.0 (7.) 63.6 (10.) 82.8 (17.)
 Trefferlage 1.17 mm rechts, 0.45 mm tief
 Streuwert 2.45, horizontal: 3.36, vertikal: 0.86





Serie 1:
 9.8 ↘ 10.4 * 10.3 * 10.2 * 9.2 ←
 9.7 ← 10.9 * 10.5 * 10.4 * 10.7 *
 beste Teiler 1.0 (7.) 63.6 (10.) 121.8 (8.)
 Trefferlage 1.08 mm links, 0.40 mm tief
 Streuwert 1.41, horizontal: 1.78, vertikal: 0.92




Serie 2:
 9.1 ↘ 9.0 → 8.2 → 9.7 ← 9.2 →
 9.6 → 10.6 * 8.4 → 9.2 → 9.1 →
 beste Teiler 82.8 (17.) 325.5 (14.) 326.9 (16.)
 Trefferlage 3.43 mm rechts, 0.50 mm tief
 Streuwert 2.24, horizontal: 3.05, vertikal: 0.85

Unterschrift des Schützen

Ergebnis: **197.2** (188)
 Serien: 96.6 100.6
 Zähler: 11 6 3 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 699 (9), 586 (2), 543 (3)
 beste Teiler 43.0 (8.) 51.4 (16.) 64.0 (15.)
 Trefferlage 0.15 mm links, 0.10 mm tief
 Streuwert 2.42, horizontal: 3.26, vertikal: 1.04





Serie 1:
 9.7 ← 8.6 ← 8.8 ← 10.6 * 9.6 →
 9.8 ↓ 10.2 * 10.8 * 8.2 ← 10.3 *
 beste Teiler 43.0 (8.) 77.8 (4.) 154.6 (10.)
 Trefferlage 1.28 mm links, 0.00 mm
 Streuwert 2.72, horizontal: 3.61, vertikal: 1.33




Serie 2:
 10.6 * 9.2 → 9.1 ← 10.5 * 10.7 *
 10.7 * 10.5 * 9.3 → 10.0 → 10.0 →
 beste Teiler 51.4 (16.) 64.0 (15.) 82.5 (11.)
 Trefferlage 0.97 mm rechts, 0.20 mm tief
 Streuwert 1.89, horizontal: 2.58, vertikal: 0.71

Unterschrift des Schützen

Ergebnis: **189.4** (178)
 Serien: 94.9 94.5
 Zähler: 6 9 3 1 1 0 0 0 0 0
 Innenzehner: 6
 weiteste: 1053 (13), 780 (3), 578 (11)
 beste Teiler 20.0 (14.) 36.6 (6.) 47.0 (19.)
 Trefferlage 1.70 mm links, 0.34 mm tief
 Streuwert 3.01, horizontal: 3.77, vertikal: 1.97





Serie 1:
 9.5 ↑ 10.2 * 7.8 ← 10.7 * 8.7 ↙
 10.8 * 9.5 ↙ 9.5 ↑ 9.5 ↘ 8.7 ←
 beste Teiler 36.6 (6.) 60.9 (4.) 199.7 (2.)
 Trefferlage 2.22 mm links, 0.39 mm hoch
 Streuwert 2.68, horizontal: 3.00, vertikal: 2.32




Serie 2:
 8.6 ← 10.6 * 6.7 → 10.9 * 9.1 ←
 9.9 ← 9.3 ↙ 9.2 ↙ 10.8 * 9.4 ↙
 beste Teiler 20.0 (14.) 47.0 (19.) 95.5 (12.)
 Trefferlage 1.18 mm links, 1.08 mm tief
 Streuwert 3.32, horizontal: 4.53, vertikal: 1.26

Unterschrift des Schützen

Ergebnis: **180.2** (173)
 Serien: 90.6 89.6
 Zähler: 7 7 1 3 1 1 0 0 0 0
 Innenzehner: 4
 weiteste: 1300 (8), 1157 (18), 936 (19)
 beste Teiler 153.8 (10.) 163.9 (3.) 185.7 (11.)
 Trefferlage 1.11 mm links, 1.27 mm hoch
 Streuwert 4.12, horizontal: 5.37, vertikal: 2.24





Serie 1:
 7.4 → 10.0 ↙ 10.3 * 10.1 ← 7.7 ←
 9.0 → 10.2 * 5.8 ← 9.8 ↗ 10.3 *
 beste Teiler 153.8 (10.) 163.9 (3.) 193.2 (7.)
 Trefferlage 1.18 mm links, 0.44 mm hoch
 Streuwert 4.40, horizontal: 5.94, vertikal: 1.83




Serie 2:
 10.2 * 9.1 → 10.1 ↗ 9.0 ← 9.8 ↘
 9.6 ↙ 9.5 ↑ 6.3 ↘ 7.2 → 8.8 ↘
 beste Teiler 185.7 (11.) 215.8 (13.) 283.1 (15.)
 Trefferlage 1.04 mm links, 2.10 mm hoch
 Streuwert 3.96, horizontal: 5.06, vertikal: 2.39

Unterschrift des Schützen

Ergebnis: **202.8** (194)
 Serien: 101.0 101.8
 Zähler: 14 6 0 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 455 (15), 375 (3), 369 (8)
 beste Teiler 76.0 (7.) 90.1 (19.) 91.9 (16.)
 Trefferlage 0.27 mm rechts, 0.85 mm tief
 Streuwert 1.52, horizontal: 1.53, vertikal: 1.50





Serie 1:
 10.4 * 10.1 ↘ 9.5 ↗ 10.5 * 9.9 ↓
 10.0 ← 10.6 * 9.5 ↗ 9.9 ↘ 10.6 *
 beste Teiler 76.0 (7.) 93.6 (10.) 101.8 (4.)
 Trefferlage 0.52 mm rechts, 1.05 mm tief
 Streuwert 1.52, horizontal: 1.90, vertikal: 1.01




Serie 2:
 9.9 ↓ 10.2 * 10.5 * 10.4 * 9.1 ↘
 10.6 * 10.1 ↗ 10.3 * 10.6 * 10.1 ↗
 beste Teiler 90.1 (19.) 91.9 (16.) 118.6 (13.)
 Trefferlage 0.03 mm rechts, 0.65 mm tief
 Streuwert 1.56, horizontal: 1.09, vertikal: 1.92

Unterschrift des Schützen

Ergebnis: **186.6** (176)
 Serien: 94.1 92.5
 Zähler: 2 12 6 0 0 0 0 0 0 0
 Innenzehner: 1
 weiteste: 660 (14), 616 (3), 550 (15)
 beste Teiler 145.0 (2.) 220.2 (17.) 253.3 (13.)
 Trefferlage 1.24 mm links, 0.10 mm tief
 Streuwert 2.95, horizontal: 3.56, vertikal: 2.18





Serie 1:
 9.1 ↘ 10.4 * 8.5 ← 9.3 ↘ 9.6 ←
 8.8 ← 9.5 ↘ 9.5 ↘ 9.7 ← 9.7 ↘
 beste Teiler 145.0 (2.) 303.0 (10.) 313.1 (9.)
 Trefferlage 1.48 mm links, 0.16 mm tief
 Streuwert 2.81, horizontal: 3.56, vertikal: 1.78




Serie 2:
 9.5 ↘ 9.3 ↘ 9.9 ↘ 8.3 ← 8.8 ←
 8.9 ← 10.1 ↘ 9.3 ↘ 9.5 ↘ 8.9 ↘
 beste Teiler 220.2 (17.) 253.3 (13.) 362.0 (11.)
 Trefferlage 1.00 mm links, 0.05 mm tief
 Streuwert 3.22, horizontal: 3.73, vertikal: 2.62

Unterschrift des Schützen

Ergebnis: **199.9** (191)
 Serien: 97.4 102.5
 Zähler: 11 9 0 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 476 (9), 420 (5), 375 (16)
 beste Teiler 73.2 (12.) 121.2 (20.) 122.8 (18.)
 Trefferlage 0.46 mm links, 0.13 mm hoch
 Streuwert 1.89, horizontal: 2.05, vertikal: 1.72





Serie 1:
 10.3 * 9.6 ↓ 9.9 ↖ 9.7 ↓ 9.3 ↙
 9.5 → 10.3 * 9.6 ↑ 9.0 → 10.2 *
 beste Teiler 157.8 (1.) 159.1 (7.) 200.4 (10.)
 Trefferlage 0.08 mm links, 0.15 mm tief
 Streuwert 2.38, horizontal: 2.57, vertikal: 2.16




Serie 2:
 10.1 ↖ 10.7 * 9.9 ↖ 10.3 * 10.2 *
 9.5 ↖ 10.4 * 10.5 * 10.4 * 10.5 *
 beste Teiler 73.2 (12.) 121.2 (20.) 122.8 (18.)
 Trefferlage 0.84 mm links, 0.42 mm hoch
 Streuwert 1.29, horizontal: 1.39, vertikal: 1.17

Unterschrift des Schützen

Ergebnis: **197.7** (188)
 Serien: 100.2 97.5
 Zähler: 11 8 0 0 1 0 0 0 0 0
 Innenzehner: 10
 weiteste: 1073 (20), 439 (14), 425 (8)
 beste Teiler 48.7 (3.) 56.0 (17.) 107.2 (18.)
 Trefferlage 1.21 mm links, 0.16 mm tief
 Streuwert 2.33, horizontal: 3.16, vertikal: 0.95





Serie 1:
 10.4 * 10.4 * 10.8 * 9.4 ← 9.9 ←
 9.8 → 9.8 ← 9.3 ← 10.3 * 10.1 →
 beste Teiler 48.7 (3.) 134.2 (1.) 139.3 (2.)
 Trefferlage 1.08 mm links, 0.36 mm tief
 Streuwert 1.72, horizontal: 2.31, vertikal: 0.77




Serie 2:
 9.7 ← 10.2 * 10.5 * 9.2 ← 10.4 *
 9.4 → 10.7 * 10.5 * 10.2 * 6.7 ←
 beste Teiler 56.0 (17.) 107.2 (18.) 114.4 (13.)
 Trefferlage 1.35 mm links, 0.04 mm hoch
 Streuwert 2.90, horizontal: 3.96, vertikal: 1.10

Unterschrift des Schützen

Ergebnis: **204.1** (196)
 Serien: 101.7 102.4
 Zähler: 16 4 0 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 365 (10), 348 (13), 318 (14)
 beste Teiler 41.7 (5.) 60.1 (18.) 63.1 (11.)
 Trefferlage 0.11 mm rechts, 0.43 mm hoch
 Streuwert 1.50, horizontal: 1.94, vertikal: 0.85





Serie 1:
 10.2 * 10.1 ← 9.8 ← 10.0 ↖ 10.8 *
 10.3 * 10.2 * 10.2 * 10.6 * 9.5 →
 beste Teiler 41.7 (5.) 96.7 (9.) 161.8 (6.)
 Trefferlage 0.19 mm rechts, 0.29 mm hoch
 Streuwert 1.61, horizontal: 2.19, vertikal: 0.64




Serie 2:
 10.7 * 10.6 * 9.6 ↗ 9.7 ↗ 10.4 *
 10.1 ↖ 10.3 * 10.7 * 10.3 * 10.0 ←
 beste Teiler 60.1 (18.) 63.1 (11.) 85.5 (12.)
 Trefferlage 0.03 mm rechts, 0.57 mm hoch
 Streuwert 1.45, horizontal: 1.77, vertikal: 1.03

Unterschrift des Schützen

Ergebnis: **181.9** (175)
 Serien: 87.5 94.4
 Zähler: 6 7 3 4 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 997 (5), 895 (3), 884 (7)
 beste Teiler 55.4 (12.) 90.0 (16.) 102.4 (6.)
 Trefferlage 0.13 mm links, 2.17 mm hoch
 Streuwert 3.61, horizontal: 4.62, vertikal: 2.17





Serie 1:
 10.0 ↑ 9.3 ↑ 7.4 → 9.4 ↗ 7.0 ↘
 10.5 * 7.4 → 8.8 ↘ 8.3 ↖ 9.4 ↑
 beste Teiler 102.4 (6.) 234.2 (1.) 395.5 (4.)
 Trefferlage 0.02 mm rechts, 2.71 mm hoch
 Streuwert 4.18, horizontal: 5.47, vertikal: 2.23




Serie 2:
 9.1 ↘ 10.7 * 7.5 ← 9.2 ↗ 9.8 ↑
 10.6 * 10.2 * 8.1 → 9.2 ↑ 10.0 ↓
 beste Teiler 55.4 (12.) 90.0 (16.) 179.4 (17.)
 Trefferlage 0.28 mm links, 1.62 mm hoch
 Streuwert 3.11, horizontal: 3.88, vertikal: 2.08

Unterschrift des Schützen

Ergebnis: 191.4 (183)
Serien: 94.9 96.5
Zähler: 9 6 4 1 0 0 0 0 0 0
Innenzehner: 6
weiteste: 945 (8), 611 (16), 532 (17)
beste Teiler 97.5 (14.) 118.1 (5.) 121.6 (3.)
Trefferlage 1.89 mm links, 0.32 mm tief
Streuwert 2.59, horizontal: 3.50, vertikal: 1.08





Serie 1:
 10.0 ← 8.9 ← 10.5 * 9.0 ← 10.5 *
 9.2 ← 9.9 ← 7.2 → 10.1 ↙ 9.6 →
beste Teiler 118.1 (5.) 121.6 (3.) 216.8 (9.)
Trefferlage 0.95 mm links, 0.05 mm tief
Streuwert 3.16, horizontal: 4.34, vertikal: 1.07




Serie 2:
 9.1 ← 10.4 * 9.5 ← 10.6 * 10.3 *
 8.5 ← 8.8 ← 10.4 * 8.9 ← 10.0 ←
beste Teiler 97.5 (14.) 131.9 (18.) 145.0 (12.)
Trefferlage 2.84 mm links, 0.59 mm tief
Streuwert 1.77, horizontal: 2.25, vertikal: 1.08

Unterschrift des Schützen

Ergebnis: **189.6** (181)
 Serien: 97.0 92.6
 Zähler: 9 6 2 3 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 899 (12), 850 (5), 841 (14)
 beste Teiler 66.6 (1.) 131.4 (13.) 145.0 (4.)
 Trefferlage 0.10 mm links, 0.35 mm hoch
 Streuwert 3.22, horizontal: 3.98, vertikal: 2.21





Serie 1:
 10.7 * 10.2 * 10.0 ↘ 10.4 * 7.6 ←
 9.2 ↓ 9.5 ↑ 10.4 * 10.1 ← 8.9 →
 beste Teiler 66.6 (1.) 145.0 (4.) 149.3 (8.)
 Trefferlage 1.19 mm links, 0.24 mm tief
 Streuwert 2.75, horizontal: 3.22, vertikal: 2.18




Serie 2:
 9.8 ← 7.4 → 10.4 * 7.6 ← 9.4 ↗
 9.8 ↓ 8.7 ↗ 10.3 * 10.1 ↗ 9.1 →
 beste Teiler 131.4 (13.) 163.4 (18.) 217.1 (19.)
 Trefferlage 0.99 mm rechts, 0.95 mm hoch
 Streuwert 3.54, horizontal: 4.51, vertikal: 2.19

Unterschrift des Schützen

Ergebnis: **194.9** (188)
 Serien: 96.5 98.4
 Zähler: 9 10 1 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 596 (7), 491 (2), 472 (18)
 beste Teiler 65.8 (20.) 126.9 (1.) 182.5 (3.)
 Trefferlage 0.85 mm rechts, 0.40 mm tief
 Streuwert 2.32, horizontal: 3.11, vertikal: 1.07





Serie 1:
 10.4 * 9.0 ↘ 10.2 * 10.2 * 9.5 →
 9.9 → 8.6 → 9.6 → 9.9 ← 9.2 ←
 beste Teiler 126.9 (1.) 182.5 (3.) 196.8 (4.)
 Trefferlage 1.26 mm rechts, 0.78 mm tief
 Streuwert 2.41, horizontal: 3.25, vertikal: 1.03




Serie 2:
 9.2 ← 10.2 * 10.1 ← 10.0 ← 9.1 →
 10.0 ↘ 10.1 → 9.1 → 9.9 ↗ 10.7 *
 beste Teiler 65.8 (20.) 185.2 (12.) 202.2 (13.)
 Trefferlage 0.44 mm rechts, 0.02 mm tief
 Streuwert 2.29, horizontal: 3.08, vertikal: 1.01

Unterschrift des Schützen

Ergebnis: **176.3** (167)
 Serien: 91.8 84.5
 Zähler: 4 9 1 4 1 0 1 0 0 0
 Innenzehner: 1
 weiteste: 1516 (16), 1044 (17), 925 (1)
 beste Teiler 149.6 (20.) 204.7 (14.) 217.5 (9.)
 Trefferlage 1.26 mm links, 2.62 mm hoch
 Streuwert 4.09, horizontal: 5.30, vertikal: 2.33





Serie 1:
 7.3 ← 9.2 ↘ 9.8 ↗ 9.2 ↑ 8.8 ↖
 9.8 ↑ 9.1 ↗ 9.2 ↓ 10.1 ← 9.3 ↑
 beste Teiler 217.5 (9.) 284.6 (6.) 286.7 (3.)
 Trefferlage 1.26 mm links, 2.29 mm hoch
 Streuwert 2.99, horizontal: 3.34, vertikal: 2.61




Serie 2:
 7.5 ↘ 9.5 → 9.8 ↘ 10.1 ↑ 7.6 ↖
 4.9 → 6.8 ← 7.9 ↖ 10.0 ↗ 10.4 *
 beste Teiler 149.6 (20.) 204.7 (14.) 232.2 (19.)
 Trefferlage 1.25 mm links, 2.96 mm hoch
 Streuwert 5.13, horizontal: 6.94, vertikal: 2.11

Unterschrift des Schützen

Ergebnis: **187.1** (177)
 Serien: 92.7 94.4
 Zähler: 4 11 3 2 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 900 (12), 755 (10), 669 (6)
 beste Teiler 25.1 (1.) 102.4 (19.) 158.0 (16.)
 Trefferlage 0.50 mm rechts, 0.23 mm hoch
 Streuwert 3.25, horizontal: 3.88, vertikal: 2.47





Serie 1:
 10.9 * 8.7 ↖ 9.8 → 9.2 ↗ 8.9 →
 8.3 ← 9.6 ↓ 9.6 ↖ 9.8 ↘ 7.9 ←
 beste Teiler 25.1 (1.) 282.0 (9.) 291.8 (3.)
 Trefferlage 0.62 mm links, 0.48 mm hoch
 Streuwert 3.45, horizontal: 4.07, vertikal: 2.70




Serie 2:
 10.1 ↖ 7.4 → 9.1 ↖ 9.5 ↗ 9.7 ↘
 10.3 * 9.3 → 9.5 ↑ 10.5 * 9.0 →
 beste Teiler 102.4 (19.) 158.0 (16.) 203.5 (11.)
 Trefferlage 1.64 mm rechts, 0.02 mm tief
 Streuwert 2.99, horizontal: 3.52, vertikal: 2.34

Unterschrift des Schützen

Ergebnis: **196.8** (189)
 Serien: 95.8 101.0
 Zähler: 11 8 0 1 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 775 (1), 485 (4), 403 (13)
 beste Teiler 88.4 (12.) 92.6 (19.) 110.3 (6.)
 Trefferlage 0.71 mm links, 0.50 mm hoch
 Streuwert 2.22, horizontal: 2.84, vertikal: 1.34





Serie 1:
 7.9 ← 10.0 ← 9.6 → 9.0 → 10.1 ↖
 10.5 * 9.6 → 9.7 ← 9.6 ↑ 9.8 ↘
 beste Teiler 110.3 (6.) 216.4 (5.) 234.2 (2.)
 Trefferlage 0.46 mm links, 0.77 mm hoch
 Streuwert 2.80, horizontal: 3.67, vertikal: 1.46




Serie 2:
 10.2 * 10.6 * 9.3 ↖ 10.2 * 9.9 →
 10.0 ↘ 10.1 ← 10.0 ← 10.6 * 10.1 ↓
 beste Teiler 88.4 (12.) 92.6 (19.) 179.4 (14.)
 Trefferlage 0.96 mm links, 0.24 mm hoch
 Streuwert 1.56, horizontal: 1.84, vertikal: 1.21

Unterschrift des Schützen

Ergebnis: **190.9** (182)
 Serien: 96.3 94.6
 Zähler: 5 13 1 1 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 795 (12), 656 (14), 475 (7)
 beste Teiler 65.3 (20.) 106.2 (10.) 193.8 (3.)
 Trefferlage 0.15 mm rechts, 0.00 mm
 Streuwert 2.84, horizontal: 3.62, vertikal: 1.74





Serie 1:
 9.5 ← 9.7 ← 10.2 * 9.2 ↙ 9.7 ↘
 10.0 ↙ 9.1 ← 9.2 → 9.2 → 10.5 *
 beste Teiler 106.2 (10.) 193.8 (3.) 239.3 (6.)
 Trefferlage 0.97 mm links, 0.68 mm tief
 Streuwert 2.46, horizontal: 3.23, vertikal: 1.28




Serie 2:
 9.6 ↑ 7.8 → 9.3 → 8.3 → 9.4 ↖
 9.5 ← 10.2 * 9.9 → 9.9 ← 10.7 *
 beste Teiler 65.3 (20.) 197.1 (17.) 268.1 (18.)
 Trefferlage 1.29 mm rechts, 0.69 mm hoch
 Streuwert 3.00, horizontal: 3.79, vertikal: 1.92

Unterschrift des Schützen

Ergebnis: **193.1** (182)
 Serien: 96.0 97.1
 Zähler: 6 11 2 1 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 807 (12), 678 (5), 633 (4)
 beste Teiler 9.2 (20.) 22.3 (19.) 52.9 (7.)
 Trefferlage 0.29 mm links, 0.35 mm tief
 Streuwert 2.75, horizontal: 3.51, vertikal: 1.67



Serie 1:
 9.9 ↓ 9.7 ← 9.7 ↖ 8.4 → 8.2 →
 10.0 ← 10.7 * 9.5 ← 9.3 → 10.6 *
 beste Teiler 52.9 (7.) 98.7 (10.) 244.5 (6.)
 Trefferlage 0.24 mm rechts, 0.33 mm tief
 Streuwert 2.87, horizontal: 3.89, vertikal: 1.19



Serie 2:
 10.1 ↓ 7.7 ← 9.4 ↙ 9.9 ↓ 9.7 ↗
 9.1 → 9.5 ↓ 9.9 ← 10.9 * 10.9 *
 beste Teiler 9.2 (20.) 22.3 (19.) 205.7 (11.)
 Trefferlage 0.83 mm links, 0.37 mm tief
 Streuwert 2.71, horizontal: 3.20, vertikal: 2.12

Unterschrift des Schützen