

Ergebnis: **579.1** (555)

Serien: 97.5 95.7 95.7 95.7 97.8 96.7

Zähler: 22 32 5 1 0 0 0 0 0 0



Innenzehner: 16

weiteste: 812 (25), 733 (12), 730 (56)

beste Teiler 1.4 (54.) 55.0 (57.) 66.3 (42.)

Trefferlage 0.13 mm rechts, 0.78 mm hoch

Streuwert 2.56, horizontal: 2.70, vertikal: 2.42




Serie 1:

9.0 ←	10.0 ↓	10.1 ←	9.8 ↓	9.0 ↑
9.7 ↑	9.8 ↘	9.6 ↑	10.4 *	10.1 ←

beste Teiler 144.2 (9.) 212.0 (3.) 213.0 (10.)

Trefferlage 0.45 mm links, 0.29 mm hoch

Streuwert 2.35, horizontal: 2.02, vertikal: 2.64




Serie 2:

9.4 ↘	8.0 ←	10.7 *	9.6 ↑	9.2 ↗
9.1 →	9.8 ↑	9.1 ↑	10.5 *	10.3 *

beste Teiler 70.1 (13.) 105.6 (19.) 167.5 (20.)

Trefferlage 0.15 mm rechts, 1.67 mm hoch

Streuwert 2.66, horizontal: 2.99, vertikal: 2.28




Serie 3:

10.2 *	10.3 *	9.1 ↑	9.4 ↓	7.7 →
10.2 *	10.2 *	10.5 *	9.6 ←	8.5 ←

beste Teiler 120.2 (28.) 169.1 (22.) 176.6 (27.)

Trefferlage 0.06 mm rechts, 0.36 mm tief

Streuwert 3.04, horizontal: 3.53, vertikal: 2.45




Serie 4:

9.1 ↘	9.5 ←	9.3 ↘	8.9 →	9.9 ↑
9.2 ↓	10.0 ↓	10.0 →	10.5 *	9.3 ↘

beste Teiler 104.0 (39.) 235.6 (37.) 241.8 (38.)

Trefferlage 0.69 mm links, 0.35 mm hoch

Streuwert 2.66, horizontal: 2.75, vertikal: 2.57




Serie 5:

10.3 *	10.7 *	8.5 ↑	10.0 ↗	9.6 ↗
10.5 *	9.5 ↗	9.4 ↘	9.8 ↘	9.5 →

beste Teiler 66.3 (42.) 116.9 (46.) 164.3 (41.)

Trefferlage 0.85 mm rechts, 1.41 mm hoch

Streuwert 2.12, horizontal: 1.92, vertikal: 2.31



Serie 6:

9.4 ↗	9.0 ↘	9.6 ↓	10.9 *	10.6 *
8.0 →	10.7 *	9.9 ↑	9.1 ↑	9.5 ↑

beste Teiler 1.4 (54.) 55.0 (57.) 93.4 (55.)

Trefferlage 0.86 mm rechts, 1.35 mm hoch

Streuwert 2.59, horizontal: 2.95, vertikal: 2.17

LG 60 ZR – Wertung – **Männer**

StandNr: 101

Nico, Kecht #70804539

StartNr: 1



15. Januar 2017 14:51

SG Wörgl


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373.1** (356)
 Serien: 93.6 95.3 90.4 93.8
 Zähler: 9 21 7 3 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 950 (34), 808 (27), 802 (24)
 beste Teiler 80.0 (31.) 132.0 (39.) 135.3 (12.)
 Trefferlage 0.45 mm links, 0.14 mm tief
 Streuwert 3.24, horizontal: 3.53, vertikal: 2.92




Serie 1:
 9.2 ↑ 9.8 ↘ 10.1 ↗ 9.3 ↓ 9.3 ↘
 8.3 ↙ 10.0 ↘ 8.8 ↗ 8.4 ← 10.4 *
 beste Teiler 142.7 (10.) 201.8 (3.) 226.2 (7.)
 Trefferlage 0.59 mm links, 0.06 mm hoch
 Streuwert 3.18, horizontal: 3.32, vertikal: 3.03



Serie 2:
 9.8 ↓ 10.4 * 9.9 ↙ 9.9 → 9.7 ↘
 9.9 ↓ 9.0 ↓ 9.0 ↑ 8.4 ← 9.3 ←
 beste Teiler 135.3 (12.) 264.1 (13.) 266.7 (14.)
 Trefferlage 1.04 mm links, 0.96 mm tief
 Streuwert 2.67, horizontal: 2.89, vertikal: 2.43



Serie 3:
 9.7 ↙ 9.9 ← 8.3 ← 7.7 ↗ 9.1 ↑
 8.1 ↘ 7.7 → 9.7 ↘ 10.0 ↘ 10.2 *
 beste Teiler 191.6 (30.) 232.8 (29.) 266.0 (22.)
 Trefferlage 0.89 mm links, 1.77 mm hoch
 Streuwert 3.65, horizontal: 4.22, vertikal: 2.98





Serie 4:
 10.6 * 10.4 * 9.2 ↙ 7.2 ↘ 9.4 ↘
 9.5 ↓ 9.5 ↓ 8.5 → 10.4 * 9.1 ←
 beste Teiler 80.0 (31.) 132.0 (39.) 137.8 (32.)
 Trefferlage 0.70 mm rechts, 1.44 mm tief
 Streuwert 3.23, horizontal: 3.83, vertikal: 2.49


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **587.7** (562)
 Serien: 99.0 96.9 94.5 96.2 99.4 101.7
 Zähler: 29 25 5 1 0 0 0 0 0
 Innenzehner: 21
 weiteste: 755 (47), 723 (24), 716 (30)
 beste Teiler 17.7 (54.) 37.1 (55.) 48.0 (48.)
 Trefferlage 0.61 mm links, 0.31 mm hoch
 Streuwert 2.34, horizontal: 2.84, vertikal: 1.70




Serie 1:
 9.4 ← 10.2 * 10.2 * 10.1 ↑ 9.6 ←
 9.8 ↗ 9.7 ↙ 10.4 * 10.4 * 9.2 →
 beste Teiler 138.3 (8.) 149.0 (9.) 187.5 (3.)
 Trefferlage 0.24 mm links, 0.06 mm hoch
 Streuwert 2.10, horizontal: 2.54, vertikal: 1.53




Serie 2:
 9.2 ← 10.0 ↓ 10.0 ↖ 9.3 ↗ 9.7 ↗
 8.5 ← 9.3 ← 10.0 ↘ 10.7 * 10.2 *
 beste Teiler 56.2 (19.) 199.2 (20.) 229.7 (12.)
 Trefferlage 1.12 mm links, 0.60 mm hoch
 Streuwert 2.41, horizontal: 2.96, vertikal: 1.70




Serie 3:
 9.1 → 9.2 ↖ 10.2 * 8.1 → 10.4 *
 10.0 ↑ 10.3 * 9.5 ← 9.6 ↘ 8.1 →
 beste Teiler 128.4 (25.) 159.8 (27.) 200.1 (23.)
 Trefferlage 0.71 mm rechts, 0.58 mm hoch
 Streuwert 3.12, horizontal: 4.02, vertikal: 1.81



Serie 4:
 9.9 ↘ 8.6 ↗ 9.9 ← 9.9 ↑ 10.3 *
 9.3 ↓ 9.2 ↙ 9.2 → 9.6 ↙ 10.3 *
 beste Teiler 156.0 (40.) 166.5 (35.) 253.1 (31.)
 Trefferlage 0.08 mm rechts, 0.13 mm tief
 Streuwert 2.65, horizontal: 2.74, vertikal: 2.56



Serie 5:
 10.6 * 10.2 * 10.4 * 10.1 ↖ 9.5 ↖
 10.3 * 7.9 ↖ 10.8 * 9.7 ← 9.9 ↘
 beste Teiler 48.0 (48.) 98.6 (41.) 147.9 (43.)
 Trefferlage 2.02 mm links, 0.57 mm hoch
 Streuwert 1.79, horizontal: 2.12, vertikal: 1.37



Serie 6:
 9.6 ↗ 10.4 * 8.8 ← 10.9 * 10.8 *
 10.1 ↙ 10.7 * 10.1 ↘ 10.5 * 9.8 ←
 beste Teiler 17.7 (54.) 37.1 (55.) 68.6 (57.)
 Trefferlage 1.07 mm links, 0.18 mm hoch
 Streuwert 1.65, horizontal: 2.03, vertikal: 1.15

LG 60 ZR – Wertung – **Junioren**

StandNr: 103

Marco, Ruberto #70804514

StartNr: 3



15. Januar 2017 14:45

SG Wörgl


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **604.1** (580)
 Serien: 100.5 100.7 100.2 100.4 101.1 101.2
 Zähler: 41 18 1 0 0 0 0 0 0
 Innenzehner: 25
 weiteste: 542 (15), 447 (17), 417 (56)
 beste Teiler 16.2 (20.) 48.3 (4.) 71.8 (34.)
 Trefferlage 0.32 mm links, 0.48 mm hoch
 Streuwert 1.70, horizontal: 1.91, vertikal: 1.47




Serie 1:
 10.4 * 9.5 ↘ 10.5 * 10.8 * 10.0 ↑
 10.0 ↑ 10.0 ↓ 9.5 ↓ 10.0 ↖ 9.8 ↗
 beste Teiler 48.3 (4.) 123.4 (3.) 128.3 (1.)
 Trefferlage 0.72 mm links, 0.57 mm hoch
 Streuwert 1.71, horizontal: 1.17, vertikal: 2.12




Serie 2:
 10.2 * 10.3 * 10.4 * 10.3 * 8.8 ←
 10.4 * 9.2 → 10.6 * 9.6 → 10.9 *
 beste Teiler 16.2 (20.) 80.6 (18.) 140.9 (13.)
 Trefferlage 0.14 mm links, 0.65 mm hoch
 Streuwert 1.99, horizontal: 2.75, vertikal: 0.59




Serie 3:
 9.9 ↘ 10.5 * 10.1 → 9.9 ↗ 10.0 ↖
 10.3 * 9.7 ↘ 9.3 ↖ 10.4 * 10.1 →
 beste Teiler 123.7 (22.) 140.6 (29.) 171.7 (26.)
 Trefferlage 0.72 mm links, 1.05 mm hoch
 Streuwert 1.61, horizontal: 2.02, vertikal: 1.05



Serie 4:
 9.7 ↘ 9.8 ↓ 10.4 * 10.7 * 10.5 *
 9.5 ↘ 9.6 ← 10.1 ↑ 10.2 * 9.9 →
 beste Teiler 71.8 (34.) 112.3 (35.) 148.9 (33.)
 Trefferlage 0.68 mm links, 0.36 mm hoch
 Streuwert 1.78, horizontal: 1.85, vertikal: 1.70



Serie 5:
 10.0 ↑ 9.8 ← 10.0 ↗ 10.5 * 10.1 ↓
 10.2 * 10.1 ↘ 10.2 * 10.6 * 9.6 ↖
 beste Teiler 90.6 (49.) 101.2 (44.) 185.0 (46.)
 Trefferlage 0.49 mm links, 0.67 mm hoch
 Streuwert 1.50, horizontal: 1.47, vertikal: 1.53



Serie 6:
 9.9 ↗ 10.0 ↓ 10.1 ↘ 10.3 * 10.1 ←
 9.3 ↘ 10.5 * 10.1 ↘ 10.4 * 10.5 *
 beste Teiler 101.2 (60.) 101.9 (57.) 138.2 (59.)
 Trefferlage 0.83 mm rechts, 0.44 mm tief
 Streuwert 1.52, horizontal: 1.78, vertikal: 1.21

Meyton Elektronik

LG 60 ZR – Wertung – **Männer**

StandNr: 104

Peter–Paul, Walder #70804540

StartNr: 4



15. Januar 2017 14:37

SG Innervillgraten


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **368.2** (352)
 Serien: 93.8 90.3 97.3 86.8
 Zähler: 14 14 6 2 4 0 0 0 0 0
 Innenzehner: 11
 weiteste: 1201 (1), 1102 (39), 1092 (12)
 beste Teiler 66.3 (5.) 76.5 (3.) 84.8 (23.)
 Trefferlage 1.21 mm links, 0.83 mm hoch
 Streuwert 3.71, horizontal: 4.84, vertikal: 2.02




Serie 1:
 6.1 ↖ 9.8 ← 10.6 * 8.7 ↘ 10.7 *
 10.3 * 9.9 ↘ 9.3 → 10.1 ↓ 8.3 ←
 beste Teiler 66.3 (5.) 76.5 (3.) 153.1 (6.)
 Trefferlage 2.59 mm links, 0.86 mm hoch
 Streuwert 3.23, horizontal: 4.16, vertikal: 1.89



Serie 2:
 9.5 ↘ 6.6 ↖ 7.0 ← 9.2 ↖ 9.7 ↓
 10.4 * 9.9 ← 10.3 * 9.1 → 8.6 ↖
 beste Teiler 141.4 (16.) 163.6 (18.) 251.2 (17.)
 Trefferlage 2.87 mm links, 0.84 mm hoch
 Streuwert 3.62, horizontal: 4.70, vertikal: 2.02



Serie 3:
 9.7 ↑ 10.1 ↘ 10.6 * 8.0 ↘ 10.4 *
 10.4 * 10.5 * 10.1 ↘ 9.4 ↖ 8.1 ↖
 beste Teiler 84.8 (23.) 117.9 (27.) 145.0 (25.)
 Trefferlage 1.64 mm links, 1.27 mm hoch
 Streuwert 2.42, horizontal: 2.47, vertikal: 2.38





Serie 4:
 7.6 → 6.9 ↖ 9.3 → 10.6 * 9.1 ↘
 10.2 * 9.4 ↗ 8.1 → 6.5 → 9.1 ←
 beste Teiler 92.7 (34.) 195.5 (36.) 388.9 (37.)
 Trefferlage 2.24 mm rechts, 0.36 mm hoch
 Streuwert 4.54, horizontal: 6.12, vertikal: 1.96


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **368.5** (347)
 Serien: 92.9 92.2 92.5 90.9
 Zähler: 8 20 6 3 3 0 0 0 0 0
 Innenzehner: 8
 weiteste: 1123 (33), 1068 (19), 1056 (25)
 beste Teiler 17.4 (29.) 45.3 (13.) 54.5 (14.)
 Trefferlage 0.75 mm links, 0.72 mm hoch
 Streuwert 3.63, horizontal: 4.39, vertikal: 2.67




Serie 1:
 9.0 ← 9.8 ↓ 10.2 * 8.8 ← 7.3 ↘
 9.2 ↘ 9.2 ← 9.6 ↗ 9.1 → 10.7 *
 beste Teiler 71.1 (10.) 178.4 (3.) 277.7 (2.)
 Trefferlage 0.80 mm links, 0.23 mm hoch
 Streuwert 3.40, horizontal: 4.20, vertikal: 2.33



Serie 2:
 9.8 ↑ 8.6 ← 10.8 * 10.7 * 9.5 ↗
 9.6 ↘ 7.2 ← 9.4 ↘ 6.7 ↘ 9.9 ↘
 beste Teiler 45.3 (13.) 54.5 (14.) 258.4 (20.)
 Trefferlage 1.20 mm links, 0.66 mm hoch
 Streuwert 3.87, horizontal: 4.71, vertikal: 2.79



Serie 3:
 9.6 ↗ 9.1 ↑ 9.4 ↓ 9.2 → 6.7 ←
 8.9 ↑ 9.8 ↗ 9.6 ↓ 10.9 * 9.3 ↘
 beste Teiler 17.4 (29.) 289.3 (27.) 330.2 (21.)
 Trefferlage 0.57 mm rechts, 0.73 mm hoch
 Streuwert 3.60, horizontal: 4.11, vertikal: 3.01





Serie 4:
 8.3 ↗ 10.6 * 6.5 ↘ 9.8 ↗ 10.6 *
 10.5 * 8.9 ↘ 9.8 ↘ 8.1 ← 7.8 →
 beste Teiler 79.9 (32.) 94.6 (35.) 103.7 (36.)
 Trefferlage 1.57 mm links, 1.26 mm hoch
 Streuwert 4.00, horizontal: 4.88, vertikal: 2.85


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **381.1** (364)
 Serien: 97.5 85.2 97.5 100.9
 Zähler: 16 20 3 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 615 (10), 604 (28), 556 (14)
 beste Teiler 77.4 (34.) 85.0 (26.) 86.0 (22.)
 Trefferlage 0.89 mm links, 0.56 mm hoch
 Streuwert 2.20, horizontal: 2.64, vertikal: 1.66




Serie 1:
 9.8 → 10.3 * 9.8 ↗ 10.6 * 10.3 *
 9.5 ↗ 9.5 ↑ 9.7 ↘ 9.5 ↑ 8.5 ←
 beste Teiler 88.0 (4.) 164.5 (5.) 173.6 (2.)
 Trefferlage 0.25 mm links, 1.56 mm hoch
 Streuwert 2.18, horizontal: 2.63, vertikal: 1.62



Serie 2:
 9.7 ↘ 10.2 * 9.7 → 8.7 ↖ 9.2 ←
 9.2 → 9.4 ← 0.0F^{MIS} 9.3 ← 9.8 ↓
 beste Teiler 191.2 (12.) 293.2 (20.) 316.2 (13.)
 Trefferlage 0.61 mm links, 0.03 mm tief
 Streuwert 2.87, horizontal: 3.64, vertikal: 1.78



Serie 3:
 9.6 ← 10.6 * 9.5 ↖ 10.0 ↗ 10.0 ↖
 10.6 * 9.2 ↖ 8.5 ← 10.0 ↑ 9.5 ←
 beste Teiler 85.0 (26.) 86.0 (22.) 226.7 (29.)
 Trefferlage 1.82 mm links, 1.08 mm hoch
 Streuwert 1.93, horizontal: 2.42, vertikal: 1.25





Serie 4:
 9.3 ← 10.0 ← 9.9 ← 10.6 * 10.3 *
 10.6 * 9.8 ↓ 10.0 ↓ 10.1 ← 10.3 *
 beste Teiler 77.4 (34.) 91.5 (36.) 159.7 (35.)
 Trefferlage 0.86 mm links, 0.40 mm tief
 Streuwert 1.60, horizontal: 1.82, vertikal: 1.35

MIS – Treffer wurde manuell eingefügt, da der Schütze die Scheibe verfehlt hat


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **374.6** (358)
 Serien: 96.5 86.6 93.5 98.0
 Zähler: 12 19 7 1 0 0 1 0 0 0
 Innenzehner: 8
 weiteste: 1605 (18), 801 (15), 717 (4)
 beste Teiler 43.4 (37.) 46.0 (29.) 58.6 (9.)
 Trefferlage 1.34 mm rechts, 0.17 mm tief
 Streuwert 3.31, horizontal: 3.86, vertikal: 2.66




Serie 1:
 10.0 ↘ 10.3 * 9.7 ↙ 8.1 ↘ 9.3 ↑
 10.2 * 9.7 ↘ 8.7 ↑ 10.7 * 9.8 ↓
 beste Teiler 58.6 (9.) 161.4 (2.) 181.2 (6.)
 Trefferlage 0.09 mm rechts, 0.37 mm tief
 Streuwert 2.77, horizontal: 2.22, vertikal: 3.23



Serie 2:
 9.1 ↘ 10.0 ↑ 9.2 ↘ 9.8 ↘ 7.7 →
 9.0 ↙ 9.1 ↘ 4.5 → 9.1 → 9.1 ←
 beste Teiler 244.2 (12.) 300.0 (14.) 431.8 (13.)
 Trefferlage 3.31 mm rechts, 0.93 mm tief
 Streuwert 4.40, horizontal: 5.96, vertikal: 1.78





Serie 3:
 8.3 → 10.1 ↗ 9.1 ↘ 8.4 ↘ 9.2 ↗
 9.4 → 9.7 → 10.0 ↗ 10.8 * 8.5 ↘
 beste Teiler 46.0 (29.) 218.8 (22.) 232.2 (28.)
 Trefferlage 2.30 mm rechts, 0.28 mm tief
 Streuwert 2.85, horizontal: 2.94, vertikal: 2.75




Serie 4:
 9.9 ↗ 10.7 * 8.4 ↑ 9.0 ↘ 10.2 *
 10.4 * 10.8 * 8.9 ↘ 9.9 ↙ 9.8 ↘
 beste Teiler 43.4 (37.) 68.6 (32.) 145.3 (36.)
 Trefferlage 0.34 mm links, 0.89 mm hoch
 Streuwert 2.50, horizontal: 2.25, vertikal: 2.72

Unterschrift des Schützen


Ergebnis: **399.6** (381)
 Serien: 98.7 99.1 100.7 101.1
 Zähler: 22 17 1 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 672 (9), 423 (18), 381 (19)
 beste Teiler 99.0 (25.) 100.6 (6.) 100.8 (8.)
 Trefferlage 0.80 mm links, 0.66 mm hoch
 Streuwert 1.75, horizontal: 2.00, vertikal: 1.46




Serie 1:
 9.9 ↑ 9.9 ← 10.0 ← 10.1 ↑ 10.2 *
 10.6 * 9.6 ↘ 10.6 * 8.3 ↖ 9.5 ←
 beste Teiler 100.6 (6.) 100.8 (8.) 180.6 (5.)
 Trefferlage 1.94 mm links, 1.17 mm hoch
 Streuwert 1.66, horizontal: 1.94, vertikal: 1.31



Serie 2:
 10.4 * 9.8 ↘ 10.0 ← 10.0 ← 9.9 ↘
 9.6 ↖ 10.3 * 9.3 ↘ 9.4 ← 10.4 *
 beste Teiler 127.5 (11.) 130.3 (20.) 168.0 (17.)
 Trefferlage 1.89 mm links, 1.25 mm hoch
 Streuwert 1.20, horizontal: 1.19, vertikal: 1.20



Serie 3:
 10.2 * 9.9 → 9.9 ↙ 10.0 ↗ 10.6 *
 10.4 * 10.1 → 9.8 ↑ 9.9 → 9.9 ↘
 beste Teiler 99.0 (25.) 135.3 (26.) 194.9 (21.)
 Trefferlage 0.80 mm rechts, 0.00 mm
 Streuwert 1.62, horizontal: 1.48, vertikal: 1.74





Serie 4:
 10.4 * 10.5 * 9.5 ← 10.3 * 10.4 *
 10.4 * 10.1 → 10.1 → 9.5 ↖ 9.9 ↗
 beste Teiler 124.7 (32.) 126.1 (35.) 141.4 (36.)
 Trefferlage 0.16 mm links, 0.24 mm hoch
 Streuwert 1.66, horizontal: 1.97, vertikal: 1.29


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **406.3** (388)
 Serien: 100.7 101.6 101.3 102.7
 Zähler: 28 12 0 0 0 0 0 0 0 0
 Innenzehner: 24
 weiteste: 412 (14), 397 (28), 396 (31)
 beste Teiler 64.0 (10.) 68.2 (4.) 68.3 (37.)
 Trefferlage 0.08 mm links, 0.01 mm hoch
 Streuwert 1.60, horizontal: 1.54, vertikal: 1.65




Serie 1:
 9.8 ↘ 9.4 ↘ 9.9 → 10.7 * 10.4 *
 9.7 ↙ 10.2 * 10.4 * 9.5 ← 10.7 *
 beste Teiler 64.0 (10.) 68.2 (4.) 133.7 (5.)
 Trefferlage 0.08 mm links, 0.61 mm tief
 Streuwert 1.78, horizontal: 1.82, vertikal: 1.75



Serie 2:
 9.9 ↖ 10.4 * 10.6 * 9.3 ↑ 10.1 ↘
 10.3 * 10.4 * 10.4 * 9.9 ↑ 10.3 *
 beste Teiler 98.4 (13.) 137.3 (12.) 141.4 (17.)
 Trefferlage 0.27 mm links, 0.49 mm hoch
 Streuwert 1.59, horizontal: 1.39, vertikal: 1.77





Serie 3:
 10.6 * 10.3 * 10.1 ↗ 9.7 ↗ 10.0 ↗
 10.2 * 10.1 ↖ 9.4 ↘ 10.4 * 10.5 *
 beste Teiler 81.3 (21.) 106.8 (30.) 134.2 (29.)
 Trefferlage 0.42 mm rechts, 0.88 mm hoch
 Streuwert 1.50, horizontal: 1.54, vertikal: 1.47




Serie 4:
 9.4 ↙ 10.5 * 10.3 * 10.6 * 10.2 *
 10.3 * 10.7 * 10.3 * 10.5 * 9.9 ↓
 beste Teiler 68.3 (37.) 100.8 (34.) 112.6 (32.)
 Trefferlage 0.42 mm links, 0.71 mm tief
 Streuwert 1.35, horizontal: 1.52, vertikal: 1.16

Unterschrift des Schützen


Ergebnis:	399.4	(380)
Serien:	97.4	101.3 99.7 101.0
Zähler:	22	16 2 0 0 0 0 0 0 0
Innenzehner:	18	
weiteste:	565 (6),	509 (7), 417 (8)
beste Teiler	44.8 (20.)	49.0 (1.) 81.5 (24.)
Trefferlage	0.55 mm rechts, 0.49 mm hoch	
Streuwert	1.89, horizontal: 2.16, vertikal: 1.58	




Serie 1:	10.8 *	10.6 *	9.8 ↗	9.9 ↑	9.7 →
	8.7 ←	8.9 →	9.3 ←	9.9 ↗	9.8 ↑
beste Teiler	49.0 (1.) 95.4 (2.) 264.3 (9.)				
Trefferlage	0.36 mm rechts, 1.09 mm hoch				
Streuwert	2.40, horizontal: 3.15, vertikal: 1.27				



Serie 2:	9.4 →	10.2 *	10.0 →	10.6 *	9.8 ↑
	10.5 *	10.4 *	10.3 *	9.3 →	10.8 *
beste Teiler	44.8 (20.) 87.4 (14.) 119.6 (16.)				
Trefferlage	1.24 mm rechts, 0.50 mm hoch				
Streuwert	1.46, horizontal: 1.72, vertikal: 1.13				



Serie 3:	9.5 →	9.4 →	10.4 *	10.6 *	10.5 *
	9.4 ↘	10.2 *	9.7 ↓	9.6 ↘	10.4 *
beste Teiler	81.5 (24.) 115.6 (25.) 142.9 (30.)				
Trefferlage	0.72 mm rechts, 0.19 mm hoch				
Streuwert	1.93, horizontal: 2.14, vertikal: 1.70				



Serie 4:	10.2 *	10.0 ↘	10.6 *	9.6 ↓	10.1 ↙
	10.4 *	10.1 ↗	9.3 ↑	10.3 *	10.4 *
beste Teiler	100.0 (33.) 139.6 (40.) 147.2 (36.)				
Trefferlage	0.13 mm links, 0.19 mm hoch				
Streuwert	1.72, horizontal: 1.25, vertikal: 2.09				

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **392.4** (376)

Serien: 97.1 97.5 97.3 100.5

Zähler: 19 18 3 0 0 0 0 0 0 0



Innenzehner: 13

weiteste: 569 (12), 542 (18), 510 (23)

beste Teiler 45.6 (11.) 96.0 (33.) 110.8 (36.)

Trefferlage 0.05 mm links, 0.51 mm hoch

Streuwert 2.25, horizontal: 2.58, vertikal: 1.85




Serie 1:

10.1 ↓	9.5 →	10.3 *	10.4 *	9.7 ↗
9.0 ←	9.7 ↘	10.1 ↙	9.0 ↖	9.3 ↑

beste Teiler 141.2 (4.) 169.2 (3.) 205.0 (8.)

Trefferlage 0.61 mm links, 0.77 mm hoch

Streuwert 2.36, horizontal: 2.66, vertikal: 2.02




Serie 2:

10.8 *	8.7 →	10.1 ↑	9.3 →	9.8 →
10.4 *	9.6 ↘	8.8 ↖	10.3 *	9.7 ↑

beste Teiler 45.6 (11.) 142.3 (16.) 169.5 (19.)

Trefferlage 0.48 mm rechts, 1.55 mm hoch

Streuwert 2.27, horizontal: 3.01, vertikal: 1.14




Serie 3:

9.5 →	10.5 *	8.9 ←	10.1 ↘	9.9 ←
9.5 ↘	10.2 *	9.7 ↗	10.0 ↑	9.0 →

beste Teiler 120.8 (22.) 191.0 (27.) 215.7 (24.)

Trefferlage 0.22 mm rechts, 0.09 mm hoch

Streuwert 2.45, horizontal: 3.09, vertikal: 1.58



Serie 4:

10.2 *	9.1 ↓	10.6 *	10.2 *	10.5 *
10.5 *	9.5 ↑	9.4 ←	10.0 ↙	10.5 *

beste Teiler 96.0 (33.) 110.8 (36.) 117.5 (35.)



Trefferlage 0.31 mm links, 0.37 mm tief

Streuwert 1.88, horizontal: 1.55, vertikal: 2.16


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **389.1** (373)
 Serien: 95.8 95.7 97.8 99.8
 Zähler: 17 20 2 1 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 785 (17), 547 (18), 501 (29)
 beste Teiler 61.2 (27.) 85.2 (19.) 103.8 (33.)
 Trefferlage 0.31 mm links, 0.57 mm tief
 Streuwert 2.39, horizontal: 2.39, vertikal: 2.40




Serie 1:
 9.3 ← 10.4 * 9.7 ↙ 10.2 * 9.0 ↘
 9.0 ↘ 9.6 ↙ 9.9 ↘ 9.3 ↘ 9.4 ↖
 beste Teiler 129.0 (2.) 176.7 (4.) 275.7 (8.)
 Trefferlage 0.66 mm links, 0.97 mm tief
 Streuwert 2.52, horizontal: 2.87, vertikal: 2.12



Serie 2:
 9.4 ↘ 10.0 ↗ 9.2 ↘ 9.4 ← 10.0 ↑
 10.5 * 7.8 ↘ 8.8 ← 10.6 * 10.0 ↓
 beste Teiler 85.2 (19.) 120.2 (16.) 226.9 (12.)
 Trefferlage 0.51 mm links, 0.11 mm tief
 Streuwert 2.97, horizontal: 2.84, vertikal: 3.09



Serie 3:
 9.3 ↓ 10.1 ↗ 9.7 ↗ 10.3 * 9.4 ↘
 9.8 ↘ 10.7 * 9.9 ↙ 8.9 ↘ 9.7 ↓
 beste Teiler 61.2 (27.) 170.4 (24.) 218.0 (22.)
 Trefferlage 0.40 mm rechts, 1.02 mm tief
 Streuwert 2.22, horizontal: 1.96, vertikal: 2.46





Serie 4:
 10.3 * 10.1 ↓ 10.5 * 10.1 ↖ 10.4 *
 9.8 ↖ 9.1 ↓ 10.2 * 10.1 ↘ 9.2 ↘
 beste Teiler 103.8 (33.) 128.7 (35.) 167.7 (31.)
 Trefferlage 0.49 mm links, 0.19 mm tief
 Streuwert 1.99, horizontal: 1.95, vertikal: 2.03


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **398.0** (379)
 Serien: 99.2 98.2 101.1 99.5
 Zähler: 20 19 1 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 557 (15), 450 (18), 443 (17)
 beste Teiler 72.2 (37.) 72.6 (27.) 75.9 (30.)
 Trefferlage 0.53 mm links, 0.56 mm hoch
 Streuwert 1.94, horizontal: 2.22, vertikal: 1.62




Serie 1:
 10.5 * 10.6 * 10.2 * 9.5 → 9.9 ↑
 9.2 ← 9.4 ↙ 9.5 ↗ 10.0 → 10.4 *
 beste Teiler 94.0 (2.) 121.4 (1.) 144.4 (10.)
 Trefferlage 0.04 mm links, 0.75 mm hoch
 Streuwert 2.06, horizontal: 2.43, vertikal: 1.61



Serie 2:
 9.5 ↑ 10.5 * 9.3 ↙ 10.5 * 8.7 ↖
 10.4 * 9.2 → 9.2 ← 10.5 * 10.4 *
 beste Teiler 109.4 (14.) 119.6 (19.) 120.7 (12.)
 Trefferlage 1.01 mm links, 0.81 mm hoch
 Streuwert 2.27, horizontal: 2.71, vertikal: 1.72





Serie 3:
 9.9 ↓ 9.6 ↖ 10.1 ↖ 9.9 ↖ 10.0 ↘
 10.5 * 10.7 * 10.0 ↖ 9.7 ← 10.7 *
 beste Teiler 72.6 (27.) 75.9 (30.) 106.5 (26.)
 Trefferlage 1.00 mm links, 0.32 mm hoch
 Streuwert 1.54, horizontal: 1.60, vertikal: 1.47




Serie 4:
 9.7 ↖ 9.9 ↖ 9.4 → 9.6 ↗ 10.3 *
 9.9 ↘ 10.7 * 10.1 ↓ 9.4 ↙ 10.5 *
 beste Teiler 72.2 (37.) 117.7 (40.) 167.1 (35.)
 Trefferlage 0.07 mm links, 0.34 mm hoch
 Streuwert 1.99, horizontal: 2.13, vertikal: 1.84

Unterschrift des Schützen


Ergebnis: **397.7** (377)
 Serien: 100.6 99.1 101.3 96.7
 Zähler: 22 15 2 0 1 0 0 0 0 0
 Innenzehner: 20
 weiteste: 1092 (40), 660 (31), 558 (17)
 beste Teiler 34.4 (21.) 49.0 (33.) 52.1 (32.)
 Trefferlage 0.07 mm links, 0.41 mm hoch
 Streuwert 2.28, horizontal: 2.61, vertikal: 1.89




Serie 1:
 9.5 ↑ 10.2 * 10.7 * 9.9 ↙ 9.3 →
 10.7 * 10.5 * 10.3 * 9.9 ↖ 9.6 ↘
 beste Teiler 63.6 (6.) 71.1 (3.) 108.5 (7.)
 Trefferlage 0.04 mm rechts, 0.29 mm hoch
 Streuwert 1.87, horizontal: 1.80, vertikal: 1.93



Serie 2:
 10.3 * 10.4 * 10.0 ↖ 10.6 * 9.3 ↑
 9.2 → 8.7 ↖ 10.6 * 10.5 * 9.5 →
 beste Teiler 83.0 (18.) 100.8 (14.) 121.8 (19.)
 Trefferlage 0.72 mm rechts, 0.73 mm hoch
 Streuwert 2.14, horizontal: 1.96, vertikal: 2.31



Serie 3:
 10.8 * 9.5 → 10.3 * 9.3 ← 10.5 *
 10.5 * 10.4 * 10.3 * 9.8 ↑ 9.9 ↘
 beste Teiler 34.4 (21.) 111.0 (25.) 116.7 (26.)
 Trefferlage 0.13 mm links, 0.39 mm hoch
 Streuwert 1.73, horizontal: 2.12, vertikal: 1.22





Serie 4:
 8.3 ↘ 10.7 * 10.8 * 10.5 * 10.0 ↗
 9.9 ↓ 9.8 ↖ 9.5 ← 10.6 * 6.6 ←
 beste Teiler 49.0 (33.) 52.1 (32.) 81.4 (39.)
 Trefferlage 0.94 mm links, 0.21 mm hoch
 Streuwert 3.24, horizontal: 4.03, vertikal: 2.18


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **398.7** (382)
 Serien: 101.1 100.3 97.5 99.8
 Zähler: 23 16 1 0 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 565 (16), 488 (23), 444 (25)
 beste Teiler 60.0 (10.) 63.5 (20.) 85.8 (30.)
 Trefferlage 0.29 mm links, 0.73 mm hoch
 Streuwert 1.87, horizontal: 2.28, vertikal: 1.36




Serie 1:
 10.2 * 9.4 ↘ 10.2 * 10.0 ↑ 10.4 *
 9.7 → 10.5 * 9.7 ← 10.3 * 10.7 *
 beste Teiler 60.0 (10.) 109.0 (7.) 139.3 (5.)
 Trefferlage 0.16 mm links, 0.75 mm hoch
 Streuwert 1.60, horizontal: 1.98, vertikal: 1.10



Serie 2:
 10.6 * 10.3 * 10.2 * 9.9 ↖ 9.5 ↘
 8.7 → 10.4 * 10.1 ↑ 9.9 ↙ 10.7 *
 beste Teiler 63.5 (20.) 89.0 (11.) 128.7 (17.)
 Trefferlage 0.08 mm links, 0.94 mm hoch
 Streuwert 1.90, horizontal: 2.39, vertikal: 1.24



Serie 3:
 9.5 → 9.9 ↘ 9.0 ← 10.0 ↑ 9.2 ↙
 9.8 ↑ 9.8 → 9.4 ↘ 10.3 * 10.6 *
 beste Teiler 85.8 (30.) 166.4 (29.) 227.2 (24.)
 Trefferlage 0.52 mm links, 0.84 mm hoch
 Streuwert 2.29, horizontal: 2.65, vertikal: 1.85





Serie 4:
 9.3 → 10.1 ↘ 10.2 * 10.0 ↘ 9.3 ↘
 10.4 * 10.0 ↖ 9.7 ↖ 10.6 * 10.2 *
 beste Teiler 86.9 (39.) 133.4 (36.) 193.3 (33.)
 Trefferlage 0.39 mm links, 0.39 mm hoch
 Streuwert 1.91, horizontal: 2.38, vertikal: 1.27


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **394.5** (375)
 Serien: 99.3 96.5 102.0 96.7
 Zähler: 18 20 1 1 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 764 (18), 614 (17), 453 (39)
 beste Teiler 15.0 (30.) 49.7 (26.) 116.1 (14.)
 Trefferlage 0.01 mm links, 0.31 mm hoch
 Streuwert 2.18, horizontal: 1.92, vertikal: 2.42




Serie 1:
 10.0 ← 10.2 * 9.9 → 10.0 ↓ 9.7 ↘
 9.9 → 9.9 ↓ 9.8 ↓ 10.1 → 9.8 ←
 beste Teiler 198.0 (2.) 205.0 (9.) 241.4 (1.)
 Trefferlage 0.01 mm rechts, 0.76 mm tief
 Streuwert 1.85, horizontal: 2.19, vertikal: 1.43



Serie 2:
 9.8 ↘ 10.4 * 10.0 ↓ 10.5 * 10.5 *
 9.3 ↗ 8.5 ↘ 7.9 ↘ 9.9 ↘ 9.7 ↘
 beste Teiler 116.1 (14.) 116.2 (15.) 148.4 (12.)
 Trefferlage 0.40 mm rechts, 0.30 mm hoch
 Streuwert 2.86, horizontal: 2.24, vertikal: 3.36





Serie 3:
 9.2 ↑ 10.2 * 10.2 * 9.8 ↓ 10.4 *
 10.8 * 10.4 * 10.0 → 10.1 ↖ 10.9 *
 beste Teiler 15.0 (30.) 49.7 (26.) 126.6 (25.)
 Trefferlage 0.32 mm rechts, 0.65 mm hoch
 Streuwert 1.52, horizontal: 0.90, vertikal: 1.95




Serie 4:
 9.7 ↘ 9.2 ← 9.2 ↖ 10.2 * 9.7 ←
 10.3 * 9.5 ↑ 9.9 ↗ 9.1 ↑ 9.9 ↑
 beste Teiler 152.3 (36.) 186.2 (34.) 256.7 (38.)
 Trefferlage 0.81 mm links, 1.06 mm hoch
 Streuwert 2.29, horizontal: 2.09, vertikal: 2.47

Unterschrift des Schützen


Ergebnis: **356.5** (339)
 Serien: 93.1 89.4 84.2 89.8
 Zähler: 7 14 11 7 1 0 0 0 0 0
 Innenzehner: 2
 weiteste: 1011 (17), 975 (28), 965 (21)
 beste Teiler 133.3 (20.) 140.5 (35.) 202.1 (2.)
 Trefferlage 0.41 mm rechts, 0.12 mm tief
 Streuwert 4.07, horizontal: 4.35, vertikal: 3.78




Serie 1:
 9.9 ↘ 10.1 ↑ 10.1 ↑ 9.9 ↙ 8.3 ↘
 10.0 ↘ 7.8 ↙ 8.8 ↗ 9.5 ↘ 8.7 ↗
 beste Teiler 202.1 (2.) 221.6 (3.) 232.2 (6.)
 Trefferlage 0.03 mm links, 0.20 mm hoch
 Streuwert 3.41, horizontal: 4.12, vertikal: 2.52



Serie 2:
 8.3 ↘ 7.7 ↘ 10.0 ↗ 9.3 ↓ 8.3 ↓
 9.2 ↙ 6.9 ↙ 9.7 ↓ 9.6 ↙ 10.4 *
 beste Teiler 133.3 (20.) 230.5 (13.) 304.9 (18.)
 Trefferlage 0.62 mm links, 3.23 mm tief
 Streuwert 3.43, horizontal: 4.12, vertikal: 2.58



Serie 3:
 7.1 ↙ 8.4 ↑ 9.5 ↑ 9.1 ↗ 8.0 ↙
 8.0 → 9.5 ↑ 7.1 ↗ 9.8 ↗ 7.7 →
 beste Teiler 289.9 (29.) 357.3 (27.) 369.8 (23.)
 Trefferlage 1.26 mm rechts, 2.29 mm hoch
 Streuwert 4.67, horizontal: 5.36, vertikal: 3.87





Serie 4:
 10.0 ↘ 7.3 ↘ 7.6 ↘ 9.9 ↘ 10.4 *
 8.5 ↑ 9.7 ↙ 9.6 ↓ 8.8 ↑ 8.0 ↘
 beste Teiler 140.5 (35.) 231.2 (31.) 256.4 (34.)
 Trefferlage 1.05 mm rechts, 0.23 mm hoch
 Streuwert 4.07, horizontal: 4.07, vertikal: 4.07


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **401.9** (383)
 Serien: 101.5 101.4 99.3 99.7
 Zähler: 24 15 1 0 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 516 (25), 465 (30), 446 (36)
 beste Teiler 26.9 (18.) 44.7 (39.) 47.8 (34.)
 Trefferlage 0.17 mm rechts, 0.05 mm tief
 Streuwert 1.86, horizontal: 2.12, vertikal: 1.55




Serie 1:
 9.7 ↙ 10.1 ↑ 10.3 * 9.6 ↘ 9.6 →
 10.7 * 10.1 ↓ 10.6 * 10.4 * 10.4 *
 beste Teiler 69.7 (6.) 100.8 (8.) 132.5 (10.)
 Trefferlage 0.05 mm rechts, 0.18 mm tief
 Streuwert 1.67, horizontal: 1.71, vertikal: 1.63



Serie 2:
 9.9 ↗ 10.2 * 10.1 ← 10.5 * 9.5 →
 9.5 ↓ 10.3 * 10.8 * 10.0 → 10.6 *
 beste Teiler 26.9 (18.) 85.4 (20.) 108.0 (14.)
 Trefferlage 0.28 mm rechts, 0.01 mm hoch
 Streuwert 1.70, horizontal: 1.77, vertikal: 1.63



Serie 3:
 10.6 * 9.9 ↘ 10.4 * 10.6 * 8.9 ↖
 10.5 * 10.1 ↘ 9.5 → 9.7 → 9.1 ←
 beste Teiler 88.0 (21.) 97.7 (24.) 107.5 (26.)
 Trefferlage 0.06 mm rechts, 0.00 mm
 Streuwert 2.20, horizontal: 2.81, vertikal: 1.35





Serie 4:
 10.4 * 9.6 ↙ 9.7 ↙ 10.8 * 9.7 ↑
 9.2 → 9.4 → 10.1 ↑ 10.8 * 10.0 ↓
 beste Teiler 44.7 (39.) 47.8 (34.) 130.0 (31.)
 Trefferlage 0.31 mm rechts, 0.04 mm tief
 Streuwert 2.08, horizontal: 2.34, vertikal: 1.80


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **397.7** (378)
 Serien: 98.8 99.7 100.6 98.6
 Zähler: 20 18 2 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 673 (32), 538 (16), 458 (7)
 beste Teiler 22.3 (39.) 53.7 (14.) 54.0 (15.)
 Trefferlage 0.21 mm rechts, 0.39 mm hoch
 Streuwert 2.02, horizontal: 1.69, vertikal: 2.31




Serie 1:
 10.2 * 10.1 ↖ 10.5 * 10.2 * 9.2 ↘
 9.7 → 9.1 ↘ 9.5 ↓ 10.6 * 9.7 ↗
 beste Teiler 82.8 (9.) 114.2 (3.) 176.8 (1.)
 Trefferlage 0.95 mm rechts, 1.31 mm tief
 Streuwert 1.83, horizontal: 1.59, vertikal: 2.04



Serie 2:
 9.7 ↑ 10.7 * 9.6 ↖ 10.7 * 10.7 *
 8.8 ↑ 9.7 ↑ 10.0 ← 10.0 ← 9.8 ↙
 beste Teiler 53.7 (14.) 54.0 (15.) 60.0 (12.)
 Trefferlage 1.01 mm links, 1.27 mm hoch
 Streuwert 1.71, horizontal: 1.27, vertikal: 2.05





Serie 3:
 10.0 ↘ 9.7 → 9.8 ↘ 10.6 * 10.2 *
 9.7 ↘ 10.0 ↗ 10.5 * 10.4 * 9.7 ↑
 beste Teiler 100.6 (24.) 110.9 (28.) 128.6 (29.)
 Trefferlage 0.94 mm rechts, 0.11 mm tief
 Streuwert 1.60, horizontal: 1.45, vertikal: 1.73




Serie 4:
 10.4 * 8.3 ↑ 10.4 * 9.8 ↖ 9.5 ↗
 9.9 ↑ 10.4 * 9.6 ↗ 10.9 * 9.4 ↑
 beste Teiler 22.3 (39.) 138.0 (31.) 143.1 (33.)
 Trefferlage 0.01 mm links, 1.73 mm hoch
 Streuwert 2.06, horizontal: 1.79, vertikal: 2.30

Unterschrift des Schützen


Ergebnis: **393.9** (373)
 Serien: 103.2 95.6 98.5 96.6
 Zähler: 16 21 3 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 698 (12), 566 (18), 505 (11)
 beste Teiler 36.3 (3.) 44.0 (6.) 45.9 (4.)
 Trefferlage 0.02 mm links, 0.75 mm hoch
 Streuwert 2.19, horizontal: 2.12, vertikal: 2.27




Serie 1:
 10.6 * 10.4 * 10.8 * 10.8 * 9.8 ↗
 10.8 * 10.6 * 10.4 * 9.1 ↖ 9.9 ↙
 beste Teiler 36.3 (3.) 44.0 (6.) 45.9 (4.)
 Trefferlage 0.38 mm links, 0.11 mm tief
 Streuwert 1.53, horizontal: 1.93, vertikal: 0.97



Serie 2:
 8.9 ↘ 8.2 ↗ 9.7 → 10.5 * 10.3 *
 9.6 ↗ 9.4 → 8.7 ↓ 9.8 ← 10.5 *
 beste Teiler 107.4 (14.) 119.3 (20.) 153.1 (15.)
 Trefferlage 0.29 mm rechts, 1.04 mm hoch
 Streuwert 2.83, horizontal: 2.38, vertikal: 3.22



Serie 3:
 9.5 ↗ 9.9 ↙ 10.0 ↘ 9.8 ↓ 9.6 ↖
 9.8 ↓ 10.2 * 9.9 → 10.1 ↑ 9.7 ↗
 beste Teiler 191.9 (27.) 201.6 (29.) 245.8 (23.)
 Trefferlage 0.34 mm rechts, 0.27 mm hoch
 Streuwert 2.06, horizontal: 1.81, vertikal: 2.28





Serie 4:
 9.1 ↘ 9.3 ↑ 10.2 * 9.8 ↗ 9.8 ↘
 9.2 ↑ 10.3 * 9.3 → 10.5 * 9.1 ←
 beste Teiler 107.2 (39.) 164.1 (37.) 198.4 (33.)
 Trefferlage 0.35 mm links, 1.83 mm hoch
 Streuwert 2.18, horizontal: 2.50, vertikal: 1.80


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **395.9** (376)
 Serien: 99.0 99.1 100.8 97.0
 Zähler: 18 20 2 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 693 (36), 519 (33), 495 (30)
 beste Teiler 84.8 (26.) 85.7 (11.) 88.6 (3.)
 Trefferlage 0.38 mm links, 0.00 mm
 Streuwert 2.09, horizontal: 2.45, vertikal: 1.65




Serie 1:
 9.6 ↗ 9.8 → 10.6 * 10.5 * 9.4 ↖
 9.7 ↘ 9.7 ↗ 9.9 ↓ 10.5 * 9.3 ↖
 beste Teiler 88.6 (3.) 109.1 (9.) 121.6 (4.)
 Trefferlage 0.04 mm links, 0.66 mm hoch
 Streuwert 2.07, horizontal: 2.50, vertikal: 1.51



Serie 2:
 10.6 * 10.5 * 10.0 → 9.8 ↑ 9.4 ↘
 9.9 ← 9.9 ← 10.1 ↗ 9.2 ↘ 9.7 ←
 beste Teiler 85.7 (11.) 102.9 (12.) 219.1 (18.)
 Trefferlage 0.42 mm links, 0.35 mm hoch
 Streuwert 2.05, horizontal: 2.22, vertikal: 1.87





Serie 3:
 10.4 * 10.0 ↘ 10.5 * 9.7 ↓ 10.4 *
 10.6 * 9.9 ← 10.5 * 9.8 ← 9.0 ↘
 beste Teiler 84.8 (26.) 101.0 (28.) 120.7 (23.)
 Trefferlage 0.07 mm links, 0.53 mm tief
 Streuwert 1.78, horizontal: 2.16, vertikal: 1.29




Serie 4:
 9.9 ↗ 9.7 ↘ 8.9 ↘ 9.4 ← 10.2 *
 8.2 ← 10.3 * 10.4 * 10.0 ↓ 10.0 ←
 beste Teiler 133.5 (38.) 155.3 (37.) 187.0 (35.)
 Trefferlage 1.01 mm links, 0.47 mm tief
 Streuwert 2.51, horizontal: 3.07, vertikal: 1.77

Unterschrift des Schützen


Ergebnis: **381.7** (365)
 Serien: 93.3 94.9 101.3 92.2
 Zähler: 14 18 7 1 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 852 (20), 740 (3), 722 (9)
 beste Teiler 55.3 (16.) 60.4 (26.) 92.2 (30.)
 Trefferlage 1.12 mm rechts, 0.42 mm hoch
 Streuwert 2.77, horizontal: 3.01, vertikal: 2.52




Serie 1:
 10.4 * 9.6 ↗ 8.0 ↘ 9.3 ↓ 9.5 ↑
 10.5 * 8.2 ↗ 9.6 ↘ 8.1 → 10.1 ↘
 beste Teiler 125.6 (6.) 131.9 (1.) 214.4 (10.)
 Trefferlage 2.54 mm rechts, 0.90 mm hoch
 Streuwert 2.82, horizontal: 2.66, vertikal: 2.97



Serie 2:
 9.4 → 9.9 ← 9.3 ↘ 10.1 ↓ 10.2 *
 10.7 * 9.9 ↘ 9.6 ↘ 8.3 ↘ 7.5 ←
 beste Teiler 55.3 (16.) 199.2 (15.) 205.7 (14.)
 Trefferlage 0.76 mm links, 0.27 mm hoch
 Streuwert 3.11, horizontal: 3.86, vertikal: 2.10



Serie 3:
 10.3 * 9.4 ↘ 10.5 * 9.5 → 10.2 *
 10.7 * 10.3 * 9.6 ↗ 10.2 * 10.6 *
 beste Teiler 60.4 (26.) 92.2 (30.) 110.6 (23.)
 Trefferlage 1.14 mm rechts, 0.20 mm hoch
 Streuwert 1.48, horizontal: 1.26, vertikal: 1.67





Serie 4:
 8.5 ↘ 9.3 ↓ 9.6 ↑ 9.4 ↗ 8.2 ↘
 8.6 ↘ 9.6 → 10.1 → 9.4 ↗ 9.5 →
 beste Teiler 216.3 (38.) 329.8 (37.) 343.4 (33.)
 Trefferlage 1.54 mm rechts, 0.31 mm hoch
 Streuwert 3.19, horizontal: 3.04, vertikal: 3.34


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **389.7** (372)
 Serien: 98.6 93.9 97.6 99.6
 Zähler: 17 19 3 1 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 847 (18), 622 (31), 581 (22)
 beste Teiler 60.8 (3.) 66.2 (33.) 102.4 (2.)
 Trefferlage 0.14 mm links, 0.08 mm tief
 Streuwert 2.45, horizontal: 2.38, vertikal: 2.52




Serie 1:
 9.1 ↙ 10.5 * 10.7 * 10.4 * 10.0 ↙
 9.6 ↙ 9.0 ← 10.0 ↘ 9.9 ↘ 9.4 ↘
 beste Teiler 60.8 (3.) 102.4 (2.) 134.0 (4.)
 Trefferlage 1.27 mm links, 0.75 mm tief
 Streuwert 1.97, horizontal: 2.15, vertikal: 1.76



Serie 2:
 9.8 ↓ 9.7 → 9.7 ↙ 9.2 ↘ 10.0 ↘
 9.1 ↑ 9.0 ↘ 7.6 → 9.5 ↓ 10.3 *
 beste Teiler 151.6 (20.) 245.5 (15.) 293.2 (11.)
 Trefferlage 0.73 mm rechts, 0.68 mm tief
 Streuwert 3.12, horizontal: 3.26, vertikal: 2.96





Serie 3:
 9.8 ↗ 8.6 ↙ 9.8 ↓ 9.8 ↗ 10.3 *
 9.8 ↙ 10.5 * 8.9 ↑ 10.0 ↑ 10.1 →
 beste Teiler 121.7 (27.) 154.9 (25.) 207.5 (30.)
 Trefferlage 0.08 mm links, 0.50 mm hoch
 Streuwert 2.40, horizontal: 1.83, vertikal: 2.85




Serie 4:
 8.5 ↘ 10.0 ↘ 10.7 * 9.8 ← 10.3 *
 9.7 ↘ 10.5 * 10.4 * 9.4 ↑ 10.3 *
 beste Teiler 66.2 (33.) 110.1 (37.) 150.6 (38.)
 Trefferlage 0.05 mm rechts, 0.58 mm hoch
 Streuwert 2.15, horizontal: 1.87, vertikal: 2.39

Unterschrift des Schützen


Ergebnis: **369.7** (349)
 Serien: 92.0 92.7 92.4 92.6
 Zähler: 9 13 17 0 1 0 0 0 0 0
 Innenzehner: 6
 weiteste: 1070 (10), 725 (4), 709 (14)
 beste Teiler 90.2 (1.) 111.0 (20.) 138.2 (35.)
 Trefferlage 0.08 mm rechts, 0.01 mm hoch
 Streuwert 3.42, horizontal: 3.88, vertikal: 2.88




Serie 1:
 10.6 * 8.7 ↘ 8.9 ← 8.1 ↘ 8.9 ↓
 10.1 ← 9.8 ↗ 9.8 ↘ 10.4 * 6.7 →
 beste Teiler 90.2 (1.) 147.1 (9.) 222.2 (6.)
 Trefferlage 0.26 mm links, 0.02 mm hoch
 Streuwert 3.91, horizontal: 4.81, vertikal: 2.72



Serie 2:
 10.4 * 10.3 * 9.8 ↙ 8.1 ↓ 8.2 →
 9.9 ↘ 8.3 ↘ 8.7 ← 8.5 ← 10.5 *
 beste Teiler 111.0 (20.) 143.9 (11.) 161.2 (12.)
 Trefferlage 0.71 mm links, 0.74 mm tief
 Streuwert 3.47, horizontal: 4.23, vertikal: 2.49



Serie 3:
 10.0 ↗ 8.5 → 9.0 ↗ 9.0 ↑ 8.8 ↘
 8.7 ↘ 8.9 ↗ 10.1 ↘ 9.9 → 9.5 ↓
 beste Teiler 219.0 (28.) 247.9 (21.) 252.7 (29.)
 Trefferlage 0.89 mm rechts, 1.26 mm hoch
 Streuwert 3.18, horizontal: 3.20, vertikal: 3.15





Serie 4:
 9.2 ↓ 9.9 → 9.1 ↓ 9.5 ↓ 10.4 *
 8.6 ↘ 9.3 ← 8.9 ← 8.9 ↗ 8.8 →
 beste Teiler 138.2 (35.) 275.0 (32.) 373.4 (34.)
 Trefferlage 0.43 mm rechts, 0.48 mm tief
 Streuwert 3.31, horizontal: 3.50, vertikal: 3.12


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **173.4** (165)
 Serien: 86.3 87.1
 Zähler: 1 6 10 3 0 0 0 0 0 0
 Innenzehner: 1
 weiteste: 923 (1), 883 (19), 877 (10)
 beste Teiler 102.1 (8.) 293.2 (17.) 309.4 (14.)
 Trefferlage 0.18 mm rechts, 0.13 mm tief
 Streuwert 4.41, horizontal: 4.28, vertikal: 4.54





Serie 1:
 7.3 ↘ 8.6 ↑ 8.5 ↘ 9.0 ↘ 9.6 ↖
 8.9 → 8.1 → 10.5 * 8.4 ↙ 7.4 ↖
 beste Teiler 102.1 (8.) 340.6 (5.) 477.3 (4.)
 Trefferlage 0.63 mm rechts, 1.20 mm tief
 Streuwert 4.53, horizontal: 4.86, vertikal: 4.18




Serie 2:
 9.3 ← 8.0 ↘ 8.2 ↖ 9.7 ↖ 8.5 ↖
 8.5 ↘ 9.8 ↘ 8.2 ↑ 7.4 ↗ 9.5 ↘
 beste Teiler 293.2 (17.) 309.4 (14.) 365.3 (20.)
 Trefferlage 0.26 mm links, 0.94 mm hoch
 Streuwert 4.37, horizontal: 3.83, vertikal: 4.84

Unterschrift des Schützen

Ergebnis: **190.9** (182)
 Serien: 96.6 94.3
 Zähler: 9 6 3 2 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 791 (13), 766 (6), 569 (10)
 beste Teiler 37.9 (2.) 52.3 (14.) 101.3 (18.)
 Trefferlage 1.89 mm links, 0.48 mm hoch
 Streuwert 2.62, horizontal: 2.52, vertikal: 2.71





Serie 1:
 10.1 ↓ 10.8 * 10.1 ↙ 10.1 ↓ 10.2 *
 7.9 ← 9.3 ↓ 10.3 * 9.1 ← 8.7 ←
 beste Teiler 37.9 (2.) 165.4 (8.) 180.2 (5.)
 Trefferlage 1.66 mm links, 0.99 mm tief
 Streuwert 2.50, horizontal: 3.07, vertikal: 1.73




Serie 2:
 9.5 ← 9.4 ↑ 7.8 ↘ 10.7 * 9.0 ↘
 9.5 ↘ 10.1 ↘ 10.5 * 8.9 ↑ 8.9 ←
 beste Teiler 52.3 (14.) 101.3 (18.) 216.5 (17.)
 Trefferlage 2.12 mm links, 1.95 mm hoch
 Streuwert 2.41, horizontal: 1.97, vertikal: 2.78

Unterschrift des Schützen

Ergebnis: **185.3** (176)
 Serien: 96.5 88.8
 Zähler: 5 9 3 3 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 958 (11), 810 (15), 779 (18)
 beste Teiler 18.1 (20.) 30.6 (5.) 131.3 (3.)
 Trefferlage 1.44 mm rechts, 1.19 mm tief
 Streuwert 3.25, horizontal: 3.26, vertikal: 3.24





Serie 1:
 9.3 ↗ 9.5 ↗ 10.4 * 9.1 ↘ 10.8 *
 10.4 * 10.1 ← 8.9 ↘ 8.7 → 9.3 →
 beste Teiler 30.6 (5.) 131.3 (3.) 137.9 (6.)
 Trefferlage 1.91 mm rechts, 0.11 mm tief
 Streuwert 2.34, horizontal: 2.31, vertikal: 2.36




Serie 2:
 7.1 → 8.9 ↘ 9.0 ↓ 9.9 ← 7.7 ↓
 9.5 ↓ 9.0 ← 7.8 ↘ 9.0 ↑ 10.9 *
 beste Teiler 18.1 (20.) 269.3 (14.) 365.3 (16.)
 Trefferlage 0.98 mm rechts, 2.27 mm tief
 Streuwert 3.91, horizontal: 4.08, vertikal: 3.74

Unterschrift des Schützen

Ergebnis: **176.6** (168)
 Serien: 89.8 86.8
 Zähler: 3 7 6 3 1 0 0 0 0 0
 Innenzehner: 2
 weiteste: 1138 (13), 845 (2), 845 (11)
 beste Teiler 178.0 (10.) 199.8 (9.) 229.6 (19.)
 Trefferlage 0.62 mm links, 0.20 mm tief
 Streuwert 4.23, horizontal: 4.59, vertikal: 3.82





Serie 1:
 8.4 ← 7.6 ↘ 9.1 ↗ 8.9 ↑ 9.0 ↙
 8.3 ↘ 9.6 ← 8.5 ↘ 10.2 * 10.2 *
 beste Teiler 178.0 (10.) 199.8 (9.) 335.5 (7.)
 Trefferlage 0.53 mm links, 0.18 mm tief
 Streuwert 3.93, horizontal: 3.86, vertikal: 3.99




Serie 2:
 7.6 ↗ 8.1 ← 6.4 ↙ 9.7 ↑ 9.4 ↖
 9.9 ↓ 9.7 ↓ 7.7 → 10.0 → 8.3 ↖
 beste Teiler 229.6 (19.) 268.0 (16.) 317.6 (14.)
 Trefferlage 0.72 mm links, 0.22 mm tief
 Streuwert 4.72, horizontal: 5.44, vertikal: 3.86

Unterschrift des Schützen

Ergebnis: **190.9** (181)
 Serien: 98.6 92.3
 Zähler: 7 7 6 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 729 (14), 725 (12), 608 (17)
 beste Teiler 22.0 (6.) 67.8 (8.) 85.1 (18.)
 Trefferlage 1.25 mm links, 0.48 mm hoch
 Streuwert 2.79, horizontal: 3.47, vertikal: 1.87





Serie 1:
 9.7 ↖ 8.9 ← 9.2 ↘ 9.7 → 10.4 *
 10.9 * 9.3 ← 10.7 * 10.2 * 9.6 ↗
 beste Teiler 22.0 (6.) 67.8 (8.) 129.6 (5.)
 Trefferlage 0.87 mm links, 0.49 mm hoch
 Streuwert 2.22, horizontal: 2.66, vertikal: 1.67




Serie 2:
 9.8 ↘ 8.1 ← 10.2 * 8.0 ↘ 9.4 →
 8.8 ↗ 8.5 ← 10.6 * 8.8 ← 10.1 ↓
 beste Teiler 85.1 (18.) 177.7 (13.) 218.1 (20.)
 Trefferlage 1.62 mm links, 0.46 mm hoch
 Streuwert 3.37, horizontal: 4.26, vertikal: 2.14

Unterschrift des Schützen

Ergebnis: **169.6** (160)
 Serien: 83.2 86.4
 Zähler: 1 7 6 4 1 1 0 0 0 0
 Innenzehner: 1
 weiteste: 1318 (5), 1008 (13), 901 (9)
 beste Teiler 149.3 (15.) 333.5 (8.) 355.1 (6.)
 Trefferlage 3.71 mm links, 0.23 mm tief
 Streuwert 4.07, horizontal: 4.14, vertikal: 3.99





Serie 1:
 8.7 ↙ 9.2 ↘ 7.8 ← 9.1 ↙ 5.7 ↘
 9.5 ↓ 7.8 ← 9.6 ↓ 7.3 ↘ 8.5 ↙
 beste Teiler 333.5 (8.) 355.1 (6.) 435.4 (2.)
 Trefferlage 4.98 mm links, 0.23 mm tief
 Streuwert 3.84, horizontal: 3.23, vertikal: 4.37




Serie 2:
 8.5 ↘ 8.7 ↗ 6.9 ← 7.6 ↘ 10.4 *
 8.1 ↙ 9.0 ↓ 9.4 → 9.4 ↙ 8.4 ↙
 beste Teiler 149.3 (15.) 385.5 (19.) 390.9 (18.)
 Trefferlage 2.44 mm links, 0.23 mm tief
 Streuwert 4.29, horizontal: 4.72, vertikal: 3.81

Unterschrift des Schützen

Ergebnis: **197.0** (191)
 Serien: 99.8 97.2
 Zähler: 12 7 1 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 576 (19), 496 (2), 440 (14)
 beste Teiler 90.0 (10.) 111.4 (4.) 128.7 (17.)
 Trefferlage 0.13 mm links, 0.71 mm hoch
 Streuwert 2.20, horizontal: 1.89, vertikal: 2.47





Serie 1:
 9.4 ↘ 9.0 ↓ 10.2 * 10.5 * 10.2 *
 9.2 ↑ 10.2 * 10.1 → 10.4 * 10.6 *
 beste Teiler 90.0 (10.) 111.4 (4.) 146.3 (9.)
 Trefferlage 0.18 mm links, 0.44 mm hoch
 Streuwert 2.04, horizontal: 1.50, vertikal: 2.47




Serie 2:
 10.2 * 9.4 ↘ 10.3 * 9.2 ↑ 10.2 *
 9.2 ↘ 10.4 * 9.3 ↑ 8.6 ← 10.4 *
 beste Teiler 128.7 (17.) 140.7 (20.) 151.0 (13.)
 Trefferlage 0.08 mm links, 0.97 mm hoch
 Streuwert 2.44, horizontal: 2.31, vertikal: 2.56

Unterschrift des Schützen

Ergebnis: **191.5** (183)
 Serien: 98.3 93.2
 Zähler: 7 9 4 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 697 (20), 643 (15), 567 (1)
 beste Teiler 91.2 (10.) 130.5 (14.) 145.6 (3.)
 Trefferlage 0.08 mm rechts, 0.43 mm hoch
 Streuwert 2.81, horizontal: 3.11, vertikal: 2.46





Serie 1:
 8.7 ↙ 9.6 → 10.4 * 9.0 ↗ 9.6 ↙
 10.3 * 10.2 * 10.2 * 9.7 → 10.6 *
 beste Teiler 91.2 (10.) 145.6 (3.) 154.5 (6.)
 Trefferlage 0.55 mm rechts, 0.56 mm tief
 Streuwert 2.29, horizontal: 2.49, vertikal: 2.08




Serie 2:
 9.2 ↑ 9.2 ↑ 10.3 * 10.4 * 8.4 ←
 9.9 ← 9.8 → 8.8 ↗ 9.0 ← 8.2 →
 beste Teiler 130.5 (14.) 152.8 (13.) 263.1 (16.)
 Trefferlage 0.39 mm links, 1.43 mm hoch
 Streuwert 3.16, horizontal: 3.71, vertikal: 2.50

Unterschrift des Schützen

Ergebnis: **194.1** (187)
 Serien: 98.0 96.1
 Zähler: 9 9 2 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 707 (14), 616 (18), 490 (11)
 beste Teiler 71.7 (12.) 82.5 (7.) 138.2 (16.)
 Trefferlage 0.41 mm rechts, 0.40 mm tief
 Streuwert 2.54, horizontal: 2.14, vertikal: 2.88





Serie 1:
 10.2 * 9.4 ↖ 9.5 ↓ 9.2 ↘ 9.6 ←
 10.4 * 10.6 * 9.2 ↑ 10.0 ← 9.9 ↗
 beste Teiler 82.5 (7.) 141.0 (6.) 190.6 (1.)
 Trefferlage 0.09 mm links, 0.54 mm hoch
 Streuwert 2.30, horizontal: 2.21, vertikal: 2.38




Serie 2:
 9.0 → 10.7 * 9.9 ↘ 8.1 ↓ 9.3 ↗
 10.4 * 10.2 * 8.5 ↓ 10.0 ↘ 10.0 ↖
 beste Teiler 71.7 (12.) 138.2 (16.) 193.5 (17.)
 Trefferlage 0.91 mm rechts, 1.36 mm tief
 Streuwert 2.65, horizontal: 2.05, vertikal: 3.14

Unterschrift des Schützen

Ergebnis: **189.4** (180)
 Serien: 96.2 93.2
 Zähler: 5 12 1 2 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 898 (12), 754 (15), 561 (7)
 beste Teiler 103.1 (17.) 125.9 (4.) 142.3 (18.)
 Trefferlage 0.20 mm rechts, 0.90 mm hoch
 Streuwert 2.99, horizontal: 3.41, vertikal: 2.48





Serie 1:
 9.8 ← 9.9 ↖ 9.4 ↖ 10.5 * 10.3 *
 9.8 ↖ 8.7 → 9.1 ↑ 9.7 ↑ 9.0 ↗
 beste Teiler 125.9 (4.) 170.2 (5.) 258.1 (2.)
 Trefferlage 0.39 mm links, 1.77 mm hoch
 Streuwert 2.29, horizontal: 2.68, vertikal: 1.82




Serie 2:
 9.5 → 7.4 ← 9.5 ↘ 9.9 ↘ 7.9 ↖
 9.0 ↗ 10.5 * 10.4 * 9.1 → 10.0 ↘
 beste Teiler 103.1 (17.) 142.3 (18.) 247.1 (20.)
 Trefferlage 0.81 mm rechts, 0.02 mm hoch
 Streuwert 3.51, horizontal: 4.08, vertikal: 2.83

Unterschrift des Schützen

Ergebnis: **195.7** (190)
 Serien: 99.1 96.6
 Zähler: 13 4 3 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 705 (18), 552 (12), 502 (17)
 beste Teiler 118.1 (9.) 147.3 (13.) 155.2 (4.)
 Trefferlage 0.48 mm links, 0.25 mm hoch
 Streuwert 2.34, horizontal: 2.62, vertikal: 2.03





Serie 1:
 10.2 * 10.0 ↙ 9.8 ↙ 10.3 * 9.5 ↖
 9.8 ↗ 10.0 ↘ 9.0 ↑ 10.5 * 10.0 ↖
 beste Teiler 118.1 (9.) 155.2 (4.) 193.4 (1.)
 Trefferlage 0.49 mm links, 0.67 mm hoch
 Streuwert 1.98, horizontal: 1.42, vertikal: 2.41




Serie 2:
 10.1 ↓ 8.7 → 10.4 * 10.0 ↑ 10.1 ↘
 10.0 → 8.9 ← 8.1 ← 10.2 * 10.1 ↙
 beste Teiler 147.3 (13.) 195.2 (19.) 201.3 (11.)
 Trefferlage 0.47 mm links, 0.16 mm tief
 Streuwert 2.74, horizontal: 3.53, vertikal: 1.59

Unterschrift des Schützen

Ergebnis: **184.5** (179)
 Serien: 92.5 92.0
 Zähler: 6 7 7 0 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 729 (14), 681 (3), 673 (1)
 beste Teiler 34.2 (2.) 144.2 (15.) 188.6 (9.)
 Trefferlage 0.68 mm rechts, 1.24 mm hoch
 Streuwert 3.31, horizontal: 3.59, vertikal: 2.99





Serie 1:
 8.3 ↘ 10.8 * 8.2 ↗ 8.4 ↘ 8.3 ↗
 10.0 ← 9.3 → 9.0 → 10.2 * 10.0 ↘
 beste Teiler 34.2 (2.) 188.6 (9.) 230.3 (10.)
 Trefferlage 1.22 mm rechts, 1.50 mm hoch
 Streuwert 3.30, horizontal: 3.66, vertikal: 2.89




Serie 2:
 9.1 ↗ 9.3 ↘ 9.7 ↙ 8.0 ↑ 10.4 *
 10.1 ↗ 9.2 → 9.0 → 8.5 ← 8.7 ←
 beste Teiler 144.2 (15.) 225.0 (16.) 304.0 (13.)
 Trefferlage 0.13 mm rechts, 0.98 mm hoch
 Streuwert 3.43, horizontal: 3.63, vertikal: 3.22

Unterschrift des Schützen

Ergebnis: **200.5** (191)
 Serien: 101.5 99.0
 Zähler: 11 9 0 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 495 (8), 468 (12), 403 (19)
 beste Teiler 43.9 (2.) 59.2 (5.) 107.4 (6.)
 Trefferlage 0.25 mm links, 0.02 mm tief
 Streuwert 1.90, horizontal: 2.13, vertikal: 1.62





Serie 1:
 9.9 ↗ 10.8 * 10.4 * 10.4 * 10.7 *
 10.5 * 9.8 ← 9.0 ↖ 9.5 → 10.5 *
 beste Teiler 43.9 (2.) 59.2 (5.) 107.4 (6.)
 Trefferlage 0.31 mm links, 0.57 mm hoch
 Streuwert 1.74, horizontal: 2.22, vertikal: 1.06




Serie 2:
 10.1 ↑ 9.1 → 10.4 * 9.9 ↓ 9.9 ←
 9.6 ↓ 10.2 * 10.4 * 9.3 ↙ 10.1 ↘
 beste Teiler 128.3 (13.) 131.0 (18.) 181.3 (17.)
 Trefferlage 0.19 mm links, 0.62 mm tief
 Streuwert 2.04, horizontal: 2.16, vertikal: 1.91

Unterschrift des Schützen

Ergebnis: **197.7** (189)
 Serien: 101.3 96.4
 Zähler: 10 9 1 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 707 (11), 417 (2), 382 (15)
 beste Teiler 51.1 (8.) 57.4 (7.) 61.5 (3.)
 Trefferlage 0.28 mm rechts, 1.19 mm hoch
 Streuwert 2.00, horizontal: 2.44, vertikal: 1.42





Serie 1:
 10.0 → 9.3 ↘ 10.7 * 10.1 → 10.4 *
 9.5 ↑ 10.7 * 10.7 * 9.9 ↘ 10.0 ←
 beste Teiler 51.1 (8.) 57.4 (7.) 61.5 (3.)
 Trefferlage 0.01 mm rechts, 1.18 mm hoch
 Streuwert 1.55, horizontal: 1.55, vertikal: 1.54




Serie 2:
 8.1 → 10.0 ↗ 9.8 ↘ 9.6 → 9.4 ↘
 9.8 ↘ 9.6 ↗ 10.0 ← 9.8 ← 10.3 *
 beste Teiler 166.9 (20.) 226.4 (18.) 229.9 (12.)
 Trefferlage 0.56 mm rechts, 1.21 mm hoch
 Streuwert 2.44, horizontal: 3.16, vertikal: 1.38

Unterschrift des Schützen

Ergebnis: **195.9** (186)
 Serien: 98.9 97.0
 Zähler: 10 6 4 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 606 (8), 600 (1), 519 (15)
 beste Teiler 42.1 (12.) 79.8 (4.) 113.1 (3.)
 Trefferlage 0.83 mm rechts, 0.87 mm hoch
 Streuwert 2.24, horizontal: 3.04, vertikal: 0.91





Serie 1:
 8.6 → 10.0 ← 10.5 * 10.6 * 10.2 *
 10.3 * 9.8 ← 8.5 → 10.1 ↑ 10.3 *
 beste Teiler 79.8 (4.) 113.1 (3.) 159.4 (6.)
 Trefferlage 0.49 mm rechts, 0.67 mm hoch
 Streuwert 2.28, horizontal: 3.12, vertikal: 0.86




Serie 2:
 9.5 → 10.8 * 9.9 ← 10.4 * 8.9 →
 9.7 → 9.6 → 9.2 → 8.9 ↖ 10.1 ↑
 beste Teiler 42.1 (12.) 126.2 (14.) 213.5 (20.)
 Trefferlage 1.17 mm rechts, 1.08 mm hoch
 Streuwert 2.29, horizontal: 3.09, vertikal: 0.96

Unterschrift des Schützen

Ergebnis: **195.2** (185)
 Serien: 97.9 97.3
 Zähler: 8 10 1 1 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 886 (10), 570 (19), 473 (15)
 beste Teiler 86.7 (9.) 99.1 (18.) 109.1 (8.)
 Trefferlage 0.40 mm rechts, 0.08 mm tief
 Streuwert 2.55, horizontal: 3.24, vertikal: 1.57





Serie 1:
 10.5 * 9.7 ← 9.8 ↗ 9.3 ↑ 10.4 *
 9.9 ↓ 9.8 ↙ 10.5 * 10.6 * 7.4 →
 beste Teiler 86.7 (9.) 109.1 (8.) 114.0 (1.)
 Trefferlage 0.44 mm rechts, 0.45 mm hoch
 Streuwert 2.67, horizontal: 3.30, vertikal: 1.84




Serie 2:
 9.9 ← 9.1 → 10.2 * 9.7 ← 9.1 →
 10.4 * 10.0 ← 10.6 * 8.7 → 9.6 ←
 beste Teiler 99.1 (18.) 144.4 (16.) 191.7 (13.)
 Trefferlage 0.35 mm rechts, 0.63 mm tief
 Streuwert 2.50, horizontal: 3.37, vertikal: 1.08

Unterschrift des Schützen

Ergebnis: **205.1** (195)
 Serien: 101.7 103.4
 Zähler: 16 3 1 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 510 (4), 294 (15), 289 (12)
 beste Teiler 34.7 (2.) 55.8 (13.) 63.6 (11.)
 Trefferlage 0.10 mm rechts, 0.20 mm tief
 Streuwert 1.46, horizontal: 1.91, vertikal: 0.79





Serie 1:
 10.1 ↙ 10.8 * 9.9 ↘ 8.9 → 10.3 *
 10.1 ↘ 10.5 * 10.5 * 10.4 * 10.2 *
 beste Teiler 34.7 (2.) 106.9 (7.) 119.4 (8.)
 Trefferlage 0.40 mm rechts, 0.60 mm tief
 Streuwert 1.62, horizontal: 2.15, vertikal: 0.80




Serie 2:
 10.7 * 9.8 ← 10.7 * 10.4 * 9.8 ←
 10.5 * 10.3 * 10.4 * 10.2 * 10.6 *
 beste Teiler 55.8 (13.) 63.6 (11.) 79.4 (20.)
 Trefferlage 0.19 mm links, 0.19 mm hoch
 Streuwert 1.26, horizontal: 1.69, vertikal: 0.57

Unterschrift des Schützen

Ergebnis: **193.3** (188)
 Serien: 92.8 100.5
 Zähler: 10 9 0 1 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 997 (5), 490 (8), 450 (6)
 beste Teiler 105.5 (15.) 135.5 (12.) 185.1 (18.)
 Trefferlage 0.43 mm links, 0.18 mm tief
 Streuwert 2.69, horizontal: 3.40, vertikal: 1.71





Serie 1:
 9.2 ← 9.4 ← 10.0 ↓ 9.6 ↘ 7.0 →
 9.2 → 9.6 ↖ 9.0 ↖ 10.0 ↖ 9.8 ←
 beste Teiler 226.6 (3.) 244.6 (9.) 292.6 (10.)
 Trefferlage 0.41 mm links, 0.28 mm tief
 Streuwert 3.48, horizontal: 4.63, vertikal: 1.68




Serie 2:
 9.9 ↘ 10.4 * 10.0 ↘ 10.1 ↘ 10.5 *
 10.1 ↓ 9.2 ↙ 10.2 * 10.1 ↗ 10.0 ↘
 beste Teiler 105.5 (15.) 135.5 (12.) 185.1 (18.)
 Trefferlage 0.45 mm links, 0.07 mm tief
 Streuwert 1.78, horizontal: 1.72, vertikal: 1.83

Unterschrift des Schützen

Ergebnis: **206.5** (199)
 Serien: 103.4 103.1
 Zähler: 19 1 0 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 264 (15), 239 (11), 236 (1)
 beste Teiler 76.0 (9.) 84.8 (18.) 89.5 (5.)
 Trefferlage 0.03 mm rechts, 0.32 mm hoch
 Streuwert 1.19, horizontal: 1.14, vertikal: 1.24





Serie 1:
 10.0 ↘ 10.0 ↗ 10.4 * 10.5 * 10.6 *
 10.1 ↘ 10.3 * 10.3 * 10.6 * 10.6 *
 beste Teiler 76.0 (9.) 89.5 (5.) 97.0 (10.)
 Trefferlage 0.01 mm rechts, 0.53 mm hoch
 Streuwert 1.16, horizontal: 0.94, vertikal: 1.34




Serie 2:
 10.0 ← 10.4 * 10.4 * 10.3 * 9.9 ↗
 10.4 * 10.4 * 10.6 * 10.3 * 10.4 *
 beste Teiler 84.8 (18.) 129.5 (20.) 132.1 (12.)
 Trefferlage 0.05 mm rechts, 0.10 mm hoch
 Streuwert 1.27, horizontal: 1.36, vertikal: 1.16

Unterschrift des Schützen

Ergebnis: **200.4** (189)
 Serien: 102.6 97.8
 Zähler: 12 5 3 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 550 (12), 550 (16), 504 (19)
 beste Teiler 66.4 (1.) 86.6 (17.) 93.1 (2.)
 Trefferlage 0.60 mm rechts, 0.42 mm hoch
 Streuwert 1.92, horizontal: 2.05, vertikal: 1.78





Serie 1:
 10.7 * 10.6 * 10.4 * 10.4 * 10.4 *
 9.9 ↘ 10.2 * 10.3 * 9.9 ↑ 9.8 ←
 beste Teiler 66.4 (1.) 93.1 (2.) 127.5 (3.)
 Trefferlage 0.00 mm , 0.27 mm tief
 Streuwert 1.40, horizontal: 1.36, vertikal: 1.44




Serie 2:
 9.9 ↘ 8.8 ↗ 10.4 * 10.4 * 10.3 *
 8.8 → 10.6 * 10.0 ↗ 8.9 ↑ 9.7 ↘
 beste Teiler 86.6 (17.) 135.9 (13.) 136.6 (14.)
 Trefferlage 1.21 mm rechts, 1.12 mm hoch
 Streuwert 2.20, horizontal: 2.48, vertikal: 1.88

Unterschrift des Schützen

Ergebnis: **189.2** (181)
 Serien: 94.0 95.2
 Zähler: 8 6 5 1 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 776 (2), 743 (12), 644 (6)
 beste Teiler 61.5 (17.) 68.3 (4.) 124.5 (20.)
 Trefferlage 0.71 mm links, 0.44 mm hoch
 Streuwert 3.04, horizontal: 3.31, vertikal: 2.75





Serie 1:
 10.0 ↖ 7.8 ← 10.3 * 10.7 * 10.0 ↗
 8.4 ↑ 8.9 ↙ 8.8 ↑ 9.0 ↓ 10.1 ↑
 beste Teiler 68.3 (4.) 174.6 (3.) 225.8 (10.)
 Trefferlage 1.15 mm links, 0.99 mm hoch
 Streuwert 3.14, horizontal: 2.71, vertikal: 3.52




Serie 2:
 9.8 ← 8.0 → 9.2 ↙ 9.3 ↗ 8.9 →
 9.1 ← 10.7 * 10.1 ← 9.6 ← 10.5 *
 beste Teiler 61.5 (17.) 124.5 (20.) 202.0 (18.)
 Trefferlage 0.28 mm links, 0.11 mm tief
 Streuwert 3.02, horizontal: 3.91, vertikal: 1.71

Unterschrift des Schützen

Ergebnis: **184.0** (173)
 Serien: 89.7 94.3
 Zähler: 4 10 2 3 1 0 0 0 0 0
 Innenzehner: 3
 weiteste: 1015 (17), 934 (7), 817 (9)
 beste Teiler 50.0 (11.) 176.1 (2.) 190.1 (12.)
 Trefferlage 2.60 mm rechts, 1.58 mm tief
 Streuwert 3.00, horizontal: 3.80, vertikal: 1.88





Serie 1:
 9.9 ↓ 10.2 * 9.9 ↓ 9.6 ↘ 9.7 ↓
 9.6 ↙ 7.2 → 8.0 ↘ 7.7 → 7.9 →
 beste Teiler 176.1 (2.) 261.0 (3.) 263.0 (1.)
 Trefferlage 3.05 mm rechts, 1.99 mm tief
 Streuwert 3.18, horizontal: 4.27, vertikal: 1.40




Serie 2:
 10.8 * 10.2 * 9.8 ↓ 9.8 ↘ 10.0 ↑
 9.5 ↓ 6.9 → 8.4 ↘ 9.3 → 9.6 →
 beste Teiler 50.0 (11.) 190.1 (12.) 238.1 (15.)
 Trefferlage 2.16 mm rechts, 1.17 mm tief
 Streuwert 2.91, horizontal: 3.44, vertikal: 2.26

Unterschrift des Schützen

Ergebnis: **189.4** (182)
 Serien: 97.1 92.3
 Zähler: 7 8 5 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 701 (19), 682 (15), 631 (6)
 beste Teiler 74.3 (4.) 91.1 (12.) 117.9 (13.)
 Trefferlage 0.25 mm links, 2.03 mm hoch
 Streuwert 2.65, horizontal: 2.80, vertikal: 2.49





Serie 1:
 9.2 ↘ 9.5 ← 10.2 * 10.7 * 10.3 *
 8.4 ← 9.9 ↙ 9.1 ← 10.1 → 9.7 ↗
 beste Teiler 74.3 (4.) 167.3 (5.) 178.4 (3.)
 Trefferlage 0.91 mm links, 0.48 mm hoch
 Streuwert 2.48, horizontal: 3.14, vertikal: 1.57




Serie 2:
 10.1 → 10.6 * 10.5 * 9.0 ↑ 8.2 ↖
 9.2 ↑ 8.7 ↘ 9.1 ↗ 8.1 ↑ 8.8 ↗
 beste Teiler 91.1 (12.) 117.9 (13.) 216.3 (11.)
 Trefferlage 0.39 mm rechts, 3.59 mm hoch
 Streuwert 2.35, horizontal: 2.40, vertikal: 2.29

Unterschrift des Schützen

Ergebnis: **162.8** (154)
 Serien: 82.3 80.5
 Zähler: 0 3 11 4 1 1 0 0 0 0
 Innenzehner: 0
 weiteste: 1324 (14), 1241 (16), 951 (2)
 beste Teiler 275.6 (11.) 322.2 (9.) 407.3 (15.)
 Trefferlage 2.57 mm links, 4.92 mm hoch
 Streuwert 3.66, horizontal: 4.66, vertikal: 2.23





Serie 1:
 8.3 ↑ 7.1 ↘ 8.2 ↗ 8.6 ↗ 7.2 ↘
 8.8 ↘ 7.7 ← 8.5 ← 9.7 ↘ 8.2 ↗
 beste Teiler 322.2 (9.) 546.2 (6.) 584.7 (4.)
 Trefferlage 1.33 mm links, 4.42 mm hoch
 Streuwert 3.96, horizontal: 5.09, vertikal: 2.34




Serie 2:
 9.9 ↘ 8.6 ↘ 8.1 ↘ 5.7 ↘ 9.3 ↘
 6.0 ↘ 7.9 ↑ 8.5 ↑ 8.4 ↑ 8.1 ↘
 beste Teiler 275.6 (11.) 407.3 (15.) 598.0 (12.)
 Trefferlage 3.81 mm links, 5.43 mm hoch
 Streuwert 3.24, horizontal: 4.07, vertikal: 2.11

Unterschrift des Schützen

Ergebnis: **201.8** (193)
 Serien: 101.3 100.5
 Zähler: 14 5 1 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 517 (11), 400 (5), 358 (4)
 beste Teiler 62.9 (13.) 68.5 (3.) 111.1 (19.)
 Trefferlage 0.10 mm links, 0.82 mm tief
 Streuwert 1.67, horizontal: 2.18, vertikal: 0.91





Serie 1:
 10.5 * 10.2 * 10.7 * 9.5 → 9.4 →
 10.2 * 9.8 ← 10.4 * 10.5 * 10.1 ←
 beste Teiler 68.5 (3.) 114.1 (1.) 119.9 (9.)
 Trefferlage 0.11 mm rechts, 0.38 mm tief
 Streuwert 1.71, horizontal: 2.32, vertikal: 0.69




Serie 2:
 8.9 ← 9.7 ← 10.7 * 10.1 ↘ 10.2 *
 10.2 * 10.2 * 10.2 * 10.5 * 9.8 ↘
 beste Teiler 62.9 (13.) 111.1 (19.) 185.2 (15.)
 Trefferlage 0.32 mm links, 1.26 mm tief
 Streuwert 1.64, horizontal: 2.13, vertikal: 0.92

Unterschrift des Schützen

Ergebnis: **197.7** (189)
 Serien: 98.4 99.3
 Zähler: 12 5 3 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 709 (4), 691 (16), 541 (13)
 beste Teiler 55.7 (9.) 59.2 (10.) 69.3 (11.)
 Trefferlage 0.90 mm links, 0.28 mm hoch
 Streuwert 2.34, horizontal: 3.17, vertikal: 0.97





Serie 1:
 10.4 * 9.2 → 9.7 ↙ 8.1 ← 10.0 ↖
 10.3 * 10.2 * 9.1 ↖ 10.7 * 10.7 *
 beste Teiler 55.7 (9.) 59.2 (10.) 149.0 (1.)
 Trefferlage 1.27 mm links, 0.11 mm tief
 Streuwert 2.35, horizontal: 3.14, vertikal: 1.10




Serie 2:
 10.7 * 9.8 → 8.8 ← 9.3 → 10.4 *
 8.2 ↖ 10.5 * 10.5 * 10.6 * 10.5 *
 beste Teiler 69.3 (11.) 90.5 (19.) 105.9 (17.)
 Trefferlage 0.54 mm links, 0.67 mm hoch
 Streuwert 2.39, horizontal: 3.32, vertikal: 0.64

Unterschrift des Schützen

Ergebnis: **196.0** (187)
 Serien: 99.2 96.8
 Zähler: 9 9 2 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 600 (7), 518 (15), 493 (19)
 beste Teiler 58.0 (3.) 107.7 (2.) 110.0 (8.)
 Trefferlage 0.51 mm links, 0.55 mm hoch
 Streuwert 2.31, horizontal: 3.04, vertikal: 1.19





Serie 1:
 10.0 ← 10.5 * 10.7 * 10.1 ← 10.4 *
 9.2 → 8.6 → 10.5 * 9.5 ↖ 9.7 ↑
 beste Teiler 58.0 (3.) 107.7 (2.) 110.0 (8.)
 Trefferlage 0.24 mm rechts, 0.25 mm hoch
 Streuwert 2.26, horizontal: 2.89, vertikal: 1.37




Serie 2:
 9.9 → 10.4 * 9.8 ↖ 10.1 → 8.9 ←
 9.4 → 10.4 * 9.0 ← 9.0 ← 9.9 ↖
 beste Teiler 137.5 (17.) 142.1 (12.) 203.3 (14.)
 Trefferlage 1.28 mm links, 0.85 mm hoch
 Streuwert 2.32, horizontal: 3.14, vertikal: 0.95

Unterschrift des Schützen

Ergebnis: **197.8** (188)
 Serien: 97.5 100.3
 Zähler: 10 8 2 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 585 (17), 552 (5), 444 (7)
 beste Teiler 46.5 (12.) 60.2 (18.) 114.4 (11.)
 Trefferlage 0.18 mm links, 0.13 mm tief
 Streuwert 2.18, horizontal: 2.98, vertikal: 0.79





Serie 1:
 9.7 → 10.0 → 10.4 * 9.7 → 8.7 →
 10.0 ← 9.2 ← 9.8 ← 9.7 ← 10.3 *
 beste Teiler 149.8 (3.) 167.6 (10.) 242.5 (6.)
 Trefferlage 0.35 mm rechts, 0.34 mm tief
 Streuwert 2.38, horizontal: 3.26, vertikal: 0.84




Serie 2:
 10.5 * 10.8 * 10.0 ← 10.5 * 10.0 ←
 9.4 ← 8.6 ← 10.7 * 9.9 → 9.9 →
 beste Teiler 46.5 (12.) 60.2 (18.) 114.4 (11.)
 Trefferlage 0.72 mm links, 0.07 mm hoch
 Streuwert 1.99, horizontal: 2.72, vertikal: 0.71

Unterschrift des Schützen

Ergebnis: **185.5** (177)
 Serien: 93.2 92.3
 Zähler: 7 7 4 1 0 1 0 0 0 0
 Innenzehner: 4
 weiteste: 1403 (20), 852 (9), 679 (8)
 beste Teiler 142.8 (12.) 145.5 (3.) 162.1 (14.)
 Trefferlage 0.41 mm links, 0.80 mm tief
 Streuwert 3.65, horizontal: 4.98, vertikal: 1.37





Serie 1:
 9.8 ↓ 9.6 ↘ 10.4 * 8.9 ← 9.6 ↖
 9.8 ← 9.3 ↘ 8.2 ← 7.5 ← 10.1 ←
 beste Teiler 145.5 (3.) 211.7 (10.) 276.1 (1.)
 Trefferlage 2.04 mm links, 0.54 mm tief
 Streuwert 3.02, horizontal: 4.01, vertikal: 1.49




Serie 2:
 8.6 → 10.4 * 9.2 ← 10.3 * 8.8 ↘
 10.0 ← 9.4 ← 10.2 * 10.1 ↓ 5.3 →
 beste Teiler 142.8 (12.) 162.1 (14.) 200.3 (18.)
 Trefferlage 1.21 mm rechts, 1.05 mm tief
 Streuwert 4.00, horizontal: 5.51, vertikal: 1.26

Unterschrift des Schützen

Ergebnis: **189.9** (182)
 Serien: 93.9 96.0
 Zähler: 8 7 4 1 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 810 (4), 691 (19), 609 (18)
 beste Teiler 60.0 (8.) 68.2 (13.) 112.1 (9.)
 Trefferlage 1.32 mm rechts, 1.49 mm hoch
 Streuwert 2.71, horizontal: 3.17, vertikal: 2.17





Serie 1:
 8.7 ↑ 9.2 ↖ 9.9 ↖ 7.7 → 9.0 ↘
 8.8 ↗ 9.0 ↗ 10.7 * 10.5 * 10.4 *
 beste Teiler 60.0 (8.) 112.1 (9.) 128.8 (10.)
 Trefferlage 1.55 mm rechts, 1.38 mm hoch
 Streuwert 2.99, horizontal: 3.33, vertikal: 2.60




Serie 2:
 9.4 ↗ 9.3 ↗ 10.7 * 9.0 ↑ 10.2 *
 10.1 ↗ 10.2 * 8.5 ↖ 8.2 → 10.4 *
 beste Teiler 68.2 (13.) 128.0 (20.) 184.9 (17.)
 Trefferlage 1.08 mm rechts, 1.61 mm hoch
 Streuwert 2.56, horizontal: 3.15, vertikal: 1.79

Unterschrift des Schützen

Ergebnis: **190.6** (182)
 Serien: 97.0 93.6
 Zähler: 6 11 2 1 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 929 (14), 561 (3), 521 (8)
 beste Teiler 93.8 (6.) 138.5 (13.) 155.7 (5.)
 Trefferlage 1.13 mm links, 2.13 mm hoch
 Streuwert 2.34, horizontal: 3.14, vertikal: 1.06





Serie 1:
 9.7 ↑ 9.9 ↘ 8.7 ← 9.9 ↘ 10.3 *
 10.6 * 9.5 ↘ 8.9 ↘ 10.1 ← 9.4 ↗
 beste Teiler 93.8 (6.) 155.7 (5.) 222.2 (9.)
 Trefferlage 1.63 mm links, 1.89 mm hoch
 Streuwert 1.78, horizontal: 2.29, vertikal: 1.05




Serie 2:
 9.2 ↘ 9.2 ↘ 10.4 * 7.2 ← 9.7 ↗
 9.3 → 9.0 → 10.3 * 9.2 ↘ 10.1 ↗
 beste Teiler 138.5 (13.) 171.8 (18.) 214.1 (20.)
 Trefferlage 0.63 mm links, 2.37 mm hoch
 Streuwert 2.84, horizontal: 3.87, vertikal: 1.06

Unterschrift des Schützen

Ergebnis: **174.0** (164)
 Serien: 83.3 90.7
 Zähler: 3 7 2 7 1 0 0 0 0 0
 Innenzehner: 2
 weiteste: 1161 (8), 874 (1), 834 (9)
 beste Teiler 123.2 (10.) 166.0 (3.) 238.8 (20.)
 Trefferlage 0.66 mm links, 0.21 mm hoch
 Streuwert 4.53, horizontal: 5.31, vertikal: 3.58





Serie 1:
 7.5 ← 8.6 ← 10.3 * 7.8 → 7.8 ↗
 9.2 → 7.7 ↘ 6.3 ← 7.6 ↖ 10.5 *
 beste Teiler 123.2 (10.) 166.0 (3.) 441.9 (6.)
 Trefferlage 0.95 mm links, 1.06 mm hoch
 Streuwert 5.33, horizontal: 6.88, vertikal: 3.07




Serie 2:
 7.9 ↖ 9.8 ↖ 9.7 ↑ 9.4 ↘ 8.3 ↙
 9.1 ↗ 9.3 ← 7.6 ↘ 9.6 ↘ 10.0 →
 beste Teiler 238.8 (20.) 281.6 (12.) 302.3 (13.)
 Trefferlage 0.37 mm links, 0.64 mm tief
 Streuwert 3.74, horizontal: 3.47, vertikal: 4.00

Unterschrift des Schützen

Ergebnis: **187.8** (179)
 Serien: 97.3 90.5
 Zähler: 9 6 0 5 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 972 (10), 936 (14), 894 (19)
 beste Teiler 61.5 (6.) 71.0 (17.) 118.3 (9.)
 Trefferlage 1.22 mm rechts, 0.98 mm tief
 Streuwert 3.37, horizontal: 3.33, vertikal: 3.41





Serie 1:
 10.2 * 10.4 * 10.1 ↘ 9.6 ← 9.4 ↗
 10.7 * 9.3 ↗ 10.0 ↙ 10.5 * 7.1 ↘
 beste Teiler 61.5 (6.) 118.3 (9.) 133.1 (2.)
 Trefferlage 0.56 mm rechts, 0.53 mm tief
 Streuwert 2.88, horizontal: 3.23, vertikal: 2.49




Serie 2:
 7.9 → 10.2 * 9.9 ↓ 7.2 ↘ 10.4 *
 9.5 → 10.7 * 7.8 ↘ 7.4 ↘ 9.5 ↘
 beste Teiler 71.0 (17.) 128.8 (15.) 191.2 (12.)
 Trefferlage 1.87 mm rechts, 1.44 mm tief
 Streuwert 3.87, horizontal: 3.48, vertikal: 4.22

Unterschrift des Schützen

Ergebnis: **200.8** (192)
 Serien: 101.4 99.4
 Zähler: 12 8 0 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 451 (1), 442 (12), 369 (14)
 beste Teiler 70.7 (3.) 92.9 (6.) 93.0 (20.)
 Trefferlage 0.46 mm rechts, 0.36 mm hoch
 Streuwert 1.79, horizontal: 2.11, vertikal: 1.40





Serie 1:
 9.1 → 10.3 * 10.7 * 10.4 * 9.6 ↘
 10.6 * 9.9 ← 10.4 * 10.0 ↓ 10.4 *
 beste Teiler 70.7 (3.) 92.9 (6.) 126.6 (4.)
 Trefferlage 0.46 mm rechts, 0.15 mm hoch
 Streuwert 1.71, horizontal: 1.99, vertikal: 1.36




Serie 2:
 10.0 ↑ 9.2 → 10.3 * 9.5 ↘ 10.3 *
 9.9 ↘ 10.2 * 9.9 ↑ 9.5 ← 10.6 *
 beste Teiler 93.0 (20.) 163.3 (15.) 165.0 (13.)
 Trefferlage 0.46 mm rechts, 0.58 mm hoch
 Streuwert 1.96, horizontal: 2.34, vertikal: 1.48

Unterschrift des Schützen

Ergebnis: **180.5** (173)
 Serien: 91.1 89.4
 Zähler: 5 9 3 2 0 0 1 0 0 0
 Innenzehner: 3
 weiteste: 1589 (19), 907 (13), 767 (8)
 beste Teiler 72.7 (17.) 125.5 (10.) 178.0 (18.)
 Trefferlage 0.98 mm rechts, 0.58 mm tief
 Streuwert 4.19, horizontal: 5.48, vertikal: 2.27





Serie 1:
 9.0 → 8.1 ← 9.1 ↙ 9.0 ↘ 9.6 ↘
 8.8 ↘ 9.7 ← 7.9 ← 9.4 ↑ 10.5 *
 beste Teiler 125.5 (10.) 320.0 (7.) 326.2 (5.)
 Trefferlage 0.54 mm links, 0.91 mm tief
 Streuwert 3.62, horizontal: 4.30, vertikal: 2.79




Serie 2:
 10.0 → 8.0 ← 7.3 → 10.1 → 9.0 →
 9.8 ↘ 10.7 * 10.2 * 4.6 → 9.7 ←
 beste Teiler 72.7 (17.) 178.0 (18.) 216.8 (14.)
 Trefferlage 2.52 mm rechts, 0.25 mm tief
 Streuwert 4.61, horizontal: 6.30, vertikal: 1.68

Unterschrift des Schützen

Ergebnis: **192.5** (184)
 Serien: 95.1 97.4
 Zähler: 7 10 3 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 584 (2), 533 (1), 501 (16)
 beste Teiler 116.8 (15.) 128.2 (3.) 141.4 (18.)
 Trefferlage 0.90 mm links, 0.71 mm tief
 Streuwert 2.50, horizontal: 2.82, vertikal: 2.12





Serie 1:
 8.8 ↖ 8.6 ← 10.4 * 10.2 * 9.4 ←
 9.7 → 9.2 ← 9.0 ← 9.7 ↗ 10.1 ↘
 beste Teiler 128.2 (3.) 181.0 (4.) 219.0 (10.)
 Trefferlage 1.95 mm links, 0.31 mm hoch
 Streuwert 2.51, horizontal: 3.16, vertikal: 1.63




Serie 2:
 9.8 ↗ 9.3 ← 9.1 ↘ 9.7 → 10.5 *
 8.9 ↓ 9.3 ↓ 10.4 * 10.4 * 10.0 ↓
 beste Teiler 116.8 (15.) 141.4 (18.) 142.3 (19.)
 Trefferlage 0.14 mm rechts, 1.74 mm tief
 Streuwert 2.11, horizontal: 2.10, vertikal: 2.12

Unterschrift des Schützen

Ergebnis: **193.7** (184)
 Serien: 95.9 97.8
 Zähler: 7 10 3 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 712 (17), 663 (11), 544 (6)
 beste Teiler 40.3 (20.) 80.1 (19.) 103.3 (18.)
 Trefferlage 1.84 mm links, 0.26 mm tief
 Streuwert 2.27, horizontal: 2.63, vertikal: 1.86





Serie 1:
 9.7 ↖ 9.0 ↖ 9.9 ↗ 9.0 ↓ 9.8 ↓
 8.8 ← 9.7 ↖ 10.0 ↘ 10.4 * 9.6 ←
 beste Teiler 143.4 (9.) 235.6 (8.) 251.9 (3.)
 Trefferlage 1.79 mm links, 0.80 mm tief
 Streuwert 2.28, horizontal: 2.21, vertikal: 2.36




Serie 2:
 8.3 ← 9.9 ↗ 10.3 * 9.9 ↖ 9.4 ←
 10.0 ↘ 8.1 ← 10.5 * 10.6 * 10.8 *
 beste Teiler 40.3 (20.) 80.1 (19.) 103.3 (18.)
 Trefferlage 1.89 mm links, 0.27 mm hoch
 Streuwert 2.32, horizontal: 3.11, vertikal: 1.05

Unterschrift des Schützen

Ergebnis: **203.7** (193)
 Serien: 103.0 100.7
 Zähler: 13 7 0 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 448 (14), 416 (16), 362 (3)
 beste Teiler 47.5 (13.) 69.2 (7.) 70.6 (19.)
 Trefferlage 0.25 mm links, 0.75 mm tief
 Streuwert 1.55, horizontal: 1.63, vertikal: 1.47





Serie 1:
 9.9 → 10.6 * 9.5 ↘ 10.4 * 10.6 *
 10.6 * 10.7 * 9.8 ↓ 10.2 * 10.7 *
 beste Teiler 69.2 (7.) 74.9 (10.) 77.9 (6.)
 Trefferlage 0.39 mm rechts, 0.39 mm tief
 Streuwert 1.36, horizontal: 1.31, vertikal: 1.42




Serie 2:
 10.3 * 10.3 * 10.8 * 9.2 ↙ 10.5 *
 9.3 ↓ 9.7 ← 9.8 ↙ 10.7 * 10.1 ↓
 beste Teiler 47.5 (13.) 70.6 (19.) 123.7 (15.)
 Trefferlage 0.90 mm links, 1.11 mm tief
 Streuwert 1.62, horizontal: 1.72, vertikal: 1.51

Unterschrift des Schützen

Ergebnis: **208.2** (198)
 Serien: 105.0 103.2
 Zähler: 18 2 0 0 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 280 (13), 258 (14), 211 (12)
 beste Teiler 48.0 (18.) 51.6 (4.) 80.7 (1.)
 Trefferlage 0.01 mm links, 0.29 mm tief
 Streuwert 1.05, horizontal: 1.28, vertikal: 0.77



Serie 1:
 10.6 * 10.5 * 10.5 * 10.7 * 10.3 *
 10.3 * 10.6 * 10.6 * 10.5 * 10.4 *
 beste Teiler 51.6 (4.) 80.7 (1.) 89.8 (7.)
 Trefferlage 0.30 mm rechts, 0.28 mm tief
 Streuwert 0.84, horizontal: 0.94, vertikal: 0.72



Serie 2:
 10.5 * 10.1 → 9.8 ← 9.9 ← 10.3 *
 10.3 * 10.5 * 10.8 * 10.5 * 10.5 *
 beste Teiler 48.0 (18.) 107.0 (19.) 112.5 (11.)
 Trefferlage 0.32 mm links, 0.29 mm tief
 Streuwert 1.24, horizontal: 1.53, vertikal: 0.85

Unterschrift des Schützen