




Ergebnis:	<b>496</b>	(525.6)				
Serien:	86	82	88	84	80	76
Zähler:	11	14	20	11	3	1 0 0 0 0
Innenzehner:	7					
weiteste:	4024 (44), 3845 (47), 3614 (56)					
beste Teiler	154.8 (34.) 211.5 (40.) 344.6 (6.)					
Trefferlage	2.14 mm links, 8.70 mm tief					
Streuwert	12.69, horizontal: 11.74, vertikal: 13.57					




Serie 1:

9.8 ↓	9.5 ←	9.9 ↘	7.9 ↗	7.9 ↗
10.5 *	8.5 ↓	10.5 *	7.7 ↓	10.4 ←
beste Teiler	344.6 (6.) 362.8 (8.) 477.0 (10.)			
Trefferlage	0.58 mm rechts, 1.83 mm tief			
Streuwert	11.92, horizontal: 7.57, vertikal: 15.07			




Serie 2:

7.1 ↓	9.4 ↓	9.3 ↓	9.4 ↖	8.6 ↖
8.3 ↓	8.5 ↓	8.6 →	8.1 ↓	8.3 ↖
beste Teiler	1221.4 (14.) 1264.8 (12.) 1300.2 (13.)			
Trefferlage	2.53 mm links, 9.64 mm tief			
Streuwert	12.91, horizontal: 11.79, vertikal: 13.94			




Serie 3:

10.4 *	8.1 ↓	8.0 ↓	7.9 ↗	10.2 ↗
10.2 ↗	9.9 ↓	8.5 ↖	9.6 →	9.3 ↖
beste Teiler	419.3 (21.) 564.5 (25.) 634.4 (26.)			
Trefferlage	2.94 mm links, 5.28 mm tief			
Streuwert	10.96, horizontal: 8.24, vertikal: 13.12			




Serie 4:

10.5 *	7.2 ←	8.1 ↘	10.8 *	9.0 ↓
8.3 ↓	9.4 →	7.7 ↓	6.7 ↓	10.7 *
beste Teiler	154.8 (34.) 211.5 (40.) 379.8 (31.)			
Trefferlage	0.75 mm links, 12.14 mm tief			
Streuwert	12.02, horizontal: 12.83, vertikal: 11.14			



Serie 5:

7.5 ↗	9.9 ↖	8.4 ↗	5.9 ↗	8.7 →
8.6 ↓	6.1 ↗	10.3 ↘	10.4 *	9.5 ↓
beste Teiler	448.6 (49.) 524.9 (48.) 871.8 (42.)			
Trefferlage	3.34 mm links, 8.48 mm tief			
Streuwert	15.61, horizontal: 15.67, vertikal: 15.55			



Serie 6:

7.6 ↓	9.2 ↗	8.8 ↓	8.9 ↓	7.4 ↖
6.4 ↓	8.5 ↓	8.7 ↗	7.5 ↗	8.6 ↓
beste Teiler	1377.9 (52.) 1607.6 (54.) 1701.0 (53.)			
Trefferlage	3.90 mm links, 14.83 mm tief			
Streuwert	13.02, horizontal: 14.57, vertikal: 11.25			

**LP 60** – Wertung – **Junioren**

StandNr: 101

**Wolf,, Johannes** #70512031

**StartNr: 147**

4. Februar 2018 13:34



70512 / 0

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **520** (549.8)  
 Serien: 84 82 90 90 88 86  
 Zähler: 6 36 11 6 1 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 3496 (53), 3194 (6), 3177 (9)  
 beste Teiler 258.3 (30.) 409.4 (35.) 535.3 (59.)  
 Trefferlage 0.27 mm links, 0.47 mm hoch  
 Streuwert 11.34, horizontal: 11.84, vertikal: 10.82




Serie 1:  
 9.3 ↗ 8.5 ↓ 9.1 ↖ 9.9 ↑ 9.6 ↑  
 7.0 ↗ 8.8 ↗ 9.6 ↑ 7.0 → 9.8 ↑  
 beste Teiler 845.6 (4.) 938.7 (10.) 1048.8 (5.)  
 Trefferlage 6.69 mm rechts, 4.98 mm hoch  
 Streuwert 12.45, horizontal: 14.11, vertikal: 10.53




Serie 2:  
 8.4 ↓ 7.7 ↖ 8.6 ↗ 9.7 ↖ 9.1 ↖  
 7.1 ↖ 8.8 ↗ 8.5 ↑ 9.2 ↖ 9.8 ↖  
 beste Teiler 938.8 (20.) 968.3 (14.) 1372.6 (19.)  
 Trefferlage 4.32 mm links, 0.08 mm hoch  
 Streuwert 13.82, horizontal: 14.98, vertikal: 12.55




Serie 3:  
 9.2 ↓ 9.3 ↑ 7.6 ↓ 9.9 ↗ 9.9 →  
 9.7 ↘ 9.7 ↘ 9.3 ↑ 10.0 ↖ 10.6 \*  
 beste Teiler 258.3 (30.) 775.2 (29.) 837.2 (24.)  
 Trefferlage 1.89 mm links, 1.17 mm hoch  
 Streuwert 9.48, horizontal: 5.65, vertikal: 12.16



Serie 4:  
 9.7 ↖ 8.8 ↘ 9.3 ↖ 9.5 ↑ 10.4 \*  
 9.7 ↗ 9.3 ↓ 9.1 ↖ 9.2 ↘ 9.7 ↘  
 beste Teiler 409.4 (35.) 975.4 (40.) 979.7 (36.)  
 Trefferlage 0.54 mm links, 1.56 mm tief  
 Streuwert 8.98, horizontal: 8.88, vertikal: 9.08



Serie 5:  
 7.9 ↓ 9.9 ↓ 9.7 ← 9.3 ↑ 9.8 →  
 9.7 ↓ 9.2 ↘ 8.9 ↑ 10.1 → 9.3 ←  
 beste Teiler 681.9 (49.) 839.1 (42.) 928.0 (45.)  
 Trefferlage 1.66 mm links, 0.39 mm tief  
 Streuwert 10.00, horizontal: 8.34, vertikal: 11.42



Serie 6:  
 10.3 ↖ 9.5 ← 6.6 → 8.3 → 9.9 ↖  
 8.2 ↘ 9.2 ↓ 9.7 ↑ 10.3 ↑ 8.6 ↖  
 beste Teiler 535.3 (59.) 560.2 (51.) 846.5 (55.)  
 Trefferlage 0.09 mm rechts, 1.41 mm tief  
 Streuwert 13.08, horizontal: 15.41, vertikal: 10.23

Meyton Elektronik

**LP 60** – Wertung – **Männer**

StandNr: 102

**Fuchs, Andreas** #70312105

**StartNr: 148**

4. Februar 2018 13:34



70312 / 0

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>561</b>	(590.3)
Serien:	94 93 94 92 96 92	
Zähler:	27 27 6 0 0 0 0 0 0	
Innenzehner:	13	
weiteste:	2049 (56), 1957 (36), 1745 (30)	
beste Teiler	39.9 (23.) 123.9 (49.) 149.7 (42.)	
Trefferlage	2.13 mm links, 0.12 mm hoch	
Streuwert	7.02, horizontal: 6.66, vertikal: 7.36	



Serie 1:

10.2 ↙	9.3 ↗	10.4 *	10.3 ↘	9.9 ↗
9.5 ←	9.4 ←	9.3 ←	9.2 ↗	10.2 ↘


beste Teiler 436.4 (3.) 489.4 (4.) 570.4 (1.)  
 Trefferlage 3.26 mm links, 0.02 mm hoch  
 Streuwert 7.15, horizontal: 8.37, vertikal: 5.67



Serie 2:

9.7 ←	8.8 ←	9.8 ↑	10.4 *	10.0 ↘
9.7 ↘	9.8 →	10.0 ←	9.6 →	10.5 *


beste Teiler 353.8 (20.) 423.1 (14.) 733.6 (15.)  
 Trefferlage 1.39 mm links, 0.02 mm hoch  
 Streuwert 7.12, horizontal: 8.95, vertikal: 4.59



Serie 3:

10.2 ↘	10.7 *	10.9 *	9.8 ↖	10.4 *
9.1 ↑	10.3 ←	9.9 →	9.5 ↘	8.8 ↖


beste Teiler 39.9 (23.) 220.2 (22.) 432.4 (25.)  
 Trefferlage 1.90 mm links, 2.34 mm hoch  
 Streuwert 6.66, horizontal: 5.81, vertikal: 7.42



Serie 4:

9.7 ↑	10.5 *	9.8 ↘	9.5 ↖	10.5 *
8.5 ↗	9.5 ↖	9.8 ↗	9.9 ↑	10.2 ↗


beste Teiler 321.8 (35.) 370.0 (32.) 607.8 (40.)  
 Trefferlage 2.58 mm links, 1.62 mm hoch  
 Streuwert 7.36, horizontal: 5.11, vertikal: 9.07



Serie 5:

9.2 ↗	10.8 *	10.2 ↑	9.6 ↗	10.5 *
10.5 *	9.6 ←	9.2 ↓	10.8 *	10.2 ↗

beste Teiler 123.9 (49.) 149.7 (42.) 342.9 (45.)  
 Trefferlage 0.87 mm rechts, 1.14 mm hoch  
 Streuwert 6.24, horizontal: 5.97, vertikal: 6.50



Serie 6:

10.0 ↗	8.9 ↓	9.7 ↖	10.0 ↓	10.2 ↖
8.4 ↓	10.6 *	9.6 ↗	10.0 ↓	8.8 ←

beste Teiler 310.8 (57.) 609.5 (55.) 732.0 (54.)  
 Trefferlage 4.50 mm links, 4.40 mm tief  
 Streuwert 7.63, horizontal: 5.12, vertikal: 9.50

**LP 60** – Wertung – **Männer**

StandNr: 103

**Seifert,, Tobias** #70507029

**StartNr: 149**

4. Februar 2018 13:57



70507 / 0

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **528** (552.4)  
 Serien: 91 96 87 84 83 87  
 Zähler: 18 21 14 6 0 1 0 0 0 0  
 Innenzehner: 7  
 weiteste: 4757 (43), 3077 (57), 2831 (25)  
 beste Teiler 112.1 (20.) 124.4 (14.) 220.5 (15.)  
 Trefferlage 2.88 mm links, 0.05 mm tief  
 Streuwert 11.65, horizontal: 11.55, vertikal: 11.75




Serie 1:  
 10.4 \*                      9.3 ←                      7.6 ↗                      8.3 ↗                      10.6 \*  
 9.4 ↑                      10.3 ↘                      10.6 \*                      9.3 ↘                      9.0 ↘  
 beste Teiler 289.2 (5.) 316.1 (8.) 467.8 (1.)  
 Trefferlage 0.36 mm links, 6.01 mm hoch  
 Streuwert 9.44, horizontal: 10.53, vertikal: 8.19




Serie 2:  
 9.3 ↓                      9.6 ↗                      10.2 ↑                      10.8 \*                      10.7 \*  
 9.3 ←                      9.3 ←                      10.3 ←                      10.0 ↓                      10.8 \*  
 beste Teiler 112.1 (20.) 124.4 (14.) 220.5 (15.)  
 Trefferlage 2.29 mm links, 1.28 mm tief  
 Streuwert 6.24, horizontal: 6.47, vertikal: 6.00




Serie 3:  
 8.4 ↑                      10.0 ←                      9.7 ↑                      9.5 ↘                      7.4 ↘  
 8.7 ↓                      9.1 ↘                      9.5 ↓                      8.9 ↑                      10.3 ↓  
 beste Teiler 535.8 (30.) 763.9 (22.) 1011.1 (23.)  
 Trefferlage 2.97 mm links, 0.23 mm tief  
 Streuwert 11.60, horizontal: 8.45, vertikal: 14.06



Serie 4:  
 7.5 ↓                      10.7 \*                      9.3 →                      8.0 ←                      10.0 ←  
 9.2 ↗                      8.5 ↓                      7.5 ↗                      7.5 ↘                      9.5 ↑  
 beste Teiler 237.9 (32.) 770.9 (35.) 1176.2 (40.)  
 Trefferlage 1.44 mm links, 1.40 mm hoch  
 Streuwert 14.49, horizontal: 13.14, vertikal: 15.74



Serie 5:  
 8.0 ←                      9.7 ←                      5.0 ←                      8.5 ↓                      9.8 ←  
 8.2 ↗                      8.3 ↑                      10.2 ↑                      8.9 ↓                      10.1 ↓  
 beste Teiler 639.2 (48.) 703.9 (50.) 950.2 (45.)  
 Trefferlage 8.16 mm links, 4.32 mm tief  
 Streuwert 14.61, horizontal: 17.14, vertikal: 11.54



Serie 6:  
 9.8 ←                      9.5 ↗                      8.1 ←                      8.6 →                      10.2 ↘  
 8.4 ↗                      7.1 ↓                      9.9 ↘                      9.6 ↗                      10.2 ↘  
 beste Teiler 568.5 (55.) 615.3 (60.) 877.9 (58.)  
 Trefferlage 2.05 mm links, 1.92 mm tief  
 Streuwert 12.17, horizontal: 11.91, vertikal: 12.43

**LP 60** – Wertung – **Junioren**

StandNr: 104

**Markl, Marco** #70515044

**StartNr: 150**

4. Februar 2018 14:10

70515 / 0



---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik




Ergebnis:	<b>555</b>	(583.8)
Serien:	93 91 91 92 95 93	
Zähler:	23 29 8 0 0 0 0 0 0	
Innenzehner:	14	
weiteste:	2091 (40), 1985 (16), 1869 (6)	
beste Teiler	98.0 (47.) 188.6 (13.) 236.4 (54.)	
Trefferlage	1.10 mm links, 2.60 mm hoch	
Streuwert	7.53, horizontal: 6.74, vertikal: 8.25	




Serie 1:	9.8 ↑	10.6 *	10.4 *	9.4 ↑	10.1 ↘
	8.6 ↑	10.4 *	8.8 ↘	9.3 ↘	10.0 ↘
beste Teiler	316.1 (2.)	421.1 (7.)	472.5 (3.)		
Trefferlage	2.20 mm links, 5.63 mm hoch				
Streuwert	6.80, horizontal: 4.71, vertikal: 8.39				




Serie 2:	8.8 ↗	9.6 ↑	10.7 *	10.4 *	8.9 ↗
	8.5 ↑	10.1 ↘	10.6 *	9.8 →	9.4 ←
beste Teiler	188.6 (13.)	266.0 (18.)	430.7 (14.)		
Trefferlage	2.73 mm rechts, 4.82 mm hoch				
Streuwert	7.79, horizontal: 7.13, vertikal: 8.39				




Serie 3:	8.9 ↘	9.9 ↗	9.9 ←	9.9 ↘	10.6 *
	9.8 ↘	10.4 *	9.2 ↗	9.8 ↑	9.2 →
beste Teiler	266.5 (25.)	444.0 (27.)	816.1 (23.)		
Trefferlage	0.43 mm rechts, 1.87 mm hoch				
Streuwert	7.60, horizontal: 7.88, vertikal: 7.30				



Serie 4:	10.2 ←	10.5 *	9.5 ↑	9.7 ↘	8.9 ↘
	9.4 ←	10.1 ↗	10.5 *	9.2 ↓	8.3 ↑
beste Teiler	361.5 (38.)	382.7 (32.)	593.0 (31.)		
Trefferlage	5.21 mm links, 1.25 mm hoch				
Streuwert	7.81, horizontal: 4.45, vertikal: 10.10				



Serie 5:	10.3 ↘	9.2 ↗	9.5 ↘	9.1 ↘	10.4 *
	9.8 ↓	10.8 *	9.5 ↑	10.4 *	10.3 ←
beste Teiler	98.0 (47.)	441.8 (45.)	470.6 (49.)		
Trefferlage	1.76 mm links, 1.36 mm hoch				
Streuwert	6.62, horizontal: 5.91, vertikal: 7.25				



Serie 6:	10.2 ←	9.7 ↘	10.2 ←	10.7 *	9.6 ↘
	9.3 →	9.0 ↘	9.3 ↓	9.0 ↗	9.4 ↘
beste Teiler	236.4 (54.)	579.7 (51.)	593.3 (53.)		
Trefferlage	0.60 mm links, 0.66 mm hoch				
Streuwert	8.41, horizontal: 8.25, vertikal: 8.57				

Meyton Elektronik

**LP 60** – Wertung – **Männer**

StandNr: 105

**Schneider,, Matthias** #70410029

**StartNr: 151**

4. Februar 2018 13:57



70410 / 0

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>507</b>	(534.8)				
Serien:	87	87	82	88	85	78
Zähler:	13	15	21	8	3	0 0 0 0 0
Innenzehner:	6					
weiteste:	3667 (54), 3418 (16), 3239 (40)					
beste Teiler	305.6 (17.) 322.3 (37.) 324.0 (19.)					
Trefferlage	3.90 mm links, 7.83 mm tief					
Streuwert	11.49, horizontal: 11.30, vertikal: 11.67					



Serie 1:

8.4 ↙	8.2 ←	8.8 ↘	9.9 ↘	8.5 ↗
9.8 →	9.4 →	8.9 ←	10.2 ↗	10.1 ↘


beste Teiler 629.0 (9.) 684.0 (10.) 841.2 (4.)  
 Trefferlage 1.28 mm links, 2.87 mm tief  
 Streuwert 10.90, horizontal: 12.50, vertikal: 9.03



Serie 2:

7.2 ↙	8.0 ↓	10.5 *	8.6 ←	9.2 ←
6.7 ↘	10.6 *	10.3 ↑	10.5 *	9.7 ↗


beste Teiler 305.6 (17.) 324.0 (19.) 382.3 (13.)  
 Trefferlage 4.53 mm links, 5.19 mm tief  
 Streuwert 12.49, horizontal: 11.94, vertikal: 13.01



Serie 3:

7.9 ↙	10.0 ↖	9.2 ↘	8.0 ↓	7.6 ↓
9.0 ↘	7.8 ↖	9.6 ↑	9.1 ↓	7.8 ↓


beste Teiler 727.7 (22.) 1078.1 (28.) 1437.8 (23.)  
 Trefferlage 5.37 mm links, 9.92 mm tief  
 Streuwert 12.29, horizontal: 9.24, vertikal: 14.71



Serie 4:

10.2 ↘	9.5 ↘	8.4 ↗	10.4 *	8.8 ↘
8.5 ↓	10.5 *	9.6 ←	10.0 →	6.9 ↘


beste Teiler 322.3 (37.) 424.5 (34.) 588.8 (31.)  
 Trefferlage 1.76 mm links, 5.37 mm tief  
 Streuwert 11.06, horizontal: 10.18, vertikal: 11.87



Serie 5:

9.7 →	8.8 ↘	8.0 ↘	9.4 ↑	8.8 ↘
7.0 ↓	10.0 ←	8.5 ↓	9.4 ↘	9.6 ↘

beste Teiler 750.6 (47.) 1032.0 (41.) 1093.9 (50.)  
 Trefferlage 3.82 mm links, 9.52 mm tief  
 Streuwert 10.71, horizontal: 9.55, vertikal: 11.76



Serie 6:

7.7 ↙	8.9 ↘	8.5 ←	6.4 ↘	8.3 ↘
10.4 *	8.7 ↓	8.4 ↘	7.9 ↘	8.1 ↘

beste Teiler 442.8 (56.) 1641.2 (52.) 1795.5 (57.)  
 Trefferlage 6.63 mm links, 14.13 mm tief  
 Streuwert 11.96, horizontal: 15.30, vertikal: 7.22

Meyton Elektronik

**LP 60** – Wertung – **Junioren**

StandNr: 106

**Mair., Manuel** #70606015

**StartNr: 152**

4. Februar 2018 13:52



70606 / 0

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **358** (375.2)  
 Serien: 89 91 90 88  
 Zähler: 13 16 8 2 1 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 3838 (38), 2463 (3), 2419 (30)  
 beste Teiler 60.5 (22.) 306.6 (7.) 318.6 (11.)  
 Trefferlage 3.45 mm links, 0.59 mm hoch  
 Streuwert 10.09, horizontal: 10.02, vertikal: 10.15




Serie 1:  
 9.6 ↖ 9.5 ↙ 7.9 ↗ 8.6 ↙ 9.4 ↗  
 10.4 \* 10.6 \* 8.6 ↙ 9.3 ↗ 10.1 ↑  
 beste Teiler 306.6 (7.) 450.4 (6.) 716.9 (10.)  
 Trefferlage 4.64 mm links, 3.41 mm hoch  
 Streuwert 9.55, horizontal: 7.63, vertikal: 11.14



Serie 2:  
 10.6 \* 10.2 ↘ 8.6 ↙ 9.0 ← 10.1 →  
 9.3 ↗ 8.7 ← 9.9 ↑ 9.5 ↘ 9.1 ↘  
 beste Teiler 318.6 (11.) 618.0 (12.) 714.1 (15.)  
 Trefferlage 5.35 mm links, 2.83 mm hoch  
 Streuwert 8.33, horizontal: 9.10, vertikal: 7.49



Serie 3:  
 9.6 ← 10.9 \* 10.0 ← 9.7 ↘ 8.4 →  
 10.3 ← 9.1 → 10.3 ↓ 8.9 ← 7.9 ↗  
 beste Teiler 60.5 (22.) 503.1 (28.) 511.2 (26.)  
 Trefferlage 1.86 mm rechts, 0.67 mm tief  
 Streuwert 9.90, horizontal: 12.61, vertikal: 6.08





Serie 4:  
 8.4 ↘ 9.6 ↘ 8.4 ↙ 10.3 ↗ 9.3 ↑  
 10.0 ↙ 9.9 ↓ 6.2 ↓ 9.0 ↙ 10.0 ↓  
 beste Teiler 507.0 (34.) 751.1 (40.) 757.8 (36.)  
 Trefferlage 5.66 mm links, 3.20 mm tief  
 Streuwert 12.04, horizontal: 9.64, vertikal: 14.04


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>366</b>	(385.8)
Serien:	91 90 92 93	
Zähler:	13 21 5 1 0 0 0 0 0 0	
Innenzehner:	9	
weiteste:	2760 (26), 2104 (40), 1856 (2)	
beste Teiler	66.3 (20.) 143.9 (24.) 309.5 (27.)	
Trefferlage	2.40 mm links, 2.22 mm tief	
Streuwert	8.20, horizontal: 9.05, vertikal: 7.24	




Serie 1:	9.3 ↘	8.6 ↙	10.6 *	9.5 ←	9.9 ←
	10.2 ←	9.5 ↓	9.0 ↓	9.7 ↗	9.5 →
beste Teiler	320.9 (3.)	580.8 (6.)	805.3 (5.)		
Trefferlage	2.20 mm links, 4.16 mm tief				
Streuwert	8.01, horizontal: 8.85, vertikal: 7.06				



Serie 2:	9.2 ↑	8.7 ↙	9.6 ↘	8.8 ↘	10.4 *
	9.1 ←	9.5 ↘	8.7 ↓	10.4 *	10.9 *
beste Teiler	66.3 (20.)	412.4 (15.)	416.6 (19.)		
Trefferlage	0.90 mm links, 4.68 mm tief				
Streuwert	8.84, horizontal: 8.75, vertikal: 8.93				



Serie 3:	10.5 *	10.0 ↙	9.2 ↗	10.8 *	9.8 ↗
	7.5 ←	10.6 *	9.8 ←	9.2 ↘	9.9 →
beste Teiler	143.9 (24.)	309.5 (27.)	366.6 (21.)		
Trefferlage	0.58 mm links, 0.61 mm tief				
Streuwert	9.06, horizontal: 11.49, vertikal: 5.68				





Serie 4:	10.5 *	9.4 ↑	9.4 ←	10.5 *	10.1 ↙
	9.5 ↑	10.3 ←	9.7 ↙	9.7 ←	8.3 ←
beste Teiler	326.5 (34.)	343.0 (31.)	521.2 (37.)		
Trefferlage	5.92 mm links, 0.57 mm hoch				
Streuwert	6.76, horizontal: 6.94, vertikal: 6.57				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **335** (350.8)  
 Serien: 79 83 88 85  
 Zähler: 7 10 16 5 2 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 3970 (10), 3701 (5), 3152 (40)  
 beste Teiler 144.8 (17.) 307.0 (22.) 632.8 (3.)  
 Trefferlage 3.57 mm links, 4.75 mm hoch  
 Streuwert 13.29, horizontal: 15.07, vertikal: 11.22




Serie 1:  
 8.0 ←                      8.0 ↘                      10.2 →                      8.4 ↗                      6.3 ↗  
 8.5 ←                      9.0 ←                      8.1 ↘                      8.5 ↘                      6.0 ←  
 beste Teiler 632.8 (3.) 1600.1 (7.) 1961.3 (6.)  
 Trefferlage 5.82 mm links, 2.89 mm tief  
 Streuwert 17.71, horizontal: 20.56, vertikal: 14.31



Serie 2:  
 8.3 ↗                      10.0 →                      7.3 →                      8.4 ↘                      8.6 ↘  
 7.7 ←                      10.8 \*                      8.1 ↗                      10.0 ↑                      7.9 ←  
 beste Teiler 144.8 (17.) 746.7 (19.) 749.2 (12.)  
 Trefferlage 0.72 mm links, 8.72 mm hoch  
 Streuwert 13.34, horizontal: 17.85, vertikal: 6.11



Serie 3:  
 8.9 ↑                      10.6 \*                      10.1 →                      10.1 ↘                      9.4 ↑  
 8.4 ↘                      7.9 ↘                      9.6 ↑                      8.0 ↘                      9.4 ↓  
 beste Teiler 307.0 (22.) 647.3 (24.) 681.3 (23.)  
 Trefferlage 5.47 mm links, 5.89 mm hoch  
 Streuwert 9.77, horizontal: 10.15, vertikal: 9.38





Serie 4:  
 9.7 ←                      9.8 →                      8.7 ↗                      9.6 ←                      9.8 ←  
 9.2 ↑                      8.7 ←                      8.5 ↑                      9.3 ↗                      7.0 ↘  
 beste Teiler 939.5 (32.) 946.9 (35.) 987.0 (31.)  
 Trefferlage 2.29 mm links, 7.30 mm hoch  
 Streuwert 11.04, horizontal: 10.94, vertikal: 11.14


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **346** (361.0)  
 Serien: 87 90 82 87  
 Zähler: 10 14 10 4 2 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 3906 (37), 3245 (40), 3111 (30)  
 beste Teiler 133.3 (34.) 277.8 (1.) 428.4 (33.)  
 Trefferlage 1.58 mm links, 2.44 mm tief  
 Streuwert 12.59, horizontal: 13.19, vertikal: 11.96




Serie 1:  
 10.6 \* 8.7 ↘ 9.1 ↑ 8.0 ↙ 9.3 ↓  
 9.8 ↘ 8.6 ↘ 10.4 \* 9.3 ← 7.2 ↓  
 beste Teiler 277.8 (1.) 430.5 (8.) 929.7 (6.)  
 Trefferlage 2.48 mm rechts, 7.41 mm tief  
 Streuwert 11.03, horizontal: 11.48, vertikal: 10.56



Serie 2:  
 7.1 ↓ 10.1 ↖ 8.8 ↙ 9.3 ↑ 10.3 ↑  
 9.0 ↓ 10.2 ← 8.4 ↖ 9.5 → 10.0 ↘  
 beste Teiler 529.2 (15.) 635.0 (17.) 694.9 (12.)  
 Trefferlage 0.12 mm links, 2.48 mm tief  
 Streuwert 11.36, horizontal: 10.66, vertikal: 12.02



Serie 3:  
 9.2 ← 8.5 ↗ 8.3 ← 9.6 ↗ 7.3 ↑  
 9.3 ← 9.9 ↘ 8.7 ↘ 8.0 → 7.1 ←  
 beste Teiler 818.5 (27.) 1090.8 (24.) 1307.3 (26.)  
 Trefferlage 0.10 mm links, 2.51 mm hoch  
 Streuwert 14.88, horizontal: 17.77, vertikal: 11.27





Serie 4:  
 10.1 ↙ 9.4 ← 10.4 \* 10.8 \* 9.0 ←  
 10.0 → 6.1 ↙ 8.8 ↙ 9.9 ↑ 6.9 ↖  
 beste Teiler 133.3 (34.) 428.4 (33.) 668.4 (31.)  
 Trefferlage 8.58 mm links, 2.39 mm tief  
 Streuwert 12.18, horizontal: 10.72, vertikal: 13.48

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **352** (369.5)  
 Serien: 90 86 83 93  
 Zähler: 13 12 12 2 0 0 1 0 0 0  
 Innenzehner: 5  
 weiteste: 5593 (25), 2621 (40), 2593 (24)  
 beste Teiler 268.2 (30.) 280.4 (32.) 342.7 (38.)  
 Trefferlage 0.29 mm rechts, 3.88 mm hoch  
 Streuwert 11.66, horizontal: 11.36, vertikal: 11.95




Serie 1:  
 10.2 ↗ 9.8 ↑ 8.6 ↑ 8.1 ← 9.7 ↓  
 10.3 ↙ 10.3 ↘ 8.9 ↗ 8.0 ← 10.1 ↓  
 beste Teiler 498.1 (7.) 519.2 (6.) 625.6 (1.)  
 Trefferlage 2.73 mm links, 2.21 mm hoch  
 Streuwert 10.36, horizontal: 11.39, vertikal: 9.21



Serie 2:  
 8.8 ← 8.5 ↘ 8.3 ← 8.8 → 10.1 →  
 9.5 ↘ 9.9 ↑ 9.1 → 9.0 ↗ 8.7 ↗  
 beste Teiler 706.3 (15.) 875.3 (17.) 1129.2 (16.)  
 Trefferlage 0.25 mm rechts, 4.82 mm hoch  
 Streuwert 11.16, horizontal: 13.10, vertikal: 8.81



Serie 3:  
 9.0 ↗ 9.1 ↘ 8.1 ← 7.7 ↘ 4.0 ↑  
 9.8 ↘ 9.4 ↗ 8.7 ↑ 10.4 \* 10.6 \*  
 beste Teiler 268.2 (30.) 402.7 (29.) 918.1 (26.)  
 Trefferlage 0.06 mm rechts, 9.76 mm hoch  
 Streuwert 15.63, horizontal: 13.67, vertikal: 17.38





Serie 4:  
 10.2 ↓ 10.6 \* 9.6 → 10.4 \* 10.3 →  
 8.9 ↗ 9.7 ↘ 10.5 \* 10.1 ← 7.7 ↓  
 beste Teiler 280.4 (32.) 342.7 (38.) 436.5 (34.)  
 Trefferlage 3.59 mm rechts, 1.26 mm tief  
 Streuwert 8.08, horizontal: 6.94, vertikal: 9.08


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **365** (386.0)  
 Serien: 93 92 90 90  
 Zähler: 16 14 9 1 0 0 0 0 0 0  
 Innenzehner: 11  
 weiteste: 2594 (24), 2292 (31), 2257 (17)  
 beste Teiler 155.6 (36.) 183.4 (3.) 197.3 (11.)  
 Trefferlage 0.68 mm rechts, 0.73 mm tief  
 Streuwert 8.93, horizontal: 8.18, vertikal: 9.62




Serie 1:  
 9.7 ↓                      10.7 \*                      10.7 \*                      10.3 ↗                      8.2 ←  
 10.6 \*                      9.4 ↓                      9.8 ↘                      10.1 →                      8.7 →  
 beste Teiler 183.4 (3.) 204.4 (2.) 300.1 (6.)  
 Trefferlage 0.43 mm rechts, 2.32 mm tief  
 Streuwert 8.17, horizontal: 9.90, vertikal: 5.97



Serie 2:  
 10.7 \*                      10.4 \*                      10.7 \*                      9.5 ↘                      9.6 ↑  
 8.7 ↖                      8.1 →                      9.8 →                      9.6 ←                      10.5 \*  
 beste Teiler 197.3 (11.) 211.0 (13.) 335.8 (20.)  
 Trefferlage 0.42 mm links, 2.89 mm hoch  
 Streuwert 8.31, horizontal: 10.34, vertikal: 5.58



Serie 3:  
 8.4 ↓                      9.8 ↑                      9.6 ↓                      7.7 ↑                      8.3 ↗  
 9.8 ↓                      10.0 ↗                      10.5 \*                      10.3 ↓                      10.6 \*  
 beste Teiler 283.8 (30.) 358.8 (28.) 536.2 (29.)  
 Trefferlage 2.48 mm rechts, 0.79 mm hoch  
 Streuwert 10.13, horizontal: 5.56, vertikal: 13.21





Serie 4:  
 8.1 ↙                      9.8 ↓                      10.2 ↗                      8.2 ↑                      9.8 ↘  
 10.8 \*                      9.6 ↓                      9.4 ↘                      10.4 \*                      8.9 ↓  
 beste Teiler 155.6 (36.) 472.5 (39.) 606.9 (33.)  
 Trefferlage 0.24 mm rechts, 4.29 mm tief  
 Streuwert 9.34, horizontal: 6.97, vertikal: 11.22


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **365** (383.0)  
 Serien: 92 92 85 96  
 Zähler: 15 17 7 0 1 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 3825 (24), 2187 (19), 2065 (21)  
 beste Teiler 142.6 (33.) 173.2 (13.) 272.3 (40.)  
 Trefferlage 1.57 mm links, 2.01 mm tief  
 Streuwert 9.07, horizontal: 8.26, vertikal: 9.81




Serie 1:  
 10.1 ↖                      9.9 ↖                      10.3 ↑                      9.6 ↓                      10.3 ↘  
 8.9 ↙                      9.6 ↓                      9.0 ↗                      9.8 ↘                      9.8 →  
 beste Teiler 503.9 (5.) 505.4 (3.) 666.1 (1.)  
 Trefferlage 1.06 mm links, 2.76 mm tief  
 Streuwert 7.42, horizontal: 6.52, vertikal: 8.22



Serie 2:  
 9.0 ↙                      9.5 ↖                      10.7 \*                      9.0 ↘                      10.1 ↑  
 9.9 ↓                      9.3 ↑                      10.3 →                      8.2 ↓                      9.5 ↘  
 beste Teiler 173.2 (13.) 481.6 (18.) 654.8 (15.)  
 Trefferlage 2.40 mm links, 3.22 mm tief  
 Streuwert 8.78, horizontal: 7.37, vertikal: 10.00



Serie 3:  
 8.4 ↓                      10.2 ↖                      10.0 ↘                      6.2 ↘                      9.7 ↓  
 9.7 ←                      8.8 ↗                      9.6 ↖                      8.9 ↖                      8.8 ↑  
 beste Teiler 569.4 (22.) 746.0 (23.) 986.1 (26.)  
 Trefferlage 4.53 mm links, 0.75 mm tief  
 Streuwert 12.82, horizontal: 11.64, vertikal: 13.89



Serie 4:  
 9.3 ↗                      10.4 \*                      10.8 \*                      10.0 ↘                      10.4 \*  
 10.2 ↓                      10.1 ↗                      9.7 ←                      8.4 ↓                      10.6 \*  
 beste Teiler 142.6 (33.) 272.3 (40.) 423.3 (35.)  
 Trefferlage 1.71 mm rechts, 1.31 mm tief  
 Streuwert 6.81, horizontal: 6.36, vertikal: 7.23

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **349** (367.5)

Serien: 91 87 86 85

Zähler: 10 16 8 5 1 0 0 0 0 0



Innenzehner: 0

weiteste: 3478 (24), 3095 (1), 2996 (32)

beste Teiler 504.0 (35.) 527.7 (2.) 574.5 (4.)

Trefferlage 0.87 mm rechts, 5.17 mm hoch

Streuwert 11.00, horizontal: 11.47, vertikal: 10.51




Serie 1:

7.1 ↗	10.3 ↘	8.6 ↗	10.2 ↘	9.4 ↖
10.1 ↓	9.6 ↗	10.0 →	9.7 ↘	9.7 ↘

beste Teiler 527.7 (2.) 574.5 (4.) 699.8 (6.)

Trefferlage 3.51 mm rechts, 1.10 mm hoch

Streuwert 10.07, horizontal: 10.00, vertikal: 10.15




Serie 2:

8.0 →	9.9 →	9.9 ↑	9.9 ↖	9.6 ↖
10.2 ↗	7.8 ↘	8.4 ↑	8.9 ↗	10.2 →

beste Teiler 624.4 (16.) 626.9 (20.) 816.2 (13.)

Trefferlage 2.48 mm rechts, 3.16 mm hoch

Streuwert 10.90, horizontal: 10.49, vertikal: 11.30




Serie 3:

10.2 ↘	8.3 ↖	9.6 ↗	6.6 →	9.0 ↑
9.7 ↑	9.6 ↖	10.1 ↖	9.7 ↖	7.9 ↗

beste Teiler 586.9 (21.) 658.4 (28.) 1021.3 (29.)

Trefferlage 1.32 mm rechts, 6.03 mm hoch

Streuwert 12.13, horizontal: 14.58, vertikal: 9.05



Serie 4:

7.4 ↑	7.2 ↗	9.1 ↖	8.9 ↖	10.3 ↖
9.9 ↑	10.1 ←	8.4 ↖	9.3 ↖	8.7 ↑



beste Teiler 504.0 (35.) 682.0 (37.) 817.6 (36.)

Trefferlage 3.80 mm links, 10.41 mm hoch


Streuwert 10.59, horizontal: 10.59, vertikal: 10.59

Unterschrift des Schützen


Ergebnis: **371** (389.5)  
 Serien: 96 94 92 89  
 Zähler: 18 16 5 1 0 0 0 0 0 0  
 Innenzehner: 11  
 weiteste: 2829 (38), 2169 (31), 1913 (28)  
 beste Teiler 250.5 (13.) 260.2 (36.) 293.5 (1.)  
 Trefferlage 1.78 mm rechts, 2.54 mm tief  
 Streuwert 7.76, horizontal: 8.51, vertikal: 6.92




Serie 1:  
 10.6 \*                      10.5 \*                      10.2 ↘                      9.7 ←                      9.5 →  
 10.3 ↘                      10.5 \*                      9.6 ↘                      9.3 →                      10.0 ↗  
 beste Teiler 293.5 (1.) 321.2 (7.) 358.0 (2.)  
 Trefferlage 2.80 mm rechts, 1.90 mm tief  
 Streuwert 5.64, horizontal: 7.40, vertikal: 2.98



Serie 2:  
 10.1 ↗                      10.5 \*                      10.6 \*                      9.7 ↓                      10.2 ↗  
 9.1 ↘                      8.8 →                      10.4 \*                      10.2 ↗                      8.9 →  
 beste Teiler 250.5 (13.) 371.7 (12.) 469.6 (18.)  
 Trefferlage 3.36 mm rechts, 2.34 mm tief  
 Streuwert 7.00, horizontal: 8.03, vertikal: 5.78



Serie 3:  
 10.4 \*                      10.0 ←                      9.9 ↘                      9.9 ↗                      9.4 →  
 9.2 ←                      10.5 \*                      8.6 ↗                      9.1 ↘                      9.7 ↓  
 beste Teiler 356.4 (27.) 439.0 (21.) 745.9 (22.)  
 Trefferlage 2.05 mm links, 4.33 mm tief  
 Streuwert 7.54, horizontal: 7.81, vertikal: 7.25



Serie 4:  
 8.2 →                      10.4 \*                      9.7 ↗                      8.9 ↘                      9.4 ↓  
 10.6 \*                      9.4 ←                      7.4 ↘                      10.4 \*                      9.7 →  
 beste Teiler 260.2 (36.) 456.3 (39.) 474.0 (32.)  
 Trefferlage 3.04 mm rechts, 1.58 mm tief  
 Streuwert 10.48, horizontal: 10.57, vertikal: 10.38

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **380.1** (366)

Serien: 92.5 95.7 95.3 96.6

Zähler: 13 21 5 1 0 0 0 0 0 0



Innenzehner: 8

weiteste: 762 (22), 711 (9), 671 (11)

beste Teiler 62.1 (27.) 95.6 (17.) 98.1 (20.)

Trefferlage 0.17 mm rechts, 0.44 mm hoch

Streuwert 2.88, horizontal: 3.01, vertikal: 2.75




Serie 1:

9.0 ↗	9.8 ↘	10.0 ↘	10.2 *	9.2 ↗
9.0 →	9.4 →	9.1 ←	8.1 ↗	8.7 ↘

beste Teiler 199.1 (4.) 249.0 (3.) 280.0 (2.)

Trefferlage 1.81 mm rechts, 0.77 mm hoch

Streuwert 3.05, horizontal: 3.01, vertikal: 3.10




Serie 2:

8.3 ↘	9.4 ↘	10.2 *	8.5 ↗	9.2 ↘
9.4 ↗	10.6 *	9.6 ↘	9.9 ↗	10.6 *

beste Teiler 95.6 (17.) 98.1 (20.) 183.1 (13.)

Trefferlage 1.85 mm rechts, 0.75 mm tief

Streuwert 2.54, horizontal: 2.39, vertikal: 2.67




Serie 3:

9.3 ↓	7.9 ↖	9.8 ↓	9.4 ↗	10.3 *
10.4 *	10.7 *	10.1 ↓	8.4 ←	9.0 ↗

beste Teiler 62.1 (27.) 142.5 (26.) 158.1 (25.)

Trefferlage 0.74 mm links, 0.41 mm hoch

Streuwert 3.03, horizontal: 2.83, vertikal: 3.22



Serie 4:

10.1 ↘	9.2 ↗	9.7 ↘	10.1 ↗	9.2 ←
10.0 ↘	10.4 *	9.0 ↘	9.6 ↘	9.3 ←

beste Teiler 141.4 (37.) 216.3 (34.) 225.8 (31.)



Trefferlage 2.23 mm links, 1.35 mm hoch

Streuwert 1.72, horizontal: 1.76, vertikal: 1.69


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **588.4** (563)  
 Serien: 99.9 98.6 97.6 94.4 100.2 97.7  
 Zähler: 25 33 2 0 0 0 0 0 0  
 Innenzehner: 20  
 weiteste: 547 (37), 533 (36), 487 (6)  
 beste Teiler 21.0 (5.) 39.1 (30.) 67.3 (15.)  
 Trefferlage 0.18 mm links, 0.01 mm hoch  
 Streuwert 2.28, horizontal: 2.81, vertikal: 1.60




Serie 1:  
 10.4 \* 9.6 ↘ 10.1 ↓ 9.9 ↘ 10.9 \*  
 9.0 ← 10.6 \* 9.3 ↙ 10.3 \* 9.8 ↗  
 beste Teiler 21.0 (5.) 82.0 (7.) 131.6 (1.)  
 Trefferlage 0.56 mm links, 0.54 mm tief  
 Streuwert 2.00, horizontal: 2.33, vertikal: 1.60




Serie 2:  
 10.5 \* 9.6 ← 10.0 ↓ 10.0 ↓ 10.7 \*  
 9.1 ↙ 9.4 ↗ 9.3 → 9.8 ← 10.2 \*  
 beste Teiler 67.3 (15.) 124.1 (11.) 200.1 (20.)  
 Trefferlage 0.30 mm links, 0.09 mm hoch  
 Streuwert 2.23, horizontal: 2.50, vertikal: 1.93




Serie 3:  
 10.0 ↗ 9.9 → 10.2 \* 9.2 → 10.3 \*  
 9.1 ← 9.7 ← 9.1 ↗ 9.3 → 10.8 \*  
 beste Teiler 39.1 (30.) 151.6 (25.) 187.5 (23.)  
 Trefferlage 0.88 mm rechts, 0.31 mm hoch  
 Streuwert 2.37, horizontal: 3.09, vertikal: 1.31



Serie 4:  
 10.5 \* 9.1 ↖ 9.9 ↗ 9.6 ↖ 9.3 →  
 8.8 → 8.8 ← 10.2 \* 9.1 ↖ 9.1 →  
 beste Teiler 107.9 (31.) 189.6 (38.) 272.6 (33.)  
 Trefferlage 0.08 mm links, 1.00 mm hoch  
 Streuwert 2.92, horizontal: 3.93, vertikal: 1.26



Serie 5:  
 9.8 → 10.5 \* 9.5 ↙ 10.1 ↓ 9.9 ↖  
 10.6 \* 9.7 ↓ 10.4 \* 9.4 → 10.3 \*  
 beste Teiler 91.2 (46.) 106.7 (42.) 134.2 (48.)  
 Trefferlage 0.55 mm rechts, 0.22 mm tief  
 Streuwert 1.82, horizontal: 2.00, vertikal: 1.62



Serie 6:  
 9.4 ↙ 9.5 ↖ 10.2 \* 10.7 \* 10.6 \*  
 9.1 ↙ 10.4 \* 9.1 ↖ 9.2 → 9.5 ↙  
 beste Teiler 72.8 (54.) 86.8 (55.) 135.4 (57.)  
 Trefferlage 1.61 mm links, 0.55 mm tief  
 Streuwert 2.15, horizontal: 2.58, vertikal: 1.60

**LG 60 ZR** – Wertung – **Männer**

StandNr: 117

**Bauhofer,, Michael** #70309084

**StartNr: 163**

4. Februar 2018 13:46

70309 / 0



---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik




Ergebnis:	<b>614.8</b>	(589)						
Serien:	102.7	103.3	102.7	102.2	101.3	102.6		
Zähler:	49	11	0	0	0	0	0	0
Innenzehner:	39							
weiteste:	419 (41),	362 (49),	350 (26)					
beste Teiler	21.4 (31.)	33.7 (36.)	49.3 (2.)					
Trefferlage	0.43 mm links, 0.13 mm hoch							
Streuwert	1.38, horizontal: 1.37, vertikal: 1.39							




Serie 1:	9.7 ←	10.8 *	9.9 ↘	10.4 *	10.5 *
	10.3 *	10.4 *	10.1 ↑	10.5 *	10.1 ↓
beste Teiler	49.3 (2.)	115.0 (5.)	116.0 (9.)		
Trefferlage	0.49 mm links, 0.13 mm hoch				
Streuwert	1.32, horizontal: 1.27, vertikal: 1.38				




Serie 2:	10.5 *	10.4 *	10.7 *	10.2 *	10.4 *
	9.8 →	10.4 *	10.3 *	10.5 *	10.1 ↓
beste Teiler	55.5 (13.)	102.0 (11.)	121.0 (19.)		
Trefferlage	0.53 mm rechts, 0.34 mm hoch				
Streuwert	1.15, horizontal: 0.91, vertikal: 1.35				




Serie 3:	10.6 *	10.7 *	10.2 *	10.2 *	9.6 ↘
	9.6 ↙	10.2 *	10.7 *	10.4 *	10.5 *
beste Teiler	54.1 (28.)	62.0 (22.)	86.3 (21.)		
Trefferlage	0.59 mm links, 0.09 mm hoch				
Streuwert	1.39, horizontal: 1.63, vertikal: 1.11				



Serie 4:	10.9 *	9.9 ↓	10.0 ↘	9.6 ↙	10.0 ↙
	10.8 *	10.4 *	10.2 *	10.2 *	10.2 *
beste Teiler	21.4 (31.)	33.7 (36.)	146.7 (37.)		
Trefferlage	0.64 mm links, 0.10 mm tief				
Streuwert	1.46, horizontal: 1.36, vertikal: 1.56				



Serie 5:	9.3 ←	10.2 *	10.7 *	10.7 *	10.1 ↓
	10.7 *	10.7 *	9.7 ↘	9.5 ↙	9.7 ↑
beste Teiler	58.6 (43.)	60.8 (44.)	64.0 (47.)		
Trefferlage	1.07 mm links, 0.16 mm tief				
Streuwert	1.65, horizontal: 1.50, vertikal: 1.78				



Serie 6:	10.2 *	10.2 *	10.6 *	10.0 ↓	10.0 ↙
	10.7 *	10.2 *	10.0 ↑	10.0 ↑	10.7 *
beste Teiler	62.9 (60.)	66.1 (56.)	86.8 (53.)		
Trefferlage	0.37 mm links, 0.52 mm hoch				
Streuwert	1.30, horizontal: 1.26, vertikal: 1.33				

Meyton Elektronik

**LG 60 ZR – Wertung – Männer**

StandNr: 118

**Walder,, Peter–Paul** #70606050

**StartNr: 164**

4. Februar 2018 13:40



70606 / 0

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>610.5</b>	(583)
Serien:	103.0	101.7 102.2 101.5 100.9 101.2
Zähler:	44	15 1 0 0 0 0 0 0 0
Innenzehner:	33	
weiteste:	523	(11), 443 (40), 398 (33)
beste Teiler	31.0	(39.) 34.3 (25.) 36.3 (19.)
Trefferlage	0.46 mm	rechts, 0.31 mm hoch
Streuwert	1.55,	horizontal: 1.73, vertikal: 1.35




Serie 1:	10.5 *	9.6 ↓	10.2 *	9.6 ↗	10.5 *
	10.1 ↖	10.5 *	10.7 *	10.6 *	10.7 *
beste Teiler	51.0	(8.) 61.0 (10.)	90.9 (9.)		
Trefferlage	0.21 mm	rechts, 0.34 mm hoch			
Streuwert	1.41,	horizontal: 1.22, vertikal: 1.57			




Serie 2:	8.9 ↘	10.7 *	10.6 *	10.5 *	9.4 →
	10.1 ↗	10.3 *	10.5 *	10.8 *	9.9 ←
beste Teiler	36.3	(19.) 58.8 (12.)	78.7 (13.)		
Trefferlage	0.89 mm	rechts, 0.31 mm tief			
Streuwert	1.68,	horizontal: 2.19, vertikal: 0.94			




Serie 3:	9.8 ↑	10.4 *	10.0 ↓	10.4 *	10.8 *
	10.2 *	9.4 →	10.7 *	10.0 ←	10.5 *
beste Teiler	34.3	(25.) 75.1 (28.)	120.1 (30.)		
Trefferlage	0.01 mm	links, 0.11 mm tief			
Streuwert	1.56,	horizontal: 1.64, vertikal: 1.47			



Serie 4:	10.7 *	10.7 *	9.4 ↖	9.7 ↗	10.0 ↗
	10.4 *	10.0 ↗	10.6 *	10.8 *	9.2 ↑
beste Teiler	31.0	(39.) 59.9 (32.)	60.2 (31.)		
Trefferlage	0.15 mm	rechts, 1.33 mm hoch			
Streuwert	1.53,	horizontal: 1.70, vertikal: 1.35			



Serie 5:	10.4 *	10.0 ↘	10.2 *	9.8 →	10.2 *
	9.8 →	9.5 ↗	10.6 *	10.2 *	10.2 *
beste Teiler	79.6	(48.) 135.4 (41.)	176.9 (43.)		
Trefferlage	0.61 mm	rechts, 0.47 mm hoch			
Streuwert	1.60,	horizontal: 1.72, vertikal: 1.47			



Serie 6:	10.0 →	10.4 *	10.1 →	10.6 *	9.7 →
	10.0 →	9.7 ←	10.7 *	9.9 ↖	10.1 →
beste Teiler	71.6	(58.) 85.2 (54.)	145.2 (52.)		
Trefferlage	0.92 mm	rechts, 0.18 mm hoch			
Streuwert	1.50,	horizontal: 1.97, vertikal: 0.81			

Meyton Elektronik

**LG 60 ZR – Wertung – Männer**

StandNr: 119

**Bauhofer,, Markus #70309007**

**StartNr: 165**

4. Februar 2018 13:47



70309 / 0

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **402.8** (385)  
 Serien: 99.5 100.0 102.2 101.1  
 Zähler: 26 13 1 0 0 0 0 0 0 0  
 Innenzehner: 24  
 weiteste: 695 (11), 475 (36), 464 (34)  
 beste Teiler 45.3 (17.) 48.5 (22.) 50.6 (31.)  
 Trefferlage 0.14 mm rechts, 0.51 mm tief  
 Streuwert 1.85, horizontal: 1.81, vertikal: 1.89




Serie 1:  
 10.2 \* 9.4 ↓ 10.5 \* 10.7 \* 9.3 ↘  
 10.2 \* 9.8 ↘ 9.6 ↙ 10.4 \* 9.4 ↘  
 beste Teiler 67.9 (4.) 124.1 (3.) 135.5 (9.)  
 Trefferlage 0.13 mm rechts, 1.29 mm tief  
 Streuwert 1.87, horizontal: 1.95, vertikal: 1.78



Serie 2:  
 8.2 ↖ 9.7 ↖ 10.0 ← 10.4 \* 10.3 \*  
 10.2 \* 10.8 \* 9.8 ↘ 10.2 \* 10.4 \*  
 beste Teiler 45.3 (17.) 128.4 (14.) 142.7 (20.)  
 Trefferlage 0.49 mm links, 0.33 mm hoch  
 Streuwert 2.14, horizontal: 2.20, vertikal: 2.07



Serie 3:  
 9.7 ↘ 10.8 \* 10.1 ← 10.6 \* 10.5 \*  
 10.4 \* 9.6 ↑ 10.4 \* 10.6 \* 9.5 →  
 beste Teiler 48.5 (22.) 78.1 (29.) 94.0 (24.)  
 Trefferlage 0.39 mm rechts, 0.11 mm hoch  
 Streuwert 1.57, horizontal: 1.84, vertikal: 1.24





Serie 4:  
 10.8 \* 10.4 \* 10.2 \* 9.1 ↘ 10.2 \*  
 9.1 ↓ 10.4 \* 10.7 \* 10.5 \* 9.7 ↘  
 beste Teiler 50.6 (31.) 71.0 (38.) 109.2 (39.)  
 Trefferlage 0.55 mm rechts, 1.19 mm tief  
 Streuwert 1.65, horizontal: 1.20, vertikal: 2.01


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **376.9** (358)  
 Serien: 94.4 97.2 92.2 93.1  
 Zähler: 12 15 12 1 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 926 (28), 730 (31), 711 (34)  
 beste Teiler 43.0 (12.) 86.1 (6.) 102.1 (29.)  
 Trefferlage 0.28 mm links, 0.00 mm  
 Streuwert 3.09, horizontal: 3.43, vertikal: 2.69




Serie 1:  
 8.8 ←                      10.1 ↓                      10.2 \*                      8.3 →                      8.7 ←  
 10.6 \*                      9.8 ↖                      10.1 ↗                      8.8 ↓                      9.0 →  
 beste Teiler 86.1 (6.) 199.0 (3.) 203.7 (8.)  
 Trefferlage 0.25 mm links, 0.83 mm tief  
 Streuwert 3.10, horizontal: 3.72, vertikal: 2.33



Serie 2:  
 10.2 \*                      10.8 \*                      9.9 ←                      10.2 \*                      9.7 ←  
 9.3 ↘                      8.4 ↖                      9.0 ↖                      10.0 ↓                      9.7 ↘  
 beste Teiler 43.0 (12.) 178.9 (14.) 195.5 (11.)  
 Trefferlage 0.89 mm links, 0.44 mm tief  
 Streuwert 2.48, horizontal: 2.56, vertikal: 2.41



Serie 3:  
 9.9 ←                      10.5 \*                      9.5 ↑                      8.8 ←                      9.7 ←  
 8.9 →                      8.4 ↘                      7.2 ↘                      10.5 \*                      8.8 ←  
 beste Teiler 102.1 (29.) 117.1 (22.) 264.3 (21.)  
 Trefferlage 1.34 mm links, 0.49 mm hoch  
 Streuwert 3.49, horizontal: 3.50, vertikal: 3.48





Serie 4:  
 8.0 →                      9.4 ↘                      8.9 ←                      8.1 ↗                      9.8 ↑  
 9.2 →                      10.3 \*                      10.5 \*                      9.4 ↗                      9.5 ←  
 beste Teiler 105.7 (38.) 175.5 (37.) 280.0 (35.)  
 Trefferlage 1.34 mm rechts, 0.80 mm hoch  
 Streuwert 3.16, horizontal: 3.73, vertikal: 2.48


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **345.9** (326)  
 Serien: 94.6 82.0 85.2 84.1  
 Zähler: 7 11 10 9 1 1 0 1 0 0  
 Innenzehner: 6  
 weiteste: 1868 (14), 1357 (13), 1031 (21)  
 beste Teiler 44.0 (27.) 61.0 (6.) 169.9 (1.)  
 Trefferlage 0.71 mm rechts, 1.88 mm hoch  
 Streuwert 4.62, horizontal: 5.56, vertikal: 3.43




Serie 1:  
 10.3 \*                      9.2 ↑                      9.0 ←                      10.1 ↘                      8.3 ↗  
 10.7 \*                      8.0 →                      9.5 ↑                      9.6 →                      9.9 ↗  
 beste Teiler 61.0 (6.) 169.9 (1.) 219.1 (4.)  
 Trefferlage 1.24 mm rechts, 1.52 mm hoch  
 Streuwert 2.79, horizontal: 3.39, vertikal: 2.03



Serie 2:  
 8.8 ↑                      9.4 →                      5.5 →                      3.5 →                      8.7 ↘  
 7.6 →                      10.2 \*                      10.2 \*                      8.3 ↑                      9.8 ←  
 beste Teiler 184.8 (18.) 193.8 (17.) 283.1 (20.)  
 Trefferlage 3.28 mm rechts, 1.07 mm hoch  
 Streuwert 5.86, horizontal: 7.15, vertikal: 4.19



Serie 3:  
 6.8 ↑                      9.2 ↗                      8.9 ↘                      8.9 ↘                      7.7 ↘  
 7.5 ←                      10.8 \*                      8.9 ↙                      9.0 ↓                      7.5 →  
 beste Teiler 44.0 (27.) 433.6 (22.) 481.1 (29.)  
 Trefferlage 1.66 mm links, 1.40 mm hoch  
 Streuwert 4.65, horizontal: 4.66, vertikal: 4.64





Serie 4:  
 8.6 ↗                      7.3 →                      9.7 ↘                      7.6 ↘                      8.6 ↗  
 7.0 ↘                      7.5 ↘                      9.8 ↗                      10.2 \*                      7.8 ↗  
 beste Teiler 190.5 (39.) 281.7 (38.) 308.3 (33.)  
 Trefferlage 0.01 mm links, 3.52 mm hoch  
 Streuwert 4.41, horizontal: 5.94, vertikal: 1.89


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **369.0** (355)  
 Serien: 93.4 95.8 90.3 89.5  
 Zähler: 13 15 8 2 2 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 1075 (38), 1008 (33), 958 (23)  
 beste Teiler 71.4 (7.) 146.4 (14.) 156.6 (4.)  
 Trefferlage 0.55 mm rechts, 2.09 mm hoch  
 Streuwert 3.19, horizontal: 3.78, vertikal: 2.47




Serie 1:  
 7.3 → 8.4 ← 10.1 ↗ 10.3 \* 9.9 ↖  
 8.3 ← 10.7 \* 10.3 \* 9.1 ↗ 9.0 ↑  
 beste Teiler 71.4 (7.) 156.6 (4.) 161.0 (8.)  
 Trefferlage 0.12 mm rechts, 1.13 mm hoch  
 Streuwert 3.46, horizontal: 4.38, vertikal: 2.17



Serie 2:  
 10.2 \* 8.5 ↖ 9.4 ↖ 10.4 \* 9.3 ↗  
 9.5 ↘ 9.0 ↖ 10.0 → 9.5 ↑ 10.0 ↗  
 beste Teiler 146.4 (14.) 193.3 (11.) 227.1 (18.)  
 Trefferlage 0.64 mm links, 1.38 mm hoch  
 Streuwert 2.50, horizontal: 2.94, vertikal: 1.96



Serie 3:  
 9.6 ← 8.5 ↗ 7.1 ↗ 9.7 ↗ 10.0 →  
 10.1 ↑ 8.3 → 9.4 ↖ 9.1 ↑ 8.5 ↖  
 beste Teiler 206.0 (26.) 227.9 (25.) 314.2 (24.)  
 Trefferlage 0.77 mm rechts, 2.97 mm hoch  
 Streuwert 3.19, horizontal: 3.65, vertikal: 2.65





Serie 4:  
 9.3 ↖ 9.3 ↖ 6.9 ↗ 9.5 ↑ 10.3 \*  
 8.4 → 10.0 → 6.7 ↗ 8.9 ↗ 10.2 \*  
 beste Teiler 172.6 (35.) 180.4 (40.) 229.6 (37.)  
 Trefferlage 1.95 mm rechts, 2.88 mm hoch  
 Streuwert 3.49, horizontal: 4.09, vertikal: 2.76


Unterschrift des Schützen




Ergebnis: **386.6** (369)  
 Serien: 96.6 96.1 92.5 101.4  
 Zähler: 19 12 8 1 0 0 0 0 0 0  
 Innenzehner: 14  
 weiteste: 847 (21), 726 (28), 623 (16)  
 beste Teiler 17.0 (35.) 69.6 (19.) 72.0 (34.)  
 Trefferlage 0.78 mm links, 0.76 mm hoch  
 Streuwert 2.59, horizontal: 2.96, vertikal: 2.16




Serie 1:  
 10.2 \*                      10.5 \*                      9.7 ↓                      10.1 ↗                      10.4 \*  
 8.5 ←                      9.0 ↙                      9.2 ↘                      8.8 ↗                      10.2 \*  
 beste Teiler 118.8 (2.) 136.0 (5.) 183.1 (10.)  
 Trefferlage 0.92 mm links, 0.38 mm hoch  
 Streuwert 2.62, horizontal: 2.49, vertikal: 2.74



Serie 2:  
 10.0 ←                      10.0 ↖                      9.8 →                      9.9 ↑                      9.5 →  
 8.5 ↙                      9.7 ↗                      9.2 ↗                      10.7 \*                      8.8 ↘  
 beste Teiler 69.6 (19.) 238.3 (11.) 247.4 (12.)  
 Trefferlage 0.23 mm rechts, 0.92 mm hoch  
 Streuwert 2.66, horizontal: 2.74, vertikal: 2.58



Serie 3:  
 7.6 ↖                      10.0 ↖                      10.3 \*                      9.5 →                      8.6 ↖  
 9.4 ↓                      10.3 \*                      8.0 ↖                      10.2 \*                      8.6 ↖  
 beste Teiler 156.2 (23.) 166.3 (27.) 192.0 (29.)  
 Trefferlage 2.54 mm links, 0.92 mm hoch  
 Streuwert 3.00, horizontal: 3.69, vertikal: 2.10





Serie 4:  
 9.5 ↖                      10.1 ↗                      8.9 →                      10.7 \*                      10.9 \*  
 10.5 \*                      9.8 ←                      10.2 \*                      10.6 \*                      10.2 \*  
 beste Teiler 17.0 (35.) 72.0 (34.) 80.2 (39.)  
 Trefferlage 0.10 mm rechts, 0.81 mm hoch  
 Streuwert 1.79, horizontal: 2.25, vertikal: 1.15


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **392.1** (374)  
 Serien: 98.9 99.2 98.1 95.9  
 Zähler: 18 18 4 0 0 0 0 0 0 0  
 Innenzehner: 14  
 weiteste: 707 (15), 544 (33), 532 (35)  
 beste Teiler 46.0 (11.) 52.6 (12.) 73.0 (13.)  
 Trefferlage 0.10 mm links, 0.20 mm hoch  
 Streuwert 2.32, horizontal: 2.62, vertikal: 1.98




Serie 1:  
 10.3 \*                      10.2 \*                      10.6 \*                      9.1 →                      10.2 \*  
 10.2 \*                      8.9 ↘                      9.9 →                      9.8 ↗                      9.7 ←  
 beste Teiler 82.8 (3.) 161.0 (1.) 180.6 (5.)  
 Trefferlage 0.15 mm links, 0.86 mm hoch  
 Streuwert 2.10, horizontal: 2.73, vertikal: 1.17



Serie 2:  
 10.8 \*                      10.7 \*                      10.7 \*                      9.6 ←                      8.1 ↑  
 9.8 ↑                      10.6 \*                      9.5 →                      9.2 →                      10.2 \*  
 beste Teiler 46.0 (11.) 52.6 (12.) 73.0 (13.)  
 Trefferlage 0.43 mm rechts, 1.16 mm hoch  
 Streuwert 2.25, horizontal: 2.14, vertikal: 2.35



Serie 3:  
 9.1 ↘                      10.3 \*                      10.0 →                      9.9 →                      9.1 ←  
 10.0 →                      10.0 ←                      10.0 ↓                      10.3 \*                      9.4 ↘  
 beste Teiler 153.1 (29.) 174.7 (22.) 229.3 (26.)  
 Trefferlage 0.94 mm rechts, 0.73 mm tief  
 Streuwert 2.08, horizontal: 2.61, vertikal: 1.36





Serie 4:  
 9.1 ←                      9.2 ↓                      8.8 ←                      9.8 →                      8.8 ←  
 9.9 ↘                      10.2 \*                      10.6 \*                      9.7 ←                      9.8 ↖  
 beste Teiler 100.4 (38.) 184.0 (37.) 257.3 (36.)  
 Trefferlage 1.62 mm links, 0.47 mm tief  
 Streuwert 2.45, horizontal: 2.60, vertikal: 2.29


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371.7** (353)  
 Serien: 93.1 91.0 95.1 92.5  
 Zähler: 9 20 7 3 1 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 1103 (37), 825 (22), 817 (34)  
 beste Teiler 54.0 (15.) 76.0 (23.) 117.3 (35.)  
 Trefferlage 0.40 mm links, 0.62 mm hoch  
 Streuwert 3.35, horizontal: 4.16, vertikal: 2.27




Serie 1:  
 10.3 \* 8.6 ↖ 9.6 ↗ 9.5 ↘ 9.0 ↘  
 8.5 ← 9.8 ← 9.6 ↖ 9.2 ↓ 9.0 ↘  
 beste Teiler 151.2 (1.) 286.2 (7.) 333.3 (8.)  
 Trefferlage 0.28 mm links, 0.14 mm tief  
 Streuwert 3.22, horizontal: 3.32, vertikal: 3.11



Serie 2:  
 9.9 ← 9.1 ↖ 8.8 ↖ 7.8 ← 10.7 \*  
 8.5 → 8.0 → 9.1 ↘ 9.5 ← 9.6 ↗  
 beste Teiler 54.0 (15.) 255.6 (11.) 349.3 (20.)  
 Trefferlage 0.23 mm links, 0.39 mm hoch  
 Streuwert 3.79, horizontal: 4.89, vertikal: 2.20



Serie 3:  
 10.3 \* 7.7 ↖ 10.6 \* 9.2 ↖ 9.3 ↘  
 9.7 ↖ 10.0 ↑ 8.3 → 10.3 \* 9.7 ↗  
 beste Teiler 76.0 (23.) 163.4 (29.) 170.0 (21.)  
 Trefferlage 0.18 mm rechts, 0.89 mm hoch  
 Streuwert 3.08, horizontal: 3.81, vertikal: 2.11





Serie 4:  
 9.7 ↖ 9.8 ← 8.8 ↖ 7.7 → 10.5 \*  
 9.3 ← 6.5 ← 9.9 ↑ 10.0 ↑ 10.3 \*  
 beste Teiler 117.3 (35.) 157.8 (40.) 241.5 (39.)  
 Trefferlage 1.26 mm links, 1.34 mm hoch  
 Streuwert 3.62, horizontal: 4.91, vertikal: 1.43


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **404.8** (388)  
 Serien: 103.5 100.1 101.1 100.1  
 Zähler: 30 9 0 1 0 0 0 0 0 0  
 Innenzehner: 23  
 weiteste: 802 (34), 395 (15), 338 (16)  
 beste Teiler 51.6 (36.) 61.0 (25.) 80.2 (27.)  
 Trefferlage 0.00 mm , 0.39 mm hoch  
 Streuwert 1.70, horizontal: 2.12, vertikal: 1.14




Serie 1:  
 10.5 \*                      10.2 \*                      10.3 \*                      10.2 \*                      10.2 \*  
 10.2 \*                      10.5 \*                      10.5 \*                      10.5 \*                      10.4 \*  
 beste Teiler 102.3 (9.) 104.2 (8.) 112.5 (1.)  
 Trefferlage 0.03 mm links, 0.58 mm tief  
 Streuwert 1.08, horizontal: 1.10, vertikal: 1.07



Serie 2:  
 10.4 \*                      10.0 ↘                      10.2 \*                      9.8 ↖                      9.4 ←  
 9.6 ↘                      10.0 →                      10.1 ↘                      10.0 ↘                      10.6 \*  
 beste Teiler 99.0 (20.) 142.1 (11.) 181.3 (13.)  
 Trefferlage 0.43 mm links, 0.62 mm hoch  
 Streuwert 1.77, horizontal: 2.26, vertikal: 1.09



Serie 3:  
 10.3 \*                      9.9 ↘                      9.9 ↗                      9.8 ←                      10.7 \*  
 10.3 \*                      10.6 \*                      9.9 ←                      9.8 ↘                      9.9 →  
 beste Teiler 61.0 (25.) 80.2 (27.) 158.7 (26.)  
 Trefferlage 0.44 mm links, 0.87 mm hoch  
 Streuwert 1.52, horizontal: 1.92, vertikal: 0.96





Serie 4:  
 10.0 ↗                      10.2 \*                      10.3 \*                      7.7 →                      10.4 \*  
 10.7 \*                      10.1 ↘                      10.3 \*                      10.4 \*                      10.0 ←  
 beste Teiler 51.6 (36.) 126.7 (35.) 148.7 (39.)  
 Trefferlage 0.88 mm rechts, 0.66 mm hoch  
 Streuwert 2.14, horizontal: 2.87, vertikal: 0.97


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **399.5** (380)  
 Serien: 102.2 97.7 99.3 100.3  
 Zähler: 26 12 1 0 0 0 1 0 0 0  
 Innenzehner: 19  
 weiteste: 1549 (15), 502 (1), 451 (37)  
 beste Teiler 23.3 (31.) 27.3 (10.) 35.4 (2.)  
 Trefferlage 0.18 mm links, 0.01 mm hoch  
 Streuwert 2.43, horizontal: 3.09, vertikal: 1.51




Serie 1:  
 8.9 → 10.8 \* 10.4 \* 9.6 → 10.2 \*  
 9.9 ← 10.8 \* 10.1 ↓ 10.7 \* 10.8 \*  
 beste Teiler 27.3 (10.) 35.4 (2.) 38.8 (7.)  
 Trefferlage 0.82 mm rechts, 0.19 mm tief  
 Streuwert 1.60, horizontal: 2.07, vertikal: 0.91



Serie 2:  
 10.5 \* 10.2 \* 10.6 \* 10.7 \* 4.8 ↖  
 10.2 \* 10.0 ← 10.4 \* 9.8 → 10.5 \*  
 beste Teiler 53.1 (14.) 98.4 (13.) 113.2 (20.)  
 Trefferlage 1.17 mm links, 0.24 mm hoch  
 Streuwert 3.75, horizontal: 5.02, vertikal: 1.70



Serie 3:  
 10.0 ↓ 10.0 ↓ 10.1 ↑ 9.2 ← 10.5 \*  
 9.9 → 10.1 ↑ 9.3 ↑ 9.9 ↙ 10.3 \*  
 beste Teiler 123.0 (25.) 168.1 (30.) 209.7 (27.)  
 Trefferlage 0.31 mm links, 0.09 mm hoch  
 Streuwert 2.01, horizontal: 1.92, vertikal: 2.09





Serie 4:  
 10.9 \* 10.1 ↗ 10.2 \* 10.8 \* 10.2 \*  
 9.8 ↖ 9.1 ← 9.6 → 9.9 ↖ 9.7 ↘  
 beste Teiler 23.3 (31.) 43.0 (34.) 186.9 (35.)  
 Trefferlage 0.08 mm links, 0.11 mm tief  
 Streuwert 1.96, horizontal: 2.46, vertikal: 1.28


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **399.7** (378)  
 Serien: 102.2 98.1 100.7 98.7  
 Zähler: 20 18 2 0 0 0 0 0 0 0  
 Innenzehner: 16  
 weiteste: 649 (18), 530 (11), 442 (25)  
 beste Teiler 8.0 (5.) 30.6 (27.) 32.0 (3.)  
 Trefferlage 0.03 mm links, 0.07 mm hoch  
 Streuwert 1.95, horizontal: 2.38, vertikal: 1.40




Serie 1:  
 10.5 \*                      9.7 ↘                      10.8 \*                      9.7 ↖                      10.9 \*  
 9.9 ↙                      10.6 \*                      9.6 ←                      10.4 \*                      10.1 →  
 beste Teiler 8.0 (5.) 32.0 (3.) 79.6 (7.)  
 Trefferlage 0.52 mm links, 0.04 mm tief  
 Streuwert 1.56, horizontal: 1.94, vertikal: 1.05



Serie 2:  
 8.8 →                      10.5 \*                      9.9 ←                      9.7 →                      9.8 →  
 10.4 \*                      10.2 \*                      8.4 ↖                      10.2 \*                      10.2 \*  
 beste Teiler 123.2 (12.) 145.3 (16.) 183.2 (17.)  
 Trefferlage 0.35 mm rechts, 0.14 mm hoch  
 Streuwert 2.44, horizontal: 3.20, vertikal: 1.30



Serie 3:  
 10.7 \*                      9.7 ↗                      10.0 ↑                      10.4 \*                      9.2 ↖  
 9.8 ↘                      10.8 \*                      10.3 \*                      10.0 →                      9.8 →  
 beste Teiler 30.6 (27.) 61.2 (21.) 144.4 (24.)  
 Trefferlage 0.02 mm links, 0.54 mm hoch  
 Streuwert 1.83, horizontal: 2.24, vertikal: 1.30





Serie 4:  
 10.2 \*                      9.9 ↗                      10.6 \*                      9.4 ←                      9.8 ↘  
 9.7 ↘                      9.9 ↓                      9.6 ←                      10.1 ↖                      9.5 ↗  
 beste Teiler 82.8 (33.) 186.5 (31.) 216.1 (39.)  
 Trefferlage 0.06 mm rechts, 0.35 mm tief  
 Streuwert 2.07, horizontal: 2.24, vertikal: 1.88


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **398.6** (379)  
 Serien: 100.8 97.6 99.4 100.8  
 Zähler: 21 17 2 0 0 0 0 0 0 0  
 Innenzehner: 17  
 weiteste: 664 (22), 534 (17), 476 (1)  
 beste Teiler 41.0 (40.) 45.0 (5.) 53.6 (26.)  
 Trefferlage 0.20 mm links, 0.48 mm hoch  
 Streuwert 2.02, horizontal: 1.97, vertikal: 2.06




Serie 1:  
 9.0 ↘                      9.3 ↑                      10.5 \*                      10.5 \*                      10.8 \*  
 10.4 \*                      10.1 ↘                      10.5 \*                      9.4 ↓                      10.3 \*  
 beste Teiler 45.0 (5.) 102.4 (3.) 102.5 (4.)  
 Trefferlage 0.49 mm links, 0.11 mm hoch  
 Streuwert 1.90, horizontal: 1.20, vertikal: 2.40



Serie 2:  
 9.6 ↓                      9.1 ↓                      10.4 \*                      9.8 ↑                      10.0 ←  
 10.2 \*                      8.8 ←                      10.4 \*                      9.9 ↓                      9.4 ↘  
 beste Teiler 142.6 (13.) 148.6 (18.) 185.8 (16.)  
 Trefferlage 0.77 mm links, 0.49 mm tief  
 Streuwert 2.33, horizontal: 2.28, vertikal: 2.37



Serie 3:  
 10.7 \*                      8.3 ↘                      10.1 →                      9.6 ↘                      10.0 ↗  
 10.7 \*                      10.6 \*                      9.9 ←                      9.9 ↘                      9.6 →  
 beste Teiler 53.6 (26.) 68.0 (21.) 82.5 (27.)  
 Trefferlage 0.49 mm links, 1.17 mm hoch  
 Streuwert 2.05, horizontal: 2.40, vertikal: 1.63





Serie 4:  
 9.6 ↗                      10.5 \*                      9.9 ↘                      10.6 \*                      10.4 \*  
 9.8 ↑                      9.6 ↗                      9.1 →                      10.5 \*                      10.8 \*  
 beste Teiler 41.0 (40.) 76.9 (34.) 113.2 (32.)  
 Trefferlage 0.92 mm rechts, 1.16 mm hoch  
 Streuwert 1.51, horizontal: 1.56, vertikal: 1.44


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **381.6** (363)  
 Serien: 96.7 93.1 97.1 94.7  
 Zähler: 14 18 5 3 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 886 (33), 858 (2), 751 (13)  
 beste Teiler 46.0 (27.) 96.2 (5.) 101.9 (23.)  
 Trefferlage 1.44 mm rechts, 0.05 mm hoch  
 Streuwert 2.71, horizontal: 3.56, vertikal: 1.43




Serie 1:  
 8.5 → 7.5 ← 9.7 ↑ 10.1 ← 10.6 \*  
 9.5 → 10.0 ← 10.5 \* 10.4 \* 9.9 ↗  
 beste Teiler 96.2 (5.) 104.6 (8.) 131.1 (9.)  
 Trefferlage 0.13 mm links, 0.44 mm hoch  
 Streuwert 2.91, horizontal: 3.93, vertikal: 1.24



Serie 2:  
 9.6 → 9.5 → 7.9 → 9.8 ↘ 9.4 →  
 9.2 ↙ 9.6 ↘ 10.0 → 9.5 ← 8.6 →  
 beste Teiler 233.9 (18.) 292.1 (14.) 336.2 (11.)  
 Trefferlage 2.40 mm rechts, 0.87 mm tief  
 Streuwert 2.63, horizontal: 3.42, vertikal: 1.45



Serie 3:  
 9.5 → 10.1 ← 10.5 \* 10.2 \* 9.6 →  
 9.5 → 10.8 \* 9.6 → 8.4 → 8.9 ←  
 beste Teiler 46.0 (27.) 101.9 (23.) 199.9 (24.)  
 Trefferlage 1.39 mm rechts, 0.26 mm hoch  
 Streuwert 2.44, horizontal: 3.31, vertikal: 0.98





Serie 4:  
 8.4 → 10.1 ↗ 7.4 → 9.8 ↘ 9.1 ↖  
 9.5 → 10.1 ← 10.3 \* 9.8 → 10.2 \*  
 beste Teiler 156.2 (38.) 199.0 (40.) 210.4 (37.)  
 Trefferlage 2.10 mm rechts, 0.36 mm hoch  
 Streuwert 2.79, horizontal: 3.54, vertikal: 1.72

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **397.6** (380)  
 Serien: 97.2 100.0 100.7 99.7  
 Zähler: 23 14 3 0 0 0 0 0 0 0  
 Innenzehner: 15  
 weiteste: 619 (4), 540 (23), 509 (7)  
 beste Teiler 45.6 (14.) 50.7 (13.) 56.6 (36.)  
 Trefferlage 0.37 mm rechts, 0.20 mm tief  
 Streuwert 2.05, horizontal: 2.28, vertikal: 1.79




Serie 1:  
 9.5 ↗ 9.9 ↗ 10.1 ↗ 8.5 → 9.8 →  
 9.8 ↘ 8.9 ↓ 10.5 \* 10.1 ↗ 10.1 ←  
 beste Teiler 119.8 (8.) 209.7 (3.) 211.3 (9.)  
 Trefferlage 1.53 mm rechts, 0.31 mm hoch  
 Streuwert 2.26, horizontal: 2.19, vertikal: 2.33



Serie 2:  
 9.8 → 10.3 \* 10.8 \* 10.8 \* 9.0 ←  
 9.8 ← 10.4 \* 10.4 \* 9.4 ← 9.3 →  
 beste Teiler 45.6 (14.) 50.7 (13.) 143.2 (17.)  
 Trefferlage 0.27 mm links, 0.23 mm tief  
 Streuwert 2.10, horizontal: 2.83, vertikal: 0.92



Serie 3:  
 10.0 ↓ 10.7 \* 8.8 ↙ 9.5 ↗ 10.3 \*  
 10.5 \* 10.2 \* 10.3 \* 10.3 \* 10.1 →  
 beste Teiler 71.4 (22.) 119.4 (26.) 152.8 (25.)  
 Trefferlage 0.07 mm links, 0.37 mm tief  
 Streuwert 1.89, horizontal: 2.20, vertikal: 1.52





Serie 4:  
 10.1 ↘ 9.8 ↓ 10.3 \* 10.4 \* 9.1 ↘  
 10.7 \* 10.0 ↓ 9.8 ↘ 10.0 ↘ 9.5 ↗  
 beste Teiler 56.6 (36.) 137.3 (34.) 158.3 (33.)  
 Trefferlage 0.30 mm rechts, 0.52 mm tief  
 Streuwert 1.96, horizontal: 1.68, vertikal: 2.20


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>382.0</b>	(366)
Serien:	98.1	93.5 93.8 96.6
Zähler:	16	17 4 3 0 0 0 0 0 0
Innenzehner:	10	
weiteste:	935 (30),	801 (12), 758 (11)
beste Teiler	60.0 (15.)	80.0 (6.) 92.1 (19.)
Trefferlage	0.80 mm rechts, 0.90 mm hoch	
Streuwert	2.76, horizontal: 3.41, vertikal: 1.90	




Serie 1:	9.8 ↘	9.3 ↘	8.1 →	10.1 ↗	10.0 ↘
	10.6 *	9.4 ↘	10.1 ↘	10.3 *	10.4 *
beste Teiler	80.0 (6.) 145.7 (10.) 171.1 (9.)				
Trefferlage	0.44 mm rechts, 0.28 mm tief				
Streuwert	2.45, horizontal: 2.77, vertikal: 2.09				



Serie 2:	7.9 →	7.7 ↘	9.1 →	10.3 *	10.7 *
	8.7 ↗	9.1 ↖	9.3 ↗	10.6 *	10.1 →
beste Teiler	60.0 (15.) 92.1 (19.) 156.5 (14.)				
Trefferlage	1.19 mm rechts, 1.40 mm hoch				
Streuwert	3.24, horizontal: 4.16, vertikal: 1.92				





Serie 3:	9.9 →	8.5 ↘	9.3 ↘	9.5 →	10.3 *
	9.5 ↘	10.3 *	10.0 ↘	9.3 ↗	7.2 →
beste Teiler	151.5 (25.) 161.9 (27.) 230.0 (28.)				
Trefferlage	1.13 mm rechts, 0.98 mm hoch				
Streuwert	3.16, horizontal: 3.93, vertikal: 2.11				




Serie 4:	9.5 ↘	9.9 ↘	9.5 ↗	9.3 →	8.9 →
	9.7 ↗	10.2 *	10.4 *	10.0 ←	9.2 ↘
beste Teiler	130.2 (38.) 183.4 (37.) 239.1 (39.)				
Trefferlage	0.43 mm rechts, 1.50 mm hoch				
Streuwert	2.26, horizontal: 3.05, vertikal: 0.93				

Unterschrift des Schützen


Ergebnis: **396.5** (379)  
 Serien: 99.4 100.6 97.6 98.9  
 Zähler: 21 17 2 0 0 0 0 0 0 0  
 Innenzehner: 14  
 weiteste: 615 (21), 611 (23), 492 (9)  
 beste Teiler 42.1 (7.) 45.7 (12.) 58.2 (19.)  
 Trefferlage 0.61 mm rechts, 0.03 mm tief  
 Streuwert 2.12, horizontal: 2.37, vertikal: 1.84




Serie 1:  
 9.9 ↗ 9.9 ↘ 10.6 \* 10.1 ↗ 9.7 ↑  
 9.1 ← 10.8 \* 10.0 ↘ 9.0 → 10.3 \*  
 beste Teiler 42.1 (7.) 82.4 (3.) 155.0 (10.)  
 Trefferlage 0.41 mm links, 0.76 mm hoch  
 Streuwert 2.05, horizontal: 2.35, vertikal: 1.69



Serie 2:  
 10.1 ↓ 10.8 \* 9.2 → 10.6 \* 9.8 ↘  
 9.3 ↘ 10.1 → 10.7 \* 10.7 \* 9.3 →  
 beste Teiler 45.7 (12.) 58.2 (19.) 74.3 (18.)  
 Trefferlage 1.60 mm rechts, 0.44 mm tief  
 Streuwert 1.61, horizontal: 1.85, vertikal: 1.32



Serie 3:  
 8.5 ↓ 9.7 ↘ 8.5 → 9.9 ↘ 10.3 \*  
 10.7 \* 9.8 ↗ 9.8 → 10.6 \* 9.8 ←  
 beste Teiler 71.4 (26.) 85.7 (29.) 167.3 (25.)  
 Trefferlage 1.27 mm rechts, 0.60 mm tief  
 Streuwert 2.36, horizontal: 2.52, vertikal: 2.18





Serie 4:  
 9.1 ↗ 10.1 → 10.1 ↗ 10.1 ↘ 9.1 ↘  
 10.4 \* 10.4 \* 10.2 \* 9.2 ↗ 10.2 \*  
 beste Teiler 135.7 (36.) 137.5 (37.) 182.4 (38.)  
 Trefferlage 0.00 mm , 0.12 mm hoch  
 Streuwert 2.21, horizontal: 2.41, vertikal: 2.00


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367.8** (351)  
 Serien: 92.4 88.6 92.4 94.4  
 Zähler: 9 17 10 4 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 978 (15), 853 (28), 797 (5)  
 beste Teiler 62.2 (12.) 79.0 (26.) 139.4 (36.)  
 Trefferlage 0.76 mm rechts, 0.04 mm tief  
 Streuwert 3.47, horizontal: 3.72, vertikal: 3.20




Serie 1:  
 9.8 ↖ 9.6 ↓ 8.7 ↓ 9.2 ← 7.8 ↗  
 9.6 ↘ 10.0 ↘ 9.5 ↖ 10.0 ← 8.2 →  
 beste Teiler 237.1 (7.) 238.2 (9.) 278.3 (1.)  
 Trefferlage 0.24 mm links, 0.17 mm tief  
 Streuwert 3.45, horizontal: 3.95, vertikal: 2.88



Serie 2:  
 9.7 ↖ 10.7 \* 9.2 ← 9.4 ← 7.0 ↗  
 8.0 ↗ 9.6 ↑ 8.1 ↘ 8.3 ↘ 8.6 ←  
 beste Teiler 62.2 (12.) 301.4 (11.) 345.7 (17.)  
 Trefferlage 0.91 mm rechts, 0.73 mm hoch  
 Streuwert 4.22, horizontal: 4.76, vertikal: 3.59



Serie 3:  
 9.3 ↗ 8.4 ↘ 9.5 ↘ 10.1 ↑ 9.7 ↑  
 10.6 \* 8.6 ← 7.5 ↘ 8.9 ↖ 9.8 ←  
 beste Teiler 79.0 (26.) 204.0 (24.) 290.1 (30.)  
 Trefferlage 0.54 mm rechts, 0.03 mm tief  
 Streuwert 3.54, horizontal: 3.66, vertikal: 3.42





Serie 4:  
 10.2 \* 10.1 → 9.1 ↘ 9.0 ↗ 10.2 \*  
 10.4 \* 7.9 ↓ 8.4 → 9.7 → 9.4 ↓  
 beste Teiler 139.4 (36.) 184.1 (35.) 184.3 (31.)  
 Trefferlage 1.87 mm rechts, 0.72 mm tief  
 Streuwert 2.83, horizontal: 2.37, vertikal: 3.22


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **389.2** (374)  
 Serien: 96.3 97.5 98.5 96.9  
 Zähler: 20 14 6 0 0 0 0 0 0 0  
 Innenzehner: 11  
 weiteste: 640 (1), 637 (11), 560 (38)  
 beste Teiler 6.7 (33.) 85.9 (19.) 86.6 (37.)  
 Trefferlage 0.07 mm links, 0.41 mm hoch  
 Streuwert 2.46, horizontal: 2.93, vertikal: 1.87




Serie 1:  
 8.4 → 10.1 ↙ 10.3 \* 9.3 ↘ 10.3 \*  
 10.2 \* 8.8 ← 9.0 → 9.8 ↑ 10.1 ↙  
 beste Teiler 155.5 (5.) 162.7 (3.) 194.5 (6.)  
 Trefferlage 0.14 mm links, 0.11 mm tief  
 Streuwert 2.76, horizontal: 3.53, vertikal: 1.67



Serie 2:  
 8.4 ↘ 10.1 ↗ 8.8 ↘ 10.4 \* 9.2 ↗  
 9.4 ← 10.3 \* 10.5 \* 10.6 \* 9.8 ↗  
 beste Teiler 85.9 (19.) 107.0 (18.) 131.6 (14.)  
 Trefferlage 0.71 mm links, 1.49 mm hoch  
 Streuwert 2.33, horizontal: 3.00, vertikal: 1.37





Serie 3:  
 9.1 ↘ 9.7 → 9.7 ← 10.0 → 10.5 \*  
 10.0 ↙ 9.1 ↘ 10.1 ← 10.3 \* 10.0 ↘  
 beste Teiler 112.0 (25.) 164.9 (29.) 208.9 (28.)  
 Trefferlage 0.73 mm links, 0.77 mm hoch  
 Streuwert 2.04, horizontal: 2.31, vertikal: 1.73




Serie 4:  
 9.6 ↙ 9.6 ← 10.9 \* 8.8 ↘ 9.3 ↗  
 9.3 → 10.6 \* 8.7 → 10.0 ↗ 10.1 →  
 beste Teiler 6.7 (33.) 86.6 (37.) 222.0 (40.)  
 Trefferlage 1.28 mm rechts, 0.50 mm tief  
 Streuwert 2.48, horizontal: 2.72, vertikal: 2.21

Unterschrift des Schützen


Ergebnis: **387.5** (369)  
 Serien: 94.6 98.6 98.0 96.3  
 Zähler: 18 16 4 1 1 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 1030 (39), 783 (19), 595 (21)  
 beste Teiler 60.5 (30.) 60.7 (31.) 76.0 (17.)  
 Trefferlage 0.00 mm , 0.26 mm tief  
 Streuwert 2.66, horizontal: 3.16, vertikal: 2.04




Serie 1:  
 9.8 ↗ 9.1 → 9.9 ↘ 8.6 ↘ 9.4 ↘  
 9.7 ↘ 9.4 ↖ 9.8 ← 10.3 \* 8.6 ↘  
 beste Teiler 162.5 (9.) 254.6 (3.) 286.5 (1.)  
 Trefferlage 1.57 mm rechts, 0.96 mm tief  
 Streuwert 2.61, horizontal: 2.36, vertikal: 2.85



Serie 2:  
 9.8 ↗ 10.3 \* 10.0 ↘ 10.2 \* 10.0 ←  
 9.9 ← 10.6 \* 9.5 ↗ 7.8 → 10.5 \*  
 beste Teiler 76.0 (17.) 106.0 (20.) 173.6 (12.)  
 Trefferlage 0.00 mm , 0.27 mm tief  
 Streuwert 2.47, horizontal: 3.22, vertikal: 1.33



Serie 3:  
 8.6 ↖ 10.1 → 9.4 ↖ 9.5 ↓ 10.3 \*  
 10.5 \* 9.6 ↗ 9.3 ↘ 10.0 → 10.7 \*  
 beste Teiler 60.5 (30.) 102.4 (26.) 151.3 (25.)  
 Trefferlage 0.83 mm links, 0.41 mm tief  
 Streuwert 2.33, horizontal: 2.34, vertikal: 2.32





Serie 4:  
 10.7 \* 10.1 → 10.0 ↘ 10.0 ↑ 8.9 ←  
 9.9 ↘ 10.0 ↗ 10.6 \* 6.8 ← 9.3 →  
 beste Teiler 60.7 (31.) 78.7 (38.) 206.4 (32.)  
 Trefferlage 0.73 mm links, 0.60 mm hoch  
 Streuwert 3.09, horizontal: 4.20, vertikal: 1.20


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **363.5** (342)  
 Serien: 91.4 89.4 92.0 90.7  
 Zähler: 8 12 15 4 1 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 1083 (15), 882 (1), 860 (35)  
 beste Teiler 68.8 (2.) 104.1 (3.) 117.3 (12.)  
 Trefferlage 1.75 mm rechts, 1.89 mm hoch  
 Streuwert 3.26, horizontal: 3.98, vertikal: 2.33




Serie 1:  
 7.4 → 10.7 \* 10.5 \* 8.9 ↑ 9.6 ↑  
 8.3 ↑ 10.1 ↙ 8.9 ↑ 7.9 → 9.1 ↘  
 beste Teiler 68.8 (2.) 104.1 (3.) 204.5 (7.)  
 Trefferlage 2.28 mm rechts, 2.02 mm hoch  
 Streuwert 3.13, horizontal: 3.41, vertikal: 2.83



Serie 2:  
 8.0 ↗ 10.5 \* 9.8 ↖ 8.8 ↗ 6.6 ↖  
 8.5 ↘ 9.6 ← 8.6 ↖ 10.1 ↘ 8.9 ↑  
 beste Teiler 117.3 (12.) 204.7 (19.) 277.3 (13.)  
 Trefferlage 1.29 mm links, 3.18 mm hoch  
 Streuwert 3.39, horizontal: 4.39, vertikal: 1.95



Serie 3:  
 9.7 ↑ 9.5 ↗ 9.6 ↘ 10.2 \* 9.8 →  
 8.5 → 8.7 ↗ 7.9 → 8.8 ↘ 9.3 ↑  
 beste Teiler 184.9 (24.) 298.2 (25.) 310.2 (21.)  
 Trefferlage 2.26 mm rechts, 1.59 mm hoch  
 Streuwert 2.84, horizontal: 3.26, vertikal: 2.34





Serie 4:  
 10.0 ↖ 10.5 \* 8.3 ↗ 9.9 → 7.5 →  
 9.9 ↑ 9.3 ↗ 8.5 ↘ 8.5 → 8.3 →  
 beste Teiler 117.7 (32.) 250.0 (31.) 261.2 (34.)  
 Trefferlage 3.74 mm rechts, 0.77 mm hoch  
 Streuwert 2.69, horizontal: 3.42, vertikal: 1.67


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **391.2** (374)  
 Serien: 97.7 98.4 96.8 98.3  
 Zähler: 17 20 3 0 0 0 0 0 0 0  
 Innenzehner: 12  
 weiteste: 658 (8), 641 (27), 534 (35)  
 beste Teiler 94.2 (37.) 115.1 (15.) 123.1 (6.)  
 Trefferlage 0.20 mm rechts, 0.50 mm tief  
 Streuwert 2.29, horizontal: 2.72, vertikal: 1.78




Serie 1:  
 9.8 → 9.9 → 9.6 ← 10.4 \* 9.1 ←  
 10.5 \* 9.8 ↓ 8.3 ↓ 10.1 ← 10.2 \*  
 beste Teiler 123.1 (6.) 149.7 (4.) 183.1 (10.)  
 Trefferlage 0.67 mm links, 1.16 mm tief  
 Streuwert 2.29, horizontal: 2.58, vertikal: 1.96



Serie 2:  
 10.1 ↑ 9.9 ↗ 9.9 ↘ 9.3 ✓ 10.5 \*  
 10.2 \* 10.2 \* 9.3 ↘ 9.8 ↓ 9.2 ←  
 beste Teiler 115.1 (15.) 183.8 (17.) 200.0 (16.)  
 Trefferlage 0.06 mm rechts, 0.47 mm tief  
 Streuwert 2.21, horizontal: 2.34, vertikal: 2.08



Serie 3:  
 9.1 ← 9.9 ↑ 9.7 ↓ 9.2 ↗ 10.4 \*  
 9.7 ↗ 8.4 → 10.0 ← 10.2 \* 10.2 \*  
 beste Teiler 141.8 (25.) 177.4 (29.) 183.1 (30.)  
 Trefferlage 0.57 mm links, 0.24 mm tief  
 Streuwert 2.57, horizontal: 3.17, vertikal: 1.76





Serie 4:  
 10.3 \* 9.6 ↗ 10.1 ← 9.6 ↘ 8.8 →  
 9.7 → 10.6 \* 9.3 → 10.2 \* 10.1 ↘  
 beste Teiler 94.2 (37.) 175.0 (31.) 191.0 (39.)  
 Trefferlage 2.01 mm rechts, 0.12 mm tief  
 Streuwert 1.77, horizontal: 2.15, vertikal: 1.29

Unterschrift des Schützen


Meyton Elektronik



Ergebnis: **190.4** (182)  
 Serien: 100.0 90.4  
 Zähler: 8 9 1 1 1 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 1089 (13), 866 (16), 546 (19)  
 beste Teiler 90.8 (18.) 128.7 (1.) 130.4 (7.)  
 Trefferlage 1.87 mm rechts, 0.77 mm hoch  
 Streuwert 2.81, horizontal: 3.66, vertikal: 1.55





Serie 1:  
 10.4 \*                      10.2 \*                      10.4 \*                      9.3 →                      10.4 \*  
 9.3 →                      10.4 \*                      10.0 →                      10.4 \*                      9.2 →  
 beste Teiler 128.7 (1.) 130.4 (7.) 136.9 (9.)  
 Trefferlage 1.80 mm rechts, 0.34 mm hoch  
 Streuwert 1.46, horizontal: 1.89, vertikal: 0.82




Serie 2:  
 9.4 ↘                      9.9 ↙                      6.6 →                      9.2 →                      9.7 →  
 7.5 →                      9.1 ↘                      10.6 \*                      8.8 ↘                      9.6 ↗  
 beste Teiler 90.8 (18.) 271.5 (12.) 318.0 (15.)  
 Trefferlage 1.95 mm rechts, 1.20 mm hoch  
 Streuwert 3.79, horizontal: 4.97, vertikal: 1.99

Unterschrift des Schützen

Ergebnis: **185.4** (177)  
 Serien: 93.2 92.2  
 Zähler: 3 12 4 1 0 0 0 0 0 0  
 Innenzehner: 1  
 weiteste: 994 (6), 673 (20), 662 (18)  
 beste Teiler 109.7 (5.) 231.8 (19.) 241.0 (11.)  
 Trefferlage 0.76 mm rechts, 0.94 mm tief  
 Streuwert 3.23, horizontal: 3.66, vertikal: 2.74





Serie 1:  
 9.6 ↘                      9.2 ↙                      8.8 ↘                      9.5 ←                      10.5 \*  
 7.0 ↘                      9.8 ↗                      9.8 ↙                      9.6 ↙                      9.4 ←  
 beste Teiler 109.7 (5.) 284.0 (7.) 290.3 (8.)  
 Trefferlage 0.03 mm rechts, 1.60 mm tief  
 Streuwert 3.25, horizontal: 4.05, vertikal: 2.17




Serie 2:  
 10.0 ↑                      8.9 ↘                      9.4 →                      9.6 ↘                      9.0 →  
 9.2 ←                      9.5 ↑                      8.3 ↓                      10.0 ↑                      8.3 ↘  
 beste Teiler 231.8 (19.) 241.0 (11.) 332.3 (14.)  
 Trefferlage 1.48 mm rechts, 0.27 mm tief  
 Streuwert 3.23, horizontal: 3.27, vertikal: 3.19

Unterschrift des Schützen

Ergebnis: **197.0** (189)  
 Serien: 98.1 98.9  
 Zähler: 12 5 3 0 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 631 (9), 585 (18), 550 (11)  
 beste Teiler 99.2 (12.) 119.9 (14.) 129.4 (1.)  
 Trefferlage 0.57 mm links, 0.54 mm tief  
 Streuwert 2.23, horizontal: 2.34, vertikal: 2.11





Serie 1:  
 10.4 \*                      9.7 ↙                      9.6 ↓                      10.1 ↘                      10.1 ↘  
 9.8 ↑                      10.1 ←                      9.5 ←                      8.4 ↓                      10.4 \*  
 beste Teiler 129.4 (1.) 133.9 (10.) 205.9 (7.)  
 Trefferlage 0.82 mm links, 1.15 mm tief  
 Streuwert 2.10, horizontal: 1.70, vertikal: 2.43




Serie 2:  
 8.8 ↘                      10.6 \*                      10.3 \*                      10.5 \*                      9.3 ↙  
 10.3 \*                      10.3 \*                      8.6 →                      10.2 \*                      10.0 ↓  
 beste Teiler 99.2 (12.) 119.9 (14.) 157.4 (13.)  
 Trefferlage 0.33 mm links, 0.06 mm hoch  
 Streuwert 2.36, horizontal: 2.92, vertikal: 1.62

Unterschrift des Schützen

Ergebnis: **197.0** (188)  
 Serien: 97.7 99.3  
 Zähler: 9 10 1 0 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 516 (4), 481 (7), 468 (9)  
 beste Teiler 81.9 (19.) 132.9 (3.) 145.0 (11.)  
 Trefferlage 0.63 mm rechts, 0.05 mm tief  
 Streuwert 2.12, horizontal: 2.45, vertikal: 1.74





Serie 1:  
 10.0 → 10.3 \* 10.4 \* 8.9 ↘ 10.3 \*  
 9.9 → 9.0 ↖ 9.8 ↘ 9.1 → 10.0 ↖  
 beste Teiler 132.9 (3.) 155.9 (5.) 161.9 (2.)  
 Trefferlage 0.82 mm rechts, 0.05 mm tief  
 Streuwert 2.34, horizontal: 2.65, vertikal: 1.97




Serie 2:  
 10.4 \* 9.6 ← 9.9 ↓ 9.5 → 9.8 ↑  
 10.0 ↓ 9.8 → 10.3 \* 10.6 \* 9.4 →  
 beste Teiler 81.9 (19.) 145.0 (11.) 153.1 (18.)  
 Trefferlage 0.44 mm rechts, 0.06 mm tief  
 Streuwert 2.00, horizontal: 2.36, vertikal: 1.58

Unterschrift des Schützen

Ergebnis: **203.7** (192)  
 Serien: 101.5 102.2  
 Zähler: 12 8 0 0 0 0 0 0 0 0  
 Innenzehner: 11  
 weiteste: 453 (20), 313 (19), 299 (4)  
 beste Teiler 45.1 (10.) 55.6 (14.) 55.9 (16.)  
 Trefferlage 0.11 mm links, 0.04 mm tief  
 Streuwert 1.61, horizontal: 2.08, vertikal: 0.94



Serie 1:  
 9.9 ↙                      9.9 ←                      10.2 \*                      9.8 ↘                      9.8 ←  
 9.8 ↘                      10.3 \*                      10.3 \*                      10.7 \*                      10.8 \*  
 beste Teiler 45.1 (10.) 75.1 (9.) 158.5 (8.)  
 Trefferlage 0.29 mm links, 0.31 mm tief  
 Streuwert 1.64, horizontal: 2.04, vertikal: 1.10



Serie 2:  
 10.4 \*                      10.0 ↗                      10.5 \*                      10.7 \*                      9.8 ↖  
 10.7 \*                      10.6 \*                      10.7 \*                      9.7 →                      9.1 ←  
 beste Teiler 55.6 (14.) 55.9 (16.) 72.5 (18.)  
 Trefferlage 0.06 mm rechts, 0.21 mm hoch  
 Streuwert 1.64, horizontal: 2.21, vertikal: 0.72

Unterschrift des Schützen