




Ergebnis:	507	(536.5)				
Serien:	86	84	88	82	82	85
Zähler:	11	18	22	6	2	1 0 0 0 0
Innenzehner:	4					
weiteste:	4332 (39), 3307 (50), 3258 (7)					
beste Teiler	116.2 (57.) 301.9 (21.) 323.3 (1.)					
Trefferlage	4.36 mm links, 9.35 mm tief					
Streuwert	10.55, horizontal: 9.89, vertikal: 11.17					




Serie 1:

10.5 *	9.4 ←	10.0 ↙	8.7 ↘	8.6 ↘
9.2 ↓	6.9 ↓	9.4 ↓	9.8 ↘	8.6 ↓
beste Teiler	323.3 (1.) 749.6 (3.) 893.7 (9.)			
Trefferlage	4.20 mm links, 8.58 mm tief			
Streuwert	10.11, horizontal: 7.10, vertikal: 12.41			




Serie 2:

8.6 ↓	8.8 ↓	7.7 ↙	9.1 ←	8.4 ↑
10.0 →	9.0 ←	8.2 ↓	9.7 ↘	8.8 ↘
beste Teiler	751.6 (16.) 975.7 (19.) 1455.5 (14.)			
Trefferlage	3.83 mm links, 8.18 mm tief			
Streuwert	11.35, horizontal: 10.24, vertikal: 12.36			




Serie 3:

10.6 *	8.6 ↓	10.1 ↓	9.3 ↙	9.5 →
9.9 ↙	9.7 ↗	9.1 ↘	7.3 ↓	8.6 ↓
beste Teiler	301.9 (21.) 645.4 (23.) 815.6 (26.)			
Trefferlage	1.55 mm rechts, 9.54 mm tief			
Streuwert	8.73, horizontal: 5.96, vertikal: 10.81			




Serie 4:

8.8 ↙	9.3 ←	7.8 ↘	9.9 ←	8.9 ↙
10.3 ↙	9.5 ↙	7.5 ↙	5.5 ↙	10.2 →
beste Teiler	513.4 (36.) 616.3 (40.) 824.9 (34.)			
Trefferlage	8.07 mm links, 11.69 mm tief			
Streuwert	11.26, horizontal: 11.57, vertikal: 10.93			



Serie 5:

10.5 *	8.2 ↙	8.3 ↙	8.4 ↙	8.2 ↑
9.9 ↘	9.0 ←	9.1 ←	7.7 ↙	6.8 ↙
beste Teiler	350.5 (41.) 869.5 (46.) 1489.0 (48.)			
Trefferlage	9.10 mm links, 7.35 mm tief			
Streuwert	12.40, horizontal: 10.59, vertikal: 13.97			



Serie 6:

10.3 ↙	8.1 ↙	8.5 ↙	8.9 ↘	10.2 ↓
8.7 →	10.8 *	8.5 ↙	7.7 ↓	8.9 ↙
beste Teiler	116.2 (57.) 514.0 (51.) 635.0 (55.)			
Trefferlage	2.52 mm links, 10.79 mm tief			
Streuwert	9.62, horizontal: 10.99, vertikal: 8.00			

LP 60 – Wertung – **Junioren**

StandNr: 101

Mair., Manuel #70606015

StartNr: 193



4. Februar 2018 15:46

70606 / 0


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **479** (507.0)
 Serien: 81 78 80 80 83 77
 Zähler: 9 11 22 11 5 1 0 0 1 0
 Innenzehner: 2
 weiteste: 6480 (28), 4048 (19), 3827 (54)
 beste Teiler 285.3 (27.) 448.2 (24.) 502.7 (49.)
 Trefferlage 3.01 mm rechts, 14.32 mm tief
 Streuwert 12.57, horizontal: 11.55, vertikal: 13.52




Serie 1:
 8.0 ↗ 8.6 → 9.7 ↗ 7.9 ↓ 8.3 ↘
 9.7 → 8.1 ↘ 8.9 ↑ 8.2 ↙ 8.0 ↘
 beste Teiler 1000.5 (3.) 1038.4 (6.) 1669.7 (8.)
 Trefferlage 9.92 mm rechts, 4.60 mm tief
 Streuwert 12.58, horizontal: 9.73, vertikal: 14.89




Serie 2:
 7.7 ↙ 9.5 ↘ 8.7 ↘ 6.4 ↘ 10.3 ↓
 8.9 ↓ 8.7 ↓ 7.4 ↙ 5.9 ↓ 10.0 ←
 beste Teiler 504.3 (15.) 736.2 (20.) 1195.7 (12.)
 Trefferlage 3.77 mm rechts, 16.18 mm tief
 Streuwert 12.57, horizontal: 14.51, vertikal: 10.27




Serie 3:
 8.6 ↘ 7.4 ↙ 10.0 ↙ 10.4 * 9.7 ↗
 8.7 → 10.6 * 2.9 ↓ 9.7 ↓ 7.0 ↙
 beste Teiler 285.3 (27.) 448.2 (24.) 746.4 (23.)
 Trefferlage 2.83 mm rechts, 13.85 mm tief
 Streuwert 16.69, horizontal: 12.75, vertikal: 19.86



Serie 4:
 8.0 ↓ 9.2 ↓ 8.7 ↓ 7.3 ↓ 7.2 ↙
 8.6 ↓ 8.2 ↘ 10.1 ↓ 7.8 ↘ 8.2 ↓
 beste Teiler 712.2 (38.) 1430.3 (32.) 1838.7 (33.)
 Trefferlage 2.82 mm rechts, 18.44 mm tief
 Streuwert 8.92, horizontal: 10.63, vertikal: 6.81



Serie 5:
 10.1 ← 7.0 ↓ 9.1 ↓ 6.5 ↓ 8.9 ↓
 9.9 ↙ 6.7 ↘ 9.3 ↓ 10.3 → 9.0 ↓
 beste Teiler 502.7 (49.) 671.4 (41.) 813.8 (46.)
 Trefferlage 5.43 mm rechts, 15.45 mm tief
 Streuwert 9.91, horizontal: 8.08, vertikal: 11.45



Serie 6:
 9.9 ↓ 8.6 ↓ 8.7 ↓ 6.2 ↓ 8.7 ←
 7.6 ↙ 10.3 ↑ 6.6 ↓ 8.8 ↓ 7.6 ↙
 beste Teiler 510.0 (57.) 819.0 (51.) 1706.4 (59.)
 Trefferlage 6.70 mm links, 17.41 mm tief
 Streuwert 10.54, horizontal: 7.95, vertikal: 12.60

LP 60 – Wertung – **Junioren**

StandNr: 103

Lackner, Thomas #70804103

StartNr: 194



4. Februar 2018 15:52

0 / 0

Unterschrift des Schützen


Meyton Elektronik

Ergebnis: **368** (386.1)
 Serien: 91 89 94 94
 Zähler: 16 17 6 1 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2448 (6), 2332 (28), 2127 (35)
 beste Teiler 157.3 (20.) 292.5 (39.) 305.8 (34.)
 Trefferlage 1.55 mm links, 4.68 mm tief
 Streuwert 7.75, horizontal: 6.89, vertikal: 8.52




Serie 1:
 9.2 ← 10.1 ↓ 10.1 ↓ 10.2 ← 9.6 ↓
 7.9 ↘ 9.2 ← 8.9 ↘ 9.8 ↘ 10.3 →

beste Teiler 523.0 (10.) 593.7 (4.) 672.6 (2.)
 Trefferlage 5.26 mm links, 2.83 mm tief
 Streuwert 8.40, horizontal: 7.67, vertikal: 9.07




Serie 2:
 9.9 ↗ 8.6 ↘ 9.8 → 9.7 ↓ 9.3 ↓
 9.7 ↘ 9.3 ↓ 8.9 ↓ 9.7 ↘ 10.8 *

beste Teiler 157.3 (20.) 852.6 (11.) 900.2 (13.)
 Trefferlage 1.66 mm rechts, 6.27 mm tief
 Streuwert 7.60, horizontal: 5.71, vertikal: 9.10



Serie 3:
 10.3 ↘ 10.0 ↓ 9.5 ↘ 10.3 ↘ 9.5 ↓
 10.1 ↘ 10.4 * 8.0 ↗ 9.7 ↑ 9.1 ←

beste Teiler 463.2 (27.) 530.0 (21.) 540.4 (24.)
 Trefferlage 0.84 mm links, 4.53 mm tief
 Streuwert 7.89, horizontal: 8.52, vertikal: 7.20





Serie 4:
 8.3 ↓ 9.8 ← 10.0 ↑ 10.6 * 8.3 ↓
 10.1 ↘ 9.8 ↓ 10.2 ↗ 10.6 * 10.5 *

beste Teiler 292.5 (39.) 305.8 (34.) 381.2 (40.)
 Trefferlage 1.75 mm links, 5.11 mm tief
 Streuwert 7.25, horizontal: 3.77, vertikal: 9.53


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **348** (365.1)
 Serien: 90 81 87 90
 Zähler: 12 12 11 2 3 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3404 (15), 3268 (5), 3218 (26)
 beste Teiler 86.2 (25.) 274.7 (10.) 311.0 (1.)
 Trefferlage 5.00 mm rechts, 4.45 mm tief
 Streuwert 10.98, horizontal: 9.24, vertikal: 12.47




Serie 1:
 10.6 * 10.2 ↘ 8.4 ↗ 9.0 ↖ 6.9 ↓
 10.1 ↑ 10.0 ↗ 10.2 ↘ 7.9 ↓ 10.6 *
 beste Teiler 274.7 (10.) 311.0 (1.) 571.5 (2.)
 Trefferlage 0.88 mm rechts, 2.82 mm tief
 Streuwert 11.61, horizontal: 7.46, vertikal: 14.63



Serie 2:
 9.7 ↗ 8.5 ↗ 8.4 ↗ 8.7 ↘ 6.7 →
 9.2 ↓ 8.3 ↓ 7.8 ↓ 8.2 → 10.0 ↑
 beste Teiler 723.3 (20.) 994.2 (11.) 1432.3 (16.)
 Trefferlage 10.18 mm rechts, 6.61 mm tief
 Streuwert 12.30, horizontal: 11.26, vertikal: 13.26



Serie 3:
 9.5 ↘ 10.3 ↘ 8.4 ↘ 9.9 → 10.8 *
 6.9 ↓ 9.9 ↓ 9.1 ↓ 8.3 ↑ 9.1 →
 beste Teiler 86.2 (25.) 489.2 (22.) 825.5 (27.)
 Trefferlage 4.51 mm rechts, 5.13 mm tief
 Streuwert 10.93, horizontal: 6.07, vertikal: 14.21





Serie 4:
 9.2 ↘ 9.2 ↓ 8.8 ↗ 10.1 → 8.6 ↘
 9.3 → 9.9 ← 10.0 ↑ 8.3 → 10.1 ↑
 beste Teiler 646.5 (40.) 664.1 (34.) 725.3 (38.)
 Trefferlage 4.42 mm rechts, 3.25 mm tief
 Streuwert 9.32, horizontal: 10.07, vertikal: 8.50


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **357** (373.6)
 Serien: 85 91 90 91
 Zähler: 9 23 5 2 1 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3224 (8), 3010 (29), 2815 (6)
 beste Teiler 319.4 (17.) 392.4 (1.) 428.9 (15.)
 Trefferlage 0.51 mm links, 1.43 mm tief
 Streuwert 10.30, horizontal: 9.68, vertikal: 10.89




Serie 1:
 10.5 * 9.7 ↗ 9.7 ↓ 8.7 ↑ 9.7 ↖
 7.4 ↘ 9.2 → 6.9 ↓ 8.9 ↘ 10.1 ↘
 beste Teiler 392.4 (1.) 696.1 (10.) 986.2 (3.)
 Trefferlage 0.71 mm rechts, 1.00 mm tief
 Streuwert 12.83, horizontal: 10.53, vertikal: 14.78



Serie 2:
 9.0 ↗ 8.2 ← 9.4 ↘ 9.3 ↖ 10.4 *
 10.2 ↗ 10.6 * 9.9 ↓ 8.6 ↓ 9.9 ↗
 beste Teiler 319.4 (17.) 428.9 (15.) 564.7 (16.)
 Trefferlage 0.61 mm links, 0.26 mm hoch
 Streuwert 9.44, horizontal: 9.51, vertikal: 9.37



Serie 3:
 9.6 ↑ 10.3 ↘ 9.6 ↑ 9.2 ↘ 9.0 ↓
 9.8 ← 9.2 ↓ 10.1 ↓ 7.2 ← 9.6 →
 beste Teiler 481.2 (22.) 704.2 (28.) 923.0 (26.)
 Trefferlage 1.77 mm links, 1.35 mm tief
 Streuwert 10.52, horizontal: 11.21, vertikal: 9.79





Serie 4:
 9.5 ↓ 9.1 → 10.1 ← 8.4 ↙ 9.1 ↑
 9.4 ↖ 9.4 ↓ 9.3 ← 9.2 ↓ 10.2 →
 beste Teiler 569.9 (40.) 694.5 (33.) 1188.2 (31.)
 Trefferlage 0.40 mm links, 3.64 mm tief
 Streuwert 9.45, horizontal: 8.69, vertikal: 10.16


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **340** (358.5)
 Serien: 89 85 83 83
 Zähler: 6 16 10 8 0 0 0 0 0 0
 Innenzehner: 1
 weiteste: 3055 (32), 3001 (14), 2901 (39)
 beste Teiler 395.5 (16.) 485.4 (17.) 544.9 (34.)
 Trefferlage 1.48 mm rechts, 0.46 mm tief
 Streuwert 12.51, horizontal: 11.91, vertikal: 13.09




Serie 1:
 8.6 ↗ 9.0 ↑ 9.2 ↑ 9.8 ← 9.0 →
 9.7 ↗ 8.4 ↘ 9.2 ↑ 10.0 ↖ 9.4 ←
 beste Teiler 747.4 (9.) 953.3 (4.) 976.4 (6.)
 Trefferlage 2.93 mm rechts, 4.59 mm hoch
 Streuwert 9.82, horizontal: 10.20, vertikal: 9.43



Serie 2:
 10.2 ↙ 10.1 ↙ 7.9 ↙ 7.2 ↙ 8.7 ↖
 10.5 * 10.3 ↘ 7.9 ↙ 9.0 ← 7.6 ↘
 beste Teiler 395.5 (16.) 485.4 (17.) 577.8 (11.)
 Trefferlage 5.85 mm links, 7.73 mm tief
 Streuwert 11.97, horizontal: 9.59, vertikal: 13.96





Serie 3:
 8.7 ← 9.8 → 8.1 → 8.9 ↖ 8.3 ↘
 7.6 ↑ 9.7 ↘ 9.4 ↓ 8.4 → 9.3 ↘
 beste Teiler 922.8 (22.) 967.3 (27.) 1251.2 (28.)
 Trefferlage 5.17 mm rechts, 0.21 mm tief
 Streuwert 12.80, horizontal: 12.54, vertikal: 13.07




Serie 4:
 8.7 ↖ 7.1 ↓ 9.8 ↙ 10.3 ↑ 9.9 ↑
 8.9 ← 7.8 ↗ 9.5 ↘ 7.3 → 9.3 →
 beste Teiler 544.9 (34.) 867.1 (35.) 952.4 (33.)
 Trefferlage 3.68 mm rechts, 1.50 mm hoch
 Streuwert 13.70, horizontal: 13.36, vertikal: 14.03

Unterschrift des Schützen


Ergebnis: **358** (373.9)
 Serien: 91 89 85 93
 Zähler: 13 15 11 0 0 1 0 0 0 0
 Innenzehner: 7
 weiteste: 4475 (27), 2246 (1), 2204 (15)
 beste Teiler 102.1 (37.) 384.5 (30.) 404.0 (17.)
 Trefferlage 1.71 mm links, 2.09 mm hoch
 Streuwert 10.65, horizontal: 11.40, vertikal: 9.84




Serie 1:
 8.1 → 10.0 → 8.5 ↑ 9.2 ↓ 10.0 ↑
 10.4 * 8.7 ↗ 9.5 → 10.4 * 9.7 ↘
 beste Teiler 453.7 (9.) 462.6 (6.) 757.3 (2.)
 Trefferlage 3.53 mm rechts, 3.81 mm hoch
 Streuwert 9.22, horizontal: 9.38, vertikal: 9.05



Serie 2:
 8.5 ↘ 10.4 * 9.7 ↑ 8.4 → 8.2 ←
 9.7 ↓ 10.4 * 8.2 ↙ 9.9 ← 10.3 ←
 beste Teiler 404.0 (17.) 459.0 (12.) 557.3 (20.)
 Trefferlage 5.03 mm links, 0.95 mm hoch
 Streuwert 10.11, horizontal: 12.10, vertikal: 7.62



Serie 3:
 10.4 * 8.4 ↘ 10.3 → 9.4 → 9.1 ↓
 8.6 ↓ 5.4 ↗ 8.6 ↖ 8.8 ↖ 10.5 *
 beste Teiler 384.5 (30.) 435.1 (21.) 502.3 (23.)
 Trefferlage 0.56 mm rechts, 2.79 mm hoch
 Streuwert 14.54, horizontal: 14.82, vertikal: 14.26





Serie 4:
 9.3 ↑ 9.1 ↓ 9.3 ↖ 10.3 ↓ 9.7 ←
 9.6 ↙ 10.8 * 10.1 ↖ 9.0 ← 9.0 ←
 beste Teiler 102.1 (37.) 542.9 (34.) 665.6 (38.)
 Trefferlage 5.93 mm links, 0.80 mm hoch
 Streuwert 7.40, horizontal: 6.38, vertikal: 8.30


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **364** (381.3)
 Serien: 87 94 92 91
 Zähler: 15 16 8 0 1 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3263 (5), 2376 (22), 2284 (37)
 beste Teiler 142.3 (8.) 239.7 (25.) 462.6 (2.)
 Trefferlage 4.10 mm rechts, 2.22 mm hoch
 Streuwert 8.82, horizontal: 8.00, vertikal: 9.56




Serie 1:
 8.8 ↘ 10.4 * 9.8 ← 9.7 ↗ 6.9 ↗
 8.8 → 8.6 ↘ 10.8 * 9.4 ↘ 10.3 →
 beste Teiler 142.3 (8.) 462.6 (2.) 513.7 (10.)
 Trefferlage 4.76 mm rechts, 0.67 mm tief
 Streuwert 10.96, horizontal: 9.30, vertikal: 12.39



Serie 2:
 9.0 → 10.3 ↗ 10.1 → 9.8 ↗ 9.9 ↓
 9.3 ↘ 9.2 ↑ 10.1 ↑ 10.1 ↘ 9.4 ↖
 beste Teiler 527.3 (12.) 649.9 (19.) 670.3 (18.)
 Trefferlage 2.59 mm rechts, 4.76 mm hoch
 Streuwert 6.62, horizontal: 6.42, vertikal: 6.82



Serie 3:
 10.2 ↘ 8.0 ↗ 9.3 ↘ 10.1 ↘ 10.7 *
 10.3 ← 8.7 ↘ 9.3 ↑ 9.8 ↑ 9.8 ↓
 beste Teiler 239.7 (25.) 499.3 (26.) 604.6 (21.)
 Trefferlage 3.52 mm rechts, 0.79 mm hoch
 Streuwert 8.88, horizontal: 8.60, vertikal: 9.16





Serie 4:
 8.7 ↗ 9.7 ↗ 10.4 * 10.0 ↘ 9.2 ↘
 10.3 ↖ 8.1 → 10.3 ↘ 9.5 ↖ 8.2 ↑
 beste Teiler 471.7 (33.) 521.1 (38.) 530.2 (36.)
 Trefferlage 5.54 mm rechts, 4.00 mm hoch
 Streuwert 8.95, horizontal: 8.37, vertikal: 9.50


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **338** (356.3)
 Serien: 88 84 79 87
 Zähler: 10 9 13 5 3 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3574 (25), 3544 (9), 3461 (27)
 beste Teiler 268.3 (22.) 288.2 (7.) 374.8 (24.)
 Trefferlage 6.91 mm links, 2.01 mm tief
 Streuwert 12.52, horizontal: 14.12, vertikal: 10.68




Serie 1:
 10.2 ← 10.4 * 10.2 ↙ 10.3 ↘ 8.1 ↓
 9.3 ↘ 10.6 * 7.4 ← 6.5 ← 8.9 ↘
 beste Teiler 288.2 (7.) 410.0 (2.) 530.9 (4.)
 Trefferlage 8.44 mm links, 1.48 mm tief
 Streuwert 11.52, horizontal: 12.65, vertikal: 10.27



Serie 2:
 8.2 ↘ 8.7 ← 8.9 ↘ 8.6 ↘ 9.9 ↘
 7.2 ← 9.8 ↑ 10.5 * 8.1 ↙ 9.5 →
 beste Teiler 394.6 (18.) 839.8 (15.) 910.9 (17.)
 Trefferlage 7.41 mm links, 1.07 mm hoch
 Streuwert 12.05, horizontal: 13.82, vertikal: 9.97



Serie 3:
 8.2 → 10.6 * 7.5 ↓ 10.5 * 6.5 ←
 7.8 ← 6.6 ↙ 8.2 ↓ 9.8 ↓ 8.7 ↙
 beste Teiler 268.3 (22.) 374.8 (24.) 952.1 (29.)
 Trefferlage 8.17 mm links, 9.93 mm tief
 Streuwert 14.15, horizontal: 16.68, vertikal: 11.06





Serie 4:
 9.3 ↘ 8.0 ↘ 10.1 ↘ 9.5 ↗ 9.6 →
 9.5 → 7.8 ← 8.8 ↑ 10.0 ↘ 8.0 ←
 beste Teiler 652.9 (33.) 789.9 (39.) 1105.1 (35.)
 Trefferlage 3.62 mm links, 2.28 mm hoch
 Streuwert 11.91, horizontal: 14.77, vertikal: 8.10


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **333** (351.2)
 Serien: 73 86 89 85
 Zähler: 9 11 9 8 1 2 0 0 0 0
 Innenzehner: 4
 weiteste: 4360 (5), 4013 (4), 3655 (8)
 beste Teiler 202.0 (21.) 203.2 (11.) 336.0 (26.)
 Trefferlage 6.36 mm links, 3.04 mm tief
 Streuwert 13.65, horizontal: 13.45, vertikal: 13.85




Serie 1:
 9.2 ↗ 10.1 ↙ 9.6 ↓ 5.9 ↑ 5.5 ↘
 7.8 ↘ 7.1 ↘ 6.4 ← 7.8 ↘ 8.4 ↘
 beste Teiler 659.1 (2.) 1117.7 (3.) 1429.4 (1.)
 Trefferlage 6.49 mm links, 6.11 mm hoch
 Streuwert 19.79, horizontal: 20.77, vertikal: 18.76



Serie 2:
 10.7 * 8.1 ← 8.4 ↘ 8.5 ↙ 8.8 ←
 9.3 ↓ 9.5 ↙ 7.6 ↓ 10.4 * 9.0 ↘
 beste Teiler 203.2 (11.) 444.8 (19.) 1183.6 (17.)
 Trefferlage 7.78 mm links, 6.81 mm tief
 Streuwert 10.14, horizontal: 10.93, vertikal: 9.29



Serie 3:
 10.7 * 7.7 ↙ 9.5 ↘ 9.8 ← 7.3 ↘
 10.5 * 9.1 ↘ 9.5 ↓ 10.2 ↓ 9.9 ←
 beste Teiler 202.0 (21.) 336.0 (26.) 635.9 (29.)
 Trefferlage 0.29 mm rechts, 6.98 mm tief
 Streuwert 9.86, horizontal: 9.93, vertikal: 9.79





Serie 4:
 7.0 ↘ 10.1 ↙ 8.9 ↙ 10.3 ↓ 8.5 ↓
 7.1 ↙ 10.0 ← 9.4 ↘ 8.8 ↙ 8.8 ↙
 beste Teiler 545.3 (34.) 718.1 (32.) 731.7 (37.)
 Trefferlage 11.48 mm links, 4.50 mm tief
 Streuwert 10.53, horizontal: 7.29, vertikal: 12.99


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **141** (151.5)
 Serien: 69 72
 Zähler: 0 4 5 4 2 5 0 0 0 0
 Innenzehner: 0
 weiteste: 4587 (17), 4498 (14), 4317 (18)
 beste Teiler 838.0 (6.) 1247.0 (11.) 1502.3 (15.)
 Trefferlage 13.40 mm links, 10.44 mm tief
 Streuwert 17.48, horizontal: 17.17, vertikal: 17.79





Serie 1:
 6.7 ↓ 5.8 ↙ 6.2 ↘ 7.7 ↗ 7.9 ↖
 9.9 ↗ 7.9 ← 5.8 ↙ 8.4 ↓ 9.0 ←
 beste Teiler 838.0 (6.) 1549.6 (10.) 2001.5 (9.)
 Trefferlage 12.39 mm links, 10.67 mm tief
 Streuwert 18.20, horizontal: 14.07, vertikal: 21.56




Serie 2:
 9.4 ↘ 8.5 ↓ 7.0 ← 5.3 ↘ 9.1 ↓
 8.7 ↘ 5.2 ↙ 5.6 ← 8.9 → 8.5 ↖
 beste Teiler 1247.0 (11.) 1502.3 (15.) 1653.3 (19.)
 Trefferlage 14.40 mm links, 10.22 mm tief
 Streuwert 17.69, horizontal: 20.55, vertikal: 14.26

Unterschrift des Schützen

Ergebnis: **170** (179.8)
 Serien: 84 86
 Zähler: 3 8 5 4 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3089 (6), 2868 (7), 2694 (11)
 beste Teiler 300.8 (8.) 343.5 (14.) 593.8 (9.)
 Trefferlage 4.79 mm links, 1.49 mm tief
 Streuwert 12.21, horizontal: 12.37, vertikal: 12.06





Serie 1:
 8.6 → 9.5 ↘ 8.4 ↑ 9.9 ↗ 7.8 ↖
 7.1 ↓ 7.4 ↙ 10.6 * 10.2 ↘ 9.0 ↘
 beste Teiler 300.8 (8.) 593.8 (9.) 844.5 (4.)
 Trefferlage 0.86 mm rechts, 2.77 mm hoch
 Streuwert 14.19, horizontal: 14.10, vertikal: 14.28




Serie 2:
 7.6 ↙ 9.5 ← 8.5 ↙ 10.5 * 8.8 ↖
 9.4 ↙ 9.5 ↓ 9.5 ↘ 8.6 ↙ 9.4 ↓
 beste Teiler 343.5 (14.) 1134.5 (17.) 1152.7 (18.)
 Trefferlage 10.45 mm links, 5.76 mm tief
 Streuwert 7.59, horizontal: 7.27, vertikal: 7.90

Unterschrift des Schützen


Ergebnis: **368.6** (349)
 Serien: 88.8 95.3 94.2 90.3
 Zähler: 10 17 7 4 2 0 0 0 0 0
 Innenzehner: 9
 weiteste: 1123 (40), 1054 (10), 867 (8)
 beste Teiler 52.7 (2.) 58.2 (23.) 88.3 (35.)
 Trefferlage 0.88 mm rechts, 0.92 mm tief
 Streuwert 3.55, horizontal: 4.45, vertikal: 2.33




Serie 1:
 9.0 ↘ 10.7 * 10.4 * 8.1 ↘ 9.2 ↘
 7.5 → 9.9 ↑ 7.5 → 9.8 ↓ 6.7 →
 beste Teiler 52.7 (2.) 136.6 (3.) 266.1 (7.)
 Trefferlage 3.86 mm rechts, 1.64 mm tief
 Streuwert 3.26, horizontal: 4.08, vertikal: 2.16



Serie 2:
 9.8 → 10.1 ↑ 9.3 ↑ 10.4 * 10.5 *
 9.7 ↙ 8.6 → 9.5 ← 9.7 ← 7.7 ←
 beste Teiler 120.2 (15.) 145.3 (14.) 212.0 (12.)
 Trefferlage 0.87 mm links, 0.47 mm hoch
 Streuwert 2.98, horizontal: 3.84, vertikal: 1.75



Serie 3:
 9.8 → 9.2 → 10.7 * 9.2 ↘ 8.9 ↙
 9.7 ↘ 10.2 * 8.1 ↙ 9.8 ↙ 8.6 →
 beste Teiler 58.2 (23.) 193.6 (27.) 292.0 (21.)
 Trefferlage 0.74 mm rechts, 1.58 mm tief
 Streuwert 2.92, horizontal: 3.76, vertikal: 1.72





Serie 4:
 10.4 * 10.3 * 8.8 ← 9.0 ↙ 10.6 *
 9.4 ← 9.3 ← 7.7 ↓ 8.3 → 6.5 →
 beste Teiler 88.3 (35.) 129.0 (31.) 152.0 (32.)
 Trefferlage 0.20 mm links, 0.93 mm tief
 Streuwert 4.20, horizontal: 5.05, vertikal: 3.11


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	606.0	(582)
Serien:	100.3 102.3 103.4 99.3 100.1 100.6	
Zähler:	44 14 2 0 0 0 0 0 0	
Innenzehner:	28	
weiteste:	656 (10), 633 (31), 463 (41)	
beste Teiler	40.6 (2.) 45.5 (58.) 55.9 (23.)	
Trefferlage	0.34 mm rechts, 0.64 mm hoch	
Streuwert	1.68, horizontal: 1.70, vertikal: 1.65	




Serie 1:				
	9.8 ↘	10.8 *	10.5 *	10.1 ↙
	9.8 →	10.4 *	10.7 *	9.7 ↑
beste Teiler	40.6 (2.)	63.6 (8.)	123.7 (3.)	8.3 ↗
Trefferlage	0.24 mm rechts, 0.82 mm hoch			
Streuwert	2.03, horizontal: 2.11, vertikal: 1.95			




Serie 2:				
	9.7 ↘	10.3 *	10.3 *	10.1 ↓
	9.9 ↘	10.4 *	10.5 *	10.5 *
beste Teiler	77.5 (19.)	103.8 (15.)	122.1 (18.)	10.0 ↑
Trefferlage	0.59 mm rechts, 0.16 mm tief			
Streuwert	1.37, horizontal: 1.11, vertikal: 1.58			




Serie 3:				
	9.9 ←	10.5 *	10.7 *	10.2 *
	10.2 *	10.0 ←	10.7 *	10.6 *
beste Teiler	55.9 (23.)	60.8 (28.)	93.2 (30.)	10.6 *
Trefferlage	0.45 mm links, 0.30 mm hoch			
Streuwert	1.22, horizontal: 1.43, vertikal: 0.98			



Serie 4:				
	8.4 →	10.0 ↘	9.2 ↗	10.2 *
	10.4 *	10.0 ↑	10.0 →	10.0 ↑
beste Teiler	56.8 (39.)	132.0 (36.)	141.0 (40.)	10.4 *
Trefferlage	1.06 mm rechts, 0.99 mm hoch			
Streuwert	1.95, horizontal: 2.23, vertikal: 1.62			



Serie 5:				
	9.1 ↗	10.6 *	10.1 ↖	9.6 ↑
	10.4 *	10.1 ↑	10.5 *	9.5 ↑
beste Teiler	90.2 (42.)	111.8 (48.)	147.5 (46.)	10.2 *
Trefferlage	0.00 mm , 1.58 mm hoch			
Streuwert	1.54, horizontal: 1.23, vertikal: 1.80			



Serie 6:				
	9.7 ↗	9.8 →	10.1 ←	9.8 →
	10.0 ↑	10.0 ↓	10.8 *	10.1 →
beste Teiler	45.5 (58.)	141.7 (60.)	203.4 (55.)	10.4 *
Trefferlage	0.58 mm rechts, 0.34 mm hoch			
Streuwert	1.70, horizontal: 1.80, vertikal: 1.59			

LG 60 ZR – Wertung – Junioren

StandNr: 121

Schöfbeck,, Marcel #70423062

StartNr: 213



4. Februar 2018 15:43

70423 / 0


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **604.8** (576)
 Serien: 102.7 99.3 103.2 99.0 101.1 99.5
 Zähler: 38 20 2 0 0 0 0 0 0 0
 Innenzehner: 27
 weiteste: 638 (15), 590 (14), 410 (60)
 beste Teiler 12.3 (43.) 34.0 (6.) 39.2 (40.)
 Trefferlage 0.00 mm , 0.27 mm hoch
 Streuwert 1.78, horizontal: 2.00, vertikal: 1.53




Serie 1:
 9.7 → 10.0 ↓ 10.6 * 9.9 → 10.8 *
 10.8 * 10.0 ← 10.4 * 10.5 * 10.0 →
 beste Teiler 34.0 (6.) 41.1 (5.) 100.5 (3.)
 Trefferlage 0.58 mm rechts, 0.06 mm tief
 Streuwert 1.39, horizontal: 1.62, vertikal: 1.12




Serie 2:
 10.4 * 10.5 * 10.6 * 8.6 → 8.4 ←
 10.2 * 10.4 * 10.5 * 9.7 ↑ 10.0 ↓
 beste Teiler 86.7 (13.) 103.1 (18.) 121.3 (12.)
 Trefferlage 0.02 mm links, 0.04 mm tief
 Streuwert 2.38, horizontal: 3.00, vertikal: 1.52




Serie 3:
 10.6 * 10.5 * 9.8 ↓ 9.9 ↘ 10.6 *
 10.5 * 10.5 * 10.2 * 10.4 * 10.2 *
 beste Teiler 87.8 (21.) 91.0 (25.) 112.6 (26.)
 Trefferlage 0.30 mm rechts, 0.02 mm hoch
 Streuwert 1.28, horizontal: 1.05, vertikal: 1.48



Serie 4:
 9.8 ↖ 9.4 ← 10.0 ↗ 9.7 → 9.4 ↖
 10.5 * 9.9 ↖ 10.0 ↖ 9.5 ← 10.8 *
 beste Teiler 39.2 (40.) 112.6 (36.) 231.2 (33.)
 Trefferlage 1.06 mm links, 0.78 mm hoch
 Streuwert 1.88, horizontal: 2.39, vertikal: 1.18



Serie 5:
 9.5 ↑ 10.1 ↘ 10.9 * 9.6 ← 10.0 ↗
 10.0 ↓ 10.6 * 9.8 ↑ 9.9 ↗ 10.7 *
 beste Teiler 12.3 (43.) 62.3 (50.) 96.1 (47.)
 Trefferlage 0.13 mm rechts, 0.71 mm hoch
 Streuwert 1.70, horizontal: 1.46, vertikal: 1.91



Serie 6:
 10.2 * 10.6 * 10.1 ↗ 9.7 ↖ 9.7 ↓
 9.8 ↑ 10.4 * 9.6 ↗ 10.1 ↘ 9.3 ↖
 beste Teiler 98.2 (52.) 126.1 (57.) 189.6 (51.)
 Trefferlage 0.00 mm , 0.25 mm hoch
 Streuwert 1.96, horizontal: 2.00, vertikal: 1.93

LG 60 ZR – Wertung – Junioren

StandNr: 128

Lüthi,, Julius #70421011

StartNr: 214

4. Februar 2018 16:01

70421 / 0

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **601.1** (577)

Serien: 99.3 100.3 97.3 101.0 100.7 102.5

Zähler: 40 17 3 0 0 0 0 0 0 0



Innenzehner: 29

weiteste: 633 (7), 554 (44), 530 (30)

beste Teiler 28.4 (41.) 46.2 (4.) 67.6 (35.)

Trefferlage 0.06 mm links, 0.08 mm tief

Streuwert 1.92, horizontal: 2.17, vertikal: 1.64




Serie 1:

10.0 ↑	9.4 ↗	10.5 *	10.8 *	10.1 ↓
10.1 ↘	8.4 →	10.3 *	9.9 ↓	9.8 ↑

beste Teiler 46.2 (4.) 112.7 (3.) 172.5 (8.)

Trefferlage 0.83 mm rechts, 0.46 mm hoch

Streuwert 2.12, horizontal: 2.07, vertikal: 2.16




Serie 2:

10.0 ↑	10.5 *	9.4 ↘	10.2 *	10.3 *
10.4 *	10.1 ↘	9.4 ←	10.2 *	9.8 ←

beste Teiler 125.8 (12.) 144.1 (16.) 152.1 (15.)

Trefferlage 0.50 mm links, 0.04 mm hoch

Streuwert 1.82, horizontal: 2.00, vertikal: 1.63




Serie 3:

10.6 *	10.7 *	10.0 ↗	9.3 ←	9.1 ↘
9.8 ↑	9.8 →	9.1 →	10.1 ↓	8.8 ←

beste Teiler 70.1 (22.) 96.6 (21.) 225.0 (29.)

Trefferlage 0.43 mm rechts, 0.22 mm tief

Streuwert 2.54, horizontal: 3.15, vertikal: 1.73




Serie 4:

9.0 ←	10.6 *	9.3 ↖	10.4 *	10.7 *
10.4 *	10.4 *	9.5 ←	10.4 *	10.3 *

beste Teiler 67.6 (35.) 97.0 (32.) 126.3 (36.)

Trefferlage 1.70 mm links, 0.32 mm hoch

Streuwert 1.38, horizontal: 1.70, vertikal: 0.96




Serie 5:

10.8 *	10.1 ↓	9.9 ↓	8.7 ↘	10.0 ↗
10.3 *	10.2 *	10.2 *	10.1 ↖	10.4 *

beste Teiler 28.4 (41.) 150.2 (50.) 160.5 (46.)

Trefferlage 0.66 mm rechts, 0.56 mm tief

Streuwert 1.77, horizontal: 1.75, vertikal: 1.79



Serie 6:

9.7 ↓	9.7 ↖	10.6 *	10.5 *	10.2 *
10.6 *	10.3 *	10.6 *	10.1 ↘	10.2 *

beste Teiler 79.0 (58.) 93.0 (53.) 94.8 (56.)

Trefferlage 0.11 mm links, 0.58 mm tief

Streuwert 1.34, horizontal: 1.26, vertikal: 1.42

LG 60 ZR – Wertung – Männer

StandNr: 123

Bauhofer,, Michael #70309084

StartNr: 215



4. Februar 2018 15:51

70309 / 0


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **612.6** (587)
 Serien: 101.9 103.0 100.9 102.9 101.9 102.0
 Zähler: 47 13 0 0 0 0 0 0 0
 Innenzehner: 37
 weiteste: 465 (27), 450 (1), 403 (57)
 beste Teiler 34.0 (21.) 36.0 (7.) 52.6 (40.)
 Trefferlage 0.22 mm links, 0.20 mm hoch
 Streuwert 1.50, horizontal: 1.60, vertikal: 1.39




Serie 1:
 9.2 → 10.0 ↑ 10.0 → 10.2 * 10.2 *
 10.6 * 10.8 * 9.9 ↓ 10.7 * 10.3 *
 beste Teiler 36.0 (7.) 58.1 (9.) 79.0 (6.)
 Trefferlage 0.85 mm rechts, 0.19 mm hoch
 Streuwert 1.54, horizontal: 1.65, vertikal: 1.42




Serie 2:
 10.1 ↖ 10.7 * 10.2 * 10.3 * 10.4 *
 10.7 * 10.4 * 9.4 ↑ 10.6 * 10.2 *
 beste Teiler 55.3 (12.) 72.5 (16.) 76.5 (19.)
 Trefferlage 0.12 mm links, 0.70 mm hoch
 Streuwert 1.27, horizontal: 1.33, vertikal: 1.20




Serie 3:
 10.8 * 10.1 ↖ 9.9 ↖ 9.6 ↖ 9.8 ↖
 10.6 * 9.1 ↖ 10.7 * 9.7 ↖ 10.6 *
 beste Teiler 34.0 (21.) 60.4 (28.) 85.4 (26.)
 Trefferlage 1.67 mm links, 0.01 mm tief
 Streuwert 1.43, horizontal: 1.52, vertikal: 1.33



Serie 4:
 10.2 * 10.7 * 10.4 * 10.7 * 10.0 ↘
 10.6 * 9.9 ↘ 10.3 * 9.4 ↑ 10.7 *
 beste Teiler 52.6 (40.) 73.0 (32.) 74.3 (34.)
 Trefferlage 0.22 mm rechts, 0.32 mm hoch
 Streuwert 1.42, horizontal: 1.10, vertikal: 1.68



Serie 5:
 10.3 * 10.7 * 10.2 * 9.9 ↖ 10.1 ↓
 10.0 ↑ 10.6 * 9.6 ↖ 10.1 ↑ 10.4 *
 beste Teiler 58.1 (42.) 77.5 (47.) 149.6 (50.)
 Trefferlage 0.68 mm links, 0.16 mm tief
 Streuwert 1.43, horizontal: 1.25, vertikal: 1.59



Serie 6:
 10.0 → 10.2 * 10.3 * 10.5 * 10.0 →
 10.4 * 9.3 ↖ 10.5 * 10.3 * 10.5 *
 beste Teiler 102.3 (60.) 106.6 (54.) 111.7 (58.)
 Trefferlage 0.06 mm rechts, 0.20 mm hoch
 Streuwert 1.51, horizontal: 1.74, vertikal: 1.23

Meyton Elektronik

LG 60 ZR – Wertung – Männer

StandNr: 124

Walder,, Peter–Paul #70606050

StartNr: 216



4. Februar 2018 15:38

70606 / 0


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **607.6** (578)
 Serien: 105.7 100.6 101.3 100.2 100.4 99.4
 Zähler: 38 22 0 0 0 0 0 0 0
 Innenzehner: 30
 weiteste: 418 (57), 413 (51), 382 (11)
 beste Teiler 13.4 (25.) 15.6 (8.) 18.3 (3.)
 Trefferlage 0.11 mm links, 0.15 mm tief
 Streuwert 1.65, horizontal: 1.90, vertikal: 1.35




Serie 1:
 10.7 * 10.2 * 10.9 * 10.8 * 10.2 *
 10.0 ↓ 10.8 * 10.9 * 10.5 * 10.7 *
 beste Teiler 15.6 (8.) 18.3 (3.) 40.3 (7.)
 Trefferlage 0.06 mm links, 0.60 mm tief
 Streuwert 0.80, horizontal: 0.70, vertikal: 0.88




Serie 2:
 9.4 ↗ 10.2 * 9.9 → 10.3 * 10.8 *
 10.4 * 10.1 ↗ 10.2 * 9.8 ↙ 9.5 →
 beste Teiler 50.9 (15.) 137.6 (16.) 173.7 (14.)
 Trefferlage 0.03 mm links, 0.14 mm tief
 Streuwert 1.80, horizontal: 2.03, vertikal: 1.54




Serie 3:
 10.2 * 9.9 ↘ 10.3 * 10.4 * 10.9 *
 10.2 * 10.0 ↗ 9.5 → 9.8 ↗ 10.1 ↑
 beste Teiler 13.4 (25.) 126.8 (24.) 155.7 (23.)
 Trefferlage 0.59 mm rechts, 0.96 mm hoch
 Streuwert 1.42, horizontal: 1.49, vertikal: 1.34



Serie 4:
 9.8 ↓ 10.4 * 10.4 * 10.1 ↓ 9.8 →
 9.9 ↗ 10.5 * 10.0 ↗ 9.5 ← 9.8 →
 beste Teiler 102.6 (37.) 127.2 (33.) 145.9 (32.)
 Trefferlage 0.40 mm rechts, 0.56 mm tief
 Streuwert 1.79, horizontal: 2.02, vertikal: 1.53



Serie 5:
 9.7 → 9.6 → 9.8 ← 10.3 * 9.9 ←
 10.5 * 10.8 * 9.8 ← 9.7 ↙ 10.3 *
 beste Teiler 28.6 (47.) 111.4 (46.) 161.4 (44.)
 Trefferlage 0.59 mm links, 0.50 mm tief
 Streuwert 1.77, horizontal: 2.37, vertikal: 0.82



Serie 6:
 9.3 ← 10.2 * 10.5 * 10.1 ↘ 9.5 ↘
 9.7 ↘ 9.3 ← 10.0 ↗ 10.5 * 10.3 *
 beste Teiler 105.0 (53.) 124.4 (59.) 164.1 (60.)
 Trefferlage 1.00 mm links, 0.07 mm tief
 Streuwert 1.92, horizontal: 2.29, vertikal: 1.45

Meyton Elektronik

LG 60 ZR – Wertung – Männer

StandNr: 125

Bauhofer,, Markus #70309007

StartNr: 217



4. Februar 2018 15:43

70309 / 0


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **402.8** (384)
 Serien: 100.5 100.0 101.5 100.8
 Zähler: 27 10 3 0 0 0 0 0 0 0
 Innenzehner: 22
 weiteste: 724 (6), 632 (11), 517 (12)
 beste Teiler 38.4 (4.) 72.3 (19.) 92.0 (13.)
 Trefferlage 0.56 mm rechts, 0.27 mm tief
 Streuwert 1.85, horizontal: 2.13, vertikal: 1.51




Serie 1:
 9.9 → 10.4 * 10.0 ↘ 10.8 * 10.6 *
 8.1 → 10.2 * 10.4 * 10.1 ← 10.0 ↘
 beste Teiler 38.4 (4.) 99.2 (5.) 143.0 (2.)
 Trefferlage 1.08 mm rechts, 0.04 mm tief
 Streuwert 2.03, horizontal: 2.57, vertikal: 1.28



Serie 2:
 8.4 ↘ 8.9 ↘ 10.6 * 9.9 → 10.5 *
 9.9 ↘ 10.3 * 10.5 * 10.7 * 10.3 *
 beste Teiler 72.3 (19.) 92.0 (13.) 117.4 (18.)
 Trefferlage 0.71 mm rechts, 0.52 mm tief
 Streuwert 2.16, horizontal: 2.42, vertikal: 1.85



Serie 3:
 10.6 * 10.4 * 10.0 ↗ 9.7 ↘ 9.9 →
 10.2 * 9.9 ↘ 9.8 ↘ 10.5 * 10.5 *
 beste Teiler 96.1 (21.) 113.2 (30.) 119.0 (29.)
 Trefferlage 0.76 mm rechts, 0.38 mm hoch
 Streuwert 1.47, horizontal: 1.56, vertikal: 1.38





Serie 4:
 10.1 ↙ 9.6 ↙ 10.2 * 10.4 * 9.5 ↘
 10.5 * 9.3 ← 10.3 * 10.6 * 10.3 *
 beste Teiler 96.5 (39.) 104.0 (36.) 144.0 (34.)
 Trefferlage 0.28 mm links, 0.90 mm tief
 Streuwert 1.66, horizontal: 1.92, vertikal: 1.34


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **402.2** (381)
 Serien: 101.7 100.8 100.6 99.1
 Zähler: 22 17 1 0 0 0 0 0 0 0
 Innenzehner: 18
 weiteste: 538 (20), 446 (1), 401 (24)
 beste Teiler 29.5 (17.) 29.9 (6.) 51.0 (27.)
 Trefferlage 0.03 mm links, 0.45 mm hoch
 Streuwert 1.77, horizontal: 1.93, vertikal: 1.59




Serie 1:
 9.2 ↘ 10.5 * 10.5 * 9.8 ↘ 10.4 *
 10.8 * 10.5 * 9.8 → 9.9 ↗ 10.3 *
 beste Teiler 29.9 (6.) 105.9 (2.) 110.7 (3.)
 Trefferlage 0.47 mm rechts, 0.36 mm hoch
 Streuwert 1.63, horizontal: 1.42, vertikal: 1.81



Serie 2:
 10.2 * 10.0 → 10.4 * 10.5 * 9.7 →
 10.4 * 10.8 * 9.9 → 10.1 ↘ 8.8 ↘
 beste Teiler 29.5 (17.) 117.6 (14.) 134.9 (13.)
 Trefferlage 1.05 mm rechts, 0.34 mm hoch
 Streuwert 1.71, horizontal: 1.79, vertikal: 1.61



Serie 3:
 9.8 → 10.4 * 9.8 ↖ 9.3 ↑ 10.4 *
 10.5 * 10.7 * 9.4 ← 10.2 * 10.1 ←
 beste Teiler 51.0 (27.) 104.1 (26.) 138.9 (22.)
 Trefferlage 0.70 mm links, 0.71 mm hoch
 Streuwert 1.69, horizontal: 1.98, vertikal: 1.35





Serie 4:
 10.4 * 9.7 ↖ 9.8 ↘ 10.6 * 9.7 ↓
 9.9 ↘ 9.9 → 10.0 ← 9.6 ↘ 9.5 ↘
 beste Teiler 94.2 (34.) 144.9 (31.) 245.4 (38.)
 Trefferlage 0.94 mm links, 0.38 mm hoch
 Streuwert 1.89, horizontal: 1.99, vertikal: 1.78


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **366.7** (349)
 Serien: 93.2 92.7 87.6 93.2
 Zähler: 8 17 12 2 1 0 0 0 0 0
 Innenzehner: 6
 weiteste: 1078 (27), 903 (28), 814 (2)
 beste Teiler 97.5 (11.) 125.9 (8.) 143.5 (29.)
 Trefferlage 0.52 mm rechts, 0.93 mm tief
 Streuwert 3.47, horizontal: 4.17, vertikal: 2.58




Serie 1:
 10.1 ← 7.7 ← 10.0 ↑ 9.6 ↗ 9.5 ←
 8.4 → 9.4 → 10.5 * 8.5 → 9.5 ↓
 beste Teiler 125.9 (8.) 209.3 (1.) 245.0 (3.)
 Trefferlage 0.51 mm rechts, 0.40 mm tief
 Streuwert 3.39, horizontal: 4.35, vertikal: 2.02



Serie 2:
 10.6 * 8.6 → 8.9 ↓ 9.4 ↓ 8.9 ↓
 9.1 ↖ 10.2 * 8.0 → 9.6 → 9.4 ↘
 beste Teiler 97.5 (11.) 177.7 (17.) 346.3 (19.)
 Trefferlage 1.75 mm rechts, 1.10 mm tief
 Streuwert 3.05, horizontal: 3.32, vertikal: 2.75



Serie 3:
 9.2 ← 9.2 ↗ 8.4 ↖ 9.7 → 8.5 ↘
 8.6 ↘ 6.6 ↘ 7.3 ← 10.4 * 9.7 ↓
 beste Teiler 143.5 (29.) 306.8 (24.) 317.4 (30.)
 Trefferlage 0.45 mm rechts, 1.32 mm tief
 Streuwert 4.41, horizontal: 5.23, vertikal: 3.40





Serie 4:
 9.6 ↓ 8.5 ← 9.6 ↑ 9.7 ← 8.0 →
 10.3 * 9.4 ← 8.5 ↖ 9.3 ↘ 10.3 *
 beste Teiler 161.9 (36.) 167.1 (40.) 310.8 (34.)
 Trefferlage 0.64 mm links, 0.92 mm tief
 Streuwert 3.17, horizontal: 3.87, vertikal: 2.27


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **397.3** (381)
 Serien: 98.0 100.0 100.4 98.9
 Zähler: 22 17 1 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 599 (11), 465 (35), 440 (3)
 beste Teiler 41.1 (25.) 83.5 (20.) 88.1 (36.)
 Trefferlage 0.08 mm rechts, 0.21 mm hoch
 Streuwert 2.01, horizontal: 2.43, vertikal: 1.46




Serie 1:
 9.5 ← 9.9 ↖ 9.2 ↘ 9.8 ↗ 10.1 ↗
 9.4 ↗ 9.7 ↗ 10.2 * 9.8 ↘ 10.4 *
 beste Teiler 146.7 (10.) 179.7 (8.) 209.4 (5.)
 Trefferlage 0.63 mm rechts, 0.25 mm hoch
 Streuwert 2.21, horizontal: 2.54, vertikal: 1.81



Serie 2:
 8.6 ← 10.2 * 10.0 ← 10.5 * 10.2 *
 10.6 * 9.7 ↗ 9.8 ↑ 9.8 ↘ 10.6 *
 beste Teiler 83.5 (20.) 89.3 (16.) 123.1 (14.)
 Trefferlage 1.15 mm links, 0.54 mm hoch
 Streuwert 1.86, horizontal: 2.29, vertikal: 1.31



Serie 3:
 10.3 * 9.4 ↗ 10.0 ↘ 10.1 ← 10.8 *
 10.3 * 9.6 → 9.4 ↖ 10.2 * 10.3 *
 beste Teiler 41.1 (25.) 158.1 (30.) 164.8 (21.)
 Trefferlage 0.60 mm rechts, 0.12 mm tief
 Streuwert 1.80, horizontal: 2.18, vertikal: 1.30





Serie 4:
 10.1 ↘ 9.2 → 10.1 ↖ 9.7 ↘ 9.1 ←
 10.6 * 10.0 ↑ 9.7 → 10.3 * 10.1 ↑
 beste Teiler 88.1 (36.) 172.8 (39.) 208.9 (40.)
 Trefferlage 0.26 mm rechts, 0.17 mm hoch
 Streuwert 2.14, horizontal: 2.60, vertikal: 1.54


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **405.2** (386)
 Serien: 102.5 102.4 101.4 98.9
 Zähler: 28 10 2 0 0 0 0 0 0 0
 Innenzehner: 24
 weiteste: 528 (39), 506 (26), 431 (3)
 beste Teiler 28.4 (4.) 29.1 (14.) 70.8 (8.)
 Trefferlage 0.07 mm links, 0.11 mm tief
 Streuwert 1.68, horizontal: 1.72, vertikal: 1.65




Serie 1:
 10.4 * 10.4 * 9.2 ↑ 10.8 * 10.2 *
 9.6 ↗ 10.2 * 10.7 * 10.4 * 10.6 *
 beste Teiler 28.4 (4.) 70.8 (8.) 96.1 (10.)
 Trefferlage 0.30 mm rechts, 0.49 mm hoch
 Streuwert 1.51, horizontal: 1.29, vertikal: 1.70



Serie 2:
 10.7 * 10.2 * 9.9 ↑ 10.8 * 10.1 ↓
 9.8 ← 10.2 * 10.3 * 10.4 * 10.0 ↙
 beste Teiler 29.1 (14.) 75.4 (11.) 145.5 (19.)
 Trefferlage 0.27 mm links, 0.25 mm tief
 Streuwert 1.43, horizontal: 1.40, vertikal: 1.46





Serie 3:
 10.5 * 10.4 * 10.3 * 9.7 ↘ 10.5 *
 8.9 ← 10.6 * 10.3 * 10.5 * 9.7 ↘
 beste Teiler 99.4 (27.) 106.0 (21.) 111.2 (25.)
 Trefferlage 0.26 mm rechts, 0.28 mm tief
 Streuwert 1.76, horizontal: 2.26, vertikal: 1.04




Serie 4:
 10.2 * 9.6 ↘ 10.1 ← 9.7 ↘ 10.3 *
 10.0 ↑ 9.9 ↓ 10.5 * 8.8 ↙ 9.8 ↘
 beste Teiler 117.6 (38.) 169.7 (35.) 195.0 (31.)
 Trefferlage 0.61 mm links, 0.39 mm tief
 Streuwert 2.06, horizontal: 1.84, vertikal: 2.25

Unterschrift des Schützen


Ergebnis: **397.9** (380)
 Serien: 99.1 100.0 99.0 99.8
 Zähler: 23 14 3 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 663 (14), 621 (26), 568 (2)
 beste Teiler 20.2 (33.) 35.1 (22.) 58.6 (20.)
 Trefferlage 0.11 mm rechts, 0.38 mm tief
 Streuwert 2.10, horizontal: 2.70, vertikal: 1.22




Serie 1:
 10.2 * 8.7 ← 10.3 * 9.7 ← 9.4 ←
 10.4 * 10.2 * 10.5 * 9.8 → 9.9 ↓
 beste Teiler 101.5 (8.) 139.4 (6.) 166.8 (3.)
 Trefferlage 1.21 mm links, 0.47 mm tief
 Streuwert 1.96, horizontal: 2.48, vertikal: 1.24



Serie 2:
 9.3 ← 10.7 * 10.4 * 8.3 ← 10.4 *
 9.9 ↓ 9.4 ↘ 10.4 * 10.5 * 10.7 *
 beste Teiler 58.6 (20.) 71.4 (12.) 108.1 (19.)
 Trefferlage 0.56 mm links, 0.21 mm tief
 Streuwert 2.23, horizontal: 2.85, vertikal: 1.33



Serie 3:
 10.3 * 10.8 * 10.2 * 10.1 ↘ 9.6 →
 8.5 → 9.1 → 10.3 * 9.9 ↙ 10.2 *
 beste Teiler 35.1 (22.) 158.2 (21.) 165.2 (28.)
 Trefferlage 1.49 mm rechts, 0.18 mm tief
 Streuwert 2.01, horizontal: 2.60, vertikal: 1.15





Serie 4:
 9.6 ↘ 10.0 → 10.9 * 10.6 * 9.8 ↙
 9.2 ← 10.1 ↓ 9.3 ↘ 10.2 * 10.1 →
 beste Teiler 20.2 (33.) 78.2 (34.) 198.6 (39.)
 Trefferlage 0.75 mm rechts, 0.66 mm tief
 Streuwert 1.91, horizontal: 2.37, vertikal: 1.30


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **398.2** (381)
 Serien: 99.5 98.1 100.9 99.7
 Zähler: 24 13 3 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 618 (37), 589 (12), 525 (6)
 beste Teiler 5.8 (14.) 40.6 (36.) 65.0 (9.)
 Trefferlage 0.38 mm links, 0.14 mm hoch
 Streuwert 1.98, horizontal: 1.86, vertikal: 2.10




Serie 1:
 9.9 ← 10.0 ← 10.1 ↑ 9.8 ↑ 10.1 ↗
 8.9 ↙ 9.7 → 10.1 → 10.7 * 10.2 *
 beste Teiler 65.0 (9.) 189.3 (10.) 201.5 (5.)
 Trefferlage 0.59 mm links, 0.42 mm hoch
 Streuwert 1.98, horizontal: 2.22, vertikal: 1.72



Serie 2:
 10.0 ↖ 8.6 ↘ 9.1 ← 10.9 * 10.0 ↗
 10.1 ↖ 9.8 ↓ 9.8 ↑ 9.8 ↓ 10.0 ↑
 beste Teiler 5.8 (14.) 211.9 (16.) 235.1 (15.)
 Trefferlage 1.49 mm links, 0.36 mm hoch
 Streuwert 2.07, horizontal: 1.64, vertikal: 2.43



Serie 3:
 10.4 * 10.1 → 10.5 * 10.4 * 9.8 ↑
 10.4 * 9.3 ↘ 10.1 ↓ 10.2 * 9.7 ↓
 beste Teiler 120.0 (23.) 137.0 (26.) 143.4 (21.)
 Trefferlage 0.67 mm rechts, 0.43 mm tief
 Streuwert 1.66, horizontal: 1.14, vertikal: 2.06





Serie 4:
 9.7 → 9.8 ↑ 10.1 ↗ 9.9 ← 10.0 ↑
 10.8 * 8.5 ↓ 10.1 ↗ 10.3 * 10.5 *
 beste Teiler 40.6 (36.) 103.4 (40.) 151.2 (39.)
 Trefferlage 0.11 mm links, 0.23 mm hoch
 Streuwert 2.10, horizontal: 1.83, vertikal: 2.33


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **405.6** (387)
 Serien: 103.6 101.1 98.8 102.1
 Zähler: 29 9 2 0 0 0 0 0 0 0
 Innenzehner: 22
 weiteste: 679 (17), 638 (39), 458 (21)
 beste Teiler 9.0 (23.) 33.0 (32.) 34.2 (38.)
 Trefferlage 0.44 mm rechts, 0.22 mm tief
 Streuwert 1.77, horizontal: 2.02, vertikal: 1.49




Serie 1:
 10.1 ↘ 10.7 * 10.3 * 10.2 * 10.4 *
 9.9 ↓ 9.8 ↘ 10.7 * 10.8 * 10.7 *
 beste Teiler 47.0 (9.) 55.4 (2.) 69.7 (10.)
 Trefferlage 0.06 mm links, 0.83 mm tief
 Streuwert 1.09, horizontal: 0.85, vertikal: 1.29



Serie 2:
 10.3 * 10.1 ← 10.1 ↘ 10.2 * 10.6 *
 10.3 * 8.2 ↘ 10.0 ↑ 10.5 * 10.8 *
 beste Teiler 36.8 (20.) 76.2 (15.) 106.2 (19.)
 Trefferlage 0.31 mm rechts, 0.27 mm tief
 Streuwert 1.96, horizontal: 2.32, vertikal: 1.53



Serie 3:
 9.1 ↘ 9.5 ← 10.9 * 9.9 ↑ 9.7 ↘
 10.0 ← 10.6 * 9.1 → 10.0 ↖ 10.0 →
 beste Teiler 9.0 (23.) 95.1 (27.) 233.5 (30.)
 Trefferlage 0.68 mm rechts, 0.33 mm hoch
 Streuwert 2.17, horizontal: 2.68, vertikal: 1.49





Serie 4:
 9.6 ↖ 10.8 * 10.6 * 10.3 * 9.9 →
 10.6 * 10.6 * 10.8 * 8.4 ↘ 10.5 *
 beste Teiler 33.0 (32.) 34.2 (38.) 79.6 (33.)
 Trefferlage 0.84 mm rechts, 0.11 mm tief
 Streuwert 1.80, horizontal: 1.95, vertikal: 1.63


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378.8** (365)
 Serien: 96.5 91.9 96.0 94.4
 Zähler: 15 17 6 2 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 944 (12), 785 (14), 738 (33)
 beste Teiler 85.0 (15.) 114.0 (13.) 140.0 (38.)
 Trefferlage 1.30 mm rechts, 0.52 mm tief
 Streuwert 2.86, horizontal: 2.92, vertikal: 2.80




Serie 1:
 10.0 ↗ 9.4 ↖ 10.3 * 8.3 ↘ 9.4 ↖
 10.3 * 9.4 ↙ 9.0 ↘ 10.4 * 10.0 ↑
 beste Teiler 148.0 (9.) 158.8 (3.) 173.0 (6.)
 Trefferlage 0.10 mm rechts, 0.37 mm hoch
 Streuwert 2.68, horizontal: 2.96, vertikal: 2.36



Serie 2:
 8.4 ↘ 7.2 ↓ 10.5 * 7.8 ↖ 10.6 *
 10.0 ↘ 9.7 ↑ 9.9 ↘ 8.1 → 9.7 ↓
 beste Teiler 85.0 (15.) 114.0 (13.) 226.3 (16.)
 Trefferlage 1.18 mm rechts, 1.23 mm tief
 Streuwert 3.69, horizontal: 3.45, vertikal: 3.91



Serie 3:
 10.3 * 9.2 ↙ 9.0 ↑ 9.6 ↓ 9.6 ↗
 10.0 ← 9.3 → 9.6 ↗ 10.3 * 9.1 →
 beste Teiler 165.1 (29.) 166.5 (21.) 233.4 (26.)
 Trefferlage 1.11 mm rechts, 0.43 mm hoch
 Streuwert 2.51, horizontal: 2.41, vertikal: 2.60





Serie 4:
 9.1 ↘ 10.2 * 8.0 ↘ 10.2 * 9.3 ↘
 9.8 ↓ 8.8 ↘ 10.4 * 8.4 → 10.2 *
 beste Teiler 140.0 (38.) 179.9 (34.) 190.6 (32.)
 Trefferlage 2.80 mm rechts, 1.68 mm tief
 Streuwert 2.07, horizontal: 2.52, vertikal: 1.49


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375.3** (356)
 Serien: 91.6 97.4 89.5 96.8
 Zähler: 9 19 11 1 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 793 (24), 737 (6), 716 (26)
 beste Teiler 74.3 (37.) 85.0 (2.) 95.8 (16.)
 Trefferlage 0.42 mm links, 0.57 mm tief
 Streuwert 3.08, horizontal: 3.17, vertikal: 2.98




Serie 1:
 9.5 ↓ 10.6 * 8.9 ↑ 8.6 ↘ 9.2 ↖
 8.0 → 9.9 ↗ 8.3 ← 9.7 ↑ 8.9 ↘
 beste Teiler 85.0 (2.) 255.8 (7.) 306.4 (9.)
 Trefferlage 0.38 mm links, 0.21 mm hoch
 Streuwert 3.62, horizontal: 3.71, vertikal: 3.52



Serie 2:
 9.0 ↘ 10.0 → 10.4 * 9.3 ← 10.4 *
 10.6 * 9.8 ↑ 9.8 ← 9.2 ↓ 8.9 ↙
 beste Teiler 95.8 (16.) 137.4 (13.) 150.3 (15.)
 Trefferlage 0.29 mm links, 1.29 mm tief
 Streuwert 2.30, horizontal: 2.14, vertikal: 2.45



Serie 3:
 9.2 ↗ 8.2 ↘ 8.7 ← 7.8 ← 8.8 ↖
 8.1 ↓ 9.8 ↖ 10.0 → 9.0 → 9.9 ↗
 beste Teiler 242.0 (28.) 252.3 (30.) 276.3 (27.)
 Trefferlage 0.33 mm links, 0.53 mm tief
 Streuwert 3.93, horizontal: 3.96, vertikal: 3.90





Serie 4:
 10.4 * 9.0 ← 9.8 ↖ 10.3 * 9.9 ↘
 8.5 → 10.7 * 9.1 ↓ 9.7 ← 9.4 ↙
 beste Teiler 74.3 (37.) 135.9 (31.) 157.4 (34.)
 Trefferlage 0.67 mm links, 0.68 mm tief
 Streuwert 2.55, horizontal: 3.09, vertikal: 1.87


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	381.3	(364)
Serien:	92.8	97.6 95.9 95.0
Zähler:	13	20 5 2 0 0 0 0 0 0
Innenzehner:	10	
weiteste:	873	(4), 861 (5), 647 (28)
beste Teiler	110.1	(2.) 121.1 (29.) 142.0 (19.)
Trefferlage	0.33 mm	rechts, 1.13 mm hoch
Streuwert	2.75,	horizontal: 3.02, vertikal: 2.44




Serie 1:	9.7 ↓	10.5 *	8.7 ↑	7.5 ←	7.5 →
	9.4 ↘	10.3 *	9.3 ↗	9.5 ↗	10.4 *
beste Teiler	110.1	(2.) 144.8 (10.)	174.2 (7.)		
Trefferlage	0.16 mm	rechts, 1.10 mm hoch			
Streuwert	3.58,	horizontal: 4.46, vertikal: 2.40			



Serie 2:	9.4 ↘	10.3 *	10.2 *	9.6 ↑	9.4 ↑
	10.1 ←	9.8 ↑	9.1 ↑	10.4 *	9.3 ↗
beste Teiler	142.0	(19.) 167.3 (12.)	194.2 (13.)		
Trefferlage	0.52 mm	rechts, 1.33 mm hoch			
Streuwert	2.13,	horizontal: 1.73, vertikal: 2.46			



Serie 3:	10.3 *	9.0 ↘	9.6 ←	9.8 ←	10.3 *
	9.0 ↘	8.6 ↘	8.4 ↗	10.5 *	10.4 *
beste Teiler	121.1	(29.) 145.7 (30.)	151.7 (21.)		
Trefferlage	0.53 mm	links, 0.70 mm hoch			
Streuwert	2.84,	horizontal: 3.10, vertikal: 2.56			





Serie 4:	9.7 ↑	9.7 ↗	9.2 ↘	8.5 ↗	10.0 ↑
	8.9 ↗	10.1 ↓	9.4 ↑	9.9 ↗	9.6 ↘
beste Teiler	212.1	(37.) 248.3 (35.)	254.5 (39.)		
Trefferlage	1.17 mm	rechts, 1.41 mm hoch			
Streuwert	2.50,	horizontal: 2.30, vertikal: 2.69			


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **187.6** (181)
 Serien: 92.4 95.2
 Zähler: 6 11 1 2 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 931 (10), 928 (2), 704 (20)
 beste Teiler 121.1 (7.) 166.4 (16.) 170.5 (13.)
 Trefferlage 1.58 mm rechts, 0.56 mm hoch
 Streuwert 3.03, horizontal: 3.92, vertikal: 1.72





Serie 1:
 9.3 ↗ 7.2 → 9.3 ↘ 9.6 ↖ 10.0 ↑
 9.6 → 10.5 * 9.5 ↗ 10.2 * 7.2 →
 beste Teiler 121.1 (7.) 185.6 (9.) 231.4 (5.)
 Trefferlage 2.87 mm rechts, 0.14 mm hoch
 Streuwert 3.07, horizontal: 4.00, vertikal: 1.69




Serie 2:
 9.6 → 9.2 ↖ 10.3 * 9.4 ↗ 9.2 →
 10.3 * 9.4 ↗ 10.1 ← 9.6 ↑ 8.1 ←
 beste Teiler 166.4 (16.) 170.5 (13.) 213.0 (18.)
 Trefferlage 0.29 mm rechts, 0.99 mm hoch
 Streuwert 2.80, horizontal: 3.57, vertikal: 1.73

Unterschrift des Schützen

Ergebnis: **189.0** (181)
 Serien: 95.8 93.2
 Zähler: 6 10 3 1 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 813 (11), 708 (8), 621 (7)
 beste Teiler 118.3 (4.) 120.5 (2.) 132.1 (3.)
 Trefferlage 0.13 mm links, 0.47 mm tief
 Streuwert 3.05, horizontal: 3.77, vertikal: 2.09





Serie 1:
 9.1 ↘ 10.5 * 10.4 * 10.5 * 9.9 ↖
 9.9 ↘ 8.5 ← 8.1 → 9.0 ↓ 9.9 ↖
 beste Teiler 118.3 (4.) 120.5 (2.) 132.1 (3.)
 Trefferlage 0.29 mm rechts, 0.89 mm tief
 Streuwert 2.88, horizontal: 3.52, vertikal: 2.04



Serie 2:
 7.7 → 9.3 ↖ 9.0 ↓ 9.1 ↖ 8.8 ←
 9.1 ← 9.7 → 10.0 → 10.3 * 10.2 *
 beste Teiler 160.0 (19.) 185.6 (20.) 245.8 (18.)
 Trefferlage 0.56 mm links, 0.05 mm tief
 Streuwert 3.31, horizontal: 4.15, vertikal: 2.16


Unterschrift des Schützen

Ergebnis: **191.0** (183)
 Serien: 94.0 97.0
 Zähler: 6 11 3 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 651 (10), 619 (6), 561 (16)
 beste Teiler 94.3 (17.) 122.8 (5.) 160.4 (8.)
 Trefferlage 0.61 mm links, 0.13 mm tief
 Streuwert 2.75, horizontal: 3.48, vertikal: 1.73



Serie 1:
 9.0 ← 9.1 ↙ 10.0 → 9.5 → 10.5 *
 8.5 → 9.0 ← 10.3 * 9.8 → 8.3 ↖

beste Teiler 122.8 (5.) 160.4 (8.) 241.4 (3.)
 Trefferlage 0.31 mm links, 0.52 mm tief
 Streuwert 3.14, horizontal: 4.07, vertikal: 1.77





Serie 2:
 9.6 ↖ 9.6 ↖ 10.0 ← 10.2 * 9.9 ↖
 8.7 → 10.6 * 9.6 → 9.5 ↙ 9.3 ↖


beste Teiler 94.3 (17.) 177.0 (14.) 239.0 (13.)
 Trefferlage 0.90 mm links, 0.25 mm hoch
 Streuwert 2.42, horizontal: 2.97, vertikal: 1.69

Unterschrift des Schützen

Ergebnis: **184.6** (176)
 Serien: 95.6 89.0
 Zähler: 5 9 4 1 1 0 0 0 0 0
 Innenzehner: 4
 weiteste: 1051 (16), 843 (20), 668 (13)
 beste Teiler 52.2 (5.) 67.0 (18.) 102.7 (6.)
 Trefferlage 0.82 mm rechts, 0.79 mm hoch
 Streuwert 3.49, horizontal: 4.72, vertikal: 1.42





Serie 1:
 8.8 → 10.1 ↖ 8.8 → 9.1 → 10.7 *
 10.5 * 9.7 → 9.0 → 9.5 → 9.4 ↗
 beste Teiler 52.2 (5.) 102.7 (6.) 217.0 (2.)
 Trefferlage 2.76 mm rechts, 0.83 mm hoch
 Streuwert 1.86, horizontal: 2.36, vertikal: 1.17




Serie 2:
 8.5 → 9.0 → 8.3 ↖ 9.3 ↗ 9.3 ↘
 6.7 ← 10.3 * 10.7 * 9.3 ↖ 7.6 ↖
 beste Teiler 67.0 (18.) 155.1 (17.) 414.8 (15.)
 Trefferlage 1.11 mm links, 0.75 mm hoch
 Streuwert 4.24, horizontal: 5.75, vertikal: 1.71

Unterschrift des Schützen

Ergebnis: **191.1** (182)
 Serien: 98.6 92.5
 Zähler: 6 11 2 1 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 868 (17), 729 (18), 514 (12)
 beste Teiler 18.8 (1.) 87.2 (4.) 99.4 (16.)
 Trefferlage 0.56 mm links, 0.21 mm tief
 Streuwert 2.92, horizontal: 3.74, vertikal: 1.75





Serie 1:
 10.9 * 10.3 * 9.9 ↗ 10.6 * 9.3 ←
 9.5 ↗ 9.9 ↗ 9.9 → 9.2 → 9.1 ←
 beste Teiler 18.8 (1.) 87.2 (4.) 164.2 (2.)
 Trefferlage 0.45 mm rechts, 0.40 mm hoch
 Streuwert 2.26, horizontal: 2.86, vertikal: 1.42




Serie 2:
 10.4 * 8.9 ↙ 9.3 ← 9.2 ← 9.5 ←
 10.6 * 7.5 → 8.0 ← 9.1 ↓ 10.0 ←
 beste Teiler 99.4 (16.) 149.0 (11.) 234.7 (20.)
 Trefferlage 1.57 mm links, 0.83 mm tief
 Streuwert 3.37, horizontal: 4.37, vertikal: 1.90

Unterschrift des Schützen

Ergebnis: **201.6** (193)
 Serien: 99.8 101.8
 Zähler: 13 7 0 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 350 (7), 332 (5), 329 (9)
 beste Teiler 56.0 (1.) 64.8 (20.) 120.4 (15.)
 Trefferlage 0.14 mm links, 0.22 mm hoch
 Streuwert 1.70, horizontal: 2.20, vertikal: 0.95



Serie 1:
 10.7 * 10.2 * 9.8 → 10.4 * 9.6 ←
 10.1 ↗ 9.6 ← 10.0 ← 9.6 ↖ 9.8 ↘
 beste Teiler 56.0 (1.) 142.0 (4.) 195.9 (2.)
 Trefferlage 0.48 mm links, 0.62 mm hoch
 Streuwert 1.85, horizontal: 2.44, vertikal: 0.93



Serie 2:
 10.0 → 10.3 * 10.2 * 10.3 * 10.5 *
 9.8 ← 10.1 ↘ 10.0 → 9.9 ← 10.7 *
 beste Teiler 64.8 (20.) 120.4 (15.) 152.1 (12.)
 Trefferlage 0.19 mm rechts, 0.16 mm tief
 Streuwert 1.54, horizontal: 2.00, vertikal: 0.84

Unterschrift des Schützen