





Ergebnis: **481** (506.0)
 Serien: 81 75 86 81 80 78
 Zähler: 4 17 22 13 1 3 0 0 0 0
 Innenzehner: 2
 weiteste: 4622 (4), 4326 (19), 4231 (52)
 beste Teiler 366.0 (33.) 451.0 (25.) 534.9 (5.)
 Trefferlage 4.80 mm rechts, 5.18 mm tief
 Streuwert 14.95, horizontal: 15.56, vertikal: 14.32




Serie 1:
 7.9 ↙ 9.4 → 8.6 ↘ 5.2 ↘ 10.3 ↑
 9.3 ↓ 10.2 ← 7.1 → 9.6 ↓ 7.4 ←
 beste Teiler 534.9 (5.) 634.8 (7.) 1075.1 (9.)
 Trefferlage 1.18 mm rechts, 3.90 mm tief
 Streuwert 16.94, horizontal: 19.19, vertikal: 14.35




Serie 2:
 8.2 ↘ 8.9 ↑ 6.6 ↙ 7.5 ↘ 9.3 ↑
 8.3 → 9.4 ↓ 8.6 → 5.5 ↑ 7.1 →
 beste Teiler 1260.3 (17.) 1355.1 (15.) 1628.8 (12.)
 Trefferlage 6.44 mm rechts, 1.58 mm tief
 Streuwert 18.63, horizontal: 18.08, vertikal: 19.16




Serie 3:
 9.6 ↑ 7.0 → 8.5 → 9.6 ↘ 10.4 *
 9.0 ↘ 8.5 ↑ 9.5 ← 9.0 ↓ 8.6 ↓
 beste Teiler 451.0 (25.) 1063.8 (24.) 1075.2 (21.)
 Trefferlage 4.23 mm rechts, 2.98 mm tief
 Streuwert 12.34, horizontal: 12.72, vertikal: 11.94



Serie 4:
 8.9 ↙ 8.1 ↓ 10.5 * 9.8 → 8.4 ↘
 8.4 ↙ 8.0 ← 7.0 ↓ 7.4 ↓ 8.2 ←
 beste Teiler 366.0 (33.) 903.8 (34.) 1628.2 (31.)
 Trefferlage 1.35 mm links, 14.22 mm tief
 Streuwert 11.90, horizontal: 13.68, vertikal: 9.79



Serie 5:
 8.7 ↓ 8.3 ↑ 8.9 ↓ 9.4 ↗ 7.8 →
 9.1 ↑ 7.2 ↘ 9.6 ← 8.3 ↓ 7.3 →
 beste Teiler 1050.7 (48.) 1207.5 (44.) 1457.1 (46.)
 Trefferlage 3.77 mm rechts, 0.22 mm hoch
 Streuwert 15.21, horizontal: 15.28, vertikal: 15.14



Serie 6:
 9.5 ↓ 5.7 → 8.2 ↗ 8.2 ↘ 9.8 →
 7.6 ↘ 8.7 ↘ 8.1 ↓ 7.5 → 9.3 ↓
 beste Teiler 960.0 (55.) 1163.0 (51.) 1332.2 (60.)
 Trefferlage 14.53 mm rechts, 8.62 mm tief
 Streuwert 12.03, horizontal: 11.94, vertikal: 12.11

LP 60 – Wertung – **Männer**

StandNr: 101

Wagger,, Michael #70312105

StartNr: 1



13. Januar 2019 10:58

SG_Sportschützen_St._Johann

Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	551	(576.1)				
Serien:	93	89	93	91	93	92
Zähler:	18	35	7	0	0	0
Innenzehner:	7					
weiteste:	2284 (12), 2099 (19), 1964 (4)					
beste Teiler	82.1 (56.) 139.0 (11.) 198.0 (59.)					
Trefferlage	2.96 mm links, 3.79 mm hoch					
Streuwert	7.77, horizontal: 6.56, vertikal: 8.81					



Serie 1:

9.4 ↖	9.7 ↖	9.9 ↑	8.5 ↑	9.3 ↖
9.1 ↗	10.1 ↘	10.0 ↙	10.2 ↗	10.2 ↖


beste Teiler 586.8 (10.) 627.0 (9.) 683.8 (7.)
 Trefferlage 2.88 mm links, 2.86 mm hoch
 Streuwert 7.90, horizontal: 7.97, vertikal: 7.82



Serie 2:

10.8 *	8.1 ↑	9.8 ↙	8.9 ↑	9.6 ↗
9.5 ↑	9.9 ↖	10.3 ↘	8.3 ↓	9.0 ↑


beste Teiler 139.0 (11.) 535.7 (18.) 854.1 (17.)
 Trefferlage 0.48 mm rechts, 3.91 mm hoch
 Streuwert 9.88, horizontal: 4.12, vertikal: 13.35



Serie 3:

9.8 ↗	9.0 ↑	10.2 ↙	9.1 ↖	9.3 ↖
9.2 ↑	9.8 ↘	10.7 *	10.2 ↖	9.1 ↖


beste Teiler 222.0 (28.) 592.0 (23.) 596.0 (29.)
 Trefferlage 3.26 mm links, 5.03 mm hoch
 Streuwert 7.19, horizontal: 6.83, vertikal: 7.53



Serie 4:

10.5 *	9.9 ↖	9.8 ↑	9.5 ↖	9.2 ↑
10.3 ↖	8.7 ↑	9.7 ↖	9.1 ↖	9.0 ↑


beste Teiler 395.1 (31.) 501.7 (36.) 834.3 (32.)
 Trefferlage 3.46 mm links, 5.64 mm hoch
 Streuwert 7.31, horizontal: 6.47, vertikal: 8.06



Serie 5:

9.1 ↙	9.5 ↖	9.3 ↖	10.2 ↖	10.5 *
9.0 ↖	9.2 ↖	9.4 ↖	9.6 ↑	10.1 ↖

beste Teiler 328.6 (45.) 616.3 (44.) 670.4 (50.)
 Trefferlage 8.09 mm links, 0.72 mm hoch
 Streuwert 6.08, horizontal: 4.93, vertikal: 7.05



Serie 6:

9.3 ↑	8.7 ↗	9.9 ↖	10.4 ↖	9.4 ↖
10.8 *	9.1 ↓	8.7 ↑	10.7 *	10.5 *

beste Teiler 82.1 (56.) 198.0 (59.) 354.9 (60.)
 Trefferlage 0.59 mm links, 4.62 mm hoch
 Streuwert 7.74, horizontal: 6.26, vertikal: 8.98

Meyton Elektronik

LP 60 – Wertung – **Männer**

StandNr: 102

Wutte,, Alexander #70210007

StartNr: 2



13. Januar 2019 11:08

SG_HSV–Absam

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	540	(567.2)				
Serien:	89	90	90	88	91	92
Zähler:	16	29	14	1	0	0
Innenzehner:	6					
weiteste:	2711 (9), 2266 (8), 2227 (37)					
beste Teiler	304.4 (22.) 304.8 (33.) 314.6 (2.)					
Trefferlage	0.64 mm links, 1.52 mm hoch					
Streuwert	9.29, horizontal: 9.59, vertikal: 8.97					




Serie 1:

9.4 ↘	10.6 *	9.1 ↖	9.5 ↙	9.5 ↘
10.1 ↘	9.8 ↓	8.1 ↘	7.6 →	9.8 ↓
beste Teiler	314.6 (2.) 707.0 (6.) 882.2 (10.)			
Trefferlage	1.10 mm rechts, 6.27 mm tief			
Streuwert	9.74, horizontal: 11.52, vertikal: 7.56			




Serie 2:

9.4 ↑	8.9 ←	9.2 ↑	9.5 ↖	8.3 ↑
10.2 ↖	10.4 *	10.0 ↓	8.6 ↑	9.9 →
beste Teiler	404.1 (17.) 574.0 (16.) 787.7 (18.)			
Trefferlage	2.97 mm links, 6.52 mm hoch			
Streuwert	8.15, horizontal: 6.87, vertikal: 9.26			




Serie 3:

10.2 ↑	10.6 *	9.5 ←	9.3 ←	9.5 →
9.2 →	9.4 ↓	9.8 →	8.6 ↑	8.7 ↖
beste Teiler	304.4 (22.) 639.7 (21.) 889.4 (28.)			
Trefferlage	0.77 mm links, 2.10 mm hoch			
Streuwert	9.30, horizontal: 10.40, vertikal: 8.05			




Serie 4:

8.8 ↙	8.8 →	10.6 *	9.4 ↘	10.4 *
9.9 ↖	8.2 ↑	9.1 ←	9.6 ←	8.9 →
beste Teiler	304.8 (33.) 406.3 (35.) 832.5 (36.)			
Trefferlage	0.31 mm links, 0.19 mm hoch			
Streuwert	10.38, horizontal: 10.80, vertikal: 9.94			



Serie 5:

8.8 ↖	9.6 →	10.4 *	9.5 ←	9.5 →
8.5 ↖	10.3 →	9.4 ↖	9.4 →	10.1 ↙
beste Teiler	471.3 (43.) 522.1 (47.) 659.3 (50.)			
Trefferlage	0.85 mm links, 2.38 mm hoch			
Streuwert	8.83, horizontal: 10.49, vertikal: 6.78			



Serie 6:

9.1 ↗	10.1 ↙	10.0 ↑	8.5 ↖	9.0 ↗
10.1 ↑	9.8 ↖	10.1 ←	9.8 ↑	8.8 ↘
beste Teiler	663.7 (52.) 671.9 (58.) 679.0 (56.)			
Trefferlage	0.03 mm links, 4.21 mm hoch			
Streuwert	8.57, horizontal: 8.85, vertikal: 8.28			

Meyton Elektronik

LP 60 – Wertung – **Männer**

StandNr: 103

Höllwarth,, David #70802020

StartNr: 3



13. Januar 2019 10:51

SG_Aschau


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **334** (352.3)
 Serien: 85 79 82 88
 Zähler: 7 15 9 7 0 0 2 0 0 0
 Innenzehner: 1
 weiteste: 5195 (14), 5033 (29), 3141 (17)
 beste Teiler 457.4 (20.) 488.8 (10.) 539.0 (35.)
 Trefferlage 5.65 mm links, 2.15 mm tief
 Streuwert 13.92, horizontal: 12.00, vertikal: 15.60




Serie 1:
 8.3 ↙ 9.4 ↘ 9.7 ↓ 10.1 ↗ 9.9 ↑
 7.6 ↓ 8.7 ↘ 8.6 ↑ 7.4 ↙ 10.3 ↖
 beste Teiler 488.8 (10.) 651.4 (4.) 823.4 (5.)
 Trefferlage 3.55 mm links, 2.26 mm tief
 Streuwert 12.67, horizontal: 8.41, vertikal: 15.82



Serie 2:
 10.2 ↖ 9.7 ↓ 7.9 ↓ 4.5 ↙ 8.8 ↖
 8.2 ↖ 7.0 ↙ 7.3 ↘ 9.7 ↗ 10.4 *
 beste Teiler 457.4 (20.) 635.3 (11.) 986.0 (12.)
 Trefferlage 9.43 mm links, 7.97 mm tief
 Streuwert 16.08, horizontal: 14.47, vertikal: 17.54



Serie 3:
 8.2 ↗ 9.3 → 9.7 ← 7.3 ↓ 9.5 ↑
 9.9 ↘ 9.3 ↘ 8.6 ← 4.7 ↙ 10.1 ↓
 beste Teiler 679.9 (30.) 808.2 (26.) 1024.2 (23.)
 Trefferlage 4.25 mm links, 3.39 mm tief
 Streuwert 15.99, horizontal: 14.95, vertikal: 16.97





Serie 4:
 9.7 ← 8.7 ↘ 8.3 ← 10.1 ↘ 10.3 ↓
 9.1 ← 9.4 ↗ 7.4 ↑ 9.6 ↙ 9.4 ↑
 beste Teiler 539.0 (35.) 691.0 (34.) 1016.3 (31.)
 Trefferlage 5.37 mm links, 5.03 mm hoch
 Streuwert 10.24, horizontal: 9.89, vertikal: 10.58


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **357** (375.4)
 Serien: 94 86 89 88
 Zähler: 14 12 12 1 1 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3561 (39), 2718 (26), 2183 (18)
 beste Teiler 336.1 (2.) 356.5 (19.) 378.4 (8.)
 Trefferlage 1.49 mm rechts, 1.43 mm tief
 Streuwert 10.17, horizontal: 10.09, vertikal: 10.25




Serie 1:
 8.8 ← 10.5 * 8.4 ↖ 10.1 ↗ 10.3 →
 10.4 ↓ 10.1 ↗ 10.5 * 9.5 → 9.8 ←
 beste Teiler 336.1 (2.) 378.4 (8.) 477.0 (6.)
 Trefferlage 1.82 mm links, 1.19 mm hoch
 Streuwert 7.62, horizontal: 9.72, vertikal: 4.66



Serie 2:
 8.9 ↖ 9.2 ↖ 10.2 → 8.5 ↓ 9.8 →
 8.6 ↙ 8.6 ↓ 8.2 → 10.5 * 8.5 →
 beste Teiler 356.5 (19.) 618.2 (13.) 933.0 (15.)
 Trefferlage 2.97 mm rechts, 2.85 mm tief
 Streuwert 11.48, horizontal: 10.45, vertikal: 12.42





Serie 3:
 9.7 ↖ 10.0 → 10.0 → 10.2 ↙ 9.7 →
 7.6 ↓ 8.8 ↑ 9.3 ↓ 9.3 ↗ 8.9 →
 beste Teiler 613.7 (24.) 728.9 (22.) 730.7 (23.)
 Trefferlage 3.20 mm rechts, 0.46 mm tief
 Streuwert 10.29, horizontal: 7.10, vertikal: 12.70




Serie 4:
 10.0 ↖ 8.8 ↖ 8.9 ↓ 9.1 ↓ 10.2 ↗
 9.2 ↓ 9.8 ↙ 9.8 ↓ 6.5 → 10.2 ↖
 beste Teiler 626.9 (40.) 630.6 (35.) 748.1 (31.)
 Trefferlage 1.61 mm rechts, 3.63 mm tief
 Streuwert 11.64, horizontal: 13.02, vertikal: 10.08

Unterschrift des Schützen


Ergebnis: **348** (366.8)
 Serien: 88 84 87 89
 Zähler: 6 17 16 1 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2966 (16), 2361 (24), 2084 (7)
 beste Teiler 235.3 (13.) 351.6 (27.) 355.1 (1.)
 Trefferlage 2.80 mm rechts, 6.35 mm hoch
 Streuwert 9.80, horizontal: 11.42, vertikal: 7.85




Serie 1:
 10.5 * 8.4 ↗ 10.1 → 9.3 ↘ 9.8 ←
 9.3 ↗ 8.3 → 8.8 ↑ 9.7 ← 8.8 →
 beste Teiler 355.1 (1.) 720.1 (3.) 959.5 (5.)
 Trefferlage 2.87 mm rechts, 4.51 mm hoch
 Streuwert 9.91, horizontal: 10.59, vertikal: 9.19



Serie 2:
 9.3 → 8.8 ↖ 10.7 * 8.4 ↗ 8.6 ↘
 7.2 ↗ 9.8 ↗ 8.7 ↗ 8.7 ↗ 9.3 ↗
 beste Teiler 235.3 (13.) 896.2 (17.) 1303.6 (11.)
 Trefferlage 6.99 mm rechts, 6.78 mm hoch
 Streuwert 10.74, horizontal: 13.14, vertikal: 7.62





Serie 3:
 8.6 ↗ 8.9 ↗ 9.1 ↑ 8.0 ← 9.3 ←
 8.5 ↗ 10.5 * 8.6 ↑ 9.2 ↘ 10.3 ↘
 beste Teiler 351.6 (27.) 494.2 (30.) 1311.7 (25.)
 Trefferlage 0.00 mm , 7.72 mm hoch
 Streuwert 10.30, horizontal: 12.46, vertikal: 7.55




Serie 4:
 9.8 ↑ 8.6 ← 9.9 ↖ 9.0 ↗ 8.6 ↗
 10.0 ↘ 9.1 ↗ 9.7 ↘ 9.2 ↑ 9.4 →
 beste Teiler 722.0 (36.) 839.8 (33.) 907.4 (31.)
 Trefferlage 1.33 mm rechts, 6.41 mm hoch
 Streuwert 8.83, horizontal: 9.70, vertikal: 7.86

Unterschrift des Schützen


Ergebnis: **345** (365.5)
 Serien: 81 93 85 86
 Zähler: 8 16 10 5 1 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3314 (6), 2552 (2), 2475 (40)
 beste Teiler 79.4 (3.) 419.9 (18.) 481.2 (14.)
 Trefferlage 2.07 mm rechts, 1.09 mm tief
 Streuwert 11.43, horizontal: 11.65, vertikal: 11.21




Serie 1:
 10.0 ↖ 7.8 ↗ 10.9 * 8.1 → 8.5 →
 6.8 ↓ 7.9 ↘ 9.6 ← 8.8 ← 8.5 ↓
 beste Teiler 79.4 (3.) 799.1 (1.) 1050.4 (8.)
 Trefferlage 1.15 mm rechts, 1.50 mm tief
 Streuwert 15.04, horizontal: 15.69, vertikal: 14.36



Serie 2:
 9.4 → 9.1 ↗ 10.2 ↑ 10.3 ↓ 9.3 ←
 10.0 ↗ 9.6 ↘ 10.4 * 9.5 ↘ 8.1 ↑
 beste Teiler 419.9 (18.) 481.2 (14.) 632.8 (13.)
 Trefferlage 1.71 mm rechts, 3.22 mm hoch
 Streuwert 8.46, horizontal: 8.60, vertikal: 8.31





Serie 3:
 8.8 ↓ 9.8 → 8.4 ↘ 9.0 → 9.7 →
 9.6 ← 7.9 ↖ 10.0 ↑ 9.8 ↓ 7.9 ↘
 beste Teiler 763.2 (28.) 892.8 (29.) 960.5 (22.)
 Trefferlage 3.61 mm rechts, 6.58 mm tief
 Streuwert 10.77, horizontal: 12.55, vertikal: 8.61




Serie 4:
 9.1 ↖ 9.8 ↗ 8.8 ↗ 9.5 ← 9.3 →
 10.3 ↖ 8.9 ↑ 9.4 ↖ 8.8 ↗ 7.9 ↓
 beste Teiler 507.3 (36.) 901.2 (32.) 1150.6 (34.)
 Trefferlage 1.80 mm rechts, 0.48 mm hoch
 Streuwert 11.05, horizontal: 10.35, vertikal: 11.71

Unterschrift des Schützen


Ergebnis: **346** (364.5)
 Serien: 83 89 84 90
 Zähler: 10 14 10 4 2 0 0 0 0 0
 Innenzehner: 7
 weiteste: 3604 (3), 3264 (4), 3155 (26)
 beste Teiler 311.0 (37.) 329.4 (29.) 342.3 (32.)
 Trefferlage 1.99 mm rechts, 2.20 mm hoch
 Streuwert 12.02, horizontal: 12.29, vertikal: 11.73




Serie 1:
 9.3 ↖ 9.2 ↑ 6.4 ↑ 6.9 ↗ 8.1 ↙
 10.4 * 8.7 ↘ 9.1 → 9.8 ↘ 9.9 →
 beste Teiler 405.7 (6.) 857.7 (10.) 899.2 (9.)
 Trefferlage 3.68 mm rechts, 4.20 mm hoch
 Streuwert 14.17, horizontal: 11.93, vertikal: 16.10



Serie 2:
 9.5 ← 8.2 → 8.6 ↖ 9.9 ↑ 9.7 ↓
 9.1 → 10.2 ↓ 10.3 ↗ 9.2 ↑ 8.9 ←
 beste Teiler 483.7 (18.) 591.0 (17.) 819.1 (14.)
 Trefferlage 0.81 mm rechts, 3.10 mm hoch
 Streuwert 9.95, horizontal: 11.76, vertikal: 7.72



Serie 3:
 9.3 ↙ 8.6 ↖ 8.2 ↗ 7.8 → 10.4 *
 7.0 ↗ 8.2 ↓ 7.8 ← 10.5 * 10.4 *
 beste Teiler 329.4 (29.) 443.2 (25.) 448.2 (30.)
 Trefferlage 2.99 mm rechts, 0.04 mm tief
 Streuwert 14.40, horizontal: 16.26, vertikal: 12.26



Serie 4:
 9.4 ↗ 10.5 * 8.5 ↖ 7.4 ↗ 10.0 ↙
 9.8 → 10.6 * 9.5 ↓ 10.4 * 8.8 ←
 beste Teiler 311.0 (37.) 342.3 (32.) 470.7 (39.)
 Trefferlage 0.46 mm rechts, 1.55 mm hoch
 Streuwert 10.42, horizontal: 10.05, vertikal: 10.77

Unterschrift des Schützen

