





Ergebnis:	525	(551.2)				
Serien:	88	90	83	89	85	90
Zähler:	13	29	11	4	3	0 0 0 0 0
Innenzehner:	7					
weiteste:	3488 (24), 3265 (43), 3203 (6)					
beste Teiler	129.4 (2.) 139.2 (15.) 189.6 (10.)					
Trefferlage	1.73 mm rechts, 6.55 mm tief					
Streuwert	10.49, horizontal: 9.81, vertikal: 11.12					




Serie 1:	8.2 ↑	10.8 *	10.7 *	9.4 →	10.0 ↑
	6.9 ↓	8.4 ↓	8.8 ↙	9.9 ↘	10.7 *
beste Teiler	129.4 (2.) 189.6 (10.) 203.2 (3.)				
Trefferlage	0.91 mm rechts, 2.75 mm tief				
Streuwert	11.64, horizontal: 8.31, vertikal: 14.22				




Serie 2:	9.2 ↓	8.2 ↓	9.1 ↗	9.5 ↓	10.8 *
	9.0 ↘	10.1 ↓	8.1 ↓	9.3 ↙	9.7 ←
beste Teiler	139.2 (15.) 718.3 (17.) 1035.7 (20.)				
Trefferlage	0.83 mm links, 7.93 mm tief				
Streuwert	9.15, horizontal: 8.59, vertikal: 9.68				




Serie 3:	9.7 ↙	7.2 ↓	7.6 ↓	6.6 →	9.8 ↘
	9.3 ↗	8.9 ←	9.2 ↓	9.2 ↘	10.1 ↘
beste Teiler	720.6 (30.) 916.9 (25.) 962.7 (21.)				
Trefferlage	4.11 mm rechts, 7.40 mm tief				
Streuwert	13.31, horizontal: 13.84, vertikal: 12.76				



Serie 4:	9.6 ↓	9.4 ↗	8.8 ↘	9.4 ↘	9.6 ↘
	9.8 ↘	9.1 ↓	9.0 ↓	9.7 ↘	9.3 ↓
beste Teiler	891.3 (36.) 1011.8 (39.) 1082.1 (35.)				
Trefferlage	2.48 mm rechts, 5.15 mm tief				
Streuwert	8.73, horizontal: 8.45, vertikal: 9.00				



Serie 5:	10.5 *	8.2 ↓	6.9 ↘	7.9 ↓	10.2 ↘
	9.0 →	10.1 ↑	8.4 ↓	9.9 ↑	8.1 ↓
beste Teiler	384.6 (41.) 598.3 (45.) 666.1 (47.)				
Trefferlage	4.62 mm rechts, 9.05 mm tief				
Streuwert	11.62, horizontal: 11.43, vertikal: 11.81				



Serie 6:	10.0 ↓	9.0 ↗	8.9 ↘	9.7 ↙	10.5 *
	7.5 ↓	9.2 ↓	9.6 ←	10.4 *	9.1 ↓
beste Teiler	378.0 (55.) 416.6 (59.) 769.7 (51.)				
Trefferlage	0.89 mm links, 7.02 mm tief				
Streuwert	9.13, horizontal: 7.95, vertikal: 10.19				

LP 60 – Wertung – **Junioren**

StandNr: 102

Lackner,, Thomas #70420073

StartNr: 2



13. Januar 2019 13:49

SG_Söller_Sportschützen


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **167** (177.4)
 Serien: 86 81
 Zähler: 1 10 6 2 0 1 0 0 0 0
 Innenzehner: 0
 weiteste: 4061 (17), 2846 (18), 2487 (19)
 beste Teiler 678.9 (3.) 859.6 (16.) 874.9 (8.)
 Trefferlage 2.92 mm rechts, 6.28 mm hoch
 Streuwert 12.44, horizontal: 6.94, vertikal: 16.17





Serie 1:
 9.4 ↘ 9.3 → 10.1 ↓ 8.2 ↑ 8.0 ↑
 9.0 ↑ 8.6 ↗ 9.9 ↑ 8.9 → 8.9 ↑
 beste Teiler 678.9 (3.) 874.9 (8.) 1276.6 (1.)
 Trefferlage 5.89 mm rechts, 7.62 mm hoch
 Streuwert 9.66, horizontal: 7.30, vertikal: 11.54




Serie 2:
 9.8 ↙ 9.2 ↑ 9.0 ↓ 8.6 ↑ 9.8 ↗
 9.9 ↘ 5.9 ↑ 7.4 ↓ 7.8 ↑ 9.7 ↘
 beste Teiler 859.6 (16.) 902.9 (15.) 937.5 (11.)
 Trefferlage 0.04 mm links, 4.95 mm hoch
 Streuwert 14.89, horizontal: 5.38, vertikal: 20.36

Unterschrift des Schützen

Ergebnis: **160** (168.3)
 Serien: 77 83
 Zähler: 1 7 7 4 0 0 0 1 0 0
 Innenzehner: 0
 weiteste: 5928 (10), 3059 (3), 2807 (14)
 beste Teiler 556.2 (18.) 906.4 (20.) 920.1 (11.)
 Trefferlage 0.34 mm rechts, 6.80 mm hoch
 Streuwert 16.07, horizontal: 17.70, vertikal: 14.27





Serie 1:
 9.5 → 9.5 ↓ 7.1 ↙ 8.4 ↑ 7.9 ↑
 9.1 ↓ 8.5 ↗ 9.6 ↗ 8.2 ↘ 3.5 →
 beste Teiler 1102.2 (8.) 1153.9 (1.) 1194.5 (2.)
 Trefferlage 3.82 mm rechts, 6.55 mm hoch
 Streuwert 18.75, horizontal: 21.59, vertikal: 15.39




Serie 2:
 9.8 ↑ 7.6 ← 9.3 ↘ 7.4 ↑ 8.0 ↗
 8.1 ↙ 8.1 ↗ 10.3 → 8.6 ↓ 9.8 ↘
 beste Teiler 556.2 (18.) 906.4 (20.) 920.1 (11.)
 Trefferlage 3.13 mm links, 7.05 mm hoch
 Streuwert 13.44, horizontal: 12.98, vertikal: 13.89

Unterschrift des Schützen


Ergebnis: **339** (355.9)
 Serien: 82 88 86 83
 Zähler: 5 21 8 3 0 3 0 0 0 0
 Innenzehner: 0
 weiteste: 4615 (6), 4116 (34), 4071 (25)
 beste Teiler 498.3 (9.) 621.7 (23.) 697.2 (37.)
 Trefferlage 2.38 mm links, 1.52 mm hoch
 Streuwert 13.41, horizontal: 14.16, vertikal: 12.62




Serie 1:
 7.4 → 8.8 → 9.3 → 9.7 ✓ 7.9 →
 5.2 ↗ 8.3 ↑ 10.0 ↘ 10.3 ✓ 9.7 ←
 beste Teiler 498.3 (9.) 742.7 (8.) 983.1 (10.)
 Trefferlage 8.77 mm rechts, 4.20 mm hoch
 Streuwert 14.51, horizontal: 14.41, vertikal: 14.62



Serie 2:
 9.1 ← 8.1 ← 9.1 ← 8.8 ← 9.7 ↗
 9.8 ↓ 9.7 ↑ 9.6 ↑ 9.0 ← 9.7 ↑
 beste Teiler 895.9 (16.) 962.6 (17.) 1008.5 (20.)
 Trefferlage 8.18 mm links, 0.77 mm hoch
 Streuwert 8.45, horizontal: 8.65, vertikal: 8.24



Serie 3:
 9.3 ↓ 9.7 → 10.2 ↘ 9.0 ↓ 5.9 ←
 9.6 ↗ 8.2 ✓ 10.0 ↖ 9.0 ↗ 8.2 ↘
 beste Teiler 621.7 (23.) 771.5 (28.) 1002.4 (22.)
 Trefferlage 3.84 mm links, 1.96 mm tief
 Streuwert 13.79, horizontal: 15.24, vertikal: 12.18





Serie 4:
 8.9 ✓ 9.1 → 7.4 ↑ 5.8 ↖ 8.7 ✓
 9.3 ↓ 10.1 ✓ 9.7 ↑ 9.1 ↑ 9.5 ↘
 beste Teiler 697.2 (37.) 1000.0 (38.) 1185.2 (40.)
 Trefferlage 6.29 mm links, 3.08 mm hoch
 Streuwert 14.04, horizontal: 12.60, vertikal: 15.36


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **350** (369.2)
 Serien: 91 84 89 86
 Zähler: 10 14 13 2 1 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3371 (14), 2915 (28), 2470 (32)
 beste Teiler 211.3 (12.) 276.6 (9.) 335.3 (37.)
 Trefferlage 1.34 mm links, 1.32 mm hoch
 Streuwert 11.07, horizontal: 10.85, vertikal: 11.29




Serie 1:
 9.7 ↙ 9.7 ↗ 10.0 ↑ 8.2 ↖ 8.9 ←
 9.5 ↙ 9.4 ← 9.4 ↘ 10.6 * 10.3 ↓
 beste Teiler 276.6 (9.) 543.4 (10.) 744.7 (3.)
 Trefferlage 5.78 mm links, 1.98 mm tief
 Streuwert 7.89, horizontal: 8.51, vertikal: 7.22



Serie 2:
 8.9 ↙ 10.7 * 9.3 → 6.7 ↑ 9.8 ↖
 8.6 ↗ 9.1 ↑ 8.5 ↑ 8.7 ↘ 9.9 ↗
 beste Teiler 211.3 (12.) 828.0 (20.) 908.4 (15.)
 Trefferlage 2.21 mm rechts, 7.21 mm hoch
 Streuwert 11.68, horizontal: 8.48, vertikal: 14.18



Serie 3:
 9.5 ↘ 8.0 ← 10.0 → 10.2 ↑ 10.5 *
 9.6 ↙ 9.3 ↗ 7.3 ↑ 9.3 ↖ 8.8 ↓
 beste Teiler 357.1 (25.) 629.8 (24.) 753.6 (23.)
 Trefferlage 3.48 mm links, 1.96 mm hoch
 Streuwert 11.16, horizontal: 10.15, vertikal: 12.08





Serie 4:
 8.8 ↖ 7.9 → 8.2 ↗ 8.5 ↗ 10.1 ↑
 9.7 ↓ 10.5 * 10.2 ↓ 8.7 ↖ 8.2 ←
 beste Teiler 335.3 (37.) 600.4 (38.) 700.2 (35.)
 Trefferlage 1.65 mm rechts, 1.88 mm tief
 Streuwert 12.30, horizontal: 14.54, vertikal: 9.53


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **360** (379.2)
 Serien: 87 93 94 86
 Zähler: 12 18 8 2 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2677 (3), 2630 (39), 2395 (20)
 beste Teiler 138.6 (24.) 302.3 (16.) 366.3 (19.)
 Trefferlage 1.18 mm rechts, 0.72 mm hoch
 Streuwert 9.60, horizontal: 10.59, vertikal: 8.49




Serie 1:
 8.5 ↑ 8.8 ↗ 7.6 ↘ 10.1 ↖ 9.7 ←
 9.8 ↓ 10.2 ← 9.8 ↖ 9.9 ↗ 8.6 ←
 beste Teiler 593.1 (7.) 675.6 (4.) 834.5 (9.)
 Trefferlage 0.66 mm links, 4.58 mm hoch
 Streuwert 10.52, horizontal: 11.39, vertikal: 9.58



Serie 2:
 10.2 ↘ 8.5 ↖ 9.4 ↖ 10.0 ↖ 9.8 ↖
 10.6 * 10.5 * 9.5 ↘ 10.5 * 8.0 →
 beste Teiler 302.3 (16.) 366.3 (19.) 368.0 (17.)
 Trefferlage 1.10 mm links, 1.64 mm tief
 Streuwert 8.86, horizontal: 11.13, vertikal: 5.74



Serie 3:
 9.8 ↖ 9.1 ↗ 10.0 ↓ 10.8 * 10.4 *
 10.4 * 8.3 ↗ 9.0 ↑ 9.3 ↘ 10.3 ↖
 beste Teiler 138.6 (24.) 415.0 (25.) 454.5 (26.)
 Trefferlage 2.41 mm rechts, 2.91 mm hoch
 Streuwert 8.10, horizontal: 8.25, vertikal: 7.95





Serie 4:
 8.7 ← 9.8 ↓ 9.0 ↘ 9.4 → 9.9 ↗
 9.6 ← 9.2 ↓ 9.6 ↓ 7.7 ↗ 8.9 →
 beste Teiler 824.0 (35.) 891.5 (32.) 1055.7 (36.)
 Trefferlage 4.10 mm rechts, 2.95 mm tief
 Streuwert 10.60, horizontal: 11.98, vertikal: 9.00


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **344** (365.0)
 Serien: 92 82 83 87
 Zähler: 8 13 14 5 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3045 (38), 2724 (31), 2668 (16)
 beste Teiler 114.1 (5.) 119.8 (8.) 219.7 (39.)
 Trefferlage 4.28 mm links, 0.27 mm tief
 Streuwert 11.32, horizontal: 12.40, vertikal: 10.13




Serie 1:
 8.9 ← 9.9 → 9.4 ↖ 9.0 ← 10.8 *
 9.6 ← 9.9 ↙ 10.8 * 9.9 ↗ 10.1 ↖
 beste Teiler 114.1 (5.) 119.8 (8.) 675.2 (10.)
 Trefferlage 5.21 mm links, 0.85 mm hoch
 Streuwert 6.51, horizontal: 8.13, vertikal: 4.32



Serie 2:
 8.7 ↖ 8.9 → 8.5 ← 9.6 ← 8.7 ↗
 7.6 ← 7.9 ↙ 9.4 ↘ 8.3 ← 10.5 *
 beste Teiler 382.0 (20.) 1094.1 (14.) 1265.2 (18.)
 Trefferlage 5.21 mm links, 2.30 mm tief
 Streuwert 12.99, horizontal: 14.87, vertikal: 10.79



Serie 3:
 9.4 ↓ 9.5 ↓ 8.7 ↖ 7.7 ↗ 8.0 ↖
 9.1 ↗ 8.1 ↙ 8.7 ↖ 9.3 ↗ 8.6 ←
 beste Teiler 1162.0 (22.) 1205.2 (21.) 1316.0 (29.)
 Trefferlage 5.89 mm links, 2.40 mm hoch
 Streuwert 12.90, horizontal: 14.72, vertikal: 10.77





Serie 4:
 7.5 ↑ 10.3 ↙ 10.3 ← 8.7 ↘ 8.6 ↙
 8.4 ↘ 9.8 ↗ 7.1 ↙ 10.7 * 10.1 ↗
 beste Teiler 219.7 (39.) 503.8 (32.) 506.3 (33.)
 Trefferlage 0.82 mm links, 2.04 mm tief
 Streuwert 12.66, horizontal: 12.02, vertikal: 13.27


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **499** (527.5)
 Serien: 77 78 87 87 83 87
 Zähler: 12 17 21 4 4 0 0 2 0 0
 Innenzehner: 5
 weiteste: 6306 (10), 5622 (15), 3662 (12)
 beste Teiler 318.5 (11.) 362.5 (59.) 373.9 (36.)
 Trefferlage 1.30 mm links, 0.54 mm tief
 Streuwert 14.81, horizontal: 12.93, vertikal: 16.48




Serie 1:
 9.2 ↑ 6.5 ↗ 7.2 → 7.4 ↑ 10.0 ↓
 9.5 ↖ 8.3 ↖ 9.3 ↙ 9.8 → 3.1 ↓
 beste Teiler 763.9 (5.) 910.6 (9.) 1171.1 (6.)
 Trefferlage 1.63 mm rechts, 1.91 mm hoch
 Streuwert 21.02, horizontal: 14.16, vertikal: 26.14




Serie 2:
 10.6 * 6.4 ↙ 8.9 ↖ 8.5 ↘ 3.9 ↙
 9.6 ← 8.1 → 8.5 ↑ 8.9 ↖ 10.1 ↑
 beste Teiler 318.5 (11.) 649.0 (20.) 1071.7 (16.)
 Trefferlage 6.81 mm links, 3.69 mm tief
 Streuwert 18.12, horizontal: 16.28, vertikal: 19.78




Serie 3:
 8.8 ← 10.5 * 9.9 ↓ 10.2 ↓ 9.0 ↑
 10.1 ↖ 9.5 ↗ 6.8 ↗ 8.9 ↙ 8.8 ↖
 beste Teiler 374.4 (22.) 581.7 (24.) 678.9 (26.)
 Trefferlage 1.14 mm links, 3.81 mm hoch
 Streuwert 11.51, horizontal: 12.14, vertikal: 10.85



Serie 4:
 8.1 ↖ 8.0 ↘ 8.8 ← 9.8 ← 7.8 ↓
 10.5 * 10.0 ↘ 9.8 ← 9.8 ↙ 9.9 ↙
 beste Teiler 373.9 (36.) 764.4 (37.) 851.5 (40.)
 Trefferlage 5.00 mm links, 3.29 mm tief
 Streuwert 10.59, horizontal: 11.02, vertikal: 10.13



Serie 5:
 8.3 ↘ 8.4 ↓ 9.3 ↗ 9.0 ↙ 8.4 ↑
 9.2 → 8.6 ↑ 8.3 ↘ 8.6 ↙ 8.9 ↖
 beste Teiler 1345.8 (43.) 1370.2 (46.) 1578.8 (44.)
 Trefferlage 1.25 mm rechts, 1.56 mm tief
 Streuwert 13.55, horizontal: 12.98, vertikal: 14.10



Serie 6:
 10.4 * 8.1 ↗ 9.9 ↙ 9.9 ↘ 7.5 ↙
 10.2 ↖ 10.1 ↘ 6.4 ↑ 10.5 * 8.7 ↓
 beste Teiler 362.5 (59.) 422.4 (51.) 621.3 (56.)
 Trefferlage 2.24 mm rechts, 0.43 mm tief
 Streuwert 13.24, horizontal: 10.61, vertikal: 15.43

LP 60 – Wertung – **Männer**

StandNr: 109

Wagger,, Michael #70312105

StartNr: 9



13. Januar 2019 13:46

SG_Sportschützen_St._Johann


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **363** (379.6)
 Serien: 92 91 91 89
 Zähler: 11 21 8 0 0 0 0 0 0 0
 Innenzehner: 1
 weiteste: 2348 (28), 2016 (6), 1998 (13)
 beste Teiler 293.8 (20.) 494.4 (16.) 547.7 (38.)
 Trefferlage 1.12 mm links, 0.00 mm
 Streuwert 9.02, horizontal: 8.19, vertikal: 9.77




Serie 1:
 10.1 ↘ 9.2 ↗ 9.5 ↙ 8.8 ↙ 9.5 ↗
 8.4 ↘ 9.5 ↘ 10.1 ↘ 10.0 ↗ 10.1 ↘
 beste Teiler 699.6 (8.) 708.3 (1.) 710.4 (10.)
 Trefferlage 3.20 mm links, 4.17 mm tief
 Streuwert 8.35, horizontal: 7.28, vertikal: 9.30



Serie 2:
 9.4 ↘ 9.6 ↘ 8.5 ↙ 9.0 ↙ 9.4 ↗
 10.3 ↗ 9.3 → 9.4 ↗ 9.9 → 10.6 *
 beste Teiler 293.8 (20.) 494.4 (16.) 855.0 (19.)
 Trefferlage 0.17 mm rechts, 3.16 mm tief
 Streuwert 8.85, horizontal: 8.92, vertikal: 8.78



Serie 3:
 9.8 → 10.0 ↘ 8.7 ↗ 10.0 ↘ 9.5 ↗
 10.2 ↘ 9.8 ↗ 8.0 ↗ 9.8 ↘ 9.2 ↘
 beste Teiler 616.8 (26.) 756.3 (24.) 759.4 (22.)
 Trefferlage 0.53 mm rechts, 4.69 mm hoch
 Streuwert 8.75, horizontal: 7.93, vertikal: 9.50



Serie 4:
 9.6 ↘ 8.9 ↘ 9.4 ↘ 9.6 ↙ 9.2 ↘
 9.9 ↗ 10.1 ↗ 10.3 ↗ 8.5 ↗ 8.5 ↘
 beste Teiler 547.7 (38.) 702.6 (37.) 811.9 (36.)
 Trefferlage 2.01 mm links, 2.65 mm hoch
 Streuwert 9.53, horizontal: 9.17, vertikal: 9.88

Unterschrift des Schützen

Meyton Elektronik