





Ergebnis:	392	(410.5)
Serien:	98	97 98 99
Zaehler:	33 6 1 0 0 0 0 0 0	
Innenzehner:	22	
weiteste:	579 (15), 330 (30), 304 (25)	
beste Teiler	36.3 (1.) 39.2 (37.) 44.1 (22.)	
Trefferlage	0.04 mm rechts, 0.71 mm hoch	
Streuwert	1.36, horizontal: 1.65, vertikal: 0.99	




Serie 1:	10.8 *	10.1 ↗	9.9 ↘	10.6 *	9.7 ↖
	10.7 *	10.5 *	10.6 *	10.6 *	10.5 *
beste Teiler	36.3 (1.)	53.6 (6.)	81.6 (4.)		
Trefferlage	0.23 mm links, 0.56 mm hoch				
Streuwert	1.10, horizontal: 1.17, vertikal: 1.04				



Serie 2:	10.5 *	10.6 *	10.2 *	10.0 ↗	8.6 →
	9.8 ↘	10.6 *	10.1 ↖	10.0 ←	10.7 *
beste Teiler	51.9 (20.)	83.2 (12.)	100.6 (17.)		
Trefferlage	0.05 mm rechts, 0.85 mm hoch				
Streuwert	1.79, horizontal: 2.38, vertikal: 0.88				



Serie 3:	10.6 *	10.8 *	10.7 *	10.0 →	9.7 ↘
	10.1 ↘	10.6 *	10.4 *	10.4 *	9.6 ↖
beste Teiler	44.1 (22.)	69.7 (23.)	83.7 (21.)		
Trefferlage	0.45 mm links, 0.92 mm hoch				
Streuwert	1.21, horizontal: 1.48, vertikal: 0.85				



Serie 4:	10.1 →	10.7 *	10.0 ↘	10.5 *	10.1 ↑
	10.4 *	10.8 *	10.0 ↗	10.1 ↑	9.8 ↗
beste Teiler	39.2 (37.)	51.6 (32.)	113.4 (34.)		
Trefferlage	0.80 mm rechts, 0.51 mm hoch				
Streuwert	1.26, horizontal: 1.27, vertikal: 1.25				

Unterschrift des Schuetzen

Meyton Elektronik

Ergebnis: **386** (402.2)

Serien: 97 96 97 96

Zaehler: 27 12 1 0 0 0 0 0 0 0



Innenzehner: 19

weiteste: 509 (26), 435 (5), 427 (12)

beste Teiler 22.2 (23.) 64.3 (18.) 71.1 (9.)

Trefferlage 0.33 mm rechts, 0.02 mm hoch

Streuwert 1.81, horizontal: 2.10, vertikal: 1.47




Serie 1:

10.6 *	10.6 *	10.3 *	10.4 *	9.2 ↘
9.4 ↗	10.3 *	9.5 ↘	10.7 *	10.4 *

beste Teiler 71.1 (9.) 82.0 (1.) 90.3 (2.)

Trefferlage 0.54 mm rechts, 0.47 mm hoch

Streuwert 1.72, horizontal: 1.90, vertikal: 1.53




Serie 2:

9.3 →	9.2 ↘	10.0 ←	10.6 *	10.2 *
9.9 ↖	9.7 ↓	10.7 *	10.2 *	10.1 →

beste Teiler 64.3 (18.) 98.9 (14.) 194.2 (15.)

Trefferlage 0.38 mm rechts, 0.93 mm tief

Streuwert 1.85, horizontal: 2.16, vertikal: 1.48




Serie 3:

10.4 *	10.5 *	10.9 *	10.6 *	10.3 *
8.9 →	10.0 ↘	10.1 ↖	10.1 →	9.6 →

beste Teiler 22.2 (23.) 95.0 (24.) 120.4 (22.)

Trefferlage 0.85 mm rechts, 0.59 mm hoch

Streuwert 1.63, horizontal: 2.00, vertikal: 1.15



Serie 4:

9.7 ↖	10.0 ↘	10.5 *	10.0 ↓	9.4 ←
10.4 *	9.3 ←	10.1 ↗	10.2 *	9.9 →

beste Teiler 106.2 (33.) 127.9 (36.) 191.4 (39.)



Trefferlage 0.45 mm links, 0.04 mm tief

Streuwert 1.96, horizontal: 2.41, vertikal: 1.39


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **385** (405.9)
 Serien: 97 94 96 98
 Zaehler: 26 13 1 0 0 0 0 0 0 0
 Innenzehner: 22
 weiteste: 750 (17), 378 (13), 371 (8)
 beste Teiler 20.2 (20.) 40.3 (11.) 55.0 (16.)
 Trefferlage 0.51 mm rechts, 0.32 mm tief
 Streuwert 1.67, horizontal: 1.75, vertikal: 1.58




Serie 1:
 10.2 * 10.4 * 9.7 ↙ 10.1 ↗ 10.5 *
 10.7 * 9.7 ↘ 9.5 ↙ 10.4 * 10.3 *
 beste Teiler 66.4 (6.) 110.4 (5.) 134.9 (9.)
 Trefferlage 0.09 mm links, 0.51 mm tief
 Streuwert 1.62, horizontal: 1.59, vertikal: 1.64



Serie 2:
 10.8 * 9.6 ↘ 9.4 ↙ 9.9 ↘ 10.5 *
 10.7 * 8.0 ↗ 9.9 ↗ 10.2 * 10.9 *
 beste Teiler 20.2 (20.) 40.3 (11.) 55.0 (16.)
 Trefferlage 1.01 mm rechts, 0.28 mm tief
 Streuwert 2.22, horizontal: 2.24, vertikal: 2.21



Serie 3:
 10.5 * 10.1 ↘ 9.8 ↘ 9.9 ↘ 9.9 ↗
 9.7 ↗ 10.7 * 10.5 * 10.1 ↖ 10.7 *
 beste Teiler 70.5 (27.) 73.2 (30.) 112.0 (28.)
 Trefferlage 0.77 mm rechts, 0.07 mm tief
 Streuwert 1.48, horizontal: 1.44, vertikal: 1.51





Serie 4:
 10.2 * 9.9 ↙ 10.6 * 10.2 * 10.0 →
 10.5 * 10.2 * 10.6 * 9.8 → 10.6 *
 beste Teiler 82.0 (33.) 88.9 (40.) 97.8 (38.)
 Trefferlage 0.36 mm rechts, 0.44 mm tief
 Streuwert 1.35, horizontal: 1.67, vertikal: 0.92


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis:	381	(397.5)
Serien:	97 97 94 93	
Zaehler:	23 15 2 0 0 0 0 0 0 0	
Innenzehner:	16	
weiteste:	596 (25), 576 (33), 443 (27)	
beste Teiler	41.1 (2.) 95.1 (12.) 104.0 (18.)	
Trefferlage	0.12 mm rechts, 0.52 mm hoch	
Streuwert	1.99, horizontal: 2.04, vertikal: 1.94	




Serie 1:	9.3 ↘	10.8 *	10.2 *	9.5 ↘	10.4 *
	9.8 ↘	10.4 *	10.3 *	10.0 ↘	10.5 *
beste Teiler	41.1 (2.) 123.7 (10.) 134.4 (7.)				
Trefferlage	0.31 mm rechts, 0.02 mm hoch				
Streuwert	1.76, horizontal: 1.92, vertikal: 1.58				



Serie 2:	10.2 *	10.6 *	10.1 ↘	10.3 *	9.3 ↗
	10.1 →	10.1 ↑	10.5 *	9.4 →	9.5 ↑
beste Teiler	95.1 (12.) 104.0 (18.) 160.5 (14.)				
Trefferlage	0.22 mm rechts, 1.25 mm hoch				
Streuwert	1.64, horizontal: 1.72, vertikal: 1.56				





Serie 3:	10.4 *	9.7 ↗	9.8 ↓	10.5 *	8.6 ↘
	10.0 ↘	9.2 ↘	9.5 ↗	10.3 *	10.5 *
beste Teiler	104.8 (30.) 116.3 (24.) 148.6 (21.)				
Trefferlage	0.70 mm links, 1.27 mm hoch				
Streuwert	2.08, horizontal: 2.08, vertikal: 2.07				




Serie 4:	9.5 ↘	10.0 ↑	8.6 ↘	9.9 ←	9.6 ↘
	9.8 ↘	10.4 *	10.1 ↑	9.4 ↓	10.4 *
beste Teiler	132.4 (40.) 139.6 (37.) 201.2 (38.)				
Trefferlage	0.66 mm rechts, 0.42 mm tief				
Streuwert	2.29, horizontal: 2.43, vertikal: 2.13				

Unterschrift des Schuetzen


Ergebnis: **375** (391.1)
 Serien: 96 93 95 91
 Zaehler: 19 17 4 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 707 (38), 651 (32), 612 (30)
 beste Teiler 54.9 (33.) 66.8 (24.) 88.0 (18.)
 Trefferlage 0.11 mm rechts, 0.03 mm hoch
 Streuwert 2.40, horizontal: 2.66, vertikal: 2.11




Serie 1:
 10.1 ↖ 9.5 ↘ 9.8 ↖ 10.3 * 10.5 *
 10.0 ↖ 9.9 ↘ 10.2 * 9.2 ↗ 10.4 *
 beste Teiler 114.0 (5.) 132.2 (10.) 164.1 (4.)
 Trefferlage 0.38 mm rechts, 0.84 mm hoch
 Streuwert 1.80, horizontal: 1.81, vertikal: 1.78



Serie 2:
 9.0 ↘ 10.5 * 8.9 ↙ 9.1 ↗ 10.5 *
 9.6 ↗ 9.4 ↓ 10.6 * 10.4 * 9.2 ←
 beste Teiler 88.0 (18.) 104.7 (12.) 117.0 (15.)
 Trefferlage 0.00 mm , 0.55 mm tief
 Streuwert 2.60, horizontal: 2.97, vertikal: 2.16



Serie 3:
 10.0 ← 10.0 ↖ 9.8 ↙ 10.7 * 9.7 ↗
 9.7 → 10.5 * 10.0 ↑ 10.1 ↙ 8.5 →
 beste Teiler 66.8 (24.) 123.4 (27.) 207.8 (29.)
 Trefferlage 0.23 mm rechts, 0.18 mm hoch
 Streuwert 2.21, horizontal: 2.71, vertikal: 1.56





Serie 4:
 9.3 ↖ 8.3 ↓ 10.7 * 9.8 ↗ 10.1 ↘
 9.5 ↘ 9.1 ↙ 8.1 ↖ 10.3 * 9.8 ↗
 beste Teiler 54.9 (33.) 175.8 (39.) 209.6 (35.)
 Trefferlage 0.15 mm links, 0.32 mm tief
 Streuwert 3.07, horizontal: 3.32, vertikal: 2.80


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **370** (389.5)
 Serien: 91 93 91 95
 Zaehler: 16 18 6 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 610 (13), 602 (5), 581 (23)
 beste Teiler 25.0 (28.) 76.6 (20.) 96.7 (10.)
 Trefferlage 0.24 mm links, 0.22 mm tief
 Streuwert 2.41, horizontal: 2.75, vertikal: 2.01




Serie 1:
 9.4 → 9.5 ← 9.6 ↘ 9.3 ↗ 8.5 ←
 10.2 * 9.5 ↗ 9.8 ↗ 9.5 ↗ 10.6 *
 beste Teiler 96.7 (10.) 184.7 (6.) 286.8 (8.)
 Trefferlage 1.06 mm rechts, 0.68 mm hoch
 Streuwert 2.52, horizontal: 3.22, vertikal: 1.53



Serie 2:
 9.7 ↘ 10.0 ↑ 8.5 ↓ 9.8 ← 9.5 ←
 10.2 * 10.2 * 8.9 ← 10.5 * 10.6 *
 beste Teiler 76.6 (20.) 104.6 (19.) 180.2 (17.)
 Trefferlage 0.89 mm links, 0.36 mm tief
 Streuwert 2.33, horizontal: 2.25, vertikal: 2.40



Serie 3:
 10.4 * 8.7 ← 8.6 ↙ 10.1 ↘ 9.8 ↑
 9.7 ↙ 9.1 ↙ 10.9 * 9.8 ↑ 9.9 ↙
 beste Teiler 25.0 (28.) 131.6 (21.) 225.8 (24.)
 Trefferlage 1.46 mm links, 0.84 mm tief
 Streuwert 2.34, horizontal: 2.17, vertikal: 2.50





Serie 4:
 10.5 * 10.4 * 10.0 ↘ 9.5 ↗ 10.0 ↘
 8.8 ← 9.9 ↘ 10.1 ↘ 10.4 * 9.1 ↘
 beste Teiler 119.7 (31.) 127.0 (32.) 129.0 (39.)
 Trefferlage 0.29 mm rechts, 0.39 mm tief
 Streuwert 2.24, horizontal: 2.89, vertikal: 1.29


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis:	394	(412.2)
Serien:	99	100 97 98
Zaehler:	34 6 0 0 0 0 0 0 0 0	
Innenzehner:	28	
weiteste:	379 (25), 341 (30), 335 (22)	
beste Teiler	23.7 (37.) 34.1 (23.) 39.8 (20.)	
Trefferlage	0.35 mm rechts, 0.32 mm hoch	
Streuwert	1.30, horizontal: 1.36, vertikal: 1.24	




Serie 1:	9.7 ↑	10.7 *	10.7 *	10.5 *	10.5 *
	10.2 *	10.8 *	10.2 *	10.6 *	10.4 *
beste Teiler	40.7 (7.)	59.4 (2.)	72.5 (3.)		
Trefferlage	0.49 mm rechts, 0.98 mm hoch				
Streuwert	0.81, horizontal: 0.48, vertikal: 1.04				



Serie 2:	10.6 *	10.4 *	10.0 →	10.1 ✓	10.7 *
	10.2 *	10.4 *	10.0 →	10.0 ↑	10.8 *
beste Teiler	39.8 (20.)	53.8 (15.)	87.3 (11.)		
Trefferlage	0.76 mm rechts, 0.07 mm tief				
Streuwert	1.17, horizontal: 1.17, vertikal: 1.18				



Serie 3:	10.5 *	9.6 ↙	10.8 *	10.2 *	9.4 ↖
	10.3 *	10.5 *	10.4 *	10.0 ↑	9.6 →
beste Teiler	34.1 (23.)	119.2 (27.)	123.4 (21.)		
Trefferlage	0.21 mm links, 0.59 mm hoch				
Streuwert	1.67, horizontal: 1.94, vertikal: 1.36				





Serie 4:	10.5 *	9.9 ←	9.9 →	10.3 *	10.5 *
	10.1 ↗	10.9 *	10.3 *	10.7 *	10.3 *
beste Teiler	23.7 (37.)	71.6 (39.)	102.1 (35.)		
Trefferlage	0.36 mm rechts, 0.21 mm tief				
Streuwert	1.29, horizontal: 1.43, vertikal: 1.13				

Unterschrift des Schuetzen


Meyton Elektronik

Ergebnis:	370	(387.7)
Serien:	90 93 92 95	
Zaehler:	17 18 4 0 1 0 0 0 0 0	
Innenzehner:	8	
weiteste:	1130 (2), 582 (15), 562 (29)	
beste Teiler	53.0 (8.) 89.0 (36.) 95.4 (31.)	
Trefferlage	0.38 mm rechts, 0.34 mm hoch	
Streuwert	2.58, horizontal: 2.85, vertikal: 2.27	




Serie 1:

9.0 ↖	6.4 ↗	9.9 →	9.4 ↓	10.0 ↖
9.8 ↗	10.1 ↙	10.7 *	9.7 ↗	9.2 →
beste Teiler	53.0 (8.)	204.6 (7.)	229.5 (5.)	
Trefferlage	1.03 mm rechts, 1.25 mm hoch			
Streuwert	3.30, horizontal: 3.24, vertikal: 3.36			




Serie 2:

9.7 ↗	9.7 ↓	10.4 *	10.2 *	8.6 →
10.2 *	8.8 ←	10.0 ↖	9.7 ↙	10.2 *
beste Teiler	137.6 (13.)	180.6 (16.)	190.5 (20.)	
Trefferlage	0.10 mm links, 0.14 mm tief			
Streuwert	2.47, horizontal: 2.97, vertikal: 1.82			



Serie 3:

10.0 ↑	9.3 ←	10.0 ↑	10.1 →	8.9 ↗
9.3 ↙	10.0 ←	9.8 ↘	8.7 →	9.6 ↘
beste Teiler	212.6 (24.)	235.9 (27.)	236.4 (23.)	
Trefferlage	0.78 mm rechts, 0.55 mm hoch			
Streuwert	2.65, horizontal: 3.27, vertikal: 1.84			





Serie 4:

10.6 *	9.9 ↗	10.0 ↘	9.8 ↖	9.7 ↖
10.6 *	10.4 *	10.0 →	9.7 ↙	9.6 ↓
beste Teiler	89.0 (36.)	95.4 (31.)	145.2 (37.)	
Trefferlage	0.17 mm links, 0.28 mm tief			
Streuwert	1.83, horizontal: 2.00, vertikal: 1.64			


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis:	375	(393.0)
Serien:	93 93 96 93	
Zaehler:	20 15 5 0 0 0 0 0 0 0	
Innenzehner:	12	
weiteste:	637 (33), 592 (20), 577 (13)	
beste Teiler	28.0 (15.) 67.2 (26.) 68.7 (16.)	
Trefferlage	0.48 mm rechts, 0.46 mm hoch	
Streuwert	2.23, horizontal: 2.30, vertikal: 2.17	




Serie 1:	9.5 →	9.9 ↘	10.4 *	10.2 *	10.0 ↗
	9.6 ↑	9.4 ↖	10.1 ↖	8.8 ↗	9.5 ↑
beste Teiler	137.2 (3.) 194.3 (4.) 217.6 (8.)				
Trefferlage	0.44 mm rechts, 1.15 mm hoch				
Streuwert	2.23, horizontal: 2.08, vertikal: 2.36				



Serie 2:	9.3 ↖	9.8 ↑	8.6 ↗	10.2 *	10.8 *
	10.7 *	9.9 →	10.0 →	10.4 *	8.6 ↗
beste Teiler	28.0 (15.) 68.7 (16.) 145.4 (19.)				
Trefferlage	0.65 mm rechts, 1.43 mm hoch				
Streuwert	2.20, horizontal: 2.52, vertikal: 1.81				



Serie 3:	9.9 ↗	10.0 ↘	9.2 ↓	10.0 ↑	9.4 ↘
	10.7 *	9.9 ↘	10.5 *	10.3 *	10.1 ↗
beste Teiler	67.2 (26.) 109.0 (28.) 165.0 (29.)				
Trefferlage	0.87 mm rechts, 0.36 mm tief				
Streuwert	1.80, horizontal: 1.13, vertikal: 2.28				





Serie 4:	10.6 *	9.8 ↗	8.4 →	9.9 ↓	9.1 ↘
	10.4 *	10.1 ↓	8.7 ←	10.2 *	10.1 ↑
beste Teiler	82.4 (31.) 130.7 (36.) 176.7 (39.)				
Trefferlage	0.04 mm links, 0.35 mm tief				
Streuwert	2.61, horizontal: 3.22, vertikal: 1.80				

Unterschrift des Schuetzen


Meyton Elektronik

Ergebnis:	363	(380.9)
Serien:	91 91 89 92	
Zaehler:	14 18 6 1 1 0 0 0 0 0	
Innenzehner:	10	
weiteste:	1136 (29), 849 (5), 729 (18)	
beste Teiler	65.3 (4.) 76.5 (40.) 81.5 (35.)	
Trefferlage	1.45 mm links, 0.43 mm hoch	
Streuwert	2.82, horizontal: 3.37, vertikal: 2.12	




Serie 1:

9.1 ↖	8.6 ↖	9.5 →	10.7 *	7.6 ←
9.6 ↗	10.4 *	10.2 *	10.0 ←	9.3 ←
beste Teiler	65.3 (4.)	134.0 (7.)	185.3 (8.)	
Trefferlage	1.57 mm links, 0.89 mm hoch			
Streuwert	2.85, horizontal: 3.53, vertikal: 1.95			




Serie 2:

8.9 →	9.9 →	9.5 →	10.0 ↖	9.7 ↖
9.9 ↓	10.5 *	8.0 ←	10.0 ←	9.5 ←
beste Teiler	113.0 (17.)	237.1 (14.)	238.0 (19.)	
Trefferlage	0.76 mm links, 0.16 mm tief			
Streuwert	2.77, horizontal: 3.64, vertikal: 1.46			



Serie 3:

10.4 *	9.5 ↓	9.2 ↖	9.3 ←	9.9 ←
8.2 ↖	10.3 *	9.7 ↓	6.4 ↖	10.6 *
beste Teiler	89.1 (30.)	142.8 (21.)	157.4 (27.)	
Trefferlage	2.48 mm links, 0.67 mm hoch			
Streuwert	3.18, horizontal: 3.54, vertikal: 2.77			





Serie 4:

10.0 ↖	9.5 ↓	9.9 →	10.3 *	10.6 *
8.4 ←	9.1 ↑	9.5 ↗	8.6 ←	10.6 *
beste Teiler	76.5 (40.)	81.5 (35.)	161.0 (34.)	
Trefferlage	0.98 mm links, 0.32 mm hoch			
Streuwert	2.66, horizontal: 3.02, vertikal: 2.25			


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **373** (389.3)
 Serien: 93 92 94 94
 Zaehler: 22 12 5 0 0 1 0 0 0 0
 Innenzehner: 16
 weiteste: 1259 (39), 667 (12), 639 (15)
 beste Teiler 36.1 (40.) 94.3 (21.) 100.8 (31.)
 Trefferlage 0.81 mm rechts, 0.75 mm tief
 Streuwert 2.58, horizontal: 3.05, vertikal: 2.00




Serie 1:
 8.6 ↓ 10.1 ↘ 9.5 ↗ 10.2 * 9.6 →
 10.1 ↘ 10.3 * 9.8 ← 8.7 → 10.2 *
 beste Teiler 167.3 (7.) 180.2 (4.) 187.6 (10.)
 Trefferlage 1.39 mm rechts, 0.64 mm tief
 Streuwert 2.30, horizontal: 2.29, vertikal: 2.30



Serie 2:
 9.5 ← 8.3 → 10.1 ↓ 10.4 * 8.4 ↓
 10.4 * 9.7 ↙ 10.1 ↘ 9.4 ↘ 9.1 ←
 beste Teiler 132.5 (16.) 144.2 (14.) 203.9 (18.)
 Trefferlage 0.30 mm rechts, 1.27 mm tief
 Streuwert 2.78, horizontal: 3.05, vertikal: 2.49



Serie 3:
 10.6 * 9.7 ↓ 9.9 ↘ 10.3 * 10.4 *
 10.4 * 8.5 ↘ 10.0 ↑ 9.6 → 9.0 ↘
 beste Teiler 94.3 (21.) 136.6 (25.) 143.3 (26.)
 Trefferlage 1.04 mm rechts, 0.99 mm tief
 Streuwert 2.13, horizontal: 2.24, vertikal: 2.02





Serie 4:
 10.6 * 10.0 ↘ 9.6 ← 10.2 * 10.3 *
 10.3 * 10.2 * 10.5 * 5.9 → 10.8 *
 beste Teiler 36.1 (40.) 100.8 (31.) 101.8 (38.)
 Trefferlage 0.50 mm rechts, 0.11 mm tief
 Streuwert 3.23, horizontal: 4.45, vertikal: 1.03


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis:	347	(364.3)
Serien:	85	81 89 92
Zaehler:	9	14 12 5 0 0 0 0 0 0
Innenzehner:	5	
weiteste:	875	(15), 862 (5), 820 (40)
beste Teiler	16.0	(35.) 57.4 (6.) 86.0 (37.)
Trefferlage	0.41 mm	links, 0.71 mm hoch
Streuwert	3.61,	horizontal: 4.01, vertikal: 3.16




Serie 1:	7.7 ↑	9.0 ←	8.7 ↗	9.0 →	7.5 ↖
	10.7 *	8.8 ↘	8.2 ←	9.2 ↓	10.1 ↑
beste Teiler	57.4 (6.)	202.2 (10.)	439.4 (9.)		
Trefferlage	0.03 mm	links, 2.39 mm	hoch		
Streuwert	3.81,	horizontal: 3.81,	vertikal: 3.80		



Serie 2:	8.9 ↘	8.5 ↖	7.9 ↖	8.3 →	7.5 ↖
	9.6 ↗	8.9 →	8.8 ↙	9.8 →	9.2 ←
beste Teiler	289.7 (19.)	336.9 (16.)	433.8 (20.)		
Trefferlage	0.95 mm	links, 0.60 mm	hoch		
Streuwert	4.25,	horizontal: 5.50,	vertikal: 2.42		



Serie 3:	9.2 ↖	10.2 *	8.3 ↘	8.2 ↓	10.3 *
	8.8 ↖	9.0 ←	9.0 ↘	9.7 ↙	9.3 ↖
beste Teiler	168.0 (25.)	193.2 (22.)	321.7 (29.)		
Trefferlage	0.85 mm	links, 0.75 mm	tief		
Streuwert	3.41,	horizontal: 3.38,	vertikal: 3.43		



Serie 4:	10.1 →	9.2 ↖	10.1 ↗	10.1 ↓	10.9 *
	9.0 →	10.6 *	9.4 ↗	8.9 ↓	7.7 ↖
beste Teiler	16.0 (35.)	86.0 (37.)	203.5 (31.)		
Trefferlage	0.16 mm	rechts, 0.59 mm	hoch		
Streuwert	3.00,	horizontal: 3.51,	vertikal: 2.37		

Unterschrift des Schuetzen