





Ergebnis: **98.0** (94)
 Serien: 98.0
 Zähler: 5 4 1 0 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2269 (9), 1251 (4), 1065 (2)
 beste Teiler 298.7 (6.) 434.7 (8.) 611.1 (7.)
 Trefferlage 3.28 mm rechts, 0.70 mm hoch
 Streuwert 7.48, horizontal: 9.55, vertikal: 4.56



Serie 1:
 10.0 ↘ 9.6 ↖ 9.9 → 9.4 → 9.7 ↖
 10.6 * 10.2 ↗ 10.4 * 8.1 → 10.1 ↘
 beste Teiler 298.7 (6.) 434.7 (8.) 611.1 (7.)
 Trefferlage 3.28 mm rechts, 0.70 mm hoch
 Streuwert 7.48, horizontal: 9.55, vertikal: 4.56

Unterschrift des Schützen



Ergebnis: **102.5** (98)
 Serien: 102.5
 Zähler: 8 2 0 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 1225 (2), 1089 (9), 658 (5)
 beste Teiler 196.3 (4.) 215.7 (10.) 256.1 (3.)
 Trefferlage 2.05 mm links, 1.61 mm tief
 Streuwert 4.40, horizontal: 5.82, vertikal: 2.23



Serie 1:
 10.4 * 9.4 ← 10.6 * 10.7 * 10.1 →
 10.3 * 10.3 ↘ 10.4 * 9.6 ← 10.7 *
 beste Teiler 196.3 (4.) 215.7 (10.) 256.1 (3.)
 Trefferlage 2.05 mm links, 1.61 mm tief
 Streuwert 4.40, horizontal: 5.82, vertikal: 2.23

Unterschrift des Schützen



Ergebnis: **101.8** (97)
 Serien: 101.8
 Zähler: 8 1 1 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 1636 (3), 801 (8), 728 (6)
 beste Teiler 109.3 (1.) 250.0 (4.) 314.2 (10.)
 Trefferlage 1.52 mm links, 2.79 mm hoch
 Streuwert 4.90, horizontal: 5.90, vertikal: 3.63



Serie 1:
 10.8 * 10.3 ↗ 8.9 ↖ 10.6 * 10.4 *
 10.0 ↘ 10.1 ↘ 9.9 ↘ 10.2 → 10.6 *
 beste Teiler 109.3 (1.) 250.0 (4.) 314.2 (10.)
 Trefferlage 1.52 mm links, 2.79 mm hoch
 Streuwert 4.90, horizontal: 5.90, vertikal: 3.63

Unterschrift des Schützen



Ergebnis: **98.3** (95)
 Serien: 98.3
 Zähler: 5 5 0 0 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 1592 (9), 1493 (4), 1391 (8)
 beste Teiler 223.9 (1.) 416.5 (5.) 438.2 (3.)
 Trefferlage 4.64 mm rechts, 2.04 mm tief
 Streuwert 6.48, horizontal: 5.62, vertikal: 7.25



Serie 1:
 10.7 * 9.7 → 10.4 * 9.1 ↗ 10.4 *
 9.7 ↘ 10.1 ↘ 9.2 ↘ 9.0 ↘ 10.0 ←
 beste Teiler 223.9 (1.) 416.5 (5.) 438.2 (3.)
 Trefferlage 4.64 mm rechts, 2.04 mm tief
 Streuwert 6.48, horizontal: 5.62, vertikal: 7.25

Unterschrift des Schützen



Ergebnis: **97.0** (92)
 Serien: 97.0
 Zähler: 3 6 1 0 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 1805 (1), 1382 (10), 1267 (4)
 beste Teiler 501.7 (7.) 510.8 (9.) 560.4 (8.)
 Trefferlage 5.83 mm rechts, 0.86 mm hoch
 Streuwert 6.76, horizontal: 6.91, vertikal: 6.62



Serie 1:
 8.7 ↘ 9.6 ↓ 9.6 ↘ 9.4 → 9.7 ↑
 9.9 ↗ 10.3 * 10.3 ↗ 10.3 * 9.2 ↗
 beste Teiler 501.7 (7.) 510.8 (9.) 560.4 (8.)
 Trefferlage 5.83 mm rechts, 0.86 mm hoch
 Streuwert 6.76, horizontal: 6.91, vertikal: 6.62

Unterschrift des Schützen



Ergebnis: **103.2** (98)
 Serien: 103.2
 Zähler: 8 2 0 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 1079 (7), 808 (6), 557 (10)
 beste Teiler 174.2 (8.) 177.7 (5.) 335.3 (4.)
 Trefferlage 0.20 mm links, 0.34 mm tief
 Streuwert 4.19, horizontal: 3.44, vertikal: 4.83



Serie 1:
 10.3 * 10.5 * 10.4 * 10.5 * 10.7 *
 9.9 ← 9.6 ↓ 10.7 * 10.3 * 10.3 ↑
 beste Teiler 174.2 (8.) 177.7 (5.) 335.3 (4.)
 Trefferlage 0.20 mm links, 0.34 mm tief
 Streuwert 4.19, horizontal: 3.44, vertikal: 4.83

Unterschrift des Schützen

Ergebnis: **102.2** (96)
 Serien: 102.2
 Zähler: 6 4 0 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 863 (6), 862 (1), 855 (8)
 beste Teiler 63.3 (10.) 85.7 (5.) 328.7 (9.)
 Trefferlage 1.32 mm links, 0.39 mm hoch
 Streuwert 4.80, horizontal: 5.31, vertikal: 4.23





Serie 1:
 9.9 ← 10.1 ↓ 10.0 ↙ 10.3 * 10.8 *
 9.9 ↘ 9.9 ← 9.9 → 10.5 * 10.9 *
 beste Teiler 63.3 (10.) 85.7 (5.) 328.7 (9.)
 Trefferlage 1.32 mm links, 0.39 mm hoch
 Streuwert 4.80, horizontal: 5.31, vertikal: 4.23

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **99.0** (95)
 Serien: 99.0
 Zähler: 6 3 1 0 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 1793 (9), 1488 (8), 1237 (7)
 beste Teiler 78.1 (3.) 252.2 (6.) 430.1 (4.)
 Trefferlage 3.05 mm rechts, 1.58 mm tief
 Streuwert 6.95, horizontal: 6.22, vertikal: 7.62



Serie 1:
 10.2 ↙ 10.0 ↗ 10.9 * 10.4 * 9.5 ↗
 10.6 * 9.4 → 9.1 ↘ 8.7 ↓ 10.2 ↘
 beste Teiler 78.1 (3.) 252.2 (6.) 430.1 (4.)
 Trefferlage 3.05 mm rechts, 1.58 mm tief
 Streuwert 6.95, horizontal: 6.22, vertikal: 7.62

Unterschrift des Schützen



StandNr: 25

8. August 2020 13:10

Entner,, Amita #70425183

SG_Wörgl / SG Wörgl 1



Ergebnis: **99.2** (94)
 Serien: 99.2
 Zähler: 5 4 1 0 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 1959 (5), 1177 (10), 1078 (8)
 beste Teiler 158.9 (1.) 400.9 (6.) 514.8 (7.)
 Trefferlage 4.85 mm links, 2.08 mm hoch
 Streuwert 5.95, horizontal: 6.66, vertikal: 5.15



Serie 1:
 10.8 * 10.2 ← 10.0 ✓ 9.9 ↘ 8.5 ←
 10.5 * 10.3 * 9.6 ↘ 9.9 ✓ 9.5 ↘
 beste Teiler 158.9 (1.) 400.9 (6.) 514.8 (7.)
 Trefferlage 4.85 mm links, 2.08 mm hoch
 Streuwert 5.95, horizontal: 6.66, vertikal: 5.15

Unterschrift des Schützen



Ergebnis: **100.3** (96)
 Serien: 100.3
 Zähler: 7 2 1 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 1678 (10), 1396 (8), 1096 (4)
 beste Teiler 365.5 (2.) 391.8 (1.) 403.1 (6.)
 Trefferlage 1.81 mm rechts, 0.02 mm tief
 Streuwert 6.31, horizontal: 7.43, vertikal: 4.96



Serie 1:
 10.5 * 10.5 * 10.4 * 9.6 ↘ 10.2 ↑
 10.4 * 10.4 * 9.2 ↘ 10.2 → 8.9 →
 beste Teiler 365.5 (2.) 391.8 (1.) 403.1 (6.)
 Trefferlage 1.81 mm rechts, 0.02 mm tief
 Streuwert 6.31, horizontal: 7.43, vertikal: 4.96

Unterschrift des Schützen



Ergebnis: **98.1** (94)
 Serien: 98.1
 Zähler: 6 2 2 0 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2036 (9), 1785 (10), 993 (2)
 beste Teiler 376.0 (7.) 417.6 (3.) 533.6 (5.)
 Trefferlage 3.03 mm links, 3.32 mm hoch
 Streuwert 7.07, horizontal: 8.29, vertikal: 5.58



Serie 1:
 10.1 → 9.7 ↘ 10.4 * 9.9 ↙ 10.3 ↑
 10.0 ← 10.5 * 10.1 → 8.4 ↖ 8.7 ↘
 beste Teiler 376.0 (7.) 417.6 (3.) 533.6 (5.)
 Trefferlage 3.03 mm links, 3.32 mm hoch
 Streuwert 7.07, horizontal: 8.29, vertikal: 5.58

Unterschrift des Schützen



Ergebnis: **104.3** (99)
 Serien: 104.3
 Zähler: 9 1 0 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 1093 (10), 549 (6), 417 (8)
 beste Teiler 101.1 (5.) 256.1 (2.) 281.3 (3.)
 Trefferlage 0.45 mm rechts, 0.13 mm tief
 Streuwert 3.64, horizontal: 3.81, vertikal: 3.46



Serie 1:
 10.4 * 10.6 * 10.6 * 10.5 * 10.8 *
 10.3 ↘ 10.5 * 10.4 * 10.6 * 9.6 ↘
 beste Teiler 101.1 (5.) 256.1 (2.) 281.3 (3.)
 Trefferlage 0.45 mm rechts, 0.13 mm tief
 Streuwert 3.64, horizontal: 3.81, vertikal: 3.46

Unterschrift des Schützen

Ergebnis: **102.2** (99)
 Serien: 102.2
 Zähler: 9 1 0 0 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 864 (10), 787 (4), 681 (8)
 beste Teiler 228.0 (5.) 469.4 (6.) 544.8 (1.)
 Trefferlage 1.10 mm links, 1.89 mm hoch
 Streuwert 4.33, horizontal: 3.11, vertikal: 5.27





Serie 1:
 10.3 ↘ 10.1 ↑ 10.3 ↓ 10.0 ↗ 10.7 *
 10.4 * 10.2 ↑ 10.1 ↓ 10.2 ↙ 9.9 ↑
 beste Teiler 228.0 (5.) 469.4 (6.) 544.8 (1.)
 Trefferlage 1.10 mm links, 1.89 mm hoch
 Streuwert 4.33, horizontal: 3.11, vertikal: 5.27

Unterschrift des Schützen

Meyton Elektronik



Ergebnis: **101.4** (96)
 Serien: 101.4
 Zähler: 6 4 0 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 980 (7), 978 (8), 858 (3)
 beste Teiler 219.1 (4.) 315.6 (2.) 423.6 (5.)
 Trefferlage 1.29 mm rechts, 0.30 mm tief
 Streuwert 5.09, horizontal: 5.80, vertikal: 4.27



Serie 1:
 9.9 ↘ 10.6 * 9.9 ↗ 10.7 * 10.4 *
 10.2 ↙ 9.7 ↗ 9.7 ← 10.3 * 10.0 ↘
 beste Teiler 219.1 (4.) 315.6 (2.) 423.6 (5.)
 Trefferlage 1.29 mm rechts, 0.30 mm tief
 Streuwert 5.09, horizontal: 5.80, vertikal: 4.27

Unterschrift des Schützen



Ergebnis: **101.3** (96)
 Serien: 101.3
 Zähler: 6 4 0 0 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 1161 (9), 1145 (8), 945 (4)
 beste Teiler 129.2 (2.) 129.4 (5.) 336.9 (7.)
 Trefferlage 1.64 mm links, 0.47 mm hoch
 Streuwert 5.43, horizontal: 6.40, vertikal: 4.24



Serie 1:
 9.9 ↗ 10.8 * 10.1 ↗ 9.8 ↖ 10.8 *
 10.2 ← 10.5 * 9.5 ↙ 9.5 ↘ 10.2 ↘
 beste Teiler 129.2 (2.) 129.4 (5.) 336.9 (7.)
 Trefferlage 1.64 mm links, 0.47 mm hoch
 Streuwert 5.43, horizontal: 6.40, vertikal: 4.24

Unterschrift des Schützen

Ergebnis: **100.0** (96)
 Serien: 100.0
 Zähler: 6 4 0 0 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 1566 (9), 924 (3), 920 (2)
 beste Teiler 355.2 (5.) 483.6 (7.) 503.6 (1.)
 Trefferlage 0.31 mm rechts, 0.13 mm tief
 Streuwert 6.17, horizontal: 5.73, vertikal: 6.58





Serie 1:
 10.3 * 9.8 ↘ 9.8 ↗ 10.1 ↓ 10.5 *
 9.8 ↓ 10.3 * 10.2 ↖ 9.0 ↖ 10.2 ↓

beste Teiler 355.2 (5.) 483.6 (7.) 503.6 (1.)
 Trefferlage 0.31 mm rechts, 0.13 mm tief
 Streuwert 6.17, horizontal: 5.73, vertikal: 6.58

Unterschrift des Schützen



Ergebnis: **99.7** (96)
 Serien: 99.7
 Zähler: 6 4 0 0 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 1241 (1), 1041 (8), 1028 (2)
 beste Teiler 495.3 (3.) 497.1 (6.) 515.3 (4.)
 Trefferlage 0.86 mm rechts, 0.33 mm tief
 Streuwert 6.04, horizontal: 6.17, vertikal: 5.91



Serie 1:
 9.4 ↘ 9.7 ↓ 10.3 * 10.3 * 10.2 ↗
 10.3 * 10.0 ↖ 9.6 ← 9.9 ↙ 10.0 ↑
 beste Teiler 495.3 (3.) 497.1 (6.) 515.3 (4.)
 Trefferlage 0.86 mm rechts, 0.33 mm tief
 Streuwert 6.04, horizontal: 6.17, vertikal: 5.91

Unterschrift des Schützen

Ergebnis: **99.8** (94)
 Serien: 99.8
 Zähler: 4 6 0 0 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 1156 (10), 1093 (5), 1034 (3)
 beste Teiler 260.0 (4.) 320.3 (2.) 527.0 (1.)
 Trefferlage 3.13 mm rechts, 0.08 mm tief
 Streuwert 5.89, horizontal: 6.46, vertikal: 5.26



Serie 1:
 10.3 * 10.6 * 9.7 → 10.6 * 9.6 ↘
 9.8 → 9.7 ↗ 10.2 → 9.8 ✓ 9.5 ↖
 beste Teiler 260.0 (4.) 320.3 (2.) 527.0 (1.)
 Trefferlage 3.13 mm rechts, 0.08 mm tief
 Streuwert 5.89, horizontal: 6.46, vertikal: 5.26

Unterschrift des Schützen