





Ergebnis: **608.0** (579)
 Serien: 103.6 100.8 102.1 101.7 99.4 100.4
 Zähler: 40 19 1 0 0 0 0 0 0
 Innenzehner: 24
 weiteste: 1792 (55), 1377 (44), 1252 (40)
 beste Teiler 123.0 (37.) 149.4 (57.) 188.3 (23.)
 Trefferlage 2.57 mm links, 2.09 mm tief
 Streuwert 4.63, horizontal: 3.75, vertikal: 5.36




Serie 1:
 9.9 ↖ 10.5 * 10.2 ↓ 10.6 * 10.5 *
 10.6 * 10.5 * 10.4 * 10.7 * 9.7 ↘
 beste Teiler 213.8 (9.) 251.2 (6.) 252.5 (4.)
 Trefferlage 0.92 mm links, 1.65 mm hoch
 Streuwert 3.76, horizontal: 3.75, vertikal: 3.76




Serie 2:
 9.8 ↓ 10.7 * 9.9 ↙ 10.2 ↘ 9.7 ↓
 9.8 ↑ 10.1 ↙ 10.0 ↙ 10.3 * 10.3 ↖
 beste Teiler 192.3 (12.) 523.9 (19.) 539.8 (20.)
 Trefferlage 2.42 mm links, 3.39 mm tief
 Streuwert 4.45, horizontal: 3.50, vertikal: 5.23




Serie 3:
 10.1 ↘ 10.6 * 10.7 * 10.2 ↓ 10.4 *
 10.0 ↑ 10.2 ↙ 9.6 ↙ 10.2 ← 10.1 ←
 beste Teiler 188.3 (23.) 256.7 (22.) 430.6 (25.)
 Trefferlage 3.06 mm links, 0.76 mm tief
 Streuwert 4.11, horizontal: 3.59, vertikal: 4.57




Serie 4:
 10.3 * 10.4 * 10.3 * 9.9 ← 10.2 ←
 9.8 ↓ 10.8 * 10.2 ↓ 10.4 * 9.4 ↖
 beste Teiler 123.0 (37.) 417.9 (32.) 437.1 (39.)
 Trefferlage 2.53 mm links, 1.22 mm tief
 Streuwert 4.63, horizontal: 4.64, vertikal: 4.62



Serie 5:
 10.2 ↑ 10.3 * 10.6 * 9.2 ↓ 9.9 ←
 10.5 * 9.8 ↙ 9.9 ← 9.6 ↘ 9.4 ↓
 beste Teiler 275.3 (43.) 329.1 (46.) 522.8 (42.)
 Trefferlage 3.03 mm links, 3.67 mm tief
 Streuwert 5.45, horizontal: 4.16, vertikal: 6.49



Serie 6:
 9.6 ↘ 10.2 ↖ 10.6 * 10.3 * 8.7 ↓
 9.9 ↓ 10.8 * 9.7 ↙ 10.2 ← 10.4 *
 beste Teiler 149.4 (57.) 300.4 (53.) 416.6 (60.)
 Trefferlage 3.44 mm links, 5.18 mm tief
 Streuwert 4.39, horizontal: 3.11, vertikal: 5.37



KK liegend – Wertung – **Frauen**

StandNr: 11

Juen,, Anna #70512020

StartNr: 139



14. Juli 2019 10:01

SG_See


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	600.6	(577)
Serien:	99.3	100.4 98.7 101.2 100.4 100.6
Zähler:	38	21 1 0 0 0 0 0 0 0
Innenzehner:	15	
weiteste:	1745 (50), 1510 (15), 1480 (27)	
beste Teiler	64.6 (48.)	176.5 (32.) 264.1 (59.)
Trefferlage	1.31 mm rechts,	0.73 mm hoch
Streuwert	5.88, horizontal:	6.14, vertikal: 5.61



Serie 1:	10.1 ↖	9.7 ←	10.3 *	9.4 ↘	10.0 ↘
	9.8 ↓	10.2 ↘	10.4 *	9.7 →	9.7 ↗
beste Teiler	461.3 (8.)	517.8 (3.)	639.8 (7.)		
Trefferlage	2.48 mm rechts,	2.12 mm tief			
Streuwert	5.84, horizontal:	6.20, vertikal: 5.45			




Serie 2:	10.6 *	9.7 ↑	10.2 ↗	10.5 *	9.1 ↗
	9.6 ↓	10.3 ←	10.4 *	10.3 ↓	9.7 →
beste Teiler	299.7 (11.)	395.4 (14.)	470.0 (18.)		
Trefferlage	1.42 mm rechts,	1.61 mm hoch			
Streuwert	5.98, horizontal:	5.28, vertikal: 6.61			




Serie 3:	10.4 *	9.7 →	9.2 →	9.7 →	10.6 *
	9.3 ←	9.1 ↑	10.4 *	9.7 ←	10.6 *
beste Teiler	273.3 (30.)	302.3 (25.)	469.5 (28.)		
Trefferlage	1.62 mm rechts,	0.34 mm hoch			
Streuwert	7.22, horizontal:	8.67, vertikal: 5.40			



Serie 4:	10.2 ↗	10.7 *	10.0 ↘	10.1 →	10.5 *
	10.0 →	9.2 ↑	10.4 *	10.1 ↖	10.0 ↗
beste Teiler	176.5 (32.)	381.9 (35.)	407.7 (38.)		
Trefferlage	2.36 mm rechts,	3.41 mm hoch			
Streuwert	4.42, horizontal:	3.91, vertikal: 4.87			





Serie 5:	9.6 →	10.3 ↘	10.2 →	10.6 *	9.6 ↗
	10.2 ↗	10.1 →	10.9 *	10.1 ↖	8.8 ←
beste Teiler	64.6 (48.)	307.3 (44.)	533.4 (42.)		
Trefferlage	1.41 mm rechts,	1.36 mm hoch			
Streuwert	6.30, horizontal:	7.73, vertikal: 4.42			




Serie 6:	10.2 ↖	9.7 ↗	9.8 ↖	10.2 ↑	10.2 ↓
	10.2 ↓	9.6 ↓	10.1 ↑	10.6 *	10.0 ↓
beste Teiler	264.1 (59.)	596.9 (51.)	607.5 (56.)		
Trefferlage	1.38 mm links,	0.23 mm tief			
Streuwert	5.49, horizontal:	4.38, vertikal: 6.40			

Meyton Elektronik


Ergebnis:	577.3	(549)
Serien:	97.3 94.5 96.9 96.8 93.7 98.1	
Zähler:	21 27 12 0 0 0 0 0 0 0	
Innenzehner:	10	
weiteste:	2186 (35), 2185 (34), 2185 (43)	
beste Teiler	185.6 (40.) 242.2 (23.) 323.6 (30.)	
Trefferlage	0.53 mm rechts, 0.50 mm hoch	
Streuwert	8.44, horizontal: 8.03, vertikal: 8.82	




Serie 1:	8.9 ←	9.3 ↘	10.5 *	9.2 ↖	10.4 *
	8.9 ↗	10.0 ↗	10.0 ↓	9.9 →	10.2 ↗
beste Teiler	360.5 (3.) 446.0 (5.) 579.5 (10.)				
Trefferlage	1.83 mm links, 1.90 mm hoch				
Streuwert	7.84, horizontal: 7.41, vertikal: 8.24				




Serie 2:	9.9 ↑	10.3 *	9.1 ↑	9.1 ↗	9.4 ←
	8.6 ↘	9.9 ↗	9.4 ↘	10.3 ←	8.5 ↙
beste Teiler	527.8 (12.) 537.0 (19.) 836.8 (17.)				
Trefferlage	2.61 mm links, 5.26 mm hoch				
Streuwert	8.57, horizontal: 8.32, vertikal: 8.81				




Serie 3:	10.0 ←	8.7 ↓	10.6 *	9.9 ←	9.3 ←
	10.1 ↓	9.8 ↑	8.7 ↘	9.3 →	10.5 *
beste Teiler	242.2 (23.) 323.6 (30.) 719.2 (26.)				
Trefferlage	0.25 mm links, 3.57 mm tief				
Streuwert	8.02, horizontal: 8.65, vertikal: 7.33				



Serie 4:	9.3 ↘	10.3 *	10.5 *	8.2 ↓	8.2 ↙
	9.5 ↘	10.0 ↙	10.2 ↓	9.9 ↖	10.7 *
beste Teiler	185.6 (40.) 384.4 (33.) 507.8 (32.)				
Trefferlage	0.69 mm rechts, 6.26 mm tief				
Streuwert	7.70, horizontal: 6.12, vertikal: 9.01				



Serie 5:	8.9 ↑	9.6 →	8.2 ↘	10.4 *	10.1 ↓
	8.4 ↗	9.9 ↓	9.8 ↑	9.7 ↗	8.7 →
beste Teiler	455.2 (44.) 679.7 (45.) 850.0 (47.)				
Trefferlage	7.10 mm rechts, 1.70 mm hoch				
Streuwert	8.76, horizontal: 7.33, vertikal: 9.98				



Serie 6:	10.2 →	9.9 ↖	9.5 ↑	9.2 ↖	9.9 ↗
	10.0 ←	10.4 *	9.9 ←	9.8 ↗	9.3 →
beste Teiler	435.8 (57.) 579.0 (51.) 732.1 (56.)				
Trefferlage	0.09 mm rechts, 3.98 mm hoch				
Streuwert	6.53, horizontal: 8.17, vertikal: 4.29				

Meyton Elektronik