




Ergebnis: **373** (394.5)
 Serien: 90 92 96 95
 Zähler: 16 21 3 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2057 (4), 1959 (15), 1725 (9)
 beste Teiler 136.7 (33.) 158.5 (17.) 268.1 (2.)
 Trefferlage 2.34 mm links, 1.65 mm hoch
 Streuwert 6.73, horizontal: 7.80, vertikal: 5.46



Serie 1:

9.9 ↖ 10.6 * 9.7 ↖ 8.4 ↖ 9.3 ↖
 9.8 → 10.3 ↙ 9.8 ↙ 8.8 ↖ 9.6 ↙


beste Teiler 268.1 (2.) 548.6 (7.) 866.5 (1.)
 Trefferlage 7.31 mm links, 0.32 mm tief
 Streuwert 6.85, horizontal: 7.52, vertikal: 6.10



Serie 2:

9.7 ↘ 9.4 ↘ 10.1 ↖ 9.6 ← 8.5 ↖
 9.9 ↖ 10.8 * 9.6 → 10.2 ↘ 9.9 ←


beste Teiler 158.5 (17.) 600.2 (19.) 672.1 (13.)
 Trefferlage 2.02 mm links, 0.69 mm tief
 Streuwert 7.65, horizontal: 9.98, vertikal: 4.20



Serie 3:

10.6 * 10.6 * 10.5 * 10.3 ↑ 9.6 ↑
 9.5 ↑ 10.3 ↘ 10.5 * 9.1 ↘ 9.9 ↘

beste Teiler 273.2 (21.) 294.9 (22.) 329.2 (23.)
 Trefferlage 0.98 mm links, 5.36 mm hoch
 Streuwert 4.25, horizontal: 3.47, vertikal: 4.92



Serie 4:



10.0 ↘ 9.9 ↘ 10.8 * 10.4 * 9.7 ↑
 9.5 → 10.5 * 9.2 ↘ 9.5 ↘ 10.2 →

beste Teiler 136.7 (33.) 338.3 (37.) 418.0 (34.)
 Trefferlage 0.94 mm rechts, 2.29 mm hoch
 Streuwert 6.24, horizontal: 7.33, vertikal: 4.91

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **385** (400.3)
 Serien: 97 95 98 95
 Zähler: 25 15 0 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 1600 (33), 1569 (37), 1333 (12)
 beste Teiler 138.9 (5.) 332.2 (25.) 382.5 (20.)
 Trefferlage 1.68 mm links, 0.82 mm tief
 Streuwert 5.68, horizontal: 6.39, vertikal: 4.86



Serie 1:

10.2 ↙ 9.7 → 10.3 * 10.4 * 10.8 *
 9.8 ↓ 10.1 ↙ 9.8 ↙ 10.3 ↑ 10.0 ↘


beste Teiler 138.9 (5.) 404.0 (4.) 520.9 (3.)
 Trefferlage 1.32 mm links, 1.69 mm tief
 Streuwert 5.00, horizontal: 5.43, vertikal: 4.53



Serie 2:

10.4 * 9.3 ↙ 9.9 ↙ 9.9 ← 9.9 ←
 9.9 ↓ 10.1 ↙ 10.0 → 10.0 ↘ 10.5 *


beste Teiler 382.5 (20.) 460.8 (11.) 714.5 (17.)
 Trefferlage 3.10 mm links, 2.27 mm tief
 Streuwert 5.37, horizontal: 5.37, vertikal: 5.36



Serie 3:

10.0 ↑ 10.1 ↗ 10.1 ↗ 10.2 ← 10.5 *
 9.6 ↘ 10.3 * 9.8 ↙ 10.0 ↙ 10.2 ←

beste Teiler 332.2 (25.) 505.9 (27.) 565.8 (24.)
 Trefferlage 1.28 mm links, 0.39 mm tief
 Streuwert 5.22, horizontal: 5.11, vertikal: 5.32



Serie 4:



10.1 ↙ 9.5 → 9.0 ← 10.2 ↘ 9.7 ↘
 10.3 * 9.0 → 10.2 ← 10.3 * 9.9 ↘

beste Teiler 510.3 (39.) 517.7 (36.) 565.4 (38.)
 Trefferlage 1.04 mm links, 1.05 mm hoch
 Streuwert 7.31, horizontal: 9.45, vertikal: 4.20


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **380** (397.1)
 Serien: 95 94 97 94
 Zähler: 23 14 3 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2106 (8), 2011 (38), 1985 (18)
 beste Teiler 98.6 (15.) 244.2 (30.) 250.0 (4.)
 Trefferlage 0.55 mm rechts, 1.49 mm hoch
 Streuwert 6.66, horizontal: 6.13, vertikal: 7.15




Serie 1:
 9.6 ↘ 9.7 ↘ 10.6 * 10.6 * 10.5 *
 10.4 * 10.6 * 8.3 ↘ 9.9 ↑ 10.6 *
 beste Teiler 250.0 (4.) 276.7 (10.) 307.3 (3.)
 Trefferlage 0.34 mm links, 0.09 mm tief
 Streuwert 6.69, horizontal: 4.51, vertikal: 8.31



Serie 2:
 10.1 ↑ 9.5 ↘ 9.9 ↑ 9.6 ↑ 10.8 *
 10.0 ↘ 9.1 ↘ 8.5 ↘ 10.0 ↘ 10.0 ↘
 beste Teiler 98.6 (15.) 678.4 (11.) 732.6 (16.)
 Trefferlage 1.70 mm links, 4.12 mm hoch
 Streuwert 7.40, horizontal: 7.06, vertikal: 7.72



Serie 3:
 10.1 ↑ 10.2 ↘ 10.1 ↑ 9.9 ↘ 10.3 ↘
 10.0 ↗ 9.5 ↗ 10.1 ↑ 9.8 → 10.6 *
 beste Teiler 244.2 (30.) 550.4 (25.) 633.3 (22.)
 Trefferlage 3.84 mm rechts, 0.84 mm hoch
 Streuwert 4.78, horizontal: 3.98, vertikal: 5.47





Serie 4:
 10.2 ↘ 9.8 ↘ 10.3 * 9.7 ↑ 9.6 ↑
 10.1 ↗ 10.4 * 8.4 ↗ 10.1 ↘ 9.6 ↘
 beste Teiler 433.7 (37.) 494.6 (33.) 603.6 (31.)
 Trefferlage 0.40 mm rechts, 1.11 mm hoch
 Streuwert 7.41, horizontal: 7.62, vertikal: 7.19

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **383** (401.9)
 Serien: 95 97 95 96
 Zähler: 24 15 1 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 1762 (40), 1395 (9), 1380 (32)
 beste Teiler 116.1 (27.) 124.6 (15.) 146.2 (37.)
 Trefferlage 3.07 mm links, 0.44 mm hoch
 Streuwert 5.43, horizontal: 5.70, vertikal: 5.14



Serie 1:

10.2 ↘ 10.4 * 10.6 * 10.1 ↘ 9.7 ↙
 9.8 ↑ 10.0 ↗ 9.5 ↗ 9.2 ↓ 9.8 ↙


beste Teiler 261.9 (3.) 455.7 (2.) 604.9 (1.)
 Trefferlage 0.96 mm links, 0.57 mm hoch
 Streuwert 6.47, horizontal: 5.63, vertikal: 7.21



Serie 2:

9.5 ↙ 10.2 ↘ 10.4 * 9.6 ← 10.8 *
 9.7 ← 10.6 * 10.8 * 10.2 ↗ 10.4 *


beste Teiler 124.6 (15.) 156.8 (18.) 302.6 (17.)
 Trefferlage 2.56 mm links, 0.16 mm tief
 Streuwert 4.76, horizontal: 5.48, vertikal: 3.92



Serie 3:

9.6 ← 9.5 ← 9.8 ↘ 9.9 ↘ 10.5 *
 9.9 ← 10.8 * 10.1 ↘ 10.2 ↘ 10.7 *

beste Teiler 116.1 (27.) 186.6 (30.) 365.7 (25.)
 Trefferlage 4.07 mm links, 0.92 mm hoch
 Streuwert 4.57, horizontal: 5.75, vertikal: 2.93



Serie 4:



10.5 * 9.2 ← 9.2 ↓ 10.0 ← 10.0 ↑
 10.5 * 10.8 * 10.1 ← 10.4 * 8.7 ↘

beste Teiler 146.2 (37.) 346.5 (31.) 355.7 (36.)
 Trefferlage 4.70 mm links, 0.45 mm hoch
 Streuwert 6.11, horizontal: 6.06, vertikal: 6.16


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **358** (377.5)
 Serien: 89 90 88 91
 Zähler: 10 22 5 2 1 0 0 0 0 0
 Innenzehner: 6
 weiteste: 3313 (25), 2890 (2), 2498 (26)
 beste Teiler 232.8 (6.) 236.6 (37.) 271.8 (22.)
 Trefferlage 1.19 mm rechts, 0.29 mm hoch
 Streuwert 9.95, horizontal: 11.78, vertikal: 7.69




Serie 1:
 8.0 → 7.3 ↘ 8.3 ← 10.4 * 9.6 ↑
 10.7 * 9.8 ↗ 9.1 ↘ 9.3 ↘ 10.0 ↓
 beste Teiler 232.8 (6.) 422.8 (4.) 772.4 (10.)
 Trefferlage 5.81 mm rechts, 1.08 mm tief
 Streuwert 10.97, horizontal: 13.31, vertikal: 7.98



Serie 2:
 9.5 ↓ 9.5 ↘ 9.4 ↘ 9.7 ↓ 9.7 →
 10.2 ↘ 9.6 ↑ 8.5 → 9.9 ↑ 9.2 ↗
 beste Teiler 626.5 (16.) 813.2 (19.) 962.7 (14.)
 Trefferlage 2.86 mm rechts, 3.01 mm hoch
 Streuwert 8.31, horizontal: 8.60, vertikal: 8.01



Serie 3:
 9.3 → 10.6 * 10.0 ↗ 10.3 * 6.8 ←
 7.8 ↘ 9.4 ↘ 9.8 ↑ 9.0 ↘ 9.8 ↘
 beste Teiler 271.8 (22.) 528.4 (24.) 755.0 (23.)
 Trefferlage 6.24 mm links, 1.64 mm hoch
 Streuwert 10.94, horizontal: 14.08, vertikal: 6.43





Serie 4:
 9.9 ↘ 9.8 → 10.1 ↓ 9.6 ↘ 9.9 ↘
 8.6 ↘ 10.7 * 9.1 ↘ 10.4 * 8.9 ↘
 beste Teiler 236.6 (37.) 427.4 (39.) 720.6 (33.)
 Trefferlage 2.33 mm rechts, 2.38 mm tief
 Streuwert 8.03, horizontal: 7.87, vertikal: 8.19

Unterschrift des Schützen


Meyton Elektronik

Ergebnis: **362** (380.1)
 Serien: 90 93 89 90
 Zähler: 13 18 7 2 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2664 (36), 2637 (5), 2096 (35)
 beste Teiler 299.0 (15.) 356.5 (23.) 468.7 (2.)
 Trefferlage 0.77 mm links, 2.10 mm tief
 Streuwert 9.07, horizontal: 8.35, vertikal: 9.73




Serie 1:

10.0 →	10.4 *	9.9 ←	10.0 ↗	7.7 ↘
8.5 ↘	9.3 ↘	9.8 ↙	8.8 ↘	10.1 ↖
beste Teiler	468.7 (2.)	704.1 (10.)	750.3 (1.)	
Trefferlage	3.61 mm rechts, 5.37 mm tief			
Streuwert	8.96, horizontal: 8.56, vertikal: 9.35			




Serie 2:

9.1 ↘	9.7 ↓	9.5 ←	8.7 ↖	10.6 *
10.2 ↘	9.8 ↓	10.1 →	10.3 *	9.0 ↗
beste Teiler	299.0 (15.)	481.7 (19.)	603.0 (16.)	
Trefferlage	0.68 mm links, 3.73 mm tief			
Streuwert	7.75, horizontal: 7.34, vertikal: 8.13			



Serie 3:

9.5 ↙	8.9 ↓	10.5 *	9.7 →	9.7 ↗
10.1 ←	8.7 ↖	8.9 ↓	9.3 ↑	9.5 ←
beste Teiler	356.5 (23.)	645.7 (26.)	1021.6 (24.)	
Trefferlage	3.60 mm links, 2.52 mm tief			
Streuwert	8.74, horizontal: 8.08, vertikal: 9.35			





Serie 4:

10.1 →	9.2 ↑	9.4 ↑	10.0 ↗	8.3 ↘
7.6 ↖	9.4 ↓	9.9 ↑	10.2 ↓	9.7 ↓
beste Teiler	569.3 (39.)	694.0 (31.)	788.4 (34.)	
Trefferlage	2.44 mm links, 3.22 mm hoch			
Streuwert	9.97, horizontal: 8.74, vertikal: 11.07			

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (380.3)
 Serien: 89 86 89 95
 Zähler: 14 14 9 3 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 3037 (6), 2615 (14), 2568 (16)
 beste Teiler 124.2 (5.) 287.4 (10.) 320.1 (9.)
 Trefferlage 4.88 mm links, 0.31 mm hoch
 Streuwert 9.11, horizontal: 10.63, vertikal: 7.28



Serie 1:

9.7 ← 9.7 → 8.1 ↘ 9.6 ↗ 10.8 *
 7.2 ↘ 8.2 ← 9.8 ← 10.6 * 10.6 *


beste Teiler 124.2 (5.) 287.4 (10.) 320.1 (9.)
 Trefferlage 7.87 mm links, 1.68 mm hoch
 Streuwert 9.70, horizontal: 11.07, vertikal: 8.10



Serie 2:

9.3 ← 8.9 ↘ 8.9 ↓ 7.7 ↘ 8.9 ↓
 7.7 ← 10.3 ↗ 10.0 ↗ 9.7 ← 10.4 *


beste Teiler 473.2 (20.) 553.4 (17.) 800.5 (18.)
 Trefferlage 2.83 mm links, 2.75 mm tief
 Streuwert 11.52, horizontal: 13.18, vertikal: 9.57



Serie 3:

8.3 ← 10.2 ← 9.8 → 8.6 ↘ 9.6 ←
 9.7 ↗ 10.3 ← 8.4 ← 9.3 → 9.9 ↘

beste Teiler 559.2 (27.) 582.4 (22.) 815.5 (30.)
 Trefferlage 5.08 mm links, 3.21 mm hoch
 Streuwert 9.08, horizontal: 11.70, vertikal: 5.30





Serie 4:

9.7 ← 8.9 ← 10.1 ↓ 10.4 * 10.3 *
 10.3 ↘ 10.2 ← 10.4 * 9.9 ← 9.9 ↗


beste Teiler 449.9 (34.) 459.3 (38.) 525.1 (35.)
 Trefferlage 3.76 mm links, 0.89 mm tief
 Streuwert 5.53, horizontal: 6.36, vertikal: 4.56

Unterschrift des Schützen


Ergebnis: **386** (402.4)
 Serien: 97 96 95 98
 Zähler: 28 10 2 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 1970 (24), 1843 (2), 1357 (11)
 beste Teiler 48.3 (4.) 115.6 (38.) 175.1 (33.)
 Trefferlage 1.52 mm links, 1.51 mm hoch
 Streuwert 5.70, horizontal: 5.43, vertikal: 5.97




Serie 1:
 10.2 ↓ 8.6 ↘ 10.3 * 10.9 * 10.1 ↘
 9.9 ↘ 10.7 * 10.1 ↓ 10.4 * 10.2 ↓
 beste Teiler 48.3 (4.) 190.9 (7.) 468.9 (9.)
 Trefferlage 1.25 mm links, 0.68 mm hoch
 Streuwert 5.78, horizontal: 4.51, vertikal: 6.82



Serie 2:
 9.3 ↑ 10.6 * 10.1 ↘ 9.5 ↘ 10.7 *
 10.4 * 10.2 ↘ 9.7 ↘ 10.1 ↘ 9.7 ↘
 beste Teiler 177.5 (15.) 252.2 (12.) 434.8 (16.)
 Trefferlage 2.94 mm links, 1.92 mm hoch
 Streuwert 5.52, horizontal: 5.43, vertikal: 5.61



Serie 3:
 10.7 * 9.8 ↘ 10.0 ↘ 8.5 ↘ 9.5 →
 10.4 * 10.1 ← 10.4 * 9.8 ↑ 10.1 ↘
 beste Teiler 237.1 (21.) 443.4 (26.) 462.9 (28.)
 Trefferlage 0.88 mm links, 2.83 mm hoch
 Streuwert 6.69, horizontal: 6.61, vertikal: 6.77





Serie 4:
 10.1 ↘ 10.1 ↓ 10.7 * 10.0 ↘ 10.0 ←
 10.6 * 10.2 ↑ 10.8 * 9.4 ← 9.5 ↑
 beste Teiler 115.6 (38.) 175.1 (33.) 272.9 (36.)
 Trefferlage 1.03 mm links, 0.63 mm hoch
 Streuwert 5.37, horizontal: 5.58, vertikal: 5.15


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **366** (385.3)
 Serien: 95 94 90 87
 Zähler: 14 19 6 1 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2688 (34), 2144 (35), 2129 (21)
 beste Teiler 90.1 (2.) 137.8 (1.) 156.4 (19.)
 Trefferlage 1.69 mm links, 2.79 mm hoch
 Streuwert 8.34, horizontal: 10.06, vertikal: 6.16




Serie 1:
 10.8 * 10.8 * 9.6 ↘ 9.4 ↑ 10.1 ↘
 10.3 * 9.5 ↑ 8.9 ↘ 10.4 * 10.0 ↘
 beste Teiler 90.1 (2.) 137.8 (1.) 425.2 (9.)
 Trefferlage 2.37 mm links, 6.65 mm hoch
 Streuwert 4.23, horizontal: 4.22, vertikal: 4.23



Serie 2:
 10.7 * 9.5 → 10.1 ↘ 9.3 ↘ 9.9 ↗
 10.3 * 8.8 → 9.9 → 10.8 * 10.5 *
 beste Teiler 156.4 (19.) 207.8 (11.) 382.6 (20.)
 Trefferlage 3.68 mm rechts, 3.59 mm hoch
 Streuwert 5.78, horizontal: 7.57, vertikal: 3.09



Serie 3:
 8.3 ↗ 9.3 → 9.9 ↘ 10.4 * 9.7 ←
 9.8 ↑ 10.0 ← 9.3 → 8.5 ← 9.2 ←
 beste Teiler 435.7 (24.) 791.6 (27.) 818.8 (23.)
 Trefferlage 1.65 mm links, 1.14 mm hoch
 Streuwert 9.62, horizontal: 12.48, vertikal: 5.41





Serie 4:
 9.4 ↓ 9.2 ↘ 10.1 ↘ 7.6 ← 8.3 ←
 8.9 ↘ 9.6 ↘ 9.8 ↑ 9.4 ↘ 9.0 ←
 beste Teiler 699.3 (33.) 893.4 (38.) 1090.6 (37.)
 Trefferlage 6.43 mm links, 0.23 mm tief
 Streuwert 10.67, horizontal: 12.26, vertikal: 8.78

Unterschrift des Schützen


Meyton Elektronik

Ergebnis: **373** (391.3)
 Serien: 96 92 92 93
 Zähler: 19 16 4 1 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 2873 (11), 2219 (32), 2185 (12)
 beste Teiler 125.2 (6.) 129.3 (16.) 159.8 (2.)
 Trefferlage 0.38 mm rechts, 1.44 mm tief
 Streuwert 8.03, horizontal: 9.83, vertikal: 5.69




Serie 1:

10.5 *	10.8 *	10.7 *	10.1 ↗	9.4 ↑
10.8 *	10.4 *	9.9 →	9.9 ↗	9.8 ↓
beste Teiler	125.2 (6.)	159.8 (2.)	184.6 (3.)	
Trefferlage	1.40 mm rechts, 1.67 mm hoch			
Streuwert	4.84, horizontal: 3.50, vertikal: 5.88			




Serie 2:

7.4 →	8.2 ←	9.1 ↘	9.5 ✓	9.0 ↘
10.8 *	10.6 *	10.0 ↓	10.2 ↓	10.1 ↓
beste Teiler	129.3 (16.)	304.2 (17.)	618.8 (19.)	
Trefferlage	1.76 mm rechts, 4.65 mm tief			
Streuwert	9.95, horizontal: 12.93, vertikal: 5.57			



Serie 3:

10.5 *	10.7 *	9.5 ↖	9.9 ✓	10.0 ←
8.9 ↙	8.2 →	9.4 ←	10.0 ↖	9.8 ↙
beste Teiler	168.3 (22.)	362.5 (21.)	744.2 (29.)	
Trefferlage	4.14 mm links, 1.42 mm tief			
Streuwert	7.85, horizontal: 9.90, vertikal: 5.04			





Serie 4:

10.5 *	8.2 ←	10.3 *	9.6 ↓	10.7 *
10.2 ↙	9.8 ↑	9.8 →	9.1 →	9.0 →
beste Teiler	167.3 (35.)	387.8 (31.)	519.2 (33.)	
Trefferlage	2.50 mm rechts, 1.38 mm tief			
Streuwert	8.30, horizontal: 10.51, vertikal: 5.22			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **358** (375.2)
 Serien: 86 93 93 86
 Zähler: 13 14 11 2 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 3003 (7), 2735 (33), 2089 (8)
 beste Teiler 193.8 (27.) 284.7 (34.) 350.3 (29.)
 Trefferlage 2.55 mm links, 2.39 mm hoch
 Streuwert 9.94, horizontal: 11.16, vertikal: 8.54




Serie 1:
 9.7 ← 9.5 ↘ 9.3 ↑ 10.4 * 9.8 ↖
 9.0 → 7.2 ↙ 8.3 ↓ 8.6 ↗ 8.9 ↗
 beste Teiler 443.7 (4.) 933.1 (5.) 979.6 (1.)
 Trefferlage 4.18 mm links, 3.29 mm hoch
 Streuwert 11.65, horizontal: 12.71, vertikal: 10.49



Serie 2:
 8.7 ↖ 10.3 ↓ 10.3 * 9.0 ↑ 9.6 ↗
 9.9 → 10.1 ↓ 8.7 → 10.1 ↖ 10.1 ↓
 beste Teiler 510.4 (13.) 539.5 (12.) 657.5 (20.)
 Trefferlage 2.20 mm rechts, 2.56 mm hoch
 Streuwert 8.04, horizontal: 8.14, vertikal: 7.94



Serie 3:
 9.6 ↘ 10.3 → 10.3 * 9.0 ↖ 8.4 ←
 9.5 ↙ 10.7 * 10.5 * 10.5 * 8.8 ↗
 beste Teiler 193.8 (27.) 350.3 (29.) 392.3 (28.)
 Trefferlage 1.91 mm links, 1.14 mm tief
 Streuwert 8.34, horizontal: 10.14, vertikal: 6.01





Serie 4:
 8.5 ↖ 10.1 ↑ 7.5 ↖ 10.6 * 8.4 ↖
 9.6 ↙ 8.5 ↖ 9.1 ← 9.4 ↗ 8.4 ↘
 beste Teiler 284.7 (34.) 685.0 (32.) 1087.4 (36.)
 Trefferlage 6.33 mm links, 4.86 mm hoch
 Streuwert 11.18, horizontal: 12.84, vertikal: 9.23

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (390.1)
 Serien: 92 92 94 93
 Zähler: 15 21 4 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 1978 (19), 1924 (26), 1873 (15)
 beste Teiler 47.0 (24.) 144.6 (17.) 360.2 (22.)
 Trefferlage 1.59 mm links, 1.21 mm tief
 Streuwert 7.51, horizontal: 7.90, vertikal: 7.11



Serie 1:

10.4 * 10.1 ↙ 9.4 ← 9.1 ↙ 10.1 ↘
 9.5 → 9.5 ↓ 9.4 ← 9.2 ↙ 8.8 ↘


beste Teiler 454.3 (1.) 646.6 (5.) 708.8 (2.)
 Trefferlage 7.18 mm links, 1.56 mm tief
 Streuwert 6.91, horizontal: 8.07, vertikal: 5.51



Serie 2:

9.9 → 10.2 ↑ 10.5 * 9.9 ↗ 8.6 ↙
 10.4 * 10.8 * 9.9 → 8.5 ↑ 9.7 ↑


beste Teiler 144.6 (17.) 375.1 (13.) 464.0 (16.)
 Trefferlage 0.48 mm rechts, 3.28 mm hoch
 Streuwert 7.54, horizontal: 7.14, vertikal: 7.93



Serie 3:

9.8 ← 10.5 * 10.5 * 10.9 * 10.3 *
 8.5 ↓ 9.9 ← 9.9 → 10.0 ↓ 9.7 →

beste Teiler 47.0 (24.) 360.2 (22.) 399.6 (23.)
 Trefferlage 0.82 mm rechts, 2.87 mm tief
 Streuwert 6.31, horizontal: 6.67, vertikal: 5.93



Serie 4:

9.4 ↘ 9.2 ↘ 10.0 ↘ 10.2 ↙ 9.0 ↓
 9.7 ↓ 9.4 → 10.2 ↙ 9.2 ↙ 9.9 ↘

beste Teiler 564.1 (34.) 574.3 (38.) 758.8 (33.)
 Trefferlage 0.51 mm links, 3.71 mm tief
 Streuwert 7.75, horizontal: 7.88, vertikal: 7.61

Unterschrift des Schützen

Meyton Elektronik