




Ergebnis:	341	(359.0)
Serien:	87	90 84 80
Zähler:	5	20 8 5 2 0 0 0 0 0
Innenzehner:	2	
weiteste:	3521 (2), 3514 (39), 3174 (36)	
beste Teiler	421.6 (9.)	464.4 (15.) 559.9 (21.)
Trefferlage	0.16 mm rechts,	0.72 mm hoch
Streuwert	12.72,	horizontal: 16.49, vertikal: 7.18




Serie 1:

9.4 ↘	6.5 →	8.8 ↗	8.9 ↖	10.1 ↖
9.3 ↗	9.3 ↙	9.5 ↖	10.4 *	9.2 ←
beste Teiler	421.6 (9.)	649.9 (5.)	1139.9 (8.)	
Trefferlage	1.89 mm rechts,	2.71 mm hoch		
Streuwert	12.07,	horizontal: 15.46, vertikal: 7.24		




Serie 2:

9.8 ↖	8.7 →	9.9 →	9.4 ↖	10.4 *
9.3 ↘	9.2 ↗	9.1 ↗	9.0 ↖	9.5 ↑
beste Teiler	464.4 (15.)	839.6 (13.)	886.0 (11.)	
Trefferlage	3.10 mm rechts,	3.27 mm hoch		
Streuwert	8.83,	horizontal: 11.14, vertikal: 5.65		



Serie 3:

10.3 ↗	8.5 ↖	8.0 ←	9.9 ↑	9.9 →
7.8 ↘	9.1 ↖	9.0 ←	7.8 →	8.4 →
beste Teiler	559.9 (21.)	859.5 (24.)	869.4 (25.)	
Trefferlage	0.11 mm links,	0.02 mm tief		
Streuwert	13.53,	horizontal: 16.97, vertikal: 8.83		





Serie 4:

9.9 ↘	7.8 ←	8.2 ←	8.7 ↘	10.0 ↘
7.0 ←	9.8 →	9.6 ↘	6.6 ←	7.0 →
beste Teiler	766.2 (35.)	878.5 (31.)	958.2 (37.)	
Trefferlage	4.22 mm links,	3.05 mm tief		
Streuwert	16.22,	horizontal: 22.21, vertikal: 5.75		

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	347	(363.3)			
Serien:	83	89	91	84	
Zähler:	7	20	7	5	1 0 0 0 0 0
Innenzehner:	2				
weiteste:	3796 (40), 3080 (12), 2912 (38)				
beste Teiler	467.3 (11.) 497.5 (15.) 563.0 (20.)				
Trefferlage	4.87 mm links, 0.35 mm hoch				
Streuwert	11.63, horizontal: 13.93, vertikal: 8.76				




Serie 1:

7.5 ←	9.9 ↓	9.3 ↘	9.6 ↑	8.0 ↖
7.7 ↑	10.1 →	7.4 ↙	8.4 ←	9.2 ↗
beste Teiler 694.5 (7.) 852.5 (2.) 1051.3 (4.)				
Trefferlage 7.49 mm links, 2.10 mm hoch				
Streuwert 13.31, horizontal: 12.66, vertikal: 13.93				




Serie 2:

10.4 *	7.1 ←	10.2 →	8.1 ↘	10.3 *
8.5 ←	8.7 ←	9.9 ←	9.6 ↖	10.2 ←
beste Teiler 467.3 (11.) 497.5 (15.) 563.0 (20.)				
Trefferlage 5.68 mm links, 0.35 mm hoch				
Streuwert 10.88, horizontal: 13.86, vertikal: 6.66				



Serie 3:

9.6 ↗	10.1 ↑	9.5 ↑	10.2 ↓	9.7 ↘
8.5 ←	9.6 ↖	9.4 ↘	9.9 ←	9.2 ↗
beste Teiler 580.6 (24.) 659.9 (22.) 831.6 (29.)				
Trefferlage 0.52 mm links, 1.03 mm hoch				
Streuwert 8.59, horizontal: 10.05, vertikal: 6.83				





Serie 4:


9.6 ↗	9.9 →	9.2 ↘	9.7 ↙	9.1 →
9.1 ↘	9.3 ←	7.3 ←	8.1 ←	6.2 ←
beste Teiler 848.1 (32.) 972.2 (34.) 1085.0 (31.)				
Trefferlage 5.80 mm links, 2.06 mm tief				
Streuwert 14.03, horizontal: 18.90, vertikal: 6.06				

Unterschrift des Schützen


Ergebnis: **381** (399.3)
 Serien: 96 97 94 94
 Zähler: 22 17 1 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 1811 (22), 1543 (39), 1438 (40)
 beste Teiler 130.0 (38.) 147.6 (8.) 183.7 (26.)
 Trefferlage 0.40 mm links, 1.96 mm hoch
 Streuwert 6.06, horizontal: 6.93, vertikal: 5.04




Serie 1:
 10.3 * 9.7 ↗ 10.5 * 9.6 ↗ 9.3 ↖
 10.0 ↗ 10.2 → 10.8 * 9.6 ↘ 10.3 *
 beste Teiler 147.6 (8.) 399.8 (3.) 481.5 (1.)
 Trefferlage 0.62 mm rechts, 4.36 mm hoch
 Streuwert 5.11, horizontal: 6.72, vertikal: 2.68



Serie 2:
 10.3 → 10.3 * 9.8 ↘ 10.6 * 10.3 *
 10.3 ← 9.9 ↗ 10.4 * 10.4 * 9.4 ↗
 beste Teiler 306.0 (14.) 401.8 (18.) 476.7 (19.)
 Trefferlage 2.09 mm rechts, 0.48 mm hoch
 Streuwert 4.91, horizontal: 5.75, vertikal: 3.90



Serie 3:
 10.3 * 8.7 ↘ 10.5 * 10.1 ↖ 10.0 ↖
 10.7 * 9.6 ↘ 9.5 ↙ 9.9 → 9.8 ↘
 beste Teiler 183.7 (26.) 362.7 (23.) 502.5 (21.)
 Trefferlage 2.78 mm links, 2.63 mm hoch
 Streuwert 6.32, horizontal: 5.21, vertikal: 7.26



Serie 4:
 9.2 → 10.3 * 10.2 → 9.8 ← 10.4 *
 9.5 → 9.8 ↘ 10.8 * 9.0 ↘ 9.2 ↖
 beste Teiler 130.0 (38.) 472.2 (35.) 490.9 (32.)
 Trefferlage 1.57 mm links, 0.37 mm hoch
 Streuwert 7.40, horizontal: 9.31, vertikal: 4.76

Unterschrift des Schützen

Meyton Elektronik