





Ergebnis: **193** (201.9)
 Serien: 48 49 48 48
 Zaehler: 13 7 0 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 456 (5), 381 (17), 363 (1)
 beste Teiler 9.8 (20.) 79.3 (4.) 80.4 (8.)
 Trefferlage 1.49 mm links, 0.19 mm tief
 Streuwert 1.37, horizontal: 1.53, vertikal: 1.19




Serie 1:
 9.5 ↘ 10.3 * 10.4 * 10.6 * 9.1 ↘
 beste Teiler 79.3 (4.) 134.6 (3.) 166.8 (2.)
 Trefferlage 1.97 mm links, 0.84 mm hoch
 Streuwert 1.42, horizontal: 1.24, vertikal: 1.57



Serie 2:
 10.3 * 10.3 * 10.6 * 9.8 ← 10.3 *
 beste Teiler 80.4 (8.) 156.6 (7.) 166.1 (10.)
 Trefferlage 1.26 mm links, 0.00 mm
 Streuwert 1.05, horizontal: 1.23, vertikal: 0.84



Serie 3:
 10.4 * 10.4 * 10.4 * 9.5 ← 9.7 ↙
 beste Teiler 128.1 (11.) 141.6 (13.) 148.0 (12.)
 Trefferlage 0.84 mm links, 0.82 mm tief
 Streuwert 1.63, horizontal: 2.13, vertikal: 0.87





Serie 4:
 9.7 ← 9.4 ← 10.1 ↙ 10.2 * 10.9 *
 beste Teiler 9.8 (20.) 184.3 (19.) 210.7 (18.)
 Trefferlage 1.89 mm links, 0.79 mm tief
 Streuwert 1.22, horizontal: 1.58, vertikal: 0.69


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **192** (201.2)
 Serien: 48 47 48 49
 Zaehler: 12 8 0 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 418 (9), 367 (14), 362 (11)
 beste Teiler 67.4 (12.) 95.0 (7.) 98.4 (3.)
 Trefferlage 0.36 mm rechts, 0.15 mm tief
 Streuwert 1.76, horizontal: 2.08, vertikal: 1.38




Serie 1:
 9.9 ↘ 9.5 → 10.6 * 10.0 ↘ 10.5 *
 beste Teiler 98.4 (3.) 105.0 (5.) 245.8 (4.)
 Trefferlage 0.22 mm links, 0.48 mm hoch
 Streuwert 1.80, horizontal: 2.30, vertikal: 1.08



Serie 2:
 9.6 → 10.6 * 10.4 * 9.3 → 9.8 ↘
 beste Teiler 95.0 (7.) 129.7 (8.) 288.2 (10.)
 Trefferlage 2.06 mm rechts, 0.80 mm tief
 Streuwert 1.35, horizontal: 1.53, vertikal: 1.15



Serie 3:
 9.5 → 10.7 * 10.4 * 9.5 ↙ 10.3 *
 beste Teiler 67.4 (12.) 138.9 (13.) 171.1 (15.)
 Trefferlage 0.14 mm links, 0.94 mm tief
 Streuwert 1.85, horizontal: 2.45, vertikal: 0.91





Serie 4:
 10.5 * 10.0 ↓ 10.1 ↘ 10.1 ↑ 9.9 ↗
 beste Teiler 110.5 (16.) 211.0 (19.) 224.9 (18.)
 Trefferlage 0.25 mm links, 0.64 mm hoch
 Streuwert 1.59, horizontal: 1.41, vertikal: 1.75


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **195** (201.6)
 Serien: 49 49 49 48
 Zaehler: 15 5 0 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 333 (16), 317 (6), 316 (17)
 beste Teiler 82.2 (12.) 126.4 (20.) 135.7 (1.)
 Trefferlage 0.93 mm rechts, 0.46 mm hoch
 Streuwert 1.47, horizontal: 1.55, vertikal: 1.38




Serie 1:
 10.4 * 10.1 → 9.8 → 10.1 ↖ 10.3 *
 beste Teiler 135.7 (1.) 173.6 (5.) 205.9 (2.)
 Trefferlage 0.79 mm rechts, 0.14 mm tief
 Streuwert 1.54, horizontal: 1.62, vertikal: 1.45



Serie 2:
 9.7 ↗ 10.2 * 10.3 * 10.0 → 10.1 ↖
 beste Teiler 151.1 (8.) 186.2 (7.) 202.2 (10.)
 Trefferlage 1.30 mm rechts, 0.88 mm hoch
 Streuwert 1.29, horizontal: 1.19, vertikal: 1.39



Serie 3:
 9.7 ↗ 10.6 * 10.2 * 10.0 ← 10.2 *
 beste Teiler 82.2 (12.) 199.0 (15.) 200.4 (13.)
 Trefferlage 0.43 mm rechts, 1.06 mm hoch
 Streuwert 1.46, horizontal: 1.76, vertikal: 1.07





Serie 4:
 9.6 ↘ 9.7 → 10.0 → 10.2 * 10.4 *
 beste Teiler 126.4 (20.) 194.0 (19.) 239.8 (18.)
 Trefferlage 1.22 mm rechts, 0.04 mm hoch
 Streuwert 1.76, horizontal: 1.93, vertikal: 1.57


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis:	187	(196.8)							
Serien:	47	46	47	47					
Zaehler:	9	9	2	0	0	0	0	0	0
Innenzehner:	6								
weiteste:	552 (12), 504 (10), 403 (5)								
beste Teiler	54.4 (16.) 61.7 (14.) 163.4 (4.)								
Trefferlage	0.33 mm rechts, 0.53 mm hoch								
Streuwert	2.14, horizontal: 2.01, vertikal: 2.26								




Serie 1:	9.8 ↖	10.2 *	9.7 ↘	10.3 *	9.3 →
beste Teiler	163.4 (4.) 193.2 (2.) 287.1 (1.)				
Trefferlage	0.15 mm rechts, 0.81 mm hoch				
Streuwert	2.18, horizontal: 2.37, vertikal: 1.98				



Serie 2:	10.0 ↓	9.5 ↓	9.8 ↘	10.2 *	8.9 ↘
beste Teiler	184.2 (9.) 244.4 (6.) 290.0 (8.)				
Trefferlage	1.47 mm rechts, 1.72 mm tief				
Streuwert	1.98, horizontal: 1.86, vertikal: 2.09				



Serie 3:	9.6 ↖	8.7 ↑	10.0 ↖	10.7 *	10.0 →
beste Teiler	61.7 (14.) 228.5 (15.) 248.2 (13.)				
Trefferlage	0.49 mm links, 1.98 mm hoch				
Streuwert	2.00, horizontal: 1.88, vertikal: 2.12				





Serie 4:	10.7 *	9.6 →	9.8 ↖	9.8 ↖	10.2 *
beste Teiler	54.4 (16.) 193.6 (20.) 276.2 (18.)				
Trefferlage	0.21 mm rechts, 1.05 mm hoch				
Streuwert	1.76, horizontal: 2.02, vertikal: 1.45				


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis:	186	(197.4)
Serien:	48	45 47 46
Zaehler:	8	10 2 0 0 0 0 0 0 0
Innenzehner:	7	
weiteste:	517 (12), 509 (8), 401 (19)	
beste Teiler	85.4 (1.) 121.7 (5.) 146.4 (4.)	
Trefferlage	0.43 mm rechts, 0.16 mm hoch	
Streuwert	2.10, horizontal: 2.30, vertikal: 1.89	




Serie 1:	10.6 *	9.7 ↗	9.9 ↘	10.4 *	10.5 *
beste Teiler	85.4 (1.)	121.7 (5.)	146.4 (4.)		
Trefferlage	1.37 mm rechts, 0.36 mm tief				
Streuwert	1.19, horizontal: 0.99, vertikal: 1.36				



Serie 2:	9.7 ↙	9.6 ↘	8.9 ←	9.7 →	10.2 *
beste Teiler	186.8 (10.)	301.0 (6.)	307.5 (9.)		
Trefferlage	0.51 mm links, 0.40 mm tief				
Streuwert	2.69, horizontal: 3.08, vertikal: 2.25				



Serie 3:	10.2 *	8.9 ↘	9.6 ↑	10.3 *	10.4 *
beste Teiler	148.0 (15.)	158.4 (14.)	181.0 (11.)		
Trefferlage	0.48 mm rechts, 0.11 mm tief				
Streuwert	2.39, horizontal: 2.26, vertikal: 2.51				





Serie 4:	10.1 ↘	9.9 →	9.6 ↖	9.3 →	9.9 ↑
beste Teiler	202.0 (16.)	253.0 (20.)	257.1 (17.)		
Trefferlage	0.38 mm rechts, 1.53 mm hoch				
Streuwert	1.98, horizontal: 2.71, vertikal: 0.72				


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis:	170	(180.7)
Serien:	42 42 43 43	
Zaehler:	1 10 7 2 0 0 0 0 0 0	
Innenzehner:	1	
weiteste:	825 (2), 779 (8), 620 (18)	
beste Teiler	148.2 (16.) 275.4 (14.) 294.7 (20.)	
Trefferlage	0.40 mm links, 0.36 mm hoch	
Streuwert	3.67, horizontal: 3.76, vertikal: 3.58	




Serie 1:	9.4 ↗	7.7 ↘	8.5 ↗	9.2 ↘	9.6 ↘
beste Teiler	332.3 (5.)	383.9 (1.)	433.0 (4.)		
Trefferlage	2.75 mm rechts, 0.45 mm tief				
Streuwert	3.74, horizontal: 2.10, vertikal: 4.86				



Serie 2:	9.0 →	9.6 ↑	7.8 ↖	8.5 ←	9.1 ↖
beste Teiler	350.1 (7.)	472.5 (10.)	476.3 (6.)		
Trefferlage	2.37 mm links, 2.10 mm hoch				
Streuwert	3.63, horizontal: 4.57, vertikal: 2.34				



Serie 3:	8.7 ↓	9.3 ←	8.8 ←	9.9 ↓	9.5 ↓
beste Teiler	275.4 (14.)	371.9 (15.)	415.9 (12.)		
Trefferlage	1.58 mm links, 3.05 mm tief				
Streuwert	2.26, horizontal: 2.90, vertikal: 1.35				





Serie 4:	10.4 *	8.7 ↗	8.5 ↖	8.7 ↑	9.8 ↖
beste Teiler	148.2 (16.)	294.7 (20.)	553.2 (17.)		
Trefferlage	0.42 mm links, 2.85 mm hoch				
Streuwert	2.95, horizontal: 3.81, vertikal: 1.68				


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **195** (203.4)
 Serien: 49 48 49 49
 Zaehler: 15 5 0 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 405 (8), 307 (11), 284 (6)
 beste Teiler 73.2 (18.) 91.0 (9.) 116.0 (3.)
 Trefferlage 0.41 mm rechts, 0.05 mm hoch
 Streuwert 1.51, horizontal: 1.47, vertikal: 1.54




Serie 1:
 10.1 ↑ 10.5 * 10.5 * 9.9 ↑ 10.5 *
 beste Teiler 116.0 (3.) 120.8 (5.) 125.9 (2.)
 Trefferlage 0.56 mm links, 0.89 mm hoch
 Streuwert 1.11, horizontal: 0.51, vertikal: 1.49



Serie 2:
 9.8 → 10.1 ↙ 9.3 ↘ 10.6 * 10.2 *
 beste Teiler 91.0 (9.) 184.1 (10.) 215.8 (7.)
 Trefferlage 1.09 mm rechts, 0.56 mm tief
 Streuwert 1.80, horizontal: 1.89, vertikal: 1.71



Serie 3:
 9.7 → 10.4 * 10.1 ↘ 10.4 * 10.2 *
 beste Teiler 136.8 (14.) 146.3 (12.) 193.0 (15.)
 Trefferlage 1.00 mm rechts, 0.32 mm hoch
 Streuwert 1.41, horizontal: 1.72, vertikal: 1.03





Serie 4:
 10.2 * 10.2 * 10.7 * 9.9 ↘ 10.1 ↑
 beste Teiler 73.2 (18.) 178.2 (16.) 192.3 (17.)
 Trefferlage 0.13 mm rechts, 0.46 mm tief
 Streuwert 1.51, horizontal: 1.10, vertikal: 1.83


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **195** (202.5)
 Serien: 49 48 49 49
 Zaehler: 15 5 0 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 432 (9), 360 (10), 309 (12)
 beste Teiler 50.2 (14.) 55.9 (13.) 81.2 (1.)
 Trefferlage 0.06 mm links, 0.22 mm tief
 Streuwert 1.65, horizontal: 1.88, vertikal: 1.38




Serie 1:
 10.6 * 9.9 ↓ 10.2 * 10.0 ↘ 10.3 *
 beste Teiler 81.2 (1.) 175.2 (5.) 192.7 (3.)
 Trefferlage 0.04 mm links, 0.99 mm tief
 Streuwert 1.36, horizontal: 1.00, vertikal: 1.63



Serie 2:
 10.3 * 10.0 ↗ 10.0 ↘ 9.2 ← 9.5 ↘
 beste Teiler 166.2 (6.) 226.7 (7.) 233.6 (8.)
 Trefferlage 0.10 mm rechts, 0.20 mm tief
 Streuwert 2.37, horizontal: 2.94, vertikal: 1.60



Serie 3:
 10.0 ↑ 9.7 → 10.7 * 10.8 * 10.3 *
 beste Teiler 50.2 (14.) 55.9 (13.) 169.5 (15.)
 Trefferlage 0.59 mm rechts, 0.45 mm hoch
 Streuwert 1.43, horizontal: 1.37, vertikal: 1.48





Serie 4:
 10.0 → 9.8 ← 10.4 * 10.2 * 10.6 *
 beste Teiler 98.0 (20.) 131.0 (18.) 198.4 (19.)
 Trefferlage 0.92 mm links, 0.16 mm tief
 Streuwert 1.41, horizontal: 1.92, vertikal: 0.53


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **190** (197.3)
 Serien: 47 48 47 48
 Zaehler: 10 10 0 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 463 (7), 422 (2), 411 (16)
 beste Teiler 34.7 (13.) 159.5 (8.) 189.9 (15.)
 Trefferlage 0.31 mm links, 1.23 mm hoch
 Streuwert 1.90, horizontal: 2.07, vertikal: 1.72




Serie 1:
 9.6 ↑ 9.3 → 10.0 ↗ 9.8 ← 10.0 ↖
 beste Teiler 233.4 (3.) 233.4 (5.) 299.5 (4.)
 Trefferlage 0.13 mm links, 1.32 mm hoch
 Streuwert 2.27, horizontal: 2.86, vertikal: 1.45



Serie 2:
 9.8 ↑ 9.1 ↑ 10.3 * 10.0 ↓ 10.1 ↑
 beste Teiler 159.5 (8.) 225.8 (10.) 230.5 (9.)
 Trefferlage 0.33 mm rechts, 1.77 mm hoch
 Streuwert 1.82, horizontal: 0.39, vertikal: 2.55



Serie 3:
 9.6 ← 9.6 ← 10.8 * 9.8 ↑ 10.2 *
 beste Teiler 34.7 (13.) 189.9 (15.) 296.5 (14.)
 Trefferlage 1.12 mm links, 0.80 mm hoch
 Streuwert 1.80, horizontal: 2.04, vertikal: 1.52





Serie 4:
 9.3 ← 10.1 ↑ 10.2 * 10.1 ↘ 9.6 ↗
 beste Teiler 193.6 (18.) 205.0 (19.) 219.4 (17.)
 Trefferlage 0.31 mm links, 1.02 mm hoch
 Streuwert 2.12, horizontal: 2.56, vertikal: 1.55


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **193** (201.3)
 Serien: 49 47 48 49
 Zaehler: 13 7 0 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 443 (8), 426 (5), 368 (7)
 beste Teiler 56.0 (3.) 97.1 (12.) 100.2 (19.)
 Trefferlage 0.57 mm rechts, 0.48 mm hoch
 Streuwert 1.68, horizontal: 1.81, vertikal: 1.54




Serie 1:
 10.2 * 10.1 ← 10.7 * 10.1 ↗ 9.2 →
 beste Teiler 56.0 (3.) 189.3 (1.) 212.2 (2.)
 Trefferlage 0.55 mm rechts, 0.54 mm hoch
 Streuwert 1.88, horizontal: 2.55, vertikal: 0.76



Serie 2:
 10.5 * 9.5 ↘ 9.2 ↑ 10.1 ↖ 9.8 ↗
 beste Teiler 103.3 (6.) 207.5 (9.) 294.7 (10.)
 Trefferlage 0.37 mm rechts, 0.73 mm hoch
 Streuwert 2.34, horizontal: 2.25, vertikal: 2.43



Serie 3:
 10.3 * 10.6 * 9.9 → 10.2 * 9.8 ↘
 beste Teiler 97.1 (12.) 151.4 (11.) 192.6 (14.)
 Trefferlage 1.23 mm rechts, 0.09 mm tief
 Streuwert 1.31, horizontal: 1.10, vertikal: 1.48





Serie 4:
 10.2 * 10.2 * 9.9 ↘ 10.6 * 10.2 *
 beste Teiler 100.2 (19.) 184.6 (17.) 190.5 (20.)
 Trefferlage 0.13 mm rechts, 0.77 mm hoch
 Streuwert 1.40, horizontal: 1.39, vertikal: 1.42


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis:	176	(186.9)
Serien:	45	44 42 45
Zaehler:	3	11 5 1 0 0 0 0 0 0
Innenzehner:	3	
weiteste:	788 (8), 716 (13), 692 (2)	
beste Teiler	77.2 (16.)	120.1 (3.) 198.0 (10.)
Trefferlage	1.65 mm rechts,	1.12 mm hoch
Streuwert	2.94,	horizontal: 3.48, vertikal: 2.28




Serie 1:	9.8 →	8.2 ↗	10.5 *	9.6 ↑	9.3 ↘
beste Teiler	120.1 (3.)	297.8 (1.)	349.4 (4.)		
Trefferlage	2.61 mm rechts, 0.90 mm hoch				
Streuwert	2.50, horizontal: 2.24, vertikal: 2.74				



Serie 2:	9.5 ↑	9.7 →	7.8 ↘	9.9 ↘	10.2 *
beste Teiler	198.0 (10.)	253.6 (9.)	321.9 (7.)		
Trefferlage	2.60 mm rechts, 0.12 mm hoch				
Streuwert	2.80, horizontal: 2.98, vertikal: 2.60				



Serie 3:	8.4 ←	8.4 ↖	8.1 →	9.9 ↗	9.2 →
beste Teiler	275.6 (14.)	436.4 (15.)	632.0 (12.)		
Trefferlage	0.71 mm rechts, 1.18 mm hoch				
Streuwert	4.32, horizontal: 5.72, vertikal: 2.14				





Serie 4:	10.6 *	9.8 ↑	8.6 ↗	9.8 →	9.6 ↖
beste Teiler	77.2 (16.)	276.7 (19.)	294.6 (17.)		
Trefferlage	0.68 mm rechts, 2.28 mm hoch				
Streuwert	2.13, horizontal: 2.51, vertikal: 1.67				


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **191** (199.4)
 Serien: 46 47 50 48
 Zaehler: 12 7 1 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 522 (2), 445 (10), 410 (17)
 beste Teiler 85.1 (5.) 105.1 (4.) 143.7 (11.)
 Trefferlage 0.90 mm links, 0.09 mm tief
 Streuwert 1.87, horizontal: 2.00, vertikal: 1.73




Serie 1:
 9.8 ↓ 8.9 ↖ 9.7 ↓ 10.5 * 10.6 *
 beste Teiler 85.1 (5.) 105.1 (4.) 294.6 (1.)
 Trefferlage 0.79 mm links, 0.72 mm tief
 Streuwert 2.28, horizontal: 2.17, vertikal: 2.38



Serie 2:
 10.0 → 9.9 ↗ 10.0 ↖ 9.7 ↖ 9.2 ↖
 beste Teiler 238.3 (6.) 238.8 (8.) 262.4 (7.)
 Trefferlage 1.79 mm links, 0.07 mm hoch
 Streuwert 1.98, horizontal: 2.46, vertikal: 1.35



Serie 3:
 10.4 * 10.3 * 10.4 * 10.3 * 10.2 *
 beste Teiler 143.7 (11.) 146.0 (13.) 157.2 (12.)
 Trefferlage 0.33 mm rechts, 0.95 mm hoch
 Streuwert 0.96, horizontal: 1.15, vertikal: 0.72



Serie 4:
 9.5 ← 9.3 ↙ 10.2 * 10.3 * 10.2 *
 beste Teiler 167.7 (19.) 197.6 (18.) 198.3 (20.)
 Trefferlage 1.34 mm links, 0.67 mm tief
 Streuwert 1.93, horizontal: 1.91, vertikal: 1.96

Unterschrift des Schuetzen

Meyton Elektronik