





Ergebnis: **383** (403.5)
 Serien: 95 97 94 97
 Zähler: 23 17 0 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 430 (32), 426 (11), 391 (15)
 beste Teiler 22.0 (14.) 42.2 (16.) 56.3 (21.)
 Trefferlage 0.31 mm rechts, 0.18 mm hoch
 Streuwert 1.73, horizontal: 1.88, vertikal: 1.55




Serie 1:
 10.7 * 10.4 * 10.3 * 9.9 ↙ 9.6 ↗
 9.6 ↘ 10.4 * 10.0 ↘ 9.8 ↗ 9.9 ↑
 beste Teiler 71.1 (1.) 139.4 (2.) 148.6 (7.)
 Trefferlage 0.18 mm rechts, 0.62 mm hoch
 Streuwert 1.74, horizontal: 1.82, vertikal: 1.65



Serie 2:
 9.2 ↘ 10.3 * 9.7 ↗ 10.9 * 9.4 →
 10.8 * 10.4 * 10.1 → 10.0 ↙ 10.1 ↓
 beste Teiler 22.0 (14.) 42.2 (16.) 147.1 (17.)
 Trefferlage 0.87 mm rechts, 0.72 mm tief
 Streuwert 1.68, horizontal: 1.67, vertikal: 1.69





Serie 3:
 10.7 * 9.7 ↘ 9.8 → 9.8 ↓ 9.9 ↑
 9.4 → 10.5 * 10.4 * 9.7 ↘ 10.7 *
 beste Teiler 56.3 (21.) 74.1 (30.) 105.1 (27.)
 Trefferlage 0.40 mm rechts, 0.48 mm hoch
 Streuwert 1.80, horizontal: 1.90, vertikal: 1.69




Serie 4:
 9.6 → 9.2 ↙ 10.5 * 10.4 * 10.4 *
 10.5 * 10.3 * 9.6 ← 10.2 * 10.7 *
 beste Teiler 58.0 (40.) 102.2 (36.) 111.6 (33.)
 Trefferlage 0.19 mm links, 0.37 mm hoch
 Streuwert 1.70, horizontal: 2.24, vertikal: 0.87

Unterschrift des Schützen


Ergebnis: **375** (390.1)
 Serien: 94 95 91 95
 Zähler: 20 15 5 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 668 (34), 654 (15), 628 (26)
 beste Teiler 61.0 (10.) 82.0 (17.) 101.1 (16.)
 Trefferlage 0.44 mm rechts, 0.51 mm hoch
 Streuwert 2.38, horizontal: 2.99, vertikal: 1.55




Serie 1:
 10.3 * 10.3 * 10.4 * 9.2 ↘ 8.6 →
 9.6 ↗ 9.0 ← 10.1 ↘ 9.7 ↑ 10.7 *
 beste Teiler 61.0 (10.) 135.3 (3.) 152.5 (2.)
 Trefferlage 0.75 mm rechts, 0.24 mm hoch
 Streuwert 2.40, horizontal: 2.79, vertikal: 1.92



Serie 2:
 9.9 ↖ 9.1 ↖ 10.1 ↗ 10.5 * 8.3 →
 10.5 * 10.6 * 9.6 ← 10.1 → 10.5 *
 beste Teiler 82.0 (17.) 101.1 (16.) 108.7 (14.)
 Trefferlage 0.06 mm links, 0.83 mm hoch
 Streuwert 2.21, horizontal: 3.04, vertikal: 0.72





Serie 3:
 8.5 ← 10.0 ↖ 9.8 ↗ 10.5 * 9.4 ↘
 8.4 ↖ 9.7 → 10.1 ↗ 9.8 ↘ 9.4 →
 beste Teiler 102.5 (24.) 212.1 (28.) 233.9 (22.)
 Trefferlage 0.33 mm rechts, 0.56 mm hoch
 Streuwert 2.79, horizontal: 3.36, vertikal: 2.07




Serie 4:
 10.1 ↖ 10.3 * 10.1 → 8.3 → 9.8 ↘
 10.0 ↘ 10.0 ← 9.8 → 10.0 ↑ 9.0 ↖
 beste Teiler 166.4 (32.) 201.5 (33.) 218.4 (31.)
 Trefferlage 0.74 mm rechts, 0.42 mm hoch
 Streuwert 2.42, horizontal: 3.16, vertikal: 1.29

Unterschrift des Schützen


Ergebnis: **380** (396.8)
 Serien: 95 96 94 95
 Zähler: 21 18 1 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 663 (24), 432 (39), 416 (4)
 beste Teiler 85.0 (30.) 98.4 (1.) 101.5 (5.)
 Trefferlage 0.10 mm links, 0.51 mm hoch
 Streuwert 1.97, horizontal: 1.91, vertikal: 2.03




Serie 1:
 10.6 * 10.0 ↘ 9.8 ↘ 9.3 ↙ 10.5 *
 10.2 * 10.1 ↗ 9.9 ↘ 9.4 ↗ 9.8 ↗
 beste Teiler 98.4 (1.) 101.5 (5.) 188.8 (6.)
 Trefferlage 0.13 mm rechts, 0.89 mm hoch
 Streuwert 1.86, horizontal: 2.11, vertikal: 1.57



Serie 2:
 10.3 * 9.8 ↘ 10.0 ↘ 10.1 ↙ 9.8 →
 9.7 ↗ 10.2 * 9.4 ↓ 10.5 * 10.2 *
 beste Teiler 102.6 (19.) 161.1 (11.) 178.0 (17.)
 Trefferlage 0.28 mm links, 0.66 mm hoch
 Streuwert 1.79, horizontal: 1.42, vertikal: 2.10





Serie 3:
 9.6 ↘ 9.6 ↓ 10.2 * 8.3 ↗ 9.7 ↘
 10.3 * 10.2 * 9.9 ↗ 10.2 * 10.6 *
 beste Teiler 85.0 (30.) 157.0 (26.) 184.5 (23.)
 Trefferlage 0.78 mm rechts, 0.53 mm hoch
 Streuwert 2.22, horizontal: 2.30, vertikal: 2.14




Serie 4:
 9.7 ↘ 9.7 ↗ 10.1 ↙ 10.0 ↙ 9.6 ↓
 9.9 ↓ 10.0 ↘ 10.2 * 9.2 ↘ 10.2 *
 beste Teiler 190.6 (40.) 198.1 (38.) 217.9 (33.)
 Trefferlage 1.07 mm links, 0.02 mm tief
 Streuwert 1.99, horizontal: 1.41, vertikal: 2.43

Unterschrift des Schützen


Ergebnis: **359** (375.3)
 Serien: 84 91 91 93
 Zähler: 12 19 5 4 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 955 (1), 901 (11), 851 (6)
 beste Teiler 40.0 (17.) 79.3 (16.) 81.6 (3.)
 Trefferlage 1.08 mm links, 0.46 mm tief
 Streuwert 3.11, horizontal: 3.59, vertikal: 2.53




Serie 1:
 7.1 ← 8.7 ↙ 10.6 * 9.5 ↘ 9.7 ←
 7.5 ← 9.0 ↘ 9.3 ↙ 7.7 ↗ 9.3 ↙
 beste Teiler 81.6 (3.) 315.4 (5.) 367.0 (4.)
 Trefferlage 1.98 mm links, 0.66 mm tief
 Streuwert 4.08, horizontal: 5.17, vertikal: 2.56



Serie 2:
 7.3 ↘ 10.1 ← 10.2 * 9.5 ← 9.8 →
 10.6 * 10.8 * 8.6 ← 9.3 ↘ 9.4 ←
 beste Teiler 40.0 (17.) 79.3 (16.) 181.0 (13.)
 Trefferlage 1.68 mm links, 0.07 mm tief
 Streuwert 2.90, horizontal: 3.53, vertikal: 2.09



Serie 3:
 9.6 ↙ 10.1 ↑ 8.0 ↓ 8.5 ← 10.2 *
 10.3 * 9.7 ↘ 9.3 ↘ 9.4 ↘ 9.2 ↘
 beste Teiler 161.7 (26.) 176.1 (25.) 214.8 (22.)
 Trefferlage 0.25 mm links, 0.99 mm tief
 Streuwert 3.06, horizontal: 3.17, vertikal: 2.94





Serie 4:
 9.7 ↓ 9.8 ↓ 9.2 ↑ 10.0 ↑ 9.7 ↓
 9.8 ↑ 8.8 ← 10.0 ↘ 10.0 ↙ 10.0 ↘
 beste Teiler 232.5 (39.) 235.4 (40.) 245.1 (38.)
 Trefferlage 0.41 mm links, 0.14 mm tief
 Streuwert 2.42, horizontal: 2.02, vertikal: 2.76


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **381** (397.7)
 Serien: 96 93 96 96
 Zähler: 24 13 3 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 677 (18), 626 (20), 543 (7)
 beste Teiler 60.4 (39.) 66.5 (1.) 78.4 (12.)
 Trefferlage 0.09 mm rechts, 0.02 mm hoch
 Streuwert 2.11, horizontal: 2.56, vertikal: 1.53




Serie 1:
 10.7 * 10.6 * 9.9 → 10.4 * 10.4 *
 10.5 * 8.8 ↖ 10.4 * 9.9 ↖ 10.2 *
 beste Teiler 66.5 (1.) 88.6 (2.) 120.3 (6.)
 Trefferlage 0.57 mm links, 0.09 mm hoch
 Streuwert 1.70, horizontal: 2.05, vertikal: 1.26



Serie 2:
 9.7 ↓ 10.6 * 10.1 ↙ 10.0 ← 10.6 *
 9.4 ← 9.8 ↘ 8.2 → 10.3 * 8.4 ↘
 beste Teiler 78.4 (12.) 100.1 (15.) 165.8 (19.)
 Trefferlage 0.61 mm rechts, 0.57 mm tief
 Streuwert 2.65, horizontal: 3.38, vertikal: 1.60



Serie 3:
 9.5 ↖ 9.0 ← 10.0 → 10.5 * 9.3 →
 10.2 * 10.2 * 10.0 ↑ 9.4 → 10.3 *
 beste Teiler 125.5 (24.) 162.3 (30.) 183.0 (27.)
 Trefferlage 0.42 mm rechts, 0.40 mm hoch
 Streuwert 2.25, horizontal: 2.86, vertikal: 1.39





Serie 4:
 9.5 ↑ 9.8 ↓ 10.6 * 9.5 → 10.1 ↓
 10.4 * 9.3 ↖ 10.2 * 10.7 * 10.3 *
 beste Teiler 60.4 (39.) 80.0 (33.) 139.6 (36.)
 Trefferlage 0.08 mm links, 0.16 mm hoch
 Streuwert 1.90, horizontal: 1.93, vertikal: 1.87


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	368	(385.0)
Serien:	94 89 92 93	
Zähler:	17 16 5 2 0 0 0 0 0 0	
Innenzehner:	15	
weiteste:	863 (6), 805 (40), 642 (14)	
beste Teiler	30.8 (5.) 68.2 (12.) 104.0 (2.)	
Trefferlage	0.30 mm rechts, 0.34 mm tief	
Streuwert	2.75, horizontal: 2.99, vertikal: 2.49	




Serie 1:	9.8 ↖	10.5 *	10.3 *	10.1 ↗	10.8 *
	7.5 ↘	9.0 ↙	9.6 ↘	10.4 *	10.3 *
beste Teiler	30.8 (5.)	104.0 (2.)	142.0 (9.)		
Trefferlage	0.30 mm rechts, 1.37 mm tief				
Streuwert	2.48, horizontal: 2.28, vertikal: 2.67				



Serie 2:	9.0 →	10.7 *	10.4 *	8.4 ↖	8.8 ↗
	8.4 ↓	8.4 ↖	10.2 *	9.4 →	9.0 ↘
beste Teiler	68.2 (12.)	136.0 (13.)	179.6 (18.)		
Trefferlage	1.03 mm rechts, 0.00 mm				
Streuwert	3.39, horizontal: 3.48, vertikal: 3.29				





Serie 3:	10.0 →	9.4 ↘	9.0 ←	10.2 *	9.6 ↑
	9.7 ↖	9.0 ↘	10.4 *	8.8 ←	9.5 ↘
beste Teiler	144.1 (28.)	194.5 (24.)	244.7 (21.)		
Trefferlage	0.16 mm links, 0.28 mm tief				
Streuwert	2.75, horizontal: 3.27, vertikal: 2.10				




Serie 4:	10.4 *	10.5 *	9.7 ↖	10.2 *	9.8 →
	10.3 *	9.8 ↑	10.3 *	9.7 ↘	7.7 ←
beste Teiler	117.9 (32.)	143.2 (31.)	160.3 (36.)		
Trefferlage	0.03 mm rechts, 0.27 mm hoch				
Streuwert	2.49, horizontal: 3.11, vertikal: 1.66				

Unterschrift des Schützen


Ergebnis:	374	(392.6)
Serien:	94 93 95 92	
Zähler:	20 17 0 3 0 0 0 0 0 0	
Innenzehner:	14	
weiteste:	833 (18), 821 (37), 813 (27)	
beste Teiler	26.2 (2.) 30.8 (32.) 64.1 (31.)	
Trefferlage	0.59 mm rechts, 0.35 mm hoch	
Streuwert	2.40, horizontal: 3.08, vertikal: 1.41	




Serie 1:	9.6 ↖	10.8 *	9.8 ←	9.1 ↖	10.3 *
	9.8 ↗	10.0 →	9.9 →	10.0 ↗	9.8 ↗
beste Teiler	26.2 (2.)	170.6 (5.)	231.9 (9.)		
Trefferlage	0.81 mm links, 0.12 mm hoch				
Streuwert	2.02, horizontal: 2.40, vertikal: 1.55				



Serie 2:	10.4 *	9.9 ↑	10.2 *	9.9 ←	9.7 ↘
	10.4 *	10.0 ←	7.6 →	9.9 →	10.1 ↘
beste Teiler	139.2 (16.)	141.0 (11.)	179.7 (13.)		
Trefferlage	0.96 mm rechts, 0.00 mm				
Streuwert	2.47, horizontal: 3.20, vertikal: 1.40				





Serie 3:	9.1 ↘	10.6 *	10.0 ↖	10.2 *	10.3 *
	10.5 *	7.7 →	10.2 *	9.5 ↖	10.4 *
beste Teiler	92.0 (22.)	122.2 (26.)	127.0 (30.)		
Trefferlage	0.19 mm rechts, 1.17 mm hoch				
Streuwert	2.43, horizontal: 3.21, vertikal: 1.23				




Serie 4:	10.7 *	10.8 *	10.2 *	9.1 →	10.1 ↘
	9.2 →	7.7 →	9.6 ↗	9.8 ←	9.7 ↗
beste Teiler	30.8 (32.)	64.1 (31.)	200.0 (33.)		
Trefferlage	2.00 mm rechts, 0.13 mm hoch				
Streuwert	2.43, horizontal: 3.17, vertikal: 1.32				

Unterschrift des Schützen


Ergebnis:	364	(383.1)
Serien:	90 87 93 94	
Zähler:	13 19 7 1 0 0 0 0 0 0	
Innenzehner:	12	
weiteste:	897 (17), 605 (34), 586 (1)	
beste Teiler	72.2 (26.) 123.5 (40.) 146.4 (33.)	
Trefferlage	0.06 mm rechts, 0.45 mm tief	
Streuwert	2.75, horizontal: 2.96, vertikal: 2.52	




Serie 1:	8.6 ↘	9.3 ↘	10.3 *	8.8 →	9.3 →
	9.8 ↗	10.3 *	8.6 ←	10.3 *	9.4 ↖
beste Teiler	155.5 (9.) 162.4 (3.) 167.8 (7.)				
Trefferlage	0.82 mm rechts, 0.27 mm tief				
Streuwert	2.95, horizontal: 3.44, vertikal: 2.35				



Serie 2:	9.5 ↙	10.2 *	9.7 ←	9.2 ↘	8.8 ↓
	9.8 ↘	7.4 →	9.9 ↘	9.0 ←	8.9 ↑
beste Teiler	182.0 (12.) 251.7 (18.) 291.6 (16.)				
Trefferlage	0.45 mm links, 0.69 mm tief				
Streuwert	3.45, horizontal: 3.83, vertikal: 3.03				





Serie 3:	9.5 →	10.2 *	8.9 ↖	10.2 *	9.8 ↘
	10.7 *	10.2 *	9.9 ↘	9.8 →	9.4 ↓
beste Teiler	72.2 (26.) 179.6 (24.) 183.7 (27.)				
Trefferlage	0.43 mm rechts, 0.38 mm tief				
Streuwert	2.22, horizontal: 2.25, vertikal: 2.18				




Serie 4:	10.4 *	9.3 ↗	10.4 *	8.5 ↓	9.2 ↖
	10.2 *	9.0 ↙	10.0 ↑	9.9 ←	10.5 *
beste Teiler	123.5 (40.) 146.4 (33.) 149.5 (31.)				
Trefferlage	0.55 mm links, 0.48 mm tief				
Streuwert	2.52, horizontal: 2.19, vertikal: 2.81				

Unterschrift des Schützen


Ergebnis: **378** (395.8)
 Serien: 92 96 95 95
 Zähler: 21 16 3 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 710 (33), 629 (6), 501 (5)
 beste Teiler 13.4 (34.) 51.3 (17.) 75.1 (37.)
 Trefferlage 0.12 mm rechts, 0.17 mm tief
 Streuwert 2.18, horizontal: 2.64, vertikal: 1.58




Serie 1:
 9.8 ← 10.3 * 10.5 * 9.9 ↘ 8.9 ↘
 8.4 ← 9.8 ↓ 10.5 * 9.1 ↗ 10.4 *
 beste Teiler 106.0 (3.) 108.4 (8.) 141.3 (10.)
 Trefferlage 0.89 mm links, 1.15 mm tief
 Streuwert 2.30, horizontal: 2.76, vertikal: 1.73



Serie 2:
 9.5 ↘ 10.5 * 10.0 → 10.5 * 9.4 ↖
 9.7 ↗ 10.7 * 9.8 ↖ 10.0 ← 10.4 *
 beste Teiler 51.3 (17.) 116.7 (12.) 122.0 (14.)
 Trefferlage 0.55 mm links, 0.34 mm hoch
 Streuwert 1.81, horizontal: 2.25, vertikal: 1.21





Serie 3:
 9.3 → 10.0 ↖ 9.3 ↗ 10.6 * 10.3 *
 10.3 * 10.0 → 9.1 → 9.4 ↖ 9.8 →
 beste Teiler 79.3 (24.) 155.6 (26.) 172.9 (25.)
 Trefferlage 1.51 mm rechts, 0.33 mm hoch
 Streuwert 1.98, horizontal: 2.42, vertikal: 1.41




Serie 4:
 9.5 ↖ 9.7 ↖ 8.1 → 10.9 * 10.4 *
 9.8 ↓ 10.7 * 10.2 * 10.0 → 10.3 *
 beste Teiler 13.4 (34.) 75.1 (37.) 146.8 (35.)
 Trefferlage 0.43 mm rechts, 0.20 mm tief
 Streuwert 2.29, horizontal: 2.79, vertikal: 1.65

Unterschrift des Schützen


Ergebnis: **379** (397.4)
 Serien: 94 96 95 94
 Zähler: 21 17 2 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 713 (37), 623 (39), 479 (35)
 beste Teiler 32.0 (34.) 46.8 (36.) 91.3 (5.)
 Trefferlage 0.67 mm links, 0.25 mm hoch
 Streuwert 2.03, horizontal: 2.34, vertikal: 1.66




Serie 1:
 10.0 ↙ 9.8 ↓ 9.6 ↗ 10.2 * 10.6 *
 9.7 ↘ 9.5 ↖ 9.6 ← 10.3 * 9.7 ↘
 beste Teiler 91.3 (5.) 163.1 (9.) 189.0 (4.)
 Trefferlage 0.64 mm links, 0.41 mm tief
 Streuwert 1.98, horizontal: 1.77, vertikal: 2.16



Serie 2:
 10.0 ↖ 9.8 ↓ 10.0 ↑ 10.1 ← 10.2 *
 9.8 ← 10.5 * 10.4 * 9.8 ↗ 9.9 ↘
 beste Teiler 101.5 (17.) 148.3 (18.) 188.6 (15.)
 Trefferlage 1.18 mm links, 0.55 mm hoch
 Streuwert 1.46, horizontal: 1.08, vertikal: 1.77





Serie 3:
 9.7 ↘ 10.1 ← 9.1 → 10.6 * 10.1 →
 9.5 ← 9.3 ← 10.6 * 10.5 * 9.9 ↘
 beste Teiler 97.0 (24.) 98.0 (28.) 122.2 (29.)
 Trefferlage 0.67 mm links, 0.44 mm hoch
 Streuwert 2.02, horizontal: 2.70, vertikal: 0.95




Serie 4:
 10.1 → 10.4 * 10.5 * 10.8 * 9.0 ↑
 10.8 * 8.1 → 10.4 * 8.5 ← 9.9 ←
 beste Teiler 32.0 (34.) 46.8 (36.) 115.5 (33.)
 Trefferlage 0.18 mm links, 0.42 mm hoch
 Streuwert 2.66, horizontal: 3.41, vertikal: 1.58

Unterschrift des Schützen


Ergebnis:	375	(397.3)
Serien:	94	93 94 94
Zähler:	17 21 2	0 0 0 0 0 0 0
Innenzehner:	12	
weiteste:	614 (5), 511 (22), 448 (1)	
beste Teiler	2.2 (8.) 10.0 (37.) 44.1 (10.)	
Trefferlage	0.48 mm rechts, 0.61 mm hoch	
Streuwert	1.98, horizontal: 2.27, vertikal: 1.64	




Serie 1:	9.2 ↗	9.4 ↑	10.2 *	10.0 →	8.5 →
	10.5 *	9.9 ↘	10.9 *	9.6 ↖	10.8 *
beste Teiler	2.2 (8.)	44.1 (10.)	118.0 (6.)		
Trefferlage	0.72 mm rechts, 1.09 mm hoch				
Streuwert	2.16, horizontal: 2.58, vertikal: 1.64				



Serie 2:	9.9 ↖	10.1 ↗	9.6 ↘	9.9 ←	9.4 →
	9.8 →	9.6 ↖	10.8 *	10.2 *	9.8 ↖
beste Teiler	47.0 (18.)	199.0 (19.)	214.4 (12.)		
Trefferlage	0.12 mm links, 1.14 mm hoch				
Streuwert	1.86, horizontal: 2.34, vertikal: 1.20				





Serie 3:	10.1 ↗	8.9 ↘	10.5 *	9.6 →	10.0 →
	9.5 ←	10.6 *	9.5 ↗	9.8 ↘	10.8 *
beste Teiler	44.1 (30.)	93.3 (27.)	121.4 (23.)		
Trefferlage	1.18 mm rechts, 0.00 mm				
Streuwert	2.01, horizontal: 2.30, vertikal: 1.66				




Serie 4:	9.9 ↑	9.9 ↘	10.2 *	9.2 ↖	9.7 ↘
	10.0 ↓	10.9 *	10.5 *	9.8 →	9.8 ↖
beste Teiler	10.0 (37.)	110.4 (38.)	177.2 (33.)		
Trefferlage	0.15 mm rechts, 0.24 mm hoch				
Streuwert	1.94, horizontal: 1.96, vertikal: 1.91				

Unterschrift des Schützen


Ergebnis: **374** (392.5)
 Serien: 92 89 94 99
 Zähler: 20 14 6 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 742 (6), 631 (23), 571 (15)
 beste Teiler 39.0 (37.) 59.9 (19.) 84.9 (22.)
 Trefferlage 0.42 mm rechts, 0.25 mm tief
 Streuwert 2.36, horizontal: 2.64, vertikal: 2.04




Serie 1:
 9.9 ↑ 8.7 ↗ 10.5 * 10.2 * 9.4 ↓
 8.0 ← 9.5 ← 9.9 ↓ 10.3 * 10.4 *
 beste Teiler 119.0 (3.) 134.4 (10.) 153.4 (9.)
 Trefferlage 1.12 mm links, 0.00 mm
 Streuwert 2.66, horizontal: 3.07, vertikal: 2.16



Serie 2:
 8.8 ↘ 9.8 ↓ 9.1 ↗ 8.9 ↗ 8.7 ↗
 9.7 ↘ 10.5 * 9.5 ↓ 10.7 * 9.0 ↘
 beste Teiler 59.9 (19.) 103.3 (17.) 278.0 (12.)
 Trefferlage 2.02 mm rechts, 0.18 mm tief
 Streuwert 2.60, horizontal: 2.61, vertikal: 2.58



Serie 3:
 10.2 * 10.6 * 8.4 ↘ 10.4 * 9.5 ↓
 9.9 ↘ 9.4 ↘ 10.3 * 10.3 * 9.1 ←
 beste Teiler 84.9 (22.) 145.8 (24.) 160.3 (28.)
 Trefferlage 0.83 mm rechts, 1.21 mm tief
 Streuwert 2.18, horizontal: 2.41, vertikal: 1.93





Serie 4:
 10.6 * 10.0 ↑ 10.4 * 10.0 → 10.4 *
 10.1 ← 10.8 * 10.3 * 9.7 ↘ 10.6 *
 beste Teiler 39.0 (37.) 87.4 (31.) 93.4 (40.)
 Trefferlage 0.05 mm links, 0.37 mm hoch
 Streuwert 1.36, horizontal: 1.51, vertikal: 1.20


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **384** (401.5)
 Serien: 98 95 96 95
 Zähler: 26 12 2 0 0 0 0 0 0 0
 Innenzehner: 22
 weiteste: 545 (1), 528 (35), 498 (20)
 beste Teiler 38.0 (18.) 51.6 (25.) 70.0 (7.)
 Trefferlage 0.12 mm links, 0.22 mm tief
 Streuwert 1.91, horizontal: 2.26, vertikal: 1.48




Serie 1:
 8.8 ↙ 10.5 * 10.5 * 10.0 ↓ 10.3 *
 10.2 * 10.7 * 10.1 ↘ 10.5 * 10.0 ↗
 beste Teiler 70.0 (7.) 103.6 (3.) 118.5 (2.)
 Trefferlage 0.45 mm links, 0.67 mm tief
 Streuwert 1.68, horizontal: 1.91, vertikal: 1.41



Serie 2:
 10.6 * 10.3 * 9.1 ↗ 10.4 * 9.4 ↙
 9.9 ↓ 10.2 * 10.8 * 9.5 → 9.0 →
 beste Teiler 38.0 (18.) 89.6 (11.) 144.5 (14.)
 Trefferlage 0.81 mm rechts, 0.05 mm tief
 Streuwert 2.19, horizontal: 2.65, vertikal: 1.60



Serie 3:
 9.5 → 9.7 ↗ 10.6 * 10.1 ← 10.7 *
 10.6 * 9.6 ↘ 10.3 * 10.2 * 9.4 ↙
 beste Teiler 51.6 (25.) 79.6 (23.) 95.7 (26.)
 Trefferlage 0.10 mm links, 0.30 mm hoch
 Streuwert 1.87, horizontal: 2.16, vertikal: 1.53





Serie 4:
 10.4 * 10.2 * 10.3 * 9.6 ↙ 8.8 ↙
 10.4 * 9.8 → 9.6 ↙ 10.4 * 10.5 *
 beste Teiler 112.5 (40.) 135.2 (39.) 139.8 (36.)
 Trefferlage 0.76 mm links, 0.47 mm tief
 Streuwert 1.89, horizontal: 2.28, vertikal: 1.40


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **379** (393.0)
 Serien: 96 92 95 96
 Zähler: 22 15 3 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 724 (23), 640 (18), 534 (17)
 beste Teiler 78.5 (40.) 94.8 (13.) 101.5 (10.)
 Trefferlage 0.69 mm links, 0.22 mm tief
 Streuwert 2.23, horizontal: 2.42, vertikal: 2.02




Serie 1:
 10.1 ← 9.2 ↓ 9.7 ↘ 9.6 ↗ 10.3 *
 10.0 → 10.0 ↘ 10.2 * 9.3 ↗ 10.5 *
 beste Teiler 101.5 (10.) 168.0 (5.) 180.5 (8.)
 Trefferlage 0.17 mm links, 1.27 mm tief
 Streuwert 1.89, horizontal: 2.01, vertikal: 1.77



Serie 2:
 9.7 → 9.4 → 10.6 * 10.3 * 10.0 ↗
 9.2 ↓ 8.8 ↓ 8.4 ← 10.3 * 9.4 ←
 beste Teiler 94.8 (13.) 162.6 (19.) 168.5 (14.)
 Trefferlage 0.04 mm rechts, 0.98 mm tief
 Streuwert 2.69, horizontal: 3.18, vertikal: 2.09





Serie 3:
 10.4 * 10.3 * 8.1 ← 10.5 * 9.9 ←
 9.0 ↗ 10.3 * 10.3 * 9.0 ← 10.2 *
 beste Teiler 110.7 (24.) 130.9 (21.) 156.3 (22.)
 Trefferlage 1.36 mm links, 0.61 mm hoch
 Streuwert 2.36, horizontal: 2.93, vertikal: 1.60




Serie 4:
 9.9 ← 9.3 ↑ 10.4 * 10.4 * 9.7 ↘
 10.0 ↘ 10.0 ↘ 10.0 ↘ 9.7 ↓ 10.6 *
 beste Teiler 78.5 (40.) 138.5 (33.) 145.7 (34.)
 Trefferlage 1.26 mm links, 0.75 mm hoch
 Streuwert 1.57, horizontal: 1.00, vertikal: 1.97

Unterschrift des Schützen


Ergebnis: **388** (406.3)
 Serien: 94 99 96 99
 Zähler: 28 12 0 0 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 348 (9), 343 (4), 314 (36)
 beste Teiler 27.8 (13.) 47.6 (21.) 74.5 (15.)
 Trefferlage 0.13 mm rechts, 0.25 mm hoch
 Streuwert 1.54, horizontal: 1.70, vertikal: 1.36




Serie 1:
 9.8 ← 9.7 ↘ 9.7 ↘ 9.6 ↑ 10.1 ←
 10.4 * 10.6 * 10.6 * 9.6 → 9.8 ↑
 beste Teiler 79.1 (8.) 82.2 (7.) 148.3 (6.)
 Trefferlage 0.36 mm links, 1.19 mm hoch
 Streuwert 1.72, horizontal: 2.08, vertikal: 1.26



Serie 2:
 10.1 → 10.2 * 10.8 * 10.2 * 10.7 *
 9.9 ↗ 10.6 * 10.2 * 10.4 * 10.0 →
 beste Teiler 27.8 (13.) 74.5 (15.) 82.0 (17.)
 Trefferlage 0.77 mm rechts, 0.16 mm hoch
 Streuwert 1.19, horizontal: 1.30, vertikal: 1.06



Serie 3:
 10.8 * 9.8 ↘ 10.2 * 10.0 ↘ 9.9 ↓
 10.5 * 10.2 * 10.1 ↓ 9.7 ← 9.9 ←
 beste Teiler 47.6 (21.) 115.9 (26.) 178.2 (23.)
 Trefferlage 0.05 mm links, 0.39 mm tief
 Streuwert 1.65, horizontal: 1.77, vertikal: 1.53





Serie 4:
 10.3 * 10.6 * 10.3 * 10.3 * 10.4 *
 9.7 ← 10.4 * 10.1 → 10.0 → 10.1 ↘
 beste Teiler 82.0 (32.) 146.4 (35.) 146.6 (37.)
 Trefferlage 0.17 mm rechts, 0.04 mm hoch
 Streuwert 1.43, horizontal: 1.62, vertikal: 1.22


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (390.5)
 Serien: 91 92 93 95
 Zähler: 15 21 4 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 590 (2), 555 (23), 549 (11)
 beste Teiler 67.2 (27.) 95.4 (26.) 100.7 (9.)
 Trefferlage 0.65 mm links, 0.02 mm hoch
 Streuwert 2.32, horizontal: 2.75, vertikal: 1.79




Serie 1:
 10.2 * 8.6 → 9.8 ↗ 9.0 ↗ 9.7 →
 9.7 ↑ 9.5 ↘ 9.6 ↙ 10.6 * 9.2 ←
 beste Teiler 100.7 (9.) 188.0 (1.) 288.4 (3.)
 Trefferlage 0.47 mm rechts, 0.89 mm hoch
 Streuwert 2.62, horizontal: 3.22, vertikal: 1.84



Serie 2:
 8.8 ↖ 9.9 ← 9.6 ↙ 10.2 * 10.3 *
 10.4 * 9.7 ← 9.5 ↙ 10.2 * 8.9 ←
 beste Teiler 126.0 (16.) 153.2 (15.) 186.5 (14.)
 Trefferlage 1.89 mm links, 0.68 mm tief
 Streuwert 1.96, horizontal: 2.27, vertikal: 1.59



Serie 3:
 9.5 ↑ 9.8 ↑ 8.7 ← 10.0 ↘ 10.5 *
 10.6 * 10.7 * 9.0 ← 9.9 ↗ 9.7 →
 beste Teiler 67.2 (27.) 95.4 (26.) 123.4 (25.)
 Trefferlage 0.76 mm links, 1.14 mm hoch
 Streuwert 2.14, horizontal: 2.66, vertikal: 1.43



Serie 4:
 9.1 ← 9.6 ↙ 9.0 → 9.4 ↙ 10.5 *
 10.5 * 10.4 * 10.3 * 10.1 ↓ 9.8 →
 beste Teiler 101.7 (36.) 111.3 (35.) 142.2 (37.)
 Trefferlage 0.46 mm links, 1.26 mm tief
 Streuwert 2.04, horizontal: 2.66, vertikal: 1.12

Unterschrift des Schützen

Meyton Elektronik