





Ergebnis: **378** (395.8)
 Serien: 92 96 95 95
 Zähler: 21 16 3 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 710 (33), 629 (6), 501 (5)
 beste Teiler 13.4 (34.) 51.3 (17.) 75.1 (37.)
 Trefferlage 0.12 mm rechts, 0.17 mm tief
 Streuwert 2.18, horizontal: 2.64, vertikal: 1.58




Serie 1:
 9.8 ← 10.3 * 10.5 * 9.9 ↘ 8.9 ↘
 8.4 ← 9.8 ↓ 10.5 * 9.1 ↗ 10.4 *
 beste Teiler 106.0 (3.) 108.4 (8.) 141.3 (10.)
 Trefferlage 0.89 mm links, 1.15 mm tief
 Streuwert 2.30, horizontal: 2.76, vertikal: 1.73



Serie 2:
 9.5 ↘ 10.5 * 10.0 → 10.5 * 9.4 ↖
 9.7 ↗ 10.7 * 9.8 ↙ 10.0 ← 10.4 *
 beste Teiler 51.3 (17.) 116.7 (12.) 122.0 (14.)
 Trefferlage 0.55 mm links, 0.34 mm hoch
 Streuwert 1.81, horizontal: 2.25, vertikal: 1.21



Serie 3:
 9.3 → 10.0 ↖ 9.3 ↗ 10.6 * 10.3 *
 10.3 * 10.0 → 9.1 → 9.4 ↙ 9.8 →
 beste Teiler 79.3 (24.) 155.6 (26.) 172.9 (25.)
 Trefferlage 1.51 mm rechts, 0.33 mm hoch
 Streuwert 1.98, horizontal: 2.42, vertikal: 1.41





Serie 4:
 9.5 ↙ 9.7 ↖ 8.1 → 10.9 * 10.4 *
 9.8 ↓ 10.7 * 10.2 * 10.0 → 10.3 *
 beste Teiler 13.4 (34.) 75.1 (37.) 146.8 (35.)
 Trefferlage 0.43 mm rechts, 0.20 mm tief
 Streuwert 2.29, horizontal: 2.79, vertikal: 1.65


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **379** (397.4)
 Serien: 94 96 95 94
 Zähler: 21 17 2 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 713 (37), 623 (39), 479 (35)
 beste Teiler 32.0 (34.) 46.8 (36.) 91.3 (5.)
 Trefferlage 0.67 mm links, 0.25 mm hoch
 Streuwert 2.03, horizontal: 2.34, vertikal: 1.66




Serie 1:
 10.0 ↙ 9.8 ↓ 9.6 ↗ 10.2 * 10.6 *
 9.7 ↘ 9.5 ↖ 9.6 ← 10.3 * 9.7 ↘
 beste Teiler 91.3 (5.) 163.1 (9.) 189.0 (4.)
 Trefferlage 0.64 mm links, 0.41 mm tief
 Streuwert 1.98, horizontal: 1.77, vertikal: 2.16



Serie 2:
 10.0 ↖ 9.8 ↓ 10.0 ↑ 10.1 ← 10.2 *
 9.8 ← 10.5 * 10.4 * 9.8 ↗ 9.9 ↘
 beste Teiler 101.5 (17.) 148.3 (18.) 188.6 (15.)
 Trefferlage 1.18 mm links, 0.55 mm hoch
 Streuwert 1.46, horizontal: 1.08, vertikal: 1.77





Serie 3:
 9.7 ↘ 10.1 ← 9.1 → 10.6 * 10.1 →
 9.5 ← 9.3 ← 10.6 * 10.5 * 9.9 ↘
 beste Teiler 97.0 (24.) 98.0 (28.) 122.2 (29.)
 Trefferlage 0.67 mm links, 0.44 mm hoch
 Streuwert 2.02, horizontal: 2.70, vertikal: 0.95




Serie 4:
 10.1 → 10.4 * 10.5 * 10.8 * 9.0 ↑
 10.8 * 8.1 → 10.4 * 8.5 ← 9.9 ←
 beste Teiler 32.0 (34.) 46.8 (36.) 115.5 (33.)
 Trefferlage 0.18 mm links, 0.42 mm hoch
 Streuwert 2.66, horizontal: 3.41, vertikal: 1.58

Unterschrift des Schützen


Ergebnis: **375** (397.3)
 Serien: 94 93 94 94
 Zähler: 17 21 2 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 614 (5), 511 (22), 448 (1)
 beste Teiler 2.2 (8.) 10.0 (37.) 44.1 (10.)
 Trefferlage 0.48 mm rechts, 0.61 mm hoch
 Streuwert 1.98, horizontal: 2.27, vertikal: 1.64




Serie 1:
 9.2 ↗ 9.4 ↑ 10.2 * 10.0 → 8.5 →
 10.5 * 9.9 ↘ 10.9 * 9.6 ↖ 10.8 *
 beste Teiler 2.2 (8.) 44.1 (10.) 118.0 (6.)
 Trefferlage 0.72 mm rechts, 1.09 mm hoch
 Streuwert 2.16, horizontal: 2.58, vertikal: 1.64



Serie 2:
 9.9 ↖ 10.1 ↗ 9.6 ↘ 9.9 ← 9.4 →
 9.8 → 9.6 ↘ 10.8 * 10.2 * 9.8 ↖
 beste Teiler 47.0 (18.) 199.0 (19.) 214.4 (12.)
 Trefferlage 0.12 mm links, 1.14 mm hoch
 Streuwert 1.86, horizontal: 2.34, vertikal: 1.20





Serie 3:
 10.1 ↗ 8.9 ↘ 10.5 * 9.6 → 10.0 →
 9.5 ← 10.6 * 9.5 ↗ 9.8 ↘ 10.8 *
 beste Teiler 44.1 (30.) 93.3 (27.) 121.4 (23.)
 Trefferlage 1.18 mm rechts, 0.00 mm
 Streuwert 2.01, horizontal: 2.30, vertikal: 1.66




Serie 4:
 9.9 ↑ 9.9 ↘ 10.2 * 9.2 ↖ 9.7 ↘
 10.0 ↓ 10.9 * 10.5 * 9.8 → 9.8 ↖
 beste Teiler 10.0 (37.) 110.4 (38.) 177.2 (33.)
 Trefferlage 0.15 mm rechts, 0.24 mm hoch
 Streuwert 1.94, horizontal: 1.96, vertikal: 1.91

Unterschrift des Schützen


Ergebnis: **374** (392.5)
 Serien: 92 89 94 99
 Zähler: 20 14 6 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 742 (6), 631 (23), 571 (15)
 beste Teiler 39.0 (37.) 59.9 (19.) 84.9 (22.)
 Trefferlage 0.42 mm rechts, 0.25 mm tief
 Streuwert 2.36, horizontal: 2.64, vertikal: 2.04




Serie 1:
 9.9 ↑ 8.7 ↗ 10.5 * 10.2 * 9.4 ↓
 8.0 ← 9.5 ← 9.9 ↓ 10.3 * 10.4 *
 beste Teiler 119.0 (3.) 134.4 (10.) 153.4 (9.)
 Trefferlage 1.12 mm links, 0.00 mm
 Streuwert 2.66, horizontal: 3.07, vertikal: 2.16



Serie 2:
 8.8 ↘ 9.8 ↓ 9.1 ↗ 8.9 ↗ 8.7 ↗
 9.7 ↘ 10.5 * 9.5 ↓ 10.7 * 9.0 ↘
 beste Teiler 59.9 (19.) 103.3 (17.) 278.0 (12.)
 Trefferlage 2.02 mm rechts, 0.18 mm tief
 Streuwert 2.60, horizontal: 2.61, vertikal: 2.58



Serie 3:
 10.2 * 10.6 * 8.4 ↘ 10.4 * 9.5 ↓
 9.9 ↘ 9.4 ↘ 10.3 * 10.3 * 9.1 ←
 beste Teiler 84.9 (22.) 145.8 (24.) 160.3 (28.)
 Trefferlage 0.83 mm rechts, 1.21 mm tief
 Streuwert 2.18, horizontal: 2.41, vertikal: 1.93





Serie 4:
 10.6 * 10.0 ↑ 10.4 * 10.0 → 10.4 *
 10.1 ← 10.8 * 10.3 * 9.7 ↘ 10.6 *
 beste Teiler 39.0 (37.) 87.4 (31.) 93.4 (40.)
 Trefferlage 0.05 mm links, 0.37 mm hoch
 Streuwert 1.36, horizontal: 1.51, vertikal: 1.20


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **384** (401.5)
 Serien: 98 95 96 95
 Zähler: 26 12 2 0 0 0 0 0 0 0
 Innenzehner: 22
 weiteste: 545 (1), 528 (35), 498 (20)
 beste Teiler 38.0 (18.) 51.6 (25.) 70.0 (7.)
 Trefferlage 0.12 mm links, 0.22 mm tief
 Streuwert 1.91, horizontal: 2.26, vertikal: 1.48




Serie 1:
 8.8 ↙ 10.5 * 10.5 * 10.0 ↓ 10.3 *
 10.2 * 10.7 * 10.1 ↘ 10.5 * 10.0 ↗
 beste Teiler 70.0 (7.) 103.6 (3.) 118.5 (2.)
 Trefferlage 0.45 mm links, 0.67 mm tief
 Streuwert 1.68, horizontal: 1.91, vertikal: 1.41



Serie 2:
 10.6 * 10.3 * 9.1 ↗ 10.4 * 9.4 ↙
 9.9 ↓ 10.2 * 10.8 * 9.5 → 9.0 →
 beste Teiler 38.0 (18.) 89.6 (11.) 144.5 (14.)
 Trefferlage 0.81 mm rechts, 0.05 mm tief
 Streuwert 2.19, horizontal: 2.65, vertikal: 1.60



Serie 3:
 9.5 → 9.7 ↗ 10.6 * 10.1 ← 10.7 *
 10.6 * 9.6 ↘ 10.3 * 10.2 * 9.4 ↙
 beste Teiler 51.6 (25.) 79.6 (23.) 95.7 (26.)
 Trefferlage 0.10 mm links, 0.30 mm hoch
 Streuwert 1.87, horizontal: 2.16, vertikal: 1.53





Serie 4:
 10.4 * 10.2 * 10.3 * 9.6 ↙ 8.8 ↙
 10.4 * 9.8 → 9.6 ↙ 10.4 * 10.5 *
 beste Teiler 112.5 (40.) 135.2 (39.) 139.8 (36.)
 Trefferlage 0.76 mm links, 0.47 mm tief
 Streuwert 1.89, horizontal: 2.28, vertikal: 1.40


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **379** (393.0)
 Serien: 96 92 95 96
 Zähler: 22 15 3 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 724 (23), 640 (18), 534 (17)
 beste Teiler 78.5 (40.) 94.8 (13.) 101.5 (10.)
 Trefferlage 0.69 mm links, 0.22 mm tief
 Streuwert 2.23, horizontal: 2.42, vertikal: 2.02




Serie 1:
 10.1 ← 9.2 ↓ 9.7 ↘ 9.6 ↙ 10.3 *
 10.0 → 10.0 ↘ 10.2 * 9.3 ↙ 10.5 *
 beste Teiler 101.5 (10.) 168.0 (5.) 180.5 (8.)
 Trefferlage 0.17 mm links, 1.27 mm tief
 Streuwert 1.89, horizontal: 2.01, vertikal: 1.77



Serie 2:
 9.7 → 9.4 → 10.6 * 10.3 * 10.0 ↙
 9.2 ↓ 8.8 ↓ 8.4 ← 10.3 * 9.4 ←
 beste Teiler 94.8 (13.) 162.6 (19.) 168.5 (14.)
 Trefferlage 0.04 mm rechts, 0.98 mm tief
 Streuwert 2.69, horizontal: 3.18, vertikal: 2.09



Serie 3:
 10.4 * 10.3 * 8.1 ← 10.5 * 9.9 ←
 9.0 ↗ 10.3 * 10.3 * 9.0 ← 10.2 *
 beste Teiler 110.7 (24.) 130.9 (21.) 156.3 (22.)
 Trefferlage 1.36 mm links, 0.61 mm hoch
 Streuwert 2.36, horizontal: 2.93, vertikal: 1.60





Serie 4:
 9.9 ← 9.3 ↑ 10.4 * 10.4 * 9.7 ↘
 10.0 ↘ 10.0 ↘ 10.0 ↘ 9.7 ↙ 10.6 *
 beste Teiler 78.5 (40.) 138.5 (33.) 145.7 (34.)
 Trefferlage 1.26 mm links, 0.75 mm hoch
 Streuwert 1.57, horizontal: 1.00, vertikal: 1.97

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	388	(406.3)
Serien:	94 99 96 99	
Zähler:	28 12 0 0 0 0 0 0 0 0	
Innenzehner:	20	
weiteste:	348 (9), 343 (4), 314 (36)	
beste Teiler	27.8 (13.) 47.6 (21.) 74.5 (15.)	
Trefferlage	0.13 mm rechts, 0.25 mm hoch	
Streuwert	1.54, horizontal: 1.70, vertikal: 1.36	




Serie 1:

9.8 ←	9.7 ↖	9.7 ↖	9.6 ↑	10.1 ←
10.4 *	10.6 *	10.6 *	9.6 →	9.8 ↑
beste Teiler	79.1 (8.)	82.2 (7.)	148.3 (6.)	
Trefferlage	0.36 mm links, 1.19 mm hoch			
Streuwert	1.72, horizontal: 2.08, vertikal: 1.26			




Serie 2:

10.1 →	10.2 *	10.8 *	10.2 *	10.7 *
9.9 ↗	10.6 *	10.2 *	10.4 *	10.0 →
beste Teiler	27.8 (13.)	74.5 (15.)	82.0 (17.)	
Trefferlage	0.77 mm rechts, 0.16 mm hoch			
Streuwert	1.19, horizontal: 1.30, vertikal: 1.06			



Serie 3:

10.8 *	9.8 ↘	10.2 *	10.0 ↘	9.9 ↓
10.5 *	10.2 *	10.1 ↓	9.7 ←	9.9 ←
beste Teiler	47.6 (21.)	115.9 (26.)	178.2 (23.)	
Trefferlage	0.05 mm links, 0.39 mm tief			
Streuwert	1.65, horizontal: 1.77, vertikal: 1.53			





Serie 4:

10.3 *	10.6 *	10.3 *	10.3 *	10.4 *
9.7 ←	10.4 *	10.1 →	10.0 →	10.1 ↘
beste Teiler	82.0 (32.)	146.4 (35.)	146.6 (37.)	
Trefferlage	0.17 mm rechts, 0.04 mm hoch			
Streuwert	1.43, horizontal: 1.62, vertikal: 1.22			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (390.5)
 Serien: 91 92 93 95
 Zähler: 15 21 4 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 590 (2), 555 (23), 549 (11)
 beste Teiler 67.2 (27.) 95.4 (26.) 100.7 (9.)
 Trefferlage 0.65 mm links, 0.02 mm hoch
 Streuwert 2.32, horizontal: 2.75, vertikal: 1.79




Serie 1:
 10.2 * 8.6 → 9.8 ↗ 9.0 ↗ 9.7 →
 9.7 ↑ 9.5 ↘ 9.6 ↙ 10.6 * 9.2 ←
 beste Teiler 100.7 (9.) 188.0 (1.) 288.4 (3.)
 Trefferlage 0.47 mm rechts, 0.89 mm hoch
 Streuwert 2.62, horizontal: 3.22, vertikal: 1.84



Serie 2:
 8.8 ↖ 9.9 ← 9.6 ↙ 10.2 * 10.3 *
 10.4 * 9.7 ← 9.5 ↙ 10.2 * 8.9 ←
 beste Teiler 126.0 (16.) 153.2 (15.) 186.5 (14.)
 Trefferlage 1.89 mm links, 0.68 mm tief
 Streuwert 1.96, horizontal: 2.27, vertikal: 1.59



Serie 3:
 9.5 ↑ 9.8 ↑ 8.7 ← 10.0 ↘ 10.5 *
 10.6 * 10.7 * 9.0 ← 9.9 ↗ 9.7 ↘
 beste Teiler 67.2 (27.) 95.4 (26.) 123.4 (25.)
 Trefferlage 0.76 mm links, 1.14 mm hoch
 Streuwert 2.14, horizontal: 2.66, vertikal: 1.43



Serie 4:
 9.1 ← 9.6 ↙ 9.0 → 9.4 ↙ 10.5 *
 10.5 * 10.4 * 10.3 * 10.1 ↓ 9.8 →
 beste Teiler 101.7 (36.) 111.3 (35.) 142.2 (37.)
 Trefferlage 0.46 mm links, 1.26 mm tief
 Streuwert 2.04, horizontal: 2.66, vertikal: 1.12

Unterschrift des Schützen

Meyton Elektronik