





Ergebnis: **607.1** (578)  
 Serien: 98.4 103.8 101.8 101.0 99.6 102.5  
 Zähler: 40 18 2 0 0 0 0 0 0  
 Innenzehner: 27  
 weiteste: 1874 (8), 1760 (46), 1450 (22)  
 beste Teiler 60.8 (13.) 109.1 (52.) 133.5 (11.)  
 Trefferlage 0.33 mm links, 1.53 mm tief  
 Streuwert 5.40, horizontal: 5.21, vertikal: 5.58




Serie 1:  
 10.4 \* 10.5 \* 10.6 \* 9.7 ↑ 9.5 ↘  
 9.9 → 10.0 ↑ 8.6 ↘ 9.6 ↗ 9.6 →  
 beste Teiler 270.1 (3.) 374.5 (2.) 416.5 (1.)  
 Trefferlage 4.70 mm rechts, 0.30 mm hoch  
 Streuwert 6.42, horizontal: 4.78, vertikal: 7.72




Serie 2:  
 10.8 \* 10.1 ← 10.9 \* 10.6 \* 9.5 ↖  
 10.7 \* 10.3 \* 10.8 \* 9.7 ↓ 10.4 \*  
 beste Teiler 60.8 (13.) 133.5 (11.) 149.5 (18.)  
 Trefferlage 1.03 mm links, 1.39 mm tief  
 Streuwert 4.17, horizontal: 3.81, vertikal: 4.51




Serie 3:  
 10.5 \* 9.1 ↓ 9.9 ← 10.6 \* 10.6 \*  
 10.3 \* 10.2 ↓ 10.0 ↓ 10.0 ↖ 10.6 \*  
 beste Teiler 282.9 (25.) 310.5 (30.) 319.2 (24.)  
 Trefferlage 3.13 mm links, 2.03 mm tief  
 Streuwert 4.51, horizontal: 3.50, vertikal: 5.32



Serie 4:  
 10.7 \* 10.2 → 9.8 ↓ 10.0 ↓ 9.6 →  
 10.5 \* 9.6 ↓ 10.0 ↓ 10.6 \* 10.0 ↓  
 beste Teiler 186.2 (31.) 265.0 (39.) 326.6 (36.)  
 Trefferlage 1.93 mm rechts, 4.35 mm tief  
 Streuwert 4.19, horizontal: 4.11, vertikal: 4.27



Serie 5:  
 10.4 \* 9.7 ↙ 10.6 \* 9.7 ↓ 10.0 ↖  
 8.8 ← 10.2 → 10.3 \* 9.5 ↓ 10.4 \*  
 beste Teiler 273.9 (43.) 406.0 (41.) 433.4 (50.)  
 Trefferlage 2.06 mm links, 2.21 mm tief  
 Streuwert 6.36, horizontal: 7.07, vertikal: 5.56



Serie 6:  
 9.7 ↘ 10.8 \* 10.7 \* 10.3 ← 10.4 \*  
 10.2 ↓ 10.4 \* 10.5 \* 9.9 ↓ 9.6 ↖  
 beste Teiler 109.1 (52.) 171.7 (53.) 333.9 (58.)  
 Trefferlage 2.43 mm links, 0.49 mm hoch  
 Streuwert 4.39, horizontal: 3.11, vertikal: 5.37

Meyton Elektronik

**KK liegend** – Wertung – **Jungschützen**

StandNr: 16

**Weiler,, Kevin** #70606076

**StartNr: 144**

14. Juli 2019 9:41



SG\_Innervillgraten

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **604.9** (574)  
 Serien: 100.9 102.4 99.1 101.8 99.6 101.1  
 Zähler: 35 24 1 0 0 0 0 0 0  
 Innenzehner: 19  
 weiteste: 1715 (38), 1230 (5), 1228 (57)  
 beste Teiler 103.3 (32.) 117.4 (13.) 137.8 (37.)  
 Trefferlage 0.16 mm rechts, 0.59 mm tief  
 Streuwert 5.54, horizontal: 5.52, vertikal: 5.55




Serie 1:  
 10.2 ↘ 10.5 \* 9.8 ↘ 10.2 ↘ 9.4 ↓  
 10.4 \* 10.2 ↓ 10.1 ← 10.3 ↖ 9.8 ↓  
 beste Teiler 380.4 (2.) 421.2 (6.) 545.9 (9.)  
 Trefferlage 1.42 mm rechts, 3.22 mm tief  
 Streuwert 4.82, horizontal: 4.72, vertikal: 4.92




Serie 2:  
 10.4 \* 9.9 ↘ 10.8 \* 10.1 ↓ 10.7 \*  
 10.0 ↓ 10.3 \* 9.6 ↘ 10.1 ↖ 10.5 \*  
 beste Teiler 117.4 (13.) 176.7 (15.) 378.6 (20.)  
 Trefferlage 0.49 mm links, 0.12 mm hoch  
 Streuwert 4.71, horizontal: 4.09, vertikal: 5.26




Serie 3:  
 10.2 ↘ 9.8 ↘ 9.7 → 9.9 → 9.4 ↓  
 9.9 ↗ 10.5 \* 9.9 ↑ 9.6 ↑ 10.2 ↘  
 beste Teiler 347.0 (27.) 570.0 (21.) 637.0 (30.)  
 Trefferlage 2.58 mm rechts, 0.70 mm tief  
 Streuwert 6.08, horizontal: 5.33, vertikal: 6.75




Serie 4:  
 10.6 \* 10.8 \* 10.2 ↗ 10.7 \* 10.5 \*  
 9.5 → 10.8 \* 8.8 ↑ 9.7 ↖ 10.2 ↓  
 beste Teiler 103.3 (32.) 137.8 (37.) 168.8 (34.)  
 Trefferlage 0.60 mm rechts, 1.86 mm hoch  
 Streuwert 5.74, horizontal: 5.37, vertikal: 6.10



Serie 5:  
 10.3 ↖ 9.7 ↖ 9.9 ↘ 9.6 ↓ 10.2 ↖  
 10.8 \* 10.5 \* 9.6 ↗ 9.5 → 9.5 ↘  
 beste Teiler 142.0 (46.) 360.5 (47.) 542.5 (41.)  
 Trefferlage 0.82 mm rechts, 2.52 mm tief  
 Streuwert 6.13, horizontal: 7.10, vertikal: 4.98



Serie 6:  
 9.6 ← 10.8 \* 10.4 \* 10.5 \* 10.7 \*  
 9.7 ↘ 9.4 ↘ 9.9 ↘ 10.0 ← 10.1 ↗  
 beste Teiler 142.6 (52.) 171.0 (55.) 333.9 (54.)  
 Trefferlage 3.91 mm links, 0.89 mm hoch  
 Streuwert 4.81, horizontal: 5.00, vertikal: 4.60



**KK liegend** – Wertung – **Jungschützen**

StandNr: 15

**Greber,, Alexander** #70804097

**StartNr: 143**

14. Juli 2019 9:41



SG\_Fügenberg

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **593.4** (569)  
 Serien: 99.4 99.4 97.5 100.3 100.1 96.7  
 Zähler: 33 23 4 0 0 0 0 0 0 0  
 Innenzehner: 14  
 weiteste: 1924 (27), 1904 (16), 1799 (58)  
 beste Teiler 17.1 (20.) 99.1 (45.) 195.5 (60.)  
 Trefferlage 2.33 mm links, 2.55 mm tief  
 Streuwert 6.39, horizontal: 5.71, vertikal: 7.00




Serie 1:  
 9.8 ↗ 10.1 ← 10.3 ↘ 9.4 ↙ 9.6 ↖  
 10.5 \* 10.0 ↘ 10.5 \* 10.0 ← 9.2 ↓  
 beste Teiler 366.3 (6.) 369.2 (8.) 536.2 (3.)  
 Trefferlage 3.19 mm links, 0.37 mm tief  
 Streuwert 6.23, horizontal: 4.80, vertikal: 7.39




Serie 2:  
 9.9 ↙ 9.6 ↙ 10.2 ← 10.1 ↖ 10.0 ←  
 8.6 ↙ 10.2 ↘ 9.5 ↘ 10.4 \* 10.9 \*  
 beste Teiler 17.1 (20.) 471.5 (19.) 569.3 (17.)  
 Trefferlage 5.84 mm links, 1.22 mm tief  
 Streuwert 5.44, horizontal: 2.79, vertikal: 7.17




Serie 3:  
 10.1 ↘ 9.7 ↙ 9.9 ↓ 10.4 \* 10.0 ↓  
 9.5 ↙ 8.5 ↓ 9.1 ← 9.8 ↓ 10.5 \*  
 beste Teiler 367.0 (30.) 403.7 (24.) 679.2 (21.)  
 Trefferlage 3.02 mm links, 5.26 mm tief  
 Streuwert 6.43, horizontal: 6.34, vertikal: 6.52




Serie 4:  
 10.1 ← 9.1 ↓ 9.3 ↓ 9.8 ← 10.3 \*  
 10.4 \* 10.3 \* 10.3 ↘ 10.2 ↖ 10.5 \*  
 beste Teiler 339.4 (40.) 477.9 (36.) 487.8 (37.)  
 Trefferlage 1.32 mm links, 3.11 mm tief  
 Streuwert 5.55, horizontal: 4.51, vertikal: 6.43



Serie 5:  
 9.5 ↙ 10.4 \* 10.0 → 9.8 ↙ 10.8 \*  
 9.8 ↘ 10.1 ↘ 10.4 \* 10.2 ← 9.1 ↓  
 beste Teiler 99.1 (45.) 436.5 (48.) 468.9 (42.)  
 Trefferlage 1.38 mm links, 2.00 mm tief  
 Streuwert 5.96, horizontal: 6.57, vertikal: 5.28



Serie 6:  
 10.3 ↘ 8.8 ↘ 9.1 ↘ 9.4 ← 9.7 ↖  
 10.3 ↖ 9.5 ↓ 8.7 ↓ 10.2 ↗ 10.7 \*  
 beste Teiler 195.5 (60.) 552.7 (51.) 555.6 (56.)  
 Trefferlage 0.76 mm rechts, 3.33 mm tief  
 Streuwert 8.30, horizontal: 7.14, vertikal: 9.32



**KK liegend** – Wertung – **Jungschützen**

StandNr: 17

**Schmid,, Sebastian** #70506131

**StartNr: 145**

14. Juli 2019 9:38



SG\_Landeck

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>586.1</b>	(555)
Serien:	98.9 96.7 97.8 93.9 100.9 97.9	
Zähler:	26 23 11 0 0 0 0 0 0 0	
Innenzehner:	16	
weiteste:	2320 (52), 2099 (58), 1997 (36)	
beste Teiler	146.7 (50.) 182.2 (59.) 308.5 (49.)	
Trefferlage	2.16 mm rechts, 0.86 mm tief	
Streuwert	7.47, horizontal: 7.13, vertikal: 7.79	




Serie 1:	9.9 ↗	8.8 →	10.4 *	10.2 →	9.7 ←
	10.3 *	10.1 ↙	9.9 ↑	10.1 ↘	9.5 ↙
beste Teiler	449.0 (3.) 496.0 (6.) 597.6 (4.)				
Trefferlage	0.96 mm rechts, 0.22 mm tief				
Streuwert	6.81, horizontal: 7.84, vertikal: 5.60				




Serie 2:	8.8 ↙	10.1 ↖	9.8 ↖	9.5 ↗	10.0 →
	9.9 ↑	9.3 →	9.7 ↑	9.5 ↗	10.1 ↘
beste Teiler	679.9 (20.) 689.3 (12.) 751.7 (15.)				
Trefferlage	1.87 mm rechts, 3.03 mm hoch				
Streuwert	7.55, horizontal: 7.05, vertikal: 8.02				




Serie 3:	10.3 *	8.8 ↘	9.5 ↘	9.9 ↗	9.5 ↘
	8.9 ←	10.5 *	10.5 *	10.1 ←	9.8 ↘
beste Teiler	335.5 (28.) 396.4 (27.) 517.9 (21.)				
Trefferlage	0.35 mm rechts, 3.34 mm tief				
Streuwert	7.37, horizontal: 7.27, vertikal: 7.46				



Serie 4:	8.8 ↙	9.7 ↘	8.5 ↘	9.8 ↙	9.8 ↙
	8.5 ↘	10.4 *	9.7 ↘	9.8 ↓	8.9 ↑
beste Teiler	435.7 (37.) 923.0 (35.) 926.9 (39.)				
Trefferlage	2.16 mm rechts, 6.84 mm tief				
Streuwert	8.48, horizontal: 7.89, vertikal: 9.04				



Serie 5:	10.4 *	8.9 ↗	10.3 *	9.8 ↖	10.3 *
	10.5 *	9.7 →	9.6 ↘	10.6 *	10.8 *
beste Teiler	146.7 (50.) 308.5 (49.) 367.0 (46.)				
Trefferlage	2.81 mm rechts, 0.36 mm hoch				
Streuwert	5.69, horizontal: 6.04, vertikal: 5.32				



Serie 6:	10.3 *	8.1 ↗	10.2 →	10.4 *	10.4 *
	10.0 ↘	9.4 ↘	8.3 ↗	10.7 *	10.1 →
beste Teiler	182.2 (59.) 425.2 (54.) 479.3 (55.)				
Trefferlage	4.81 mm rechts, 1.84 mm hoch				
Streuwert	7.75, horizontal: 7.55, vertikal: 7.94				

Meyton Elektronik

**KK liegend** – Wertung – **Jungschützen**

StandNr: 12

**Höllrigl,, Matteo** #70201124

**StartNr: 140**

14. Juli 2019 9:36

SG\_Absam



---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **585.4** (557)  
 Serien: 98.2 98.7 94.6 93.7 100.4 99.8  
 Zähler: 22 33 5 0 0 0 0 0 0  
 Innenzehner: 14  
 weiteste: 2383 (36), 2110 (29), 2078 (38)  
 beste Teiler 116.0 (3.) 209.7 (18.) 222.9 (26.)  
 Trefferlage 0.02 mm rechts, 2.09 mm tief  
 Streuwert 7.52, horizontal: 6.93, vertikal: 8.06




Serie 1:  
 9.2 ↙ 9.5 → 10.8 \* 9.8 ↗ 10.4 \*  
 10.0 ↘ 10.3 \* 9.5 → 9.3 ↙ 9.4 ↓  
 beste Teiler 116.0 (3.) 446.4 (5.) 505.5 (7.)  
 Trefferlage 2.77 mm rechts, 2.38 mm tief  
 Streuwert 6.96, horizontal: 7.86, vertikal: 5.92




Serie 2:  
 9.7 ← 10.0 ↖ 10.5 \* 10.2 ↘ 9.7 ↖  
 9.6 ↑ 9.7 ↓ 10.7 \* 9.7 ← 8.9 ↙  
 beste Teiler 209.7 (18.) 343.7 (13.) 584.9 (14.)  
 Trefferlage 4.07 mm links, 0.63 mm tief  
 Streuwert 6.30, horizontal: 5.13, vertikal: 7.29




Serie 3:  
 9.2 ↘ 9.0 ↙ 9.6 ↘ 9.0 ← 9.8 ←  
 10.7 \* 9.3 ↙ 10.1 ↓ 8.3 ↓ 9.6 ↙  
 beste Teiler 222.9 (26.) 708.6 (28.) 916.5 (25.)  
 Trefferlage 5.32 mm links, 8.35 mm tief  
 Streuwert 6.27, horizontal: 6.02, vertikal: 6.51




Serie 4:  
 9.9 ↓ 9.3 ↘ 9.1 ↘ 10.1 ↘ 9.4 ↓  
 8.0 ↓ 9.6 ← 8.4 ↖ 9.7 ↓ 10.2 ↘  
 beste Teiler 634.4 (40.) 713.1 (34.) 876.7 (31.)  
 Trefferlage 2.11 mm rechts, 6.24 mm tief  
 Streuwert 9.08, horizontal: 7.76, vertikal: 10.22



Serie 5:  
 9.7 ↘ 10.6 \* 10.4 \* 10.4 \* 8.7 ↑  
 9.8 → 9.9 ↖ 10.5 \* 10.3 \* 10.1 ←  
 beste Teiler 262.9 (42.) 349.8 (48.) 403.8 (44.)  
 Trefferlage 1.74 mm rechts, 2.46 mm hoch  
 Streuwert 5.91, horizontal: 5.12, vertikal: 6.61



Serie 6:  
 10.4 \* 9.8 ↙ 10.6 \* 9.5 → 9.9 ↗  
 10.5 \* 9.6 ↗ 9.8 ↑ 9.5 ↑ 10.2 →  
 beste Teiler 305.1 (53.) 322.0 (56.) 411.0 (51.)  
 Trefferlage 2.94 mm rechts, 2.56 mm hoch  
 Streuwert 5.57, horizontal: 5.24, vertikal: 5.88



**KK liegend** – Wertung – **Jungschützen**

StandNr: 14

**Streicher,, Sandro** #70407106

**StartNr: 142**

14. Juli 2019 9:40



SG\_Ebbser\_Schützen

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **584.2** (558)  
 Serien: 99.3 95.5 98.1 97.2 93.2 100.9  
 Zähler: 26 27 6 1 0 0 0 0 0  
 Innenzehner: 13  
 weiteste: 2867 (43), 2379 (46), 1960 (18)  
 beste Teiler 253.2 (52.) 267.2 (10.) 317.3 (51.)  
 Trefferlage 0.16 mm links, 0.54 mm hoch  
 Streuwert 7.83, horizontal: 6.99, vertikal: 8.59




Serie 1:  
 9.2 ↑                      9.8 →                      9.5 ↑                      10.1 ↑                      10.5 \*  
 9.5 ↘                      10.1 ↗                      10.1 ↘                      9.9 ↓                      10.6 \*  
 beste Teiler 267.2 (10.) 355.9 (5.) 650.9 (8.)  
 Trefferlage 2.90 mm rechts, 1.52 mm hoch  
 Streuwert 6.13, horizontal: 3.42, vertikal: 7.97




Serie 2:  
 9.5 ←                      9.3 ↓                      9.5 ↙                      9.7 ↑                      10.3 \*  
 8.8 ↖                      9.4 ↑                      8.5 ←                      10.2 ↘                      10.3 \*  
 beste Teiler 485.1 (20.) 515.1 (15.) 584.2 (19.)  
 Trefferlage 5.67 mm links, 0.31 mm tief  
 Streuwert 7.99, horizontal: 7.11, vertikal: 8.79




Serie 3:  
 9.3 ←                      9.8 ↖                      9.4 ↖                      9.7 ↑                      10.1 →  
 10.0 ←                      10.4 \*                      10.4 \*                      10.1 ↖                      8.9 ↘  
 beste Teiler 420.6 (28.) 434.0 (27.) 670.0 (25.)  
 Trefferlage 3.83 mm links, 0.59 mm hoch  
 Streuwert 6.69, horizontal: 6.11, vertikal: 7.22



Serie 4:  
 9.3 ↙                      9.2 ↑                      8.8 →                      10.2 ↖                      10.5 \*  
 9.9 →                      9.1 ↗                      10.4 \*                      10.4 \*                      9.4 ↓  
 beste Teiler 397.2 (35.) 430.2 (38.) 457.6 (39.)  
 Trefferlage 2.36 mm rechts, 0.17 mm tief  
 Streuwert 7.94, horizontal: 7.91, vertikal: 7.97



Serie 5:  
 9.7 ↘                      9.3 ↙                      7.4 ↑                      10.0 →                      10.4 \*  
 8.0 ↖                      9.8 →                      10.0 ↑                      8.7 ↑                      9.9 ↑  
 beste Teiler 472.3 (45.) 721.3 (48.) 776.6 (44.)  
 Trefferlage 1.45 mm rechts, 5.21 mm hoch  
 Streuwert 10.44, horizontal: 8.22, vertikal: 12.26



Serie 6:  
 10.6 \*                      10.6 \*                      10.2 ↖                      9.6 ↓                      10.5 \*  
 10.3 →                      9.6 ↘                      9.3 ↓                      10.3 ↓                      9.9 →  
 beste Teiler 253.2 (52.) 317.3 (51.) 360.0 (55.)  
 Trefferlage 1.82 mm rechts, 3.55 mm tief  
 Streuwert 4.92, horizontal: 4.14, vertikal: 5.59

Meyton Elektronik

**KK liegend** – Wertung – **Jungschützen**

StandNr: 13

**Wirtenberger,, Matteo** #70201088

**StartNr: 141**

14. Juli 2019 9:47

SG\_Absam

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik