





Ergebnis: **377** (395.3)  
 Serien: 96 97 93 91  
 Zähler: 20 17 3 0 0 0 0 0 0 0  
 Innenzehner: 17  
 weiteste: 644 (28), 557 (39), 549 (32)  
 beste Teiler 2.2 (17.) 8.0 (1.) 73.6 (11.)  
 Trefferlage 0.54 mm links, 0.27 mm hoch  
 Streuwert 2.21, horizontal: 2.76, vertikal: 1.46




Serie 1:  
 10.9 \*                      10.6 \*                      10.6 \*                      9.4 ↙                      9.2 ↘  
 10.7 \*                      9.1 ←                      9.5 ←                      10.1 ↗                      10.4 \*  
 beste Teiler 8.0 (1.) 74.3 (6.) 81.7 (2.)  
 Trefferlage 1.26 mm links, 0.20 mm hoch  
 Streuwert 1.86, horizontal: 2.41, vertikal: 1.04



Serie 2:  
 10.7 \*                      10.2 \*                      10.5 \*                      10.3 \*                      10.6 \*  
 9.9 ↗                      10.9 \*                      9.4 ←                      10.6 \*                      9.1 →  
 beste Teiler 2.2 (17.) 73.6 (11.) 93.0 (15.)  
 Trefferlage 0.41 mm rechts, 0.07 mm hoch  
 Streuwert 1.72, horizontal: 2.25, vertikal: 0.92



Serie 3:  
 9.3 →                      10.5 \*                      10.6 \*                      10.2 \*                      9.2 ←  
 9.3 ↘                      9.6 ↘                      8.4 ←                      9.6 ↘                      10.1 ↘  
 beste Teiler 94.8 (23.) 122.4 (22.) 187.1 (24.)  
 Trefferlage 0.51 mm links, 0.15 mm hoch  
 Streuwert 2.62, horizontal: 3.32, vertikal: 1.65





Serie 4:  
 9.6 ↗                      8.8 ↗                      10.3 \*                      10.0 →                      10.2 \*  
 9.9 ←                      9.3 ←                      9.3 ←                      8.7 ↘                      9.7 ↘  
 beste Teiler 155.1 (33.) 178.0 (35.) 243.7 (34.)  
 Trefferlage 0.80 mm links, 0.65 mm hoch  
 Streuwert 2.63, horizontal: 3.07, vertikal: 2.10


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (390.6)  
 Serien: 92 91 97 93  
 Zähler: 18 17 5 0 0 0 0 0 0  
 Innenzehner: 12  
 weiteste: 684 (33), 568 (17), 558 (20)  
 beste Teiler 56.3 (5.) 71.0 (8.) 74.6 (34.)  
 Trefferlage 0.15 mm links, 0.20 mm tief  
 Streuwert 2.37, horizontal: 2.80, vertikal: 1.85




Serie 1:  
 9.7 ←                      9.8 ←                      9.6 ↘                      9.3 ←                      10.7 \*  
 9.3 ↗                      9.4 →                      10.7 \*                      10.2 \*                      8.7 ↘  
 beste Teiler 56.3 (5.) 71.0 (8.) 180.8 (9.)  
 Trefferlage 0.44 mm rechts, 0.49 mm tief  
 Streuwert 2.46, horizontal: 3.24, vertikal: 1.27



Serie 2:  
 10.0 ↓                      9.8 ↗                      9.9 ↘                      10.3 \*                      9.9 ↓  
 10.0 →                      8.7 →                      9.6 ↗                      9.9 →                      8.7 ↙  
 beste Teiler 161.7 (14.) 232.1 (11.) 234.9 (16.)  
 Trefferlage 1.41 mm rechts, 0.31 mm tief  
 Streuwert 2.31, horizontal: 2.33, vertikal: 2.30



Serie 3:  
 10.6 \*                      10.2 \*                      10.1 ↘                      10.4 \*                      10.2 \*  
 9.4 ←                      10.3 \*                      10.0 ↓                      9.2 ↘                      9.1 ←  
 beste Teiler 95.0 (21.) 128.5 (24.) 174.7 (27.)  
 Trefferlage 0.99 mm links, 0.39 mm tief  
 Streuwert 1.93, horizontal: 2.33, vertikal: 1.41





Serie 4:  
 9.4 ↘                      10.5 \*                      8.2 ←                      10.7 \*                      9.6 ↑  
 10.0 ↗                      9.5 ←                      10.0 ←                      8.8 ↙                      10.2 \*  
 beste Teiler 74.6 (34.) 103.1 (32.) 181.4 (40.)  
 Trefferlage 1.49 mm links, 0.40 mm hoch  
 Streuwert 2.45, horizontal: 2.57, vertikal: 2.33


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>381</b>	(397.3)
Serien:	94 96 98 93	
Zähler:	23 15 2 0 0 0 0 0 0 0	
Innenzehner:	17	
weiteste:	553 (40), 529 (1), 449 (16)	
beste Teiler	51.9 (27.) 65.7 (36.) 66.7 (18.)	
Trefferlage	0.09 mm links, 0.19 mm hoch	
Streuwert	2.09, horizontal: 2.32, vertikal: 1.83	




Serie 1:	8.8 ↗	10.0 ↘	9.2 ↖	10.3 *	9.3 ↘
	10.0 →	10.1 ←	9.3 ←	10.1 ↖	9.8 ↖
beste Teiler	151.3 (4.)	206.6 (9.)	220.9 (7.)		
Trefferlage	0.55 mm links, 1.44 mm hoch				
Streuwert	2.21, horizontal: 2.60, vertikal: 1.73				



Serie 2:	10.6 *	10.3 *	9.7 →	9.3 ↗	9.3 ↘
	9.2 ←	10.5 *	10.7 *	10.6 *	10.3 *
beste Teiler	66.7 (18.)	93.9 (11.)	94.5 (19.)		
Trefferlage	0.81 mm rechts, 0.29 mm hoch				
Streuwert	1.92, horizontal: 2.36, vertikal: 1.34				



Serie 3:	10.6 *	9.5 ↓	10.4 *	10.1 ↙	10.5 *
	10.2 *	10.7 *	10.2 *	10.0 ↙	9.7 ←
beste Teiler	51.9 (27.)	98.2 (21.)	118.1 (25.)		
Trefferlage	0.42 mm links, 0.40 mm tief				
Streuwert	1.51, horizontal: 1.64, vertikal: 1.37				





Serie 4:	9.2 ↘	10.4 *	10.5 *	9.8 ↑	9.3 ↘
	10.7 *	9.3 ↓	9.5 ←	10.6 *	8.7 ←
beste Teiler	65.7 (36.)	96.6 (39.)	125.7 (33.)		
Trefferlage	0.20 mm links, 0.56 mm tief				
Streuwert	2.46, horizontal: 2.65, vertikal: 2.25				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **379** (398.1)  
 Serien: 95 95 94 95  
 Zähler: 20 19 1 0 0 0 0 0 0 0  
 Innenzehner: 16  
 weiteste: 584 (31), 451 (16), 429 (5)  
 beste Teiler 57.4 (21.) 57.6 (14.) 59.0 (4.)  
 Trefferlage 0.60 mm links, 0.22 mm hoch  
 Streuwert 1.92, horizontal: 2.06, vertikal: 1.78




Serie 1:  
 9.8 ↘ 10.0 ↑ 9.3 ↙ 10.7 \* 9.2 ↙  
 9.7 ↓ 9.9 → 10.3 \* 10.2 \* 10.2 \*  
 beste Teiler 59.0 (4.) 166.7 (8.) 195.4 (9.)  
 Trefferlage 0.36 mm links, 0.13 mm hoch  
 Streuwert 2.05, horizontal: 1.77, vertikal: 2.30



Serie 2:  
 10.4 \* 9.9 ↑ 10.1 ↘ 10.7 \* 9.8 ↙  
 9.1 ← 10.2 \* 10.2 \* 9.5 ↘ 9.4 ←  
 beste Teiler 57.6 (14.) 134.0 (11.) 179.4 (18.)  
 Trefferlage 1.37 mm links, 0.04 mm tief  
 Streuwert 1.81, horizontal: 2.01, vertikal: 1.60



Serie 3:  
 10.7 \* 9.9 ↙ 9.8 → 9.5 → 10.3 \*  
 9.5 ↙ 10.5 \* 10.5 \* 9.9 → 9.5 ↘  
 beste Teiler 57.4 (21.) 111.4 (28.) 121.6 (27.)  
 Trefferlage 0.17 mm rechts, 0.42 mm tief  
 Streuwert 1.90, horizontal: 2.22, vertikal: 1.51





Serie 4:  
 8.6 ← 10.6 \* 9.6 ↘ 10.2 \* 10.5 \*  
 10.0 ↑ 10.3 \* 9.9 ↘ 10.0 ↘ 9.7 ↘  
 beste Teiler 76.3 (32.) 112.2 (35.) 172.1 (37.)  
 Trefferlage 0.85 mm links, 1.24 mm hoch  
 Streuwert 1.82, horizontal: 2.19, vertikal: 1.36


Unterschrift des Schützen




Ergebnis: **373** (391.9)  
 Serien: 94 92 92 95  
 Zähler: 19 16 4 1 0 0 0 0 0 0  
 Innenzehner: 18  
 weiteste: 864 (20), 597 (14), 545 (7)  
 beste Teiler 32.2 (19.) 56.2 (9.) 57.8 (24.)  
 Trefferlage 0.20 mm rechts, 0.27 mm tief  
 Streuwert 2.46, horizontal: 2.73, vertikal: 2.15




Serie 1:  
 10.2 \*                      10.6 \*                      10.3 \*                      9.8 →                      9.4 ↙  
 10.2 \*                      8.8 ↘                      9.8 ↖                      10.7 \*                      9.2 ↑  
 beste Teiler 56.2 (9.) 87.6 (2.) 173.1 (3.)  
 Trefferlage 0.26 mm rechts, 0.03 mm tief  
 Streuwert 2.24, horizontal: 2.12, vertikal: 2.35



Serie 2:  
 10.3 \*                      9.3 ←                      10.2 \*                      8.6 →                      10.5 \*  
 9.9 →                      9.7 →                      10.0 ↘                      10.8 \*                      7.5 ↘  
 beste Teiler 32.2 (19.) 113.6 (15.) 174.1 (11.)  
 Trefferlage 1.65 mm rechts, 0.61 mm tief  
 Streuwert 2.65, horizontal: 2.89, vertikal: 2.38



Serie 3:  
 8.9 ↖                      9.3 →                      10.7 \*                      10.7 \*                      9.4 ↓  
 9.0 ↓                      9.3 ←                      9.6 ↘                      9.0 ←                      10.7 \*  
 beste Teiler 57.8 (24.) 61.0 (30.) 63.1 (23.)  
 Trefferlage 0.71 mm links, 0.88 mm tief  
 Streuwert 2.63, horizontal: 2.86, vertikal: 2.37





Serie 4:  
 10.4 \*                      10.5 \*                      9.4 ←                      10.3 \*                      10.6 \*  
 9.0 →                      9.2 ↑                      10.6 \*                      8.8 ←                      10.7 \*  
 beste Teiler 60.4 (40.) 77.7 (35.) 96.2 (38.)  
 Trefferlage 0.38 mm links, 0.42 mm hoch  
 Streuwert 2.20, horizontal: 2.77, vertikal: 1.42


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (378.8)  
 Serien: 89 89 89 92  
 Zähler: 10 21 7 2 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 848 (7), 836 (6), 716 (27)  
 beste Teiler 13.0 (9.) 79.6 (3.) 82.2 (4.)  
 Trefferlage 0.53 mm links, 0.42 mm tief  
 Streuwert 2.98, horizontal: 3.52, vertikal: 2.33




Serie 1:  
 9.7 ↑ 10.4 \* 10.6 \* 10.6 \* 9.9 ↖  
 7.6 ← 7.6 ← 9.1 ↘ 10.9 \* 8.6 ←  
 beste Teiler 13.0 (9.) 79.6 (3.) 82.2 (4.)  
 Trefferlage 2.09 mm links, 0.23 mm tief  
 Streuwert 3.11, horizontal: 3.90, vertikal: 2.03



Serie 2:  
 9.7 ↖ 8.8 ↖ 9.8 ↖ 10.0 ↖ 9.1 ↗  
 9.3 ← 9.5 ↖ 9.9 ← 8.8 → 9.9 →  
 beste Teiler 226.3 (14.) 265.5 (20.) 272.8 (18.)  
 Trefferlage 1.00 mm links, 0.76 mm hoch  
 Streuwert 2.70, horizontal: 3.48, vertikal: 1.60





Serie 3:  
 10.0 ↖ 9.9 → 8.4 ↘ 8.4 ↘ 9.9 ↖  
 9.8 ↘ 8.1 ↓ 9.0 ↖ 9.0 ↗ 10.4 \*  
 beste Teiler 130.2 (30.) 245.6 (21.) 267.0 (22.)  
 Trefferlage 0.97 mm rechts, 1.36 mm tief  
 Streuwert 3.19, horizontal: 3.46, vertikal: 2.90




Serie 4:  
 10.0 ↖ 9.8 → 9.5 ↓ 10.0 → 9.2 ↖  
 9.0 ↗ 10.6 \* 9.8 ↓ 8.4 ↖ 9.8 →  
 beste Teiler 96.7 (37.) 227.7 (31.) 243.9 (34.)  
 Trefferlage 0.02 mm links, 0.85 mm tief  
 Streuwert 2.66, horizontal: 2.93, vertikal: 2.36

Unterschrift des Schützen


Ergebnis: **372** (388.2)  
 Serien: 92 95 93 92  
 Zähler: 19 15 5 1 0 0 0 0 0 0  
 Innenzehner: 12  
 weiteste: 779 (21), 681 (27), 625 (10)  
 beste Teiler 95.2 (25.) 105.1 (20.) 122.0 (28.)  
 Trefferlage 0.39 mm rechts, 0.46 mm tief  
 Streuwert 2.51, horizontal: 2.96, vertikal: 1.95




Serie 1:  
 9.3 ↗ 10.0 → 9.8 ↙ 9.8 ↓ 10.0 ↖  
 9.0 ↖ 10.2 \* 9.9 ↑ 9.0 ← 8.5 →  
 beste Teiler 186.2 (7.) 234.5 (5.) 237.7 (2.)  
 Trefferlage 0.24 mm links, 0.01 mm tief  
 Streuwert 2.80, horizontal: 3.36, vertikal: 2.11



Serie 2:  
 9.7 → 10.2 \* 10.4 \* 10.1 ↙ 9.8 ↘  
 8.8 ↘ 10.0 ↓ 10.0 ↓ 9.0 ↘ 10.5 \*  
 beste Teiler 105.1 (20.) 127.2 (13.) 184.9 (12.)  
 Trefferlage 1.08 mm rechts, 1.60 mm tief  
 Streuwert 1.74, horizontal: 2.15, vertikal: 1.20



Serie 3:  
 7.8 ↘ 10.1 → 10.3 \* 10.2 \* 10.6 \*  
 10.1 ↗ 8.2 ← 10.5 \* 9.8 ↑ 9.3 ↘  
 beste Teiler 95.2 (25.) 122.0 (28.) 175.3 (23.)  
 Trefferlage 0.51 mm rechts, 0.06 mm tief  
 Streuwert 2.87, horizontal: 3.41, vertikal: 2.20



Serie 4:  
 9.5 ↑ 10.2 \* 9.8 ↓ 9.3 → 8.5 ←  
 10.4 \* 10.4 \* 9.9 ↙ 8.9 → 10.4 \*  
 beste Teiler 135.7 (36.) 136.8 (40.) 150.6 (37.)  
 Trefferlage 0.22 mm rechts, 0.17 mm tief  
 Streuwert 2.57, horizontal: 3.08, vertikal: 1.94

Unterschrift des Schützen

Meyton Elektronik