





Ergebnis: **382** (397.1)  
 Serien: 95 97 95 95  
 Zähler: 26 11 2 1 0 0 0 0 0 0  
 Innenzehner: 12  
 weiteste: 3129 (27), 1780 (5), 1757 (17)  
 beste Teiler 168.1 (22.) 178.9 (25.) 265.4 (14.)  
 Trefferlage 3.39 mm links, 2.08 mm tief  
 Streuwert 6.46, horizontal: 6.97, vertikal: 5.92




Serie 1:  
 10.4 \* 9.6 ↙ 9.1 ↙ 10.4 ↙ 8.7 ←  
 10.4 \* 9.2 ← 10.4 \* 10.5 \* 10.2 ↙  
 beste Teiler 337.0 (9.) 435.6 (1.) 464.6 (8.)  
 Trefferlage 5.17 mm links, 2.37 mm tief  
 Streuwert 6.11, horizontal: 7.01, vertikal: 5.06



Serie 2:  
 10.0 ← 9.6 ↘ 10.5 \* 10.6 \* 10.5 \*  
 10.2 ↘ 8.8 ↙ 10.5 \* 10.5 \* 10.1 ↙  
 beste Teiler 265.4 (14.) 328.4 (19.) 346.0 (18.)  
 Trefferlage 0.12 mm rechts, 3.47 mm tief  
 Streuwert 5.29, horizontal: 4.88, vertikal: 5.67





Serie 3:  
 10.1 ← 10.7 \* 10.0 ↙ 9.1 ↙ 10.7 \*  
 10.0 ↓ 7.0 ← 9.7 ↘ 10.2 ↘ 10.1 ↙  
 beste Teiler 168.1 (22.) 178.9 (25.) 581.4 (29.)  
 Trefferlage 6.59 mm links, 3.50 mm tief  
 Streuwert 7.39, horizontal: 8.26, vertikal: 6.41




Serie 4:  
 10.2 ↓ 9.9 ↑ 9.5 ← 10.1 ← 9.6 ↑  
 10.2 ↙ 9.9 ↙ 10.4 \* 10.0 ↑ 9.5 →  
 beste Teiler 404.3 (38.) 603.3 (36.) 640.1 (31.)  
 Trefferlage 1.93 mm links, 1.03 mm hoch  
 Streuwert 6.15, horizontal: 6.17, vertikal: 6.13

Unterschrift des Schützen


Ergebnis: **369** (386.4)  
 Serien: 93 95 90 91  
 Zähler: 14 21 5 0 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 2180 (35), 2056 (3), 1956 (8)  
 beste Teiler 338.5 (17.) 389.5 (6.) 391.0 (4.)  
 Trefferlage 0.28 mm links, 0.08 mm tief  
 Streuwert 8.12, horizontal: 8.40, vertikal: 7.84




Serie 1:  
 10.4 \*                      9.2 ↓                      8.4 →                      10.5 \*                      10.1 ↖  
 10.5 \*                      9.5 →                      8.5 ↙                      9.6 ↗                      10.2 ↑  
 beste Teiler 389.5 (6.) 391.0 (4.) 470.7 (1.)  
 Trefferlage 1.43 mm rechts, 1.40 mm tief  
 Streuwert 8.66, horizontal: 9.53, vertikal: 7.70



Serie 2:  
 9.9 ↘                      9.6 →                      9.9 ←                      10.0 ↖                      10.1 ↑  
 10.1 ↖                      10.5 \*                      10.1 ↖                      9.4 →                      9.9 ←  
 beste Teiler 338.5 (17.) 645.4 (16.) 659.6 (15.)  
 Trefferlage 0.65 mm links, 1.06 mm hoch  
 Streuwert 6.11, horizontal: 7.68, vertikal: 3.96



Serie 3:  
 8.9 ↙                      9.8 ↖                      9.2 ↘                      9.8 ↓                      9.7 ←  
 10.3 ←                      9.0 ↗                      9.5 ↗                      9.4 ↗                      9.1 ↙  
 beste Teiler 525.0 (26.) 886.0 (24.) 891.1 (22.)  
 Trefferlage 0.99 mm links, 0.34 mm tief  
 Streuwert 9.10, horizontal: 8.71, vertikal: 9.47





Serie 4:  
 10.3 ←                      9.9 →                      10.2 ↘                      9.4 ←                      8.2 ↗  
 9.3 ↑                      8.6 ←                      9.8 ↓                      9.3 ↓                      10.3 →  
 beste Teiler 488.3 (31.) 510.0 (40.) 583.3 (33.)  
 Trefferlage 0.93 mm links, 0.35 mm hoch  
 Streuwert 9.32, horizontal: 8.69, vertikal: 9.91


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **363** (381.5)  
 Serien: 90 90 93 90  
 Zähler: 12 20 7 1 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 2979 (32), 2272 (23), 1940 (31)  
 beste Teiler 165.0 (25.) 211.5 (5.) 263.8 (8.)  
 Trefferlage 4.62 mm links, 3.11 mm tief  
 Streuwert 8.13, horizontal: 8.82, vertikal: 7.37




Serie 1:  
 8.9 ↙ 9.1 ↘ 8.8 ↙ 9.8 ← 10.7 \*  
 9.3 ↙ 9.8 ↘ 10.6 \* 9.6 ↘ 9.1 ↙  
 beste Teiler 211.5 (5.) 263.8 (8.) 889.6 (4.)  
 Trefferlage 2.30 mm links, 6.80 mm tief  
 Streuwert 7.29, horizontal: 9.00, vertikal: 5.03



Serie 2:  
 10.6 \* 9.3 ↑ 8.7 ↓ 9.8 ↙ 10.0 ↓  
 9.6 ↙ 9.2 ← 8.8 ← 9.8 ↙ 9.7 ←  
 beste Teiler 316.4 (11.) 783.8 (15.) 915.8 (19.)  
 Trefferlage 4.59 mm links, 3.57 mm tief  
 Streuwert 7.91, horizontal: 6.84, vertikal: 8.85





Serie 3:  
 9.4 ↙ 9.7 ↘ 8.1 ↙ 9.9 ↗ 10.7 \*  
 10.1 ← 10.0 ↑ 10.0 ← 8.9 ← 10.2 ↙  
 beste Teiler 165.0 (25.) 626.8 (30.) 679.0 (26.)  
 Trefferlage 4.50 mm links, 2.05 mm tief  
 Streuwert 7.71, horizontal: 8.26, vertikal: 7.12




Serie 4:  
 8.5 ↙ 7.2 ← 9.3 ↘ 10.3 ↓ 10.0 ↑  
 10.0 ↘ 9.1 ← 9.3 ↘ 9.7 ↙ 9.9 ↗  
 beste Teiler 524.0 (34.) 760.1 (36.) 773.4 (35.)  
 Trefferlage 7.10 mm links, 0.03 mm tief  
 Streuwert 9.54, horizontal: 11.33, vertikal: 7.33

Unterschrift des Schützen


Ergebnis: **363** (379.8)  
 Serien: 91 90 93 89  
 Zähler: 12 20 7 1 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 2418 (35), 2075 (18), 2050 (30)  
 beste Teiler 243.2 (37.) 332.9 (23.) 374.3 (36.)  
 Trefferlage 0.78 mm rechts, 3.58 mm hoch  
 Streuwert 8.72, horizontal: 9.14, vertikal: 8.28




Serie 1:  
 9.6 → 9.1 ↑ 9.1 ↘ 10.0 ↗ 10.3 ↗  
 8.8 ↗ 9.3 ↘ 9.2 ↗ 9.0 ↓ 9.5 ↘  
 beste Teiler 484.6 (5.) 737.3 (4.) 1106.8 (1.)  
 Trefferlage 1.32 mm rechts, 2.68 mm hoch  
 Streuwert 9.33, horizontal: 8.92, vertikal: 9.73



Serie 2:  
 10.1 → 10.0 ↓ 9.8 ↑ 9.6 ↖ 8.6 ↑  
 9.9 ↘ 8.9 ← 8.4 ← 9.8 ↑ 10.1 ←  
 beste Teiler 698.5 (11.) 713.3 (20.) 759.3 (12.)  
 Trefferlage 3.13 mm links, 3.04 mm hoch  
 Streuwert 8.79, horizontal: 9.21, vertikal: 8.34



Serie 3:  
 9.2 ↑ 9.4 ↑ 10.5 \* 9.1 ↗ 10.0 ↘  
 9.3 ↑ 10.3 ↖ 10.3 ↓ 9.8 ↘ 8.4 ↗  
 beste Teiler 332.9 (23.) 487.3 (27.) 505.0 (28.)  
 Trefferlage 1.98 mm rechts, 6.66 mm hoch  
 Streuwert 6.99, horizontal: 7.51, vertikal: 6.42





Serie 4:  
 9.8 ↗ 8.8 ← 9.0 ↖ 9.9 ↓ 7.9 ↗  
 10.5 \* 10.6 \* 10.1 ↑ 9.1 ↗ 8.7 →  
 beste Teiler 243.2 (37.) 374.3 (36.) 704.4 (38.)  
 Trefferlage 2.95 mm rechts, 1.96 mm hoch  
 Streuwert 9.85, horizontal: 10.82, vertikal: 8.76


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **372** (388.9)  
 Serien: 98 92 92 90  
 Zähler: 18 17 4 1 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 2613 (29), 2277 (16), 2239 (18)  
 beste Teiler 232.2 (9.) 255.6 (10.) 267.6 (35.)  
 Trefferlage 0.06 mm links, 2.10 mm tief  
 Streuwert 8.05, horizontal: 7.89, vertikal: 8.20




Serie 1:  
 10.4 \*                      9.7 ↖                      10.2 ↓                      10.2 ↗                      10.1 ←  
 10.1 ←                      10.1 →                      9.5 ↗                      10.7 \*                      10.6 \*  
 beste Teiler 232.2 (9.) 255.6 (10.) 469.1 (1.)  
 Trefferlage 1.38 mm links, 1.04 mm hoch  
 Streuwert 4.99, horizontal: 5.91, vertikal: 3.86



Serie 2:  
 9.5 →                      10.6 \*                      9.2 ↙                      9.1 ↓                      10.5 \*  
 8.1 ↙                      10.0 ←                      8.2 ↙                      9.2 ↙                      10.5 \*  
 beste Teiler 318.2 (12.) 358.1 (15.) 366.8 (20.)  
 Trefferlage 5.21 mm links, 5.87 mm tief  
 Streuwert 8.35, horizontal: 9.15, vertikal: 7.46





Serie 3:  
 9.9 ↙                      9.9 ↗                      10.1 ↓                      10.2 ↓                      10.1 ←  
 10.3 ↖                      9.8 ↖                      9.3 →                      7.7 ↓                      9.7 ↗  
 beste Teiler 559.2 (26.) 633.2 (24.) 642.7 (23.)  
 Trefferlage 0.43 mm rechts, 2.29 mm tief  
 Streuwert 8.47, horizontal: 6.24, vertikal: 10.22




Serie 4:  
 10.4 \*                      8.8 ↓                      9.3 →                      8.6 ↗                      10.6 \*  
 9.8 ↘                      9.3 ↖                      9.9 ↘                      9.3 ↘                      9.4 →  
 beste Teiler 267.6 (35.) 438.8 (31.) 850.2 (38.)  
 Trefferlage 5.88 mm rechts, 1.28 mm tief  
 Streuwert 8.05, horizontal: 6.40, vertikal: 9.41

Unterschrift des Schützen


Ergebnis: **365** (380.7)  
 Serien: 87 92 92 94  
 Zähler: 14 18 7 1 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 2800 (2), 2257 (12), 2154 (24)  
 beste Teiler 313.7 (16.) 411.5 (23.) 436.8 (40.)  
 Trefferlage 3.61 mm links, 3.05 mm hoch  
 Streuwert 8.54, horizontal: 7.67, vertikal: 9.33




Serie 1:  
 9.3 ↘                      7.5 ↑                      8.7 ↓                      9.8 ↘                      10.3 ↗  
 8.7 ↑                      9.2 ↓                      9.2 ←                      9.6 ↘                      9.7 ←  
 beste Teiler 487.8 (5.) 894.0 (4.) 1032.8 (10.)  
 Trefferlage 4.38 mm links, 3.48 mm hoch  
 Streuwert 10.50, horizontal: 5.74, vertikal: 13.69



Serie 2:  
 10.4 \*                      8.1 ↘                      10.1 ↗                      10.2 ←                      9.5 ↓  
 10.6 \*                      10.0 ←                      9.9 ←                      8.5 ↘                      8.3 ↘  
 beste Teiler 313.7 (16.) 442.0 (11.) 575.1 (14.)  
 Trefferlage 5.67 mm links, 2.93 mm hoch  
 Streuwert 8.53, horizontal: 7.16, vertikal: 9.72



Serie 3:  
 9.1 ↘                      10.0 ↑                      10.4 \*                      8.3 ↘                      10.2 ↘  
 9.5 ↘                      8.9 ↘                      9.1 ↑                      9.0 ↘                      10.0 ↘  
 beste Teiler 411.5 (23.) 589.5 (25.) 772.4 (22.)  
 Trefferlage 3.24 mm links, 4.44 mm hoch  
 Streuwert 8.88, horizontal: 10.76, vertikal: 6.46





Serie 4:  
 9.3 ↓                      9.8 ↑                      9.9 ↗                      10.1 ↘                      9.8 ↘  
 10.3 ↘                      9.3 ←                      10.2 →                      9.5 →                      10.4 \*  
 beste Teiler 436.8 (40.) 542.7 (36.) 562.4 (38.)  
 Trefferlage 1.13 mm links, 1.35 mm hoch  
 Streuwert 6.73, horizontal: 6.53, vertikal: 6.91


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367** (384.5)  
 Serien: 94 93 92 88  
 Zähler: 16 16 7 1 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 2600 (33), 2214 (39), 2182 (1)  
 beste Teiler 62.1 (3.) 201.7 (26.) 335.4 (13.)  
 Trefferlage 2.10 mm links, 0.42 mm hoch  
 Streuwert 8.68, horizontal: 7.96, vertikal: 9.34




Serie 1:  
 8.2 ↗ 10.1 ↖ 10.9 \* 9.1 ↗ 8.6 ↓  
 10.2 ↘ 10.4 \* 10.4 \* 9.0 ↖ 10.1 ↖  
 beste Teiler 62.1 (3.) 407.3 (8.) 441.7 (7.)  
 Trefferlage 3.15 mm links, 1.59 mm hoch  
 Streuwert 8.64, horizontal: 5.70, vertikal: 10.81



Serie 2:  
 8.6 → 8.5 ↓ 10.5 \* 9.0 ↖ 9.9 ↖  
 10.0 ↓ 10.2 ↗ 9.8 ↑ 10.1 ↖ 10.2 ↘  
 beste Teiler 335.4 (13.) 561.6 (17.) 582.0 (20.)  
 Trefferlage 0.85 mm links, 2.57 mm tief  
 Streuwert 8.28, horizontal: 8.45, vertikal: 8.12





Serie 3:  
 9.3 ↑ 9.7 ↖ 9.3 ↖ 9.5 ↖ 10.5 \*  
 10.7 \* 8.9 ↖ 9.7 ↗ 9.5 ↓ 10.5 \*  
 beste Teiler 201.7 (26.) 341.0 (25.) 383.8 (30.)  
 Trefferlage 3.21 mm links, 0.64 mm hoch  
 Streuwert 7.46, horizontal: 7.09, vertikal: 7.81




Serie 4:  
 10.2 ↗ 9.8 ↖ 7.7 ↖ 9.9 ↗ 8.6 →  
 9.7 ↗ 9.2 ↓ 9.5 ↓ 8.2 ↖ 10.3 ↘  
 beste Teiler 526.9 (40.) 568.9 (31.) 873.3 (34.)  
 Trefferlage 1.20 mm links, 2.03 mm hoch  
 Streuwert 10.84, horizontal: 10.73, vertikal: 10.96

Unterschrift des Schützen


Ergebnis: **358** (377.2)  
 Serien: 89 93 87 89  
 Zähler: 14 13 10 3 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 2794 (20), 2626 (25), 2538 (29)  
 beste Teiler 117.6 (37.) 234.5 (19.) 457.4 (13.)  
 Trefferlage 4.91 mm rechts, 3.40 mm tief  
 Streuwert 8.90, horizontal: 9.07, vertikal: 8.74




Serie 1:  
 8.3 ↗ 10.1 → 8.5 ↓ 10.3 → 8.9 ↘  
 9.3 ↘ 10.2 ↙ 9.3 → 9.5 ↘ 8.8 ↙  
 beste Teiler 522.9 (4.) 567.8 (7.) 708.4 (2.)  
 Trefferlage 4.93 mm rechts, 4.99 mm tief  
 Streuwert 9.07, horizontal: 8.69, vertikal: 9.44



Serie 2:  
 9.6 → 8.7 → 10.4 \* 10.0 ↙ 10.1 ↙  
 9.7 ↘ 10.1 ↙ 10.0 ↑ 10.7 \* 7.5 →  
 beste Teiler 234.5 (19.) 457.4 (13.) 681.6 (17.)  
 Trefferlage 4.77 mm rechts, 3.07 mm tief  
 Streuwert 8.21, horizontal: 10.57, vertikal: 4.81



Serie 3:  
 10.1 → 10.1 ← 8.9 ↘ 10.3 ↗ 7.7 ↘  
 9.3 ↙ 9.3 ↘ 9.9 ↑ 7.8 ↘ 8.4 ↓  
 beste Teiler 492.3 (24.) 693.1 (22.) 693.9 (21.)  
 Trefferlage 5.44 mm rechts, 7.34 mm tief  
 Streuwert 9.75, horizontal: 8.92, vertikal: 10.52



Serie 4:  
 9.7 ↘ 9.8 ↘ 10.0 ↗ 9.2 → 9.9 ←  
 8.6 → 10.8 \* 8.7 ↑ 9.8 ↘ 8.9 →  
 beste Teiler 117.6 (37.) 747.7 (33.) 827.6 (35.)  
 Trefferlage 4.52 mm rechts, 1.80 mm hoch  
 Streuwert 8.55, horizontal: 9.42, vertikal: 7.57

Unterschrift des Schützen