





Ergebnis: **362** (379.1)  
 Serien: 92 92 88 90  
 Zähler: 14 15 10 1 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 2570 (11), 2208 (40), 2184 (36)  
 beste Teiler 159.4 (16.) 178.7 (5.) 234.0 (33.)  
 Trefferlage 0.60 mm links, 1.78 mm tief  
 Streuwert 9.64, horizontal: 8.37, vertikal: 10.77




Serie 1:  
 9.1 ↗ 9.8 ↑ 9.1 ↙ 9.4 ↑ 10.7 \*  
 8.5 ↘ 9.6 ↗ 10.4 \* 10.1 ↑ 9.0 ↘  
 beste Teiler 178.7 (5.) 416.5 (8.) 720.2 (9.)  
 Trefferlage 3.04 mm links, 2.08 mm hoch  
 Streuwert 8.67, horizontal: 7.35, vertikal: 9.82



Serie 2:  
 7.7 ↓ 10.2 ← 10.5 \* 9.3 ↘ 8.7 ↖  
 10.8 \* 9.6 ← 10.1 ↖ 10.1 ← 9.8 ←  
 beste Teiler 159.4 (16.) 349.7 (13.) 591.0 (12.)  
 Trefferlage 4.75 mm links, 2.57 mm tief  
 Streuwert 8.22, horizontal: 5.23, vertikal: 10.39



Serie 3:  
 10.1 ↘ 8.5 → 8.5 ↖ 10.4 \* 9.2 ↓  
 10.6 \* 8.4 ↗ 8.3 ↓ 9.9 ↓ 8.5 ↓  
 beste Teiler 311.5 (26.) 457.2 (24.) 705.0 (21.)  
 Trefferlage 3.01 mm rechts, 3.05 mm tief  
 Streuwert 11.01, horizontal: 9.47, vertikal: 12.36





Serie 4:  
 10.6 \* 8.2 ↘ 10.7 \* 10.3 ↘ 9.0 ↗  
 8.2 ↓ 9.7 ↘ 9.8 ↓ 9.5 → 8.2 ↗  
 beste Teiler 234.0 (33.) 245.8 (31.) 542.8 (34.)  
 Trefferlage 2.37 mm rechts, 3.58 mm tief  
 Streuwert 10.13, horizontal: 9.08, vertikal: 11.08

Unterschrift des Schützen


Meyton Elektronik

|              |  |         |
|--------------|--|---------|
| Ergebnis:    | <b>374</b>                             | (391.3) |
| Serien:      | 92 93 94 95                            |         |
| Zähler:      | 19 16 5 0 0 0 0 0 0 0                  |         |
| Innenzehner: | 7                                      |         |
| weiteste:    | 2392 (3), 2299 (32), 1990 (4)          |         |
| beste Teiler | 57.6 (10.) 115.4 (37.) 188.4 (20.)     |         |
| Trefferlage  | 3.39 mm rechts, 1.48 mm tief           |         |
| Streuwert    | 7.35, horizontal: 6.54, vertikal: 8.07 |         |




Serie 1:

|              |  |            |            |        |
|--------------|--|------------|------------|--------|
| 10.0 →       | 9.6 ↘                                  | 8.0 ↘      | 8.5 ↘      | 9.8 ↗  |
| 9.8 ↘        | 9.3 ↗                                  | 10.3 ↖     | 10.3 ↖     | 10.9 * |
| beste Teiler | 57.6 (10.)                             | 513.8 (9.) | 550.6 (8.) |        |
| Trefferlage  | 4.99 mm rechts, 2.92 mm tief           |            |            |        |
| Streuwert    | 8.21, horizontal: 6.63, vertikal: 9.53 |            |            |        |




Serie 2:

|              |  |             |             |        |
|--------------|--|-------------|-------------|--------|
| 8.6 ↘        | 10.1 ↖                                 | 9.7 →       | 9.7 ↘       | 10.7 * |
| 9.4 →        | 10.4 *                                 | 10.5 *      | 8.9 ↖       | 10.7 * |
| beste Teiler | 188.4 (20.)                            | 232.8 (15.) | 338.2 (18.) |        |
| Trefferlage  | 3.45 mm rechts, 2.36 mm tief           |             |             |        |
| Streuwert    | 6.97, horizontal: 8.76, vertikal: 4.53 |             |             |        |



Serie 3:

|              |  |             |             |        |
|--------------|--|-------------|-------------|--------|
| 9.0 →        | 10.1 ↗                                 | 10.1 →      | 9.9 ↗       | 10.5 * |
| 9.1 ↘        | 10.3 ↖                                 | 9.4 ↖       | 9.6 ↘       | 9.5 ↘  |
| beste Teiler | 370.7 (25.)                            | 555.4 (27.) | 660.9 (23.) |        |
| Trefferlage  | 4.14 mm rechts, 0.05 mm hoch           |             |             |        |
| Streuwert    | 7.03, horizontal: 5.98, vertikal: 7.94 |             |             |        |





Serie 4:


|              |   |             |             |        |
|--------------|---|-------------|-------------|--------|
| 10.2 ↖       | 8.1 ↑                                   | 10.2 →      | 10.3 ↘      | 10.3 ↖ |
| 10.1 ↘       | 10.8 *                                  | 9.2 ↘       | 9.7 ↘       | 9.7 ↗  |
| beste Teiler | 115.4 (37.)                             | 500.8 (34.) | 536.3 (35.) |        |
| Trefferlage  | 0.99 mm rechts, 0.69 mm tief            |             |             |        |
| Streuwert    | 7.77, horizontal: 4.37, vertikal: 10.08 |             |             |        |

Unterschrift des Schützen


Ergebnis: **363** (382.2)  
 Serien: 91 93 89 90  
 Zähler: 12 19 9 0 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 2252 (38), 2198 (37), 1926 (12)  
 beste Teiler 85.0 (27.) 126.8 (15.) 277.6 (14.)  
 Trefferlage 0.63 mm links, 0.93 mm hoch  
 Streuwert 8.98, horizontal: 8.87, vertikal: 9.08




Serie 1:  
 9.6 ↙                      9.0 ↘                      9.4 ↙                      10.4 ↘                      8.8 ↓  
 9.2 ↗                      10.1 ↓                      9.0 ↓                      9.9 ↑                      9.8 ←  
 beste Teiler 476.6 (4.) 705.8 (7.) 850.4 (9.)  
 Trefferlage 0.74 mm links, 3.62 mm tief  
 Streuwert 8.61, horizontal: 8.61, vertikal: 8.62



Serie 2:  
 9.0 →                      8.5 ↓                      9.9 ↓                      10.6 \*                      10.8 \*  
 10.4 \*                      8.9 ↗                      10.6 \*                      10.4 \*                      9.1 ↖  
 beste Teiler 126.8 (15.) 277.6 (14.) 312.8 (18.)  
 Trefferlage 1.20 mm rechts, 1.29 mm tief  
 Streuwert 8.12, horizontal: 7.83, vertikal: 8.39



Serie 3:  
 9.9 ↙                      8.7 ↑                      9.8 ↖                      9.2 ↙                      8.8 ↘  
 9.2 →                      10.8 \*                      10.2 ↖                      8.9 ↖                      9.7 ↗  
 beste Teiler 85.0 (27.) 592.8 (28.) 852.9 (21.)  
 Trefferlage 0.25 mm links, 2.00 mm hoch  
 Streuwert 9.29, horizontal: 8.87, vertikal: 9.69





Serie 4:  
 9.1 ↖                      8.6 ←                      9.8 ↑                      9.2 ↑                      10.5 \*  
 10.4 \*                      8.2 →                      8.1 ↖                      9.7 ↖                      10.0 ↑  
 beste Teiler 337.4 (35.) 456.1 (36.) 786.2 (40.)  
 Trefferlage 2.75 mm links, 6.66 mm hoch  
 Streuwert 9.24, horizontal: 10.86, vertikal: 7.26


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **346** (360.5)  
 Serien: 88 88 88 82  
 Zähler: 7 18 9 6 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 3076 (39), 3059 (15), 3023 (27)  
 beste Teiler 303.6 (19.) 334.5 (8.) 391.1 (12.)  
 Trefferlage 3.94 mm links, 3.96 mm tief  
 Streuwert 11.57, horizontal: 10.02, vertikal: 12.93




Serie 1:  
 9.0 ↙                      8.9 ↘                      9.2 ←                      9.2 ↗                      7.5 ↘  
 9.5 ↘                      10.2 ↓                      10.5 \*                      9.0 →                      8.1 ↘  
 beste Teiler 334.5 (8.) 609.1 (7.) 1147.9 (6.)  
 Trefferlage 7.01 mm links, 3.63 mm tief  
 Streuwert 10.52, horizontal: 9.90, vertikal: 11.10



Serie 2:  
 8.3 ↘                      10.5 \*                      10.2 ←                      9.6 ↘                      7.1 ↗  
 9.0 ↗                      8.8 ←                      8.8 →                      10.6 \*                      9.0 ↓  
 beste Teiler 303.6 (19.) 391.1 (12.) 616.0 (13.)  
 Trefferlage 5.44 mm links, 2.93 mm tief  
 Streuwert 11.17, horizontal: 11.43, vertikal: 10.91





Serie 3:  
 9.1 ↘                      9.3 ↑                      9.5 ↓                      10.0 ↓                      10.0 →  
 8.3 ↘                      7.2 ↓                      8.5 ↑                      9.6 ↗                      9.1 ←  
 beste Teiler 755.6 (25.) 786.7 (24.) 1115.4 (29.)  
 Trefferlage 2.33 mm links, 1.27 mm tief  
 Streuwert 12.16, horizontal: 6.97, vertikal: 15.72




Serie 4:  
 7.8 ↗                      9.9 ↘                      7.9 ↓                      9.0 ←                      8.9 ↑  
 9.0 ↘                      8.6 ↘                      9.3 ↘                      7.1 ↓                      9.4 ↘  
 beste Teiler 864.5 (32.) 1227.4 (40.) 1318.4 (38.)  
 Trefferlage 0.97 mm links, 8.00 mm tief  
 Streuwert 13.04, horizontal: 11.50, vertikal: 14.42

Unterschrift des Schützen


Ergebnis: **353** (373.2)  
 Serien: 84 90 89 90  
 Zähler: 11 16 8 5 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 3131 (11), 2791 (1), 2526 (23)  
 beste Teiler 189.2 (35.) 212.8 (30.) 223.8 (33.)  
 Trefferlage 0.06 mm links, 6.87 mm tief  
 Streuwert 9.62, horizontal: 9.54, vertikal: 9.70




Serie 1:  
 7.5 ↓                      7.8 ↙                      9.3 ↘                      9.2 ↘                      9.8 ↙  
 9.2 ↘                      9.5 ↖                      8.8 ↑                      8.2 ←                      9.2 ↘  
 beste Teiler 915.1 (5.) 1183.4 (7.) 1284.2 (3.)  
 Trefferlage 1.28 mm links, 9.32 mm tief  
 Streuwert 11.29, horizontal: 10.89, vertikal: 11.67



Serie 2:  
 7.0 ↖                      10.1 ↓                      10.0 →                      8.3 ↙                      9.8 ↘  
 10.6 \*                      10.6 \*                      10.4 \*                      8.5 →                      8.6 ↗  
 beste Teiler 254.0 (16.) 279.2 (17.) 432.2 (18.)  
 Trefferlage 0.37 mm rechts, 4.30 mm tief  
 Streuwert 11.01, horizontal: 12.03, vertikal: 9.87



Serie 3:  
 9.8 ↖                      9.8 ↓                      7.8 ↓                      10.1 ↑                      10.5 \*  
 10.1 ↓                      8.6 →                      9.9 ↘                      7.9 ↓                      10.7 \*  
 beste Teiler 212.8 (30.) 391.9 (25.) 693.8 (24.)  
 Trefferlage 0.36 mm rechts, 7.62 mm tief  
 Streuwert 8.73, horizontal: 7.18, vertikal: 10.04





Serie 4:  
 8.4 ↘                      8.6 ↓                      10.7 \*                      9.2 ←                      10.7 \*  
 9.1 ↖                      9.6 →                      9.8 ←                      9.9 →                      9.6 ↓  
 beste Teiler 189.2 (35.) 223.8 (33.) 850.0 (39.)  
 Trefferlage 0.30 mm rechts, 6.24 mm tief  
 Streuwert 8.24, horizontal: 8.81, vertikal: 7.64


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **336** (354.4)  
 Serien: 83 76 87 90  
 Zähler: 5 17 14 0 2 1 1 0 0 0  
 Innenzehner: 3  
 weiteste: 4998 (17), 4257 (13), 3826 (12)  
 beste Teiler 166.2 (35.) 206.2 (38.) 395.6 (8.)  
 Trefferlage 7.81 mm links, 1.98 mm hoch  
 Streuwert 12.83, horizontal: 14.16, vertikal: 11.35




Serie 1:  
 9.4 ↘                      8.6 ↙                      8.0 ↙                      8.0 ↗                      8.5 ↖  
 6.2 ↗                      8.4 ↑                      10.5 \*                      9.8 ←                      9.4 ↙  
 beste Teiler 395.6 (8.) 898.1 (9.) 1203.0 (1.)  
 Trefferlage 4.99 mm links, 5.97 mm hoch  
 Streuwert 13.92, horizontal: 12.94, vertikal: 14.83



Serie 2:  
 9.9 ↖                      6.2 ←                      5.6 ↖                      8.2 ←                      10.0 ↓  
 9.5 ↙                      4.7 ←                      8.9 ↖                      8.7 →                      9.9 ↓  
 beste Teiler 722.6 (15.) 816.5 (20.) 876.9 (11.)  
 Trefferlage 15.68 mm links, 0.57 mm tief  
 Streuwert 16.21, horizontal: 19.84, vertikal: 11.50



Serie 3:  
 9.4 ↑                      9.5 ↑                      8.3 ↙                      9.5 ↖                      8.7 ←  
 10.3 ↙                      8.2 ↙                      8.7 ↙                      9.4 ↖                      9.1 ↓  
 beste Teiler 541.4 (26.) 1127.4 (22.) 1155.3 (24.)  
 Trefferlage 8.39 mm links, 1.83 mm tief  
 Streuwert 9.59, horizontal: 8.27, vertikal: 10.74





Serie 4:  
 9.7 ↙                      9.5 →                      9.1 ↑                      8.0 ↖                      10.7 \*  
 9.5 ↖                      9.5 →                      10.7 \*                      9.6 ↗                      8.6 ↖  
 beste Teiler 166.2 (35.) 206.2 (38.) 1013.5 (31.)  
 Trefferlage 2.19 mm links, 4.37 mm hoch  
 Streuwert 9.19, horizontal: 11.22, vertikal: 6.55


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **353** (373.0)  
 Serien: 90 88 89 86  
 Zähler: 12 12 13 3 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 2809 (17), 2603 (32), 2498 (35)  
 beste Teiler 235.0 (39.) 235.3 (13.) 332.8 (4.)  
 Trefferlage 4.10 mm rechts, 4.41 mm tief  
 Streuwert 9.73, horizontal: 9.47, vertikal: 9.98




Serie 1:  
 9.3 ↗ 8.7 ↘ 9.5 ↘ 10.5 \* 10.0 ↘  
 10.3 ↘ 9.6 ↘ 8.3 → 8.5 ↘ 9.9 →  
 beste Teiler 332.8 (4.) 522.2 (6.) 757.4 (5.)  
 Trefferlage 6.93 mm rechts, 3.88 mm tief  
 Streuwert 7.99, horizontal: 7.13, vertikal: 8.77



Serie 2:  
 8.6 ↘ 10.5 \* 10.7 \* 8.4 ↘ 10.1 ↓  
 9.3 ↘ 7.4 ↘ 8.5 → 10.5 \* 8.1 →  
 beste Teiler 235.3 (13.) 364.0 (19.) 375.0 (12.)  
 Trefferlage 7.85 mm rechts, 6.89 mm tief  
 Streuwert 9.58, horizontal: 9.50, vertikal: 9.66





Serie 3:  
 9.4 ↑ 8.8 ↘ 8.7 ↘ 8.4 ↓ 9.7 ↘  
 9.9 ↘ 8.6 ↘ 10.1 ↖ 10.3 ↑ 10.1 ↓  
 beste Teiler 505.0 (29.) 655.7 (28.) 702.7 (30.)  
 Trefferlage 1.91 mm rechts, 3.70 mm tief  
 Streuwert 9.59, horizontal: 9.16, vertikal: 10.01




Serie 4:  
 9.9 → 7.7 ↖ 9.8 ↘ 9.5 ← 7.8 ↓  
 8.5 ↑ 10.1 → 9.6 ↓ 10.7 \* 8.7 →  
 beste Teiler 235.0 (39.) 650.0 (37.) 851.3 (31.)  
 Trefferlage 0.29 mm links, 3.16 mm tief  
 Streuwert 11.50, horizontal: 10.59, vertikal: 12.33

Unterschrift des Schützen


Ergebnis: **323** (341.0)  
 Serien: 79 79 87 78  
 Zähler: 7 10 11 6 4 1 1 0 0 0  
 Innenzehner: 4  
 weiteste: 5000 (4), 4281 (7), 3680 (35)  
 beste Teiler 200.8 (20.) 306.8 (3.) 368.1 (34.)  
 Trefferlage 0.79 mm rechts, 0.06 mm hoch  
 Streuwert 16.09, horizontal: 18.20, vertikal: 13.67




Serie 1:  
 10.0 ↖ 8.6 ← 10.6 \* 4.7 ← 8.4 ↓  
 8.8 ↙ 5.6 → 8.0 ↗ 9.1 ← 9.7 →  
 beste Teiler 306.8 (3.) 727.7 (1.) 1010.9 (10.)  
 Trefferlage 7.11 mm links, 1.41 mm tief  
 Streuwert 17.96, horizontal: 23.19, vertikal: 10.38



Serie 2:  
 9.8 ↘ 7.8 ↓ 8.9 ↓ 8.3 ↗ 9.5 ↖  
 8.3 ↗ 6.7 → 8.0 ↗ 6.9 ↘ 10.7 \*  
 beste Teiler 200.8 (20.) 952.3 (11.) 1139.7 (15.)  
 Trefferlage 10.59 mm rechts, 1.13 mm tief  
 Streuwert 14.34, horizontal: 12.50, vertikal: 15.97



Serie 3:  
 9.8 ↑ 9.6 → 7.0 ↘ 8.1 ↖ 10.0 ↑  
 7.1 ↙ 10.2 ↑ 9.5 ← 9.1 ↑ 9.6 ↖  
 beste Teiler 605.4 (27.) 785.9 (25.) 941.2 (21.)  
 Trefferlage 2.10 mm links, 0.44 mm hoch  
 Streuwert 13.34, horizontal: 10.30, vertikal: 15.81



Serie 4:  
 8.4 ↖ 7.4 → 8.7 → 10.5 \* 6.4 →  
 9.0 ↙ 7.2 ↖ 7.8 ← 10.5 \* 6.7 ↗  
 beste Teiler 368.1 (34.) 391.9 (39.) 1587.7 (36.)  
 Trefferlage 1.80 mm rechts, 2.36 mm hoch  
 Streuwert 17.83, horizontal: 21.19, vertikal: 13.66

Unterschrift des Schützen

Meyton Elektronik