





Ergebnis: **588.5** (563)
 Serien: 99.6 98.6 98.9 99.5 98.4 93.5
 Zähler: 32 19 9 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 2165 (53), 2140 (55), 2072 (43)
 beste Teiler 65.4 (26.) 113.5 (49.) 134.1 (36.)
 Trefferlage 0.02 mm rechts, 1.72 mm tief
 Streuwert 7.47, horizontal: 8.94, vertikal: 5.63




Serie 1:
 10.5 * 9.0 ↙ 10.2 → 10.5 * 10.2 ↙
 9.2 ↘ 10.3 ↗ 10.4 * 9.1 ↖ 10.2 ↖
 beste Teiler 322.8 (1.) 364.5 (4.) 418.7 (8.)
 Trefferlage 2.81 mm links, 1.36 mm tief
 Streuwert 6.39, horizontal: 7.19, vertikal: 5.46




Serie 2:
 10.6 * 8.9 ← 9.9 ↙ 10.2 ↘ 9.8 ↖
 10.3 ← 10.3 * 9.2 → 10.3 * 9.1 ↘
 beste Teiler 266.1 (11.) 482.9 (19.) 490.4 (17.)
 Trefferlage 1.33 mm links, 1.63 mm tief
 Streuwert 7.10, horizontal: 8.49, vertikal: 5.36




Serie 3:
 8.9 ↘ 8.7 → 10.2 ↗ 9.2 ↗ 10.6 *
 10.9 * 10.5 * 9.5 ↓ 10.0 ↗ 10.4 *
 beste Teiler 65.4 (26.) 308.1 (25.) 355.5 (27.)
 Trefferlage 5.76 mm rechts, 0.41 mm tief
 Streuwert 6.37, horizontal: 7.03, vertikal: 5.62




Serie 4:
 10.3 * 10.6 * 9.4 ↘ 8.9 → 10.4 *
 10.8 * 10.4 * 9.8 ↖ 8.9 → 10.0 ↘
 beste Teiler 134.1 (36.) 289.3 (32.) 441.6 (35.)
 Trefferlage 3.36 mm rechts, 1.33 mm tief
 Streuwert 6.45, horizontal: 7.99, vertikal: 4.41



Serie 5:
 9.7 ↘ 10.1 ↗ 8.4 ↓ 10.0 ↖ 10.6 *
 10.0 ↖ 10.1 ↘ 9.4 → 10.8 * 9.3 ↘
 beste Teiler 113.5 (49.) 272.8 (45.) 693.3 (42.)
 Trefferlage 2.14 mm rechts, 2.62 mm tief
 Streuwert 7.35, horizontal: 6.52, vertikal: 8.09



Serie 6:
 10.2 ↗ 10.1 ↗ 8.2 ↙ 8.4 ← 8.3 ←
 9.3 ↖ 9.8 ↙ 9.7 ← 9.6 ↓ 9.9 ↓
 beste Teiler 571.6 (51.) 646.8 (52.) 877.4 (60.)
 Trefferlage 6.96 mm links, 3.00 mm tief
 Streuwert 8.74, horizontal: 11.19, vertikal: 5.24





KK liegend – *Wertung* – **Frauen**
StandNr: 21
Hess,, Alexandra #770208388

StartNr: 1
12. Juli 2020 10:27
SG_Jenbach–Buch

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	596.0	(569)
Serien:	101.0 100.1 97.2 99.3 99.9 98.5	
Zähler:	32 25 3 0 0 0 0 0 0	
Innenzehner:	17	
weiteste:	2230 (42), 1778 (20), 1627 (30)	
beste Teiler	168.4 (14.) 173.6 (47.) 195.4 (49.)	
Trefferlage	0.48 mm rechts, 1.09 mm hoch	
Streuwert	6.55, horizontal: 5.65, vertikal: 7.34	




Serie 1:

9.7 ↘	10.0 ↗	10.5 *	9.6 ↙	10.5 *
9.2 ↘	10.6 *	10.3 ↙	10.6 *	10.0 →
beste Teiler	261.3 (7.)	283.2 (9.)	321.0 (5.)	
Trefferlage	0.31 mm rechts, 0.21 mm hoch			
Streuwert	5.76, horizontal: 4.86, vertikal: 6.53			




Serie 2:

10.6 *	10.5 *	10.0 ↑	10.7 *	10.2 ↓
9.5 ↑	9.5 ↑	10.5 *	9.9 ←	8.7 →
beste Teiler	168.4 (14.)	297.4 (11.)	381.6 (12.)	
Trefferlage	1.48 mm rechts, 2.66 mm hoch			
Streuwert	6.22, horizontal: 6.55, vertikal: 5.87			




Serie 3:

10.3 *	10.5 *	9.9 ↘	9.6 ↗	9.2 ↘
10.0 ↙	9.6 ↑	10.1 ↘	9.1 ↑	8.9 ↑
beste Teiler	358.5 (22.)	521.0 (21.)	712.9 (28.)	
Trefferlage	0.63 mm links, 2.99 mm hoch			
Streuwert	7.61, horizontal: 5.27, vertikal: 9.39			




Serie 4:

9.8 ↑	9.1 →	10.6 *	10.6 *	10.0 ↙
9.7 ↘	9.9 →	10.0 ↑	9.8 ↘	9.8 ↗
beste Teiler	264.2 (34.)	293.3 (33.)	797.6 (35.)	
Trefferlage	1.82 mm rechts, 0.79 mm hoch			
Streuwert	6.41, horizontal: 5.94, vertikal: 6.85			



Serie 5:

10.3 ↙	8.2 ↓	9.9 →	9.7 ↘	10.2 →
10.5 *	10.7 *	10.5 *	10.7 *	9.2 ←
beste Teiler	173.6 (47.)	195.4 (49.)	325.0 (46.)	
Trefferlage	0.06 mm rechts, 3.38 mm tief			
Streuwert	6.84, horizontal: 6.55, vertikal: 7.12			



Serie 6:

9.8 ↘	9.0 ↑	10.0 →	9.6 ↘	10.0 ↗
9.5 ↘	10.3 ↘	10.6 *	10.0 ↑	9.7 ↙
beste Teiler	303.7 (58.)	554.1 (57.)	722.9 (53.)	
Trefferlage	0.12 mm links, 3.28 mm hoch			
Streuwert	6.59, horizontal: 5.63, vertikal: 7.43			

Meyton Elektronik

KK liegend – Wertung – **Jungschützinnen**

StandNr: 22

Thum, Julia #223

StartNr: 1



11. Juli 2020 11:00

T – SG Fügenberg


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **605.8** (577)
 Serien: 99.5 101.5 99.0 101.9 102.7 101.2
 Zähler: 38 21 1 0 0 0 0 0 0 0
 Innenzehner: 21
 weiteste: 1956 (27), 1277 (54), 1230 (3)
 beste Teiler 110.4 (38.) 117.0 (23.) 118.0 (24.)
 Trefferlage 0.95 mm rechts, 0.00 mm
 Streuwert 5.45, horizontal: 4.92, vertikal: 5.94




Serie 1:
 10.3 * 10.1 ↘ 9.4 ↗ 9.8 → 10.1 ↘
 9.9 ↘ 10.2 ← 9.8 ← 10.4 * 9.5 →
 beste Teiler 421.6 (9.) 494.0 (1.) 603.1 (7.)
 Trefferlage 2.04 mm rechts, 1.61 mm hoch
 Streuwert 5.85, horizontal: 6.36, vertikal: 5.30




Serie 2:
 9.9 ↗ 10.2 ↖ 10.1 ↓ 10.0 ↑ 9.9 ↘
 10.4 * 10.7 * 10.0 ↑ 10.4 * 9.9 ↘
 beste Teiler 237.8 (17.) 472.4 (16.) 473.8 (19.)
 Trefferlage 0.61 mm links, 0.06 mm hoch
 Streuwert 5.04, horizontal: 3.33, vertikal: 6.30




Serie 3:
 10.0 ↑ 9.6 ↘ 10.8 * 10.8 * 10.0 ↘
 9.8 ↓ 8.5 ↘ 10.0 ↓ 9.6 ↘ 9.9 ↑
 beste Teiler 117.0 (23.) 118.0 (24.) 753.2 (21.)
 Trefferlage 3.50 mm rechts, 3.63 mm tief
 Streuwert 6.27, horizontal: 4.82, vertikal: 7.45



Serie 4:
 10.1 ↓ 10.1 ↘ 9.6 ↑ 9.5 → 10.6 *
 10.7 * 9.8 ↗ 10.8 * 10.8 * 9.9 ↓
 beste Teiler 110.4 (38.) 150.0 (39.) 224.5 (36.)
 Trefferlage 3.05 mm rechts, 0.31 mm hoch
 Streuwert 4.96, horizontal: 3.88, vertikal: 5.84



Serie 5:
 10.0 ↙ 9.9 ↖ 10.7 * 9.9 → 10.4 *
 10.0 ↓ 10.5 * 10.8 * 10.1 ← 10.4 *
 beste Teiler 142.5 (48.) 201.8 (43.) 361.8 (47.)
 Trefferlage 0.02 mm links, 0.19 mm tief
 Streuwert 4.53, horizontal: 4.85, vertikal: 4.18



Serie 6:
 10.1 ↑ 10.6 * 10.7 * 9.4 ↖ 9.7 ↓
 10.3 * 9.7 ↑ 10.3 * 10.1 ↓ 10.3 *
 beste Teiler 211.9 (53.) 270.1 (52.) 498.6 (56.)
 Trefferlage 2.20 mm links, 1.87 mm hoch
 Streuwert 5.10, horizontal: 4.14, vertikal: 5.90

KK liegend – Wertung – **Juniorinnen**

StandNr: 24

Messner, Helena #70201125

StartNr: 2



11. Juli 2020 10:55

SG_Absam


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	594.3	(569)
Serien:	101.9 98.0 99.2 98.8 97.2 99.2	
Zähler:	31 27 2 0 0 0 0 0 0 0	
Innenzehner:	18	
weiteste:	2000 (44), 1903 (41), 1547 (28)	
beste Teiler	283.1 (50.) 298.4 (8.) 307.3 (6.)	
Trefferlage	0.35 mm links, 0.17 mm hoch	
Streuwert	6.65, horizontal: 6.67, vertikal: 6.63	




Serie 1:	10.5 *	10.5 *	9.7 ↖	10.0 ↖	10.5 *
	10.6 *	10.3 *	10.6 *	9.7 ↗	9.5 ↓
beste Teiler	298.4 (8.) 307.3 (6.) 341.0 (5.)				
Trefferlage	0.24 mm rechts, 1.25 mm hoch				
Streuwert	5.10, horizontal: 4.92, vertikal: 5.28				




Serie 2:	10.2 ↗	9.8 ↖	9.6 ↖	9.1 ↖	9.6 ↑
	10.4 *	9.4 ↑	9.7 →	10.3 ↑	9.9 ↓
beste Teiler	443.4 (16.) 533.7 (19.) 615.0 (11.)				
Trefferlage	0.49 mm rechts, 2.12 mm hoch				
Streuwert	7.07, horizontal: 6.09, vertikal: 7.92				




Serie 3:	10.5 *	10.1 ↓	10.4 *	10.2 ↘	9.5 ↗
	9.3 ↗	9.6 ↗	9.0 ←	10.2 ↖	10.4 *
beste Teiler	335.0 (21.) 418.5 (23.) 474.3 (30.)				
Trefferlage	1.18 mm rechts, 1.17 mm hoch				
Streuwert	6.73, horizontal: 7.43, vertikal: 5.96				



Serie 4:	10.4 *	10.1 ↖	10.3 ↙	9.4 ↖	10.2 ↖
	10.0 ↓	9.4 ↑	9.5 ↘	9.6 →	9.9 ↓
beste Teiler	417.6 (31.) 556.6 (33.) 605.0 (35.)				
Trefferlage	0.66 mm links, 0.34 mm hoch				
Streuwert	6.67, horizontal: 6.20, vertikal: 7.11				



Serie 5:	8.6 ↘	9.6 ↖	9.1 ↖	8.5 ←	10.3 *
	10.5 *	10.1 ↗	10.3 *	9.6 ↘	10.6 *
beste Teiler	283.1 (50.) 329.4 (46.) 491.9 (45.)				
Trefferlage	2.38 mm links, 0.39 mm tief				
Streuwert	8.40, horizontal: 8.56, vertikal: 8.23				



Serie 6:	10.3 *	9.6 ↓	10.1 →	9.9 →	10.4 *
	10.6 *	9.5 ←	9.2 ←	10.0 ↓	9.6 ↓
beste Teiler	313.4 (56.) 411.0 (55.) 519.9 (51.)				
Trefferlage	1.01 mm links, 3.43 mm tief				
Streuwert	6.18, horizontal: 7.36, vertikal: 4.71				

Meyton Elektronik

KK liegend – Wertung – **Frauen**

StandNr: 22

Rangger,, Patricia #770208389

StartNr: 2



12. Juli 2020 10:32

SG_Mieming


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **607.5** (581)
 Serien: 100.9 101.0 102.2 100.7 101.8 100.9
 Zähler: 42 17 1 0 0 0 0 0 0
 Innenzehner: 22
 weiteste: 1782 (37), 1272 (10), 1161 (54)
 beste Teiler 134.8 (20.) 189.4 (32.) 228.2 (31.)
 Trefferlage 0.35 mm links, 0.55 mm tief
 Streuwert 5.19, horizontal: 4.96, vertikal: 5.41




Serie 1:
 10.1 ↓ 9.8 → 10.5 * 10.1 ↓ 9.8 ↓
 10.3 ↓ 10.6 * 10.1 ← 10.2 ↓ 9.4 ↑
 beste Teiler 255.6 (7.) 324.4 (3.) 541.7 (6.)
 Trefferlage 0.78 mm links, 2.62 mm tief
 Streuwert 5.21, horizontal: 4.05, vertikal: 6.15




Serie 2:
 9.7 ← 9.7 ↘ 9.9 ↑ 10.2 ↘ 10.4 *
 10.0 ↓ 9.6 ↓ 10.5 * 10.2 → 10.8 *
 beste Teiler 134.8 (20.) 349.5 (18.) 475.5 (15.)
 Trefferlage 1.92 mm links, 0.86 mm tief
 Streuwert 5.33, horizontal: 5.01, vertikal: 5.63




Serie 3:
 10.4 * 10.2 ↙ 10.4 * 10.2 ↓ 10.1 ↓
 10.6 * 10.2 ↗ 10.4 * 9.5 ↗ 10.2 →
 beste Teiler 276.4 (26.) 412.6 (28.) 452.0 (21.)
 Trefferlage 0.69 mm rechts, 0.16 mm tief
 Streuwert 4.56, horizontal: 4.31, vertikal: 4.79




Serie 4:
 10.7 * 10.7 * 10.4 * 10.3 * 9.7 ↘
 10.3 * 8.7 ↗ 9.9 → 10.2 ↗ 9.8 →
 beste Teiler 189.4 (32.) 228.2 (31.) 448.7 (33.)
 Trefferlage 3.50 mm rechts, 1.12 mm hoch
 Streuwert 5.52, horizontal: 4.87, vertikal: 6.11



Serie 5:
 10.4 * 9.9 ↘ 10.6 * 9.7 ← 10.3 *
 10.6 * 10.2 ↘ 9.6 ↓ 10.5 * 10.0 ↓
 beste Teiler 250.4 (46.) 277.7 (43.) 393.8 (49.)
 Trefferlage 1.50 mm links, 1.36 mm tief
 Streuwert 4.87, horizontal: 4.72, vertikal: 5.02



Serie 6:
 10.1 ↓ 10.5 * 9.7 ← 9.5 ← 10.2 ↑
 10.1 ← 10.1 ↗ 10.4 * 9.7 ↑ 10.6 *
 beste Teiler 276.4 (60.) 333.5 (52.) 431.4 (58.)
 Trefferlage 2.12 mm links, 0.58 mm hoch
 Streuwert 5.26, horizontal: 5.39, vertikal: 5.14



KK liegend – Wertung – **Jungschützen**

StandNr: 26

Kuen., Johannes #70218018

StartNr: 3



11. Juli 2020 10:45

T – SG Absam


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **601.6** (578)
 Serien: 97.5 100.8 100.3 101.7 100.3 101.0
 Zähler: 38 22 0 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 1518 (2), 1432 (21), 1426 (12)
 beste Teiler 98.2 (39.) 175.9 (51.) 209.8 (58.)
 Trefferlage 0.50 mm links, 0.63 mm hoch
 Streuwert 5.77, horizontal: 5.97, vertikal: 5.55




Serie 1:
 9.7 ← 9.1 ← 9.9 ↖ 10.0 ↗ 9.8 ↑
 10.0 ← 9.5 ← 10.1 ↗ 10.2 ↘ 9.2 ↗
 beste Teiler 639.0 (9.) 641.6 (8.) 753.3 (4.)
 Trefferlage 3.53 mm links, 3.00 mm hoch
 Streuwert 6.66, horizontal: 8.27, vertikal: 4.50




Serie 2:
 9.6 → 9.2 → 9.5 ↑ 10.4 * 10.2 ↓
 10.5 * 10.6 * 10.2 ← 10.6 * 10.0 ↑
 beste Teiler 246.1 (19.) 277.8 (17.) 359.9 (16.)
 Trefferlage 1.67 mm rechts, 1.16 mm hoch
 Streuwert 5.67, horizontal: 5.98, vertikal: 5.35




Serie 3:
 9.2 ↘ 10.0 ↓ 10.6 * 9.9 ← 10.2 ↑
 10.0 ↘ 10.2 ← 9.7 ← 10.2 ↘ 10.3 *
 beste Teiler 280.6 (23.) 498.1 (30.) 576.7 (25.)
 Trefferlage 2.19 mm links, 0.81 mm hoch
 Streuwert 5.67, horizontal: 5.61, vertikal: 5.73



Serie 4:
 10.0 ↘ 10.4 * 10.1 ↓ 10.5 * 10.5 *
 9.9 ↑ 9.8 ↑ 9.4 ↑ 10.8 * 10.3 ↗
 beste Teiler 98.2 (39.) 340.8 (34.) 354.6 (35.)
 Trefferlage 0.10 mm rechts, 3.71 mm hoch
 Streuwert 4.33, horizontal: 2.92, vertikal: 5.38



Serie 5:
 10.0 ↓ 10.3 * 10.5 * 9.4 → 10.3 ↙
 10.3 → 9.5 → 10.4 * 9.4 ↓ 10.2 ↙
 beste Teiler 360.0 (43.) 446.2 (48.) 523.7 (42.)
 Trefferlage 2.35 mm rechts, 2.51 mm tief
 Streuwert 5.37, horizontal: 5.88, vertikal: 4.80



Serie 6:
 10.7 * 10.0 ↓ 9.8 ↘ 9.3 ↓ 10.3 ↘
 9.9 ← 9.9 ← 10.7 * 10.2 ↘ 10.2 →
 beste Teiler 175.9 (51.) 209.8 (58.) 547.7 (55.)
 Trefferlage 1.46 mm links, 2.38 mm tief
 Streuwert 5.30, horizontal: 5.11, vertikal: 5.49

KK liegend – Wertung – **Juniorinnen**

StandNr: 23

Leopold,, Magdalena #770208390

StartNr: 3



12. Juli 2020 10:25

SG_Aschau


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **572.5** (544)
 Serien: 96.2 100.1 98.4 91.0 93.8 93.0
 Zähler: 19 27 13 1 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 3007 (32), 2346 (55), 2214 (38)
 beste Teiler 75.1 (4.) 131.5 (47.) 213.7 (41.)
 Trefferlage 3.18 mm links, 4.21 mm hoch
 Streuwert 8.32, horizontal: 7.92, vertikal: 8.71




Serie 1:
 9.6 ↓ 8.7 ↖ 10.2 ↓ 10.9 * 9.7 ←
 8.9 ↖ 8.9 ← 9.5 ↑ 9.8 ↖ 10.0 ↖
 beste Teiler 75.1 (4.) 594.7 (3.) 796.5 (10.)
 Trefferlage 6.92 mm links, 2.58 mm hoch
 Streuwert 6.97, horizontal: 5.96, vertikal: 7.85




Serie 2:
 9.9 ↓ 10.1 ← 10.0 ← 10.1 ↓ 10.4 *
 9.6 ↑ 10.1 ↖ 10.4 * 10.5 * 9.0 ↑
 beste Teiler 347.1 (19.) 417.5 (15.) 452.3 (18.)
 Trefferlage 2.71 mm links, 0.98 mm hoch
 Streuwert 5.79, horizontal: 3.18, vertikal: 7.54




Serie 3:
 9.8 ↗ 9.2 ↑ 9.5 ↘ 10.2 → 10.2 ↑
 8.8 ↗ 10.1 ↓ 10.6 * 10.3 ↖ 9.7 ↑
 beste Teiler 260.2 (28.) 560.4 (29.) 626.8 (24.)
 Trefferlage 3.33 mm rechts, 3.54 mm hoch
 Streuwert 6.41, horizontal: 5.73, vertikal: 7.02




Serie 4:
 9.2 ↖ 7.2 ↖ 9.3 ↓ 8.8 ← 8.4 ↖
 10.6 * 9.8 ← 8.2 ↖ 9.9 ↗ 9.6 ↗
 beste Teiler 296.0 (36.) 860.6 (39.) 956.3 (37.)
 Trefferlage 8.16 mm links, 4.54 mm hoch
 Streuwert 10.23, horizontal: 9.52, vertikal: 10.90



Serie 5:
 10.7 * 9.7 ↗ 8.7 ↓ 8.6 → 9.4 ←
 9.2 ↗ 10.8 * 9.0 ↖ 9.3 ↑ 8.4 ↖
 beste Teiler 131.5 (47.) 213.7 (41.) 997.4 (42.)
 Trefferlage 0.48 mm links, 4.37 mm hoch
 Streuwert 9.84, horizontal: 9.66, vertikal: 10.01



Serie 6:
 9.7 ← 10.4 * 9.3 ↑ 9.6 ← 8.0 ↑
 9.6 ↑ 8.3 ↖ 8.9 ↖ 9.3 ↑ 9.9 ↗
 beste Teiler 427.2 (52.) 873.1 (60.) 1014.1 (51.)
 Trefferlage 4.18 mm links, 9.28 mm hoch
 Streuwert 7.61, horizontal: 6.98, vertikal: 8.18



KK liegend – Wertung – **Männer**

StandNr: 24

Rief, Daniel #770208391

StartNr: 4



12. Juli 2020 10:29

SG_Absam


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **585.9** (561)
 Serien: 96.5 97.5 100.4 100.2 94.7 96.6
 Zähler: 27 27 6 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 2299 (2), 2038 (52), 2023 (44)
 beste Teiler 189.0 (51.) 259.5 (1.) 283.0 (27.)
 Trefferlage 2.19 mm rechts, 0.03 mm tief
 Streuwert 7.52, horizontal: 6.27, vertikal: 8.58




Serie 1:
 10.6 * 8.1 ↗ 8.9 ↑ 9.0 ↑ 9.4 ↓
 10.5 * 10.3 ↓ 9.8 → 10.0 ↙ 9.9 →
 beste Teiler 259.5 (1.) 398.5 (6.) 533.5 (7.)
 Trefferlage 4.61 mm rechts, 2.27 mm hoch
 Streuwert 8.12, horizontal: 6.16, vertikal: 9.70




Serie 2:
 9.1 ↘ 10.0 ↖ 9.0 ← 9.9 ↖ 10.4 *
 9.2 ↓ 9.5 ↓ 10.0 ↑ 10.3 * 10.1 ←
 beste Teiler 443.8 (15.) 529.4 (19.) 664.7 (20.)
 Trefferlage 1.98 mm links, 0.13 mm hoch
 Streuwert 7.53, horizontal: 8.44, vertikal: 6.51




Serie 3:
 10.5 * 10.0 ↙ 9.9 ↑ 10.0 ↓ 10.6 *
 10.2 ↑ 10.6 * 9.8 ↓ 9.1 ↓ 9.7 ↗
 beste Teiler 283.0 (27.) 285.8 (25.) 335.9 (21.)
 Trefferlage 1.37 mm rechts, 1.16 mm tief
 Streuwert 5.93, horizontal: 4.81, vertikal: 6.87




Serie 4:
 10.5 * 10.4 * 9.7 → 9.1 ↓ 9.4 ↓
 10.4 * 10.3 * 10.4 * 9.6 → 10.4 *
 beste Teiler 371.3 (31.) 408.8 (32.) 428.7 (38.)
 Trefferlage 3.59 mm rechts, 2.29 mm tief
 Streuwert 5.35, horizontal: 4.42, vertikal: 6.14



Serie 5:
 9.0 ↓ 8.8 ↗ 9.2 ↓ 8.4 ↓ 10.5 *
 10.2 ↓ 9.2 ↙ 9.5 ↓ 10.2 → 9.7 ↓
 beste Teiler 347.5 (45.) 595.1 (49.) 614.6 (46.)
 Trefferlage 0.36 mm rechts, 7.24 mm tief
 Streuwert 8.00, horizontal: 6.55, vertikal: 9.23



Serie 6:
 10.7 * 8.4 ↗ 10.6 * 10.3 ↑ 8.8 ↑
 9.1 ↗ 9.7 ↗ 9.7 → 9.6 ↑ 9.7 ↑
 beste Teiler 189.0 (51.) 300.8 (53.) 545.5 (54.)
 Trefferlage 5.18 mm rechts, 8.11 mm hoch
 Streuwert 5.14, horizontal: 4.58, vertikal: 5.66



KK liegend – Wertung – **Jungschützen**

StandNr: 28

Wirtenberger, Matteo #202

StartNr: 4



11. Juli 2020 10:51

T – SG Absam


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **595.1** (566)
 Serien: 96.7 99.1 97.3 101.6 98.1 102.3
 Zähler: 31 24 5 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 2045 (43), 1823 (6), 1809 (27)
 beste Teiler 60.4 (40.) 90.9 (50.) 128.7 (10.)
 Trefferlage 0.57 mm links, 1.12 mm tief
 Streuwert 6.71, horizontal: 7.67, vertikal: 5.59




Serie 1:
 9.0 ↙ 8.8 ↖ 9.6 ↓ 10.2 ← 8.8 ↙
 8.7 ← 9.7 ← 10.6 * 10.5 * 10.8 *
 beste Teiler 128.7 (10.) 272.6 (8.) 343.4 (9.)
 Trefferlage 7.43 mm links, 2.37 mm tief
 Streuwert 6.83, horizontal: 7.74, vertikal: 5.77




Serie 2:
 9.5 ↓ 9.3 → 10.6 * 10.3 * 10.1 ↓
 9.8 ← 9.7 ↘ 9.4 → 10.2 ↘ 10.2 →
 beste Teiler 241.8 (13.) 496.8 (14.) 588.7 (19.)
 Trefferlage 1.19 mm rechts, 1.03 mm tief
 Streuwert 6.56, horizontal: 7.32, vertikal: 5.71




Serie 3:
 9.8 ↓ 10.6 * 9.1 → 9.7 ↓ 10.3 ↖
 9.7 → 8.7 → 9.7 → 9.5 ↙ 10.2 ↖
 beste Teiler 297.9 (22.) 542.4 (25.) 625.5 (30.)
 Trefferlage 3.85 mm rechts, 1.77 mm tief
 Streuwert 7.38, horizontal: 8.78, vertikal: 5.64



Serie 4:
 9.9 ↙ 10.4 * 10.5 * 9.6 ↙ 10.5 *
 10.2 ↘ 9.9 ← 9.5 → 10.2 ↙ 10.9 *
 beste Teiler 60.4 (40.) 322.7 (33.) 397.2 (35.)
 Trefferlage 1.77 mm links, 2.33 mm tief
 Streuwert 4.84, horizontal: 5.99, vertikal: 3.31



Serie 5:
 10.2 ↘ 9.8 ↗ 8.4 ↘ 9.8 ↑ 10.6 *
 9.5 ↓ 9.3 ↖ 9.6 ↖ 10.1 ↑ 10.8 *
 beste Teiler 90.9 (50.) 306.5 (45.) 603.3 (41.)
 Trefferlage 1.32 mm rechts, 1.11 mm hoch
 Streuwert 7.75, horizontal: 7.32, vertikal: 8.16



Serie 6:
 10.5 * 10.3 * 10.0 ← 10.2 ↘ 10.0 →
 10.4 * 10.1 ↓ 9.8 ↘ 10.6 * 10.4 *
 beste Teiler 286.5 (59.) 381.4 (51.) 416.2 (56.)
 Trefferlage 0.58 mm links, 0.34 mm tief
 Streuwert 4.54, horizontal: 4.69, vertikal: 4.39

KK liegend – Wertung – **Männer**

StandNr: 25

Holznecht,, Wolfgang #770208392

StartNr: 5



12. Juli 2020 10:30

SG_Hötting-Ibk


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **594.5** (568)
 Serien: 99.8 99.4 96.8 99.1 102.0 97.4
 Zähler: 32 24 4 0 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 2079 (32), 1718 (4), 1687 (26)
 beste Teiler 46.0 (40.) 50.9 (18.) 125.9 (11.)
 Trefferlage 1.09 mm links, 2.08 mm hoch
 Streuwert 6.66, horizontal: 6.40, vertikal: 6.90




Serie 1:
 10.5 * 9.9 ↗ 10.5 * 8.8 ↘ 10.3 *
 10.3 * 10.5 * 10.1 ↘ 9.9 ↑ 9.0 ←
 beste Teiler 360.1 (3.) 380.9 (7.) 390.8 (1.)
 Trefferlage 2.61 mm links, 3.58 mm hoch
 Streuwert 5.85, horizontal: 6.07, vertikal: 5.62




Serie 2:
 10.8 * 10.3 * 10.4 * 9.0 ↘ 9.7 ↑
 9.0 ↗ 9.5 ↗ 10.9 * 9.7 ← 10.1 ↑
 beste Teiler 50.9 (18.) 125.9 (11.) 480.1 (13.)
 Trefferlage 0.15 mm links, 4.42 mm hoch
 Streuwert 6.45, horizontal: 6.59, vertikal: 6.31




Serie 3:
 10.0 → 9.6 ↓ 10.3 * 10.1 → 9.2 ↘
 8.8 ↘ 9.5 ↘ 10.2 ↑ 9.3 ← 9.8 ↓
 beste Teiler 482.1 (23.) 590.8 (28.) 651.7 (24.)
 Trefferlage 2.91 mm links, 0.30 mm tief
 Streuwert 7.62, horizontal: 7.95, vertikal: 7.28



Serie 4:
 9.6 ↓ 8.4 ↓ 9.0 ↓ 10.0 ↑ 9.7 ↗
 10.7 * 10.6 * 10.0 ↑ 10.2 → 10.9 *
 beste Teiler 46.0 (40.) 167.8 (36.) 295.8 (37.)
 Trefferlage 0.10 mm rechts, 2.04 mm tief
 Streuwert 7.50, horizontal: 4.54, vertikal: 9.59



Serie 5:
 9.8 ↘ 10.3 → 10.6 * 10.3 * 9.8 →
 10.5 * 10.0 ↘ 10.7 * 10.2 → 9.8 →
 beste Teiler 196.4 (48.) 286.3 (43.) 394.4 (46.)
 Trefferlage 0.69 mm rechts, 1.53 mm hoch
 Streuwert 4.76, horizontal: 6.12, vertikal: 2.79



Serie 6:
 10.4 * 10.2 → 9.5 ↘ 9.0 ↑ 9.1 ↘
 9.6 ↑ 10.4 * 10.7 * 8.9 ← 9.6 ↘
 beste Teiler 178.2 (58.) 442.9 (57.) 476.9 (51.)
 Trefferlage 1.66 mm links, 5.31 mm hoch
 Streuwert 6.96, horizontal: 7.36, vertikal: 6.53

Meyton Elektronik

KK liegend – Wertung – **Jungschützen**

StandNr: 30

Schmid, Sebastian #196

StartNr: 5



11. Juli 2020 10:54

T – SG Landeck


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **603.4** (574)
 Serien: 100.2 101.2 101.8 99.9 100.7 99.6
 Zähler: 35 24 1 0 0 0 0 0 0
 Innenzehner: 21
 weiteste: 1800 (57), 1430 (32), 1383 (7)
 beste Teiler 74.9 (12.) 143.5 (54.) 201.5 (47.)
 Trefferlage 0.41 mm links, 1.48 mm hoch
 Streuwert 5.64, horizontal: 6.10, vertikal: 5.14




Serie 1:
 10.4 * 9.9 ↖ 10.2 ↘ 9.7 ↘ 10.5 *
 10.0 ↙ 9.2 ← 10.4 * 10.5 * 9.4 ↘
 beste Teiler 367.7 (5.) 392.2 (9.) 401.7 (1.)
 Trefferlage 2.46 mm links, 1.17 mm tief
 Streuwert 5.79, horizontal: 6.53, vertikal: 4.93




Serie 2:
 10.1 ↘ 10.9 * 10.6 * 9.8 ↑ 10.0 →
 9.9 → 10.2 → 9.7 ↑ 9.5 ↖ 10.5 *
 beste Teiler 74.9 (12.) 303.2 (13.) 362.9 (20.)
 Trefferlage 0.51 mm rechts, 3.46 mm hoch
 Streuwert 5.00, horizontal: 6.00, vertikal: 3.75




Serie 3:
 9.8 ↘ 10.2 ↙ 10.3 * 10.3 * 9.9 ↑
 10.4 * 10.4 * 9.8 ↖ 10.1 ← 10.6 *
 beste Teiler 286.5 (30.) 440.2 (27.) 445.3 (26.)
 Trefferlage 2.92 mm links, 2.14 mm hoch
 Streuwert 4.11, horizontal: 3.69, vertikal: 4.49



Serie 4:
 10.5 * 9.2 ↖ 9.9 ← 9.5 ↓ 9.7 ↖
 10.7 * 10.2 ↓ 9.4 ← 10.6 * 10.2 ↑
 beste Teiler 228.5 (36.) 261.9 (39.) 328.1 (31.)
 Trefferlage 5.22 mm links, 0.67 mm hoch
 Streuwert 5.25, horizontal: 5.10, vertikal: 5.40



Serie 5:
 9.7 ↘ 10.3 * 10.7 * 10.1 ↘ 9.7 ↑
 10.0 ↗ 10.7 * 10.4 * 9.3 ↑ 9.8 →
 beste Teiler 201.5 (47.) 230.5 (43.) 432.4 (48.)
 Trefferlage 2.70 mm rechts, 0.53 mm hoch
 Streuwert 5.44, horizontal: 3.62, vertikal: 6.80



Serie 6:
 10.6 * 9.8 ↗ 9.8 ↗ 10.8 * 10.2 ↗
 10.0 ↘ 8.7 → 9.7 ↑ 10.2 → 9.8 ↑
 beste Teiler 143.5 (54.) 269.2 (51.) 593.0 (59.)
 Trefferlage 4.93 mm rechts, 3.26 mm hoch
 Streuwert 5.14, horizontal: 5.59, vertikal: 4.63

Meyton Elektronik

KK liegend – Wertung – **Jungschützen**

StandNr: 32

Isser, Samuel #285

StartNr: 6



11. Juli 2020 10:49

T – SG Absam


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **600.1** (574)
 Serien: 97.6 100.1 97.3 98.5 102.5 104.1
 Zähler: 37 20 3 0 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 1859 (6), 1701 (29), 1620 (14)
 beste Teiler 126.6 (45.) 162.6 (42.) 176.9 (12.)
 Trefferlage 0.90 mm links, 1.42 mm hoch
 Streuwert 6.01, horizontal: 6.41, vertikal: 5.58




Serie 1:
 9.9 ↗ 10.3 ↘ 10.3 * 10.0 ↗ 9.9 ↘
 8.6 ↖ 9.5 ↖ 9.3 ↗ 10.2 ↗ 9.6 ↙
 beste Teiler 489.0 (3.) 557.1 (2.) 614.1 (9.)
 Trefferlage 0.29 mm rechts, 4.39 mm hoch
 Streuwert 6.97, horizontal: 6.63, vertikal: 7.30




Serie 2:
 10.1 ↗ 10.7 * 9.5 → 8.9 → 10.2 →
 10.1 ↘ 10.2 → 10.3 ↘ 10.1 ↓ 10.0 ↘
 beste Teiler 176.9 (12.) 557.8 (18.) 587.0 (15.)
 Trefferlage 5.06 mm rechts, 1.30 mm tief
 Streuwert 4.89, horizontal: 5.44, vertikal: 4.27




Serie 3:
 10.3 * 9.4 ↘ 10.6 * 10.1 ↘ 9.9 →
 9.6 ← 9.3 ← 9.4 ← 8.8 ↖ 9.9 ↖
 beste Teiler 288.0 (23.) 528.5 (21.) 645.7 (24.)
 Trefferlage 2.54 mm links, 0.18 mm tief
 Streuwert 7.65, horizontal: 8.46, vertikal: 6.74



Serie 4:
 10.4 * 9.9 ← 10.5 * 9.6 ↖ 9.2 ↑
 9.8 ↑ 9.2 ← 10.0 ← 10.2 ↑ 9.7 ↑
 beste Teiler 376.0 (33.) 412.3 (31.) 639.5 (39.)
 Trefferlage 4.37 mm links, 4.82 mm hoch
 Streuwert 5.13, horizontal: 5.22, vertikal: 5.04



Serie 5:
 9.9 ↑ 10.7 * 10.3 ↖ 10.1 ↖ 10.8 *
 9.2 ← 10.3 ↖ 10.5 * 10.5 * 10.2 ←
 beste Teiler 126.6 (45.) 162.6 (42.) 346.2 (48.)
 Trefferlage 2.99 mm links, 1.24 mm hoch
 Streuwert 4.27, horizontal: 4.63, vertikal: 3.88



Serie 6:
 10.6 * 10.6 * 10.5 * 10.1 → 10.3 *
 10.1 ↓ 10.5 * 10.2 ← 10.5 * 10.7 *
 beste Teiler 207.5 (60.) 290.3 (52.) 313.1 (51.)
 Trefferlage 0.87 mm links, 0.43 mm tief
 Streuwert 3.34, horizontal: 3.60, vertikal: 3.05

Meyton Elektronik

KK liegend – Wertung – **Senioren_1m**

StandNr: 26

Steinlechner,, Joachim #70233032

StartNr: 6



12. Juli 2020 10:42

SG_Absam


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **605.1** (580)
 Serien: 100.7 100.6 102.5 99.7 100.1 101.5
 Zähler: 40 20 0 0 0 0 0 0 0
 Innenzehner: 22
 weiteste: 1597 (12), 1593 (36), 1444 (33)
 beste Teiler 51.0 (23.) 111.7 (16.) 120.9 (58.)
 Trefferlage 0.24 mm rechts, 0.48 mm hoch
 Streuwert 5.57, horizontal: 5.82, vertikal: 5.31




Serie 1:
 9.9 → 10.4 * 10.0 ↓ 10.6 * 9.6 ↖
 9.9 ↙ 9.6 → 10.7 * 10.6 * 9.4 ↑
 beste Teiler 179.2 (8.) 261.8 (9.) 300.8 (4.)
 Trefferlage 1.57 mm rechts, 0.66 mm hoch
 Streuwert 5.75, horizontal: 5.29, vertikal: 6.17




Serie 2:
 10.1 ↑ 9.0 ↖ 10.2 ↓ 10.0 ↗ 9.9 ↑
 10.8 * 10.4 * 10.4 * 10.4 * 9.4 →
 beste Teiler 111.7 (16.) 412.3 (19.) 434.1 (18.)
 Trefferlage 0.50 mm rechts, 2.85 mm hoch
 Streuwert 5.77, horizontal: 4.98, vertikal: 6.45




Serie 3:
 10.5 * 9.9 ↖ 10.9 * 10.1 → 10.0 ↙
 10.4 * 10.3 → 10.1 → 10.5 * 9.8 ↑
 beste Teiler 51.0 (23.) 329.4 (29.) 350.7 (21.)
 Trefferlage 1.27 mm rechts, 1.02 mm hoch
 Streuwert 4.47, horizontal: 3.85, vertikal: 5.01



Serie 4:
 10.2 ↖ 10.0 ↖ 9.1 ↙ 10.4 * 10.5 *
 9.0 ↖ 10.6 * 10.0 ↙ 10.4 * 9.5 ←
 beste Teiler 277.9 (37.) 376.1 (35.) 406.9 (34.)
 Trefferlage 5.05 mm links, 0.53 mm hoch
 Streuwert 5.63, horizontal: 6.15, vertikal: 5.07



Serie 5:
 9.8 ↖ 10.3 * 10.1 ← 9.5 ↙ 9.8 ↓
 10.0 ↙ 9.6 → 10.0 → 10.5 * 10.5 *
 beste Teiler 361.0 (50.) 397.1 (49.) 528.6 (42.)
 Trefferlage 1.27 mm links, 1.53 mm tief
 Streuwert 5.78, horizontal: 6.49, vertikal: 4.97



Serie 6:
 10.1 ↓ 10.6 * 9.9 → 10.2 → 9.4 →
 10.0 ↑ 9.8 → 10.8 * 10.2 → 10.5 *
 beste Teiler 120.9 (58.) 285.5 (52.) 350.0 (60.)
 Trefferlage 4.46 mm rechts, 0.60 mm tief
 Streuwert 4.16, horizontal: 4.16, vertikal: 4.16

Meyton Elektronik

KK liegend – Wertung – **Jungschützen**

StandNr: 34

Greber, Alexander #384

StartNr: 7

11. Juli 2020 10:44

T – SG Fügenberg

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **605.0** (576)

Serien: 103.5 100.3 98.0 97.5 102.9 102.8

Zähler: 37 22 1 0 0 0 0 0 0 0



Innenzehner: 24

weiteste: 1646 (30), 1406 (24), 1373 (37)

beste Teiler 72.3 (50.) 86.3 (13.) 107.0 (47.)

Trefferlage 0.29 mm rechts, 0.14 mm hoch

Streuwert 5.60, horizontal: 5.56, vertikal: 5.64




Serie 1:

10.4 *	10.2 →	10.6 *	9.5 ↑	10.0 ↓
10.5 *	10.8 *	10.4 *	10.8 *	10.3 *

beste Teiler 118.9 (7.) 124.3 (9.) 246.1 (3.)

Trefferlage 1.21 mm rechts, 1.25 mm hoch

Streuwert 4.05, horizontal: 3.00, vertikal: 4.88




Serie 2:

10.2 ↑	9.3 ↘	10.8 *	9.8 ↙	10.8 *
10.3 *	9.9 ↘	9.4 ↑	9.9 ↘	9.9 ↘

beste Teiler 86.3 (13.) 119.4 (15.) 512.5 (16.)

Trefferlage 0.53 mm links, 0.74 mm hoch

Streuwert 6.12, horizontal: 5.81, vertikal: 6.41



Serie 3:

9.5 ↙	10.3 ↘	10.2 ↘	9.2 ↑	9.7 ↙
9.7 →	10.2 ↙	10.5 *	9.8 →	8.9 ←

beste Teiler 383.8 (28.) 531.2 (22.) 610.1 (23.)

Trefferlage 0.02 mm links, 2.04 mm tief

Streuwert 7.31, horizontal: 8.49, vertikal: 5.90




Serie 4:

9.3 ↙	9.8 ↘	10.0 ↘	10.0 ↘	9.7 →
10.0 ↑	9.2 ↑	9.5 ↗	9.6 ↘	10.4 *

beste Teiler 408.2 (40.) 726.0 (34.) 778.0 (33.)

Trefferlage 0.10 mm rechts, 2.65 mm hoch

Streuwert 7.10, horizontal: 6.75, vertikal: 7.43




Serie 5:

10.7 *	10.1 ↘	10.3 *	10.6 *	9.6 ↘
10.3 *	10.8 *	9.8 ↙	9.8 ↘	10.9 *

beste Teiler 72.3 (50.) 107.0 (47.) 228.1 (41.)

Trefferlage 0.27 mm rechts, 1.98 mm tief

Streuwert 4.43, horizontal: 4.64, vertikal: 4.22



Serie 6:

10.3 →	10.3 *	10.4 *	10.5 *	10.5 *
9.7 →	10.3 *	10.2 ↙	10.2 ↘	10.4 *

beste Teiler 351.7 (54.) 390.9 (55.) 410.0 (60.)

Trefferlage 0.72 mm rechts, 0.22 mm hoch

Streuwert 4.19, horizontal: 4.33, vertikal: 4.05

Meyton Elektronik

KK liegend – Wertung – **Senioren_1m**

StandNr: 27

Wirtenberger,, Christoph #770208393

StartNr: 7

12. Juli 2020 10:50

SG_Absam

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **599.1** (571)

Serien: 101.4 102.8 99.7 99.3 97.7 98.2

Zähler: 32 27 1 0 0 0 0 0 0 0



Innenzehner: 17

weiteste: 1697 (39), 1430 (5), 1410 (56)

beste Teiler 116.8 (16.) 147.8 (8.) 154.7 (6.)

Trefferlage 3.32 mm rechts, 1.00 mm tief

Streuwert 5.57, horizontal: 5.05, vertikal: 6.05




Serie 1:

10.0 ↘	9.3 →	10.4 *	10.7 *	9.2 ↗
10.8 *	9.9 ↓	10.8 *	10.3 *	10.0 ↘

beste Teiler 147.8 (8.) 154.7 (6.) 215.8 (4.)

Trefferlage 2.98 mm rechts, 0.21 mm hoch

Streuwert 5.35, horizontal: 5.01, vertikal: 5.67




Serie 2:

9.7 ↘	10.5 *	10.2 ↘	9.7 ↘	10.3 *
10.8 *	10.4 *	10.2 ↗	10.7 *	10.3 *

beste Teiler 116.8 (16.) 224.9 (19.) 382.5 (12.)

Trefferlage 3.20 mm rechts, 1.89 mm tief

Streuwert 3.57, horizontal: 2.49, vertikal: 4.38




Serie 3:

10.2 ↖	9.4 ↗	10.5 *	9.5 ↘	9.5 ↘
9.7 ↗	10.1 ←	10.3 ↗	10.2 ↘	10.3 ↗

beste Teiler 363.6 (23.) 537.1 (30.) 547.3 (28.)

Trefferlage 1.61 mm rechts, 1.76 mm tief

Streuwert 6.01, horizontal: 7.04, vertikal: 4.76




Serie 4:

10.5 *	9.3 ↘	10.4 *	9.8 →	10.6 *
9.8 ↗	9.9 →	10.0 ↗	8.8 ↘	10.2 ←

beste Teiler 278.2 (35.) 380.7 (31.) 447.2 (33.)

Trefferlage 4.32 mm rechts, 1.52 mm tief

Streuwert 5.89, horizontal: 5.36, vertikal: 6.37




Serie 5:

9.8 ↘	9.8 ↗	9.3 ↘	9.6 ↓	10.2 ↘
9.7 ↘	10.4 *	9.5 ↗	9.2 →	10.2 ↑

beste Teiler 449.2 (47.) 610.5 (50.) 620.2 (45.)

Trefferlage 4.69 mm rechts, 0.93 mm tief

Streuwert 6.42, horizontal: 5.34, vertikal: 7.34



Serie 6:

9.7 ↗	10.0 ↘	9.8 ↗	9.7 ↓	9.8 ↓
9.2 ↗	9.4 ↘	10.5 *	10.2 ↑	9.9 ↗

beste Teiler 330.8 (58.) 592.3 (59.) 775.3 (52.)

Trefferlage 3.15 mm rechts, 0.11 mm tief

Streuwert 6.70, horizontal: 4.74, vertikal: 8.20

KK liegend – Wertung – **Senioren_1w**

StandNr: 36

Klaus,, Ulrike #70506130

StartNr: 8

11. Juli 2020 10:51

SG_Landeck

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **598.8** (570)

Serien: 98.5 102.3 101.8 100.1 98.6 97.5

Zähler: 31 28 1 0 0 0 0 0 0



Innenzehner: 18

weiteste: 1612 (42), 1425 (48), 1366 (52)

beste Teiler 55.4 (46.) 175.3 (26.) 218.2 (28.)

Trefferlage 2.67 mm rechts, 0.26 mm hoch

Streuwert 5.82, horizontal: 6.78, vertikal: 4.65




Serie 1:

10.3 *	9.4 ←	10.0 ↗	9.8 ↓	9.8 ↖
9.7 ↘	9.9 ↗	10.5 *	9.5 ↘	9.6 ↖

beste Teiler 376.3 (8.) 499.5 (1.) 740.5 (3.)

Trefferlage 2.28 mm rechts, 1.32 mm hoch

Streuwert 6.51, horizontal: 7.14, vertikal: 5.81




Serie 2:

9.6 ↓	10.1 ↑	10.5 *	10.6 *	9.7 →
10.0 ↑	10.6 *	10.2 ↗	10.4 *	10.6 *

beste Teiler 269.4 (20.) 283.3 (17.) 319.0 (14.)

Trefferlage 3.50 mm rechts, 1.01 mm hoch

Streuwert 3.92, horizontal: 2.58, vertikal: 4.90




Serie 3:

9.8 ↑	9.6 →	10.0 ←	10.6 *	9.8 ↖
10.7 *	10.5 *	10.7 *	10.1 →	10.0 ↓

beste Teiler 175.3 (26.) 218.2 (28.) 253.6 (24.)

Trefferlage 1.05 mm rechts, 0.23 mm hoch

Streuwert 5.17, horizontal: 6.14, vertikal: 3.97




Serie 4:

9.9 ↑	9.9 →	9.6 ↘	10.1 ↖	10.4 *
9.9 ←	10.6 *	9.4 ↘	9.9 ↗	10.4 *

beste Teiler 298.5 (37.) 408.4 (40.) 429.5 (35.)

Trefferlage 2.73 mm rechts, 0.66 mm hoch

Streuwert 5.63, horizontal: 6.66, vertikal: 4.37




Serie 5:

9.3 →	8.9 ↖	10.1 ↓	10.4 *	10.0 ↓
10.9 *	9.9 →	9.2 ↘	10.0 ↘	9.9 →

beste Teiler 55.4 (46.) 432.7 (44.) 715.2 (43.)

Trefferlage 5.25 mm rechts, 1.26 mm tief

Streuwert 6.19, horizontal: 6.54, vertikal: 5.82



Serie 6:

10.0 ↗	9.2 ↘	10.5 *	10.1 ↘	9.4 →
9.6 ←	9.3 ←	9.5 ←	9.5 →	10.4 *

beste Teiler 351.7 (53.) 416.0 (60.) 688.5 (54.)

Trefferlage 1.22 mm rechts, 0.36 mm tief

Streuwert 7.61, horizontal: 10.27, vertikal: 3.22

Meyton Elektronik



KK liegend – *Wertung* – **Senioren_1m**
StandNr: 28
Larcher,, Martin #770208394

StartNr: 8
12. Juli 2020 10:44
SG_Mieming


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **611.2** (589)
 Serien: 103.7 101.6 102.2 101.4 101.0 101.3
 Zähler: 49 11 0 0 0 0 0 0 0
 Innenzehner: 26
 weiteste: 1413 (28), 1377 (13), 1340 (38)
 beste Teiler 239.1 (23.) 242.9 (55.) 249.1 (4.)
 Trefferlage 0.22 mm links, 0.33 mm tief
 Streuwert 4.75, horizontal: 4.66, vertikal: 4.83




Serie 1:
 10.2 ← 10.6 * 10.5 * 10.6 * 10.3 *
 10.5 * 10.1 → 10.6 * 10.1 ↘ 10.2 ↓
 beste Teiler 249.1 (4.) 303.2 (2.) 303.4 (8.)
 Trefferlage 0.79 mm rechts, 2.31 mm tief
 Streuwert 3.20, horizontal: 3.62, vertikal: 2.71




Serie 2:
 10.0 ↘ 10.2 ↗ 9.2 ↓ 10.5 * 9.9 ←
 10.3 * 10.5 * 10.2 ↙ 10.4 * 10.4 *
 beste Teiler 359.6 (14.) 396.4 (17.) 409.1 (19.)
 Trefferlage 0.55 mm links, 0.92 mm tief
 Streuwert 5.05, horizontal: 4.15, vertikal: 5.81




Serie 3:
 10.1 ← 10.5 * 10.7 * 10.2 ↙ 10.1 ↗
 10.5 * 10.6 * 9.2 ↘ 9.7 ↖ 10.6 *
 beste Teiler 239.1 (23.) 278.6 (27.) 303.5 (30.)
 Trefferlage 0.33 mm links, 1.50 mm tief
 Streuwert 5.00, horizontal: 5.46, vertikal: 4.48



Serie 4:
 10.4 * 10.2 ↗ 10.4 * 10.5 * 10.2 ↑
 9.6 ← 10.0 ↘ 9.3 ↘ 10.2 ↖ 10.6 *
 beste Teiler 249.8 (40.) 361.3 (34.) 421.8 (31.)
 Trefferlage 2.13 mm links, 2.68 mm hoch
 Streuwert 4.76, horizontal: 5.56, vertikal: 3.79



Serie 5:
 10.0 ↘ 10.2 ↘ 10.2 ↗ 9.8 ↗ 10.0 ←
 10.4 * 9.7 ↘ 10.4 * 10.3 * 10.0 ↖
 beste Teiler 438.0 (46.) 468.7 (48.) 513.9 (49.)
 Trefferlage 0.44 mm rechts, 0.59 mm hoch
 Streuwert 5.23, horizontal: 5.03, vertikal: 5.43



Serie 6:
 10.0 ↓ 10.2 ↗ 10.1 ↓ 9.9 → 10.6 *
 10.0 ↘ 10.5 * 10.4 * 9.7 ↖ 9.9 ↙
 beste Teiler 242.9 (55.) 339.0 (57.) 419.9 (58.)
 Trefferlage 0.46 mm rechts, 0.55 mm tief
 Streuwert 5.01, horizontal: 4.46, vertikal: 5.51

Meyton Elektronik

KK liegend – Wertung – **Jungschützinnen**

StandNr: 38

Biechl, Julia #180

StartNr: 9



11. Juli 2020 10:49

T – SG Absam


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **610.8** (580)
 Serien: 102.3 102.3 102.0 101.1 100.4 102.7
 Zähler: 40 20 0 0 0 0 0 0 0
 Innenzehner: 27
 weiteste: 1397 (29), 1297 (59), 1281 (24)
 beste Teiler 37.0 (27.) 104.7 (8.) 106.5 (10.)
 Trefferlage 0.07 mm rechts, 0.09 mm tief
 Streuwert 5.03, horizontal: 5.45, vertikal: 4.57




Serie 1:
 9.9 ↘ 10.6 * 9.7 ↗ 10.0 → 10.2 ↖
 9.9 ↑ 10.4 * 10.8 * 10.0 → 10.8 *
 beste Teiler 104.7 (8.) 106.5 (10.) 318.4 (2.)
 Trefferlage 2.13 mm rechts, 1.14 mm hoch
 Streuwert 4.53, horizontal: 4.32, vertikal: 4.74




Serie 2:
 9.7 → 10.4 * 10.4 * 10.4 * 9.7 ↘
 10.6 * 10.3 * 10.6 * 10.2 ↑ 10.0 ↑
 beste Teiler 290.2 (16.) 317.5 (18.) 403.8 (14.)
 Trefferlage 2.53 mm rechts, 0.17 mm hoch
 Streuwert 4.23, horizontal: 4.17, vertikal: 4.29




Serie 3:
 9.9 ↖ 10.4 * 10.4 * 9.3 ↗ 10.6 *
 10.3 * 10.9 * 10.7 * 9.2 ↘ 10.3 *
 beste Teiler 37.0 (27.) 224.8 (28.) 298.9 (25.)
 Trefferlage 0.05 mm links, 1.25 mm hoch
 Streuwert 5.37, horizontal: 5.44, vertikal: 5.31



Serie 4:
 10.2 ↑ 9.6 → 9.8 ← 10.1 ↑ 10.8 *
 9.8 ↘ 10.5 * 10.5 * 9.7 ↓ 10.1 →
 beste Teiler 141.2 (35.) 373.3 (37.) 397.2 (38.)
 Trefferlage 1.74 mm rechts, 0.77 mm tief
 Streuwert 5.35, horizontal: 5.50, vertikal: 5.21



Serie 5:
 10.2 ↓ 9.8 ← 10.3 ← 9.6 ← 10.5 *
 10.7 * 9.7 ↓ 9.7 ← 9.7 ← 10.2 ←
 beste Teiler 202.0 (46.) 389.0 (45.) 531.4 (43.)
 Trefferlage 5.73 mm links, 1.81 mm tief
 Streuwert 3.88, horizontal: 4.18, vertikal: 3.56



Serie 6:
 10.5 * 10.8 * 9.9 ↗ 9.6 ↓ 10.3 ↖
 10.2 ↓ 10.5 * 10.8 * 9.3 ← 10.8 *
 beste Teiler 107.0 (60.) 131.5 (52.) 133.3 (58.)
 Trefferlage 0.14 mm links, 0.54 mm tief
 Streuwert 4.99, horizontal: 5.44, vertikal: 4.49

KK liegend – Wertung – **Senioren_1m**

StandNr: 29

Melmer,, Christof #70108105

StartNr: 9

12. Juli 2020 10:37

SG_Mieming

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **605.2** (578)

Serien: 102.4 101.0 101.8 100.0 100.2 99.8

Zähler: 38 22 0 0 0 0 0 0 0 0



Innenzehner: 19

weiteste: 1389 (57), 1380 (37), 1303 (59)

beste Teiler 12.7 (53.) 72.6 (58.) 134.7 (34.)

Trefferlage 0.28 mm rechts, 1.45 mm tief

Streuwert 5.44, horizontal: 5.39, vertikal: 5.49




Serie 1:

9.5 ↓	10.2 ↖	10.8 *	10.6 *	10.8 *
10.3 *	10.2 ↗	10.0 ↓	10.4 *	9.6 →

beste Teiler 134.8 (5.) 159.1 (3.) 300.0 (4.)

Trefferlage 1.16 mm rechts, 1.55 mm tief

Streuwert 4.72, horizontal: 4.28, vertikal: 5.12




Serie 2:

9.9 ↘	9.7 ↖	10.6 *	10.0 ↖	9.8 ↓
10.4 *	9.7 ↗	10.1 ↓	10.5 *	10.3 ↖

beste Teiler 241.7 (13.) 342.8 (19.) 429.7 (16.)

Trefferlage 2.36 mm links, 1.91 mm tief

Streuwert 4.85, horizontal: 4.86, vertikal: 4.84




Serie 3:

10.5 *	10.2 ↗	10.2 →	10.7 *	9.8 ↓
9.7 ↓	10.0 ↖	10.1 ↖	10.6 *	10.0 →

beste Teiler 236.8 (24.) 295.2 (29.) 364.0 (21.)

Trefferlage 1.40 mm rechts, 0.35 mm hoch

Streuwert 4.92, horizontal: 3.99, vertikal: 5.70




Serie 4:

10.5 *	9.7 ↓	10.7 *	10.8 *	9.9 →
9.3 ↘	9.2 ↘	9.6 ←	10.1 ↖	10.2 ↖

beste Teiler 134.7 (34.) 221.2 (33.) 396.6 (31.)

Trefferlage 0.00 mm , 2.80 mm tief

Streuwert 6.11, horizontal: 6.43, vertikal: 5.77




Serie 5:

10.6 *	9.7 ↘	9.9 ↗	10.1 ↗	10.3 ↓
9.3 ↘	9.9 ↓	10.4 *	9.5 ↓	10.5 *

beste Teiler 281.7 (41.) 336.0 (50.) 422.5 (48.)

Trefferlage 0.04 mm links, 4.76 mm tief

Streuwert 4.93, horizontal: 5.24, vertikal: 4.60



Serie 6:

9.9 →	10.0 ↘	10.9 *	10.1 ↑	10.0 →
10.1 ↗	9.2 ↖	10.9 *	9.3 →	9.4 ↖

beste Teiler 12.7 (53.) 72.6 (58.) 659.8 (56.)

Trefferlage 1.54 mm rechts, 1.97 mm hoch

Streuwert 6.37, horizontal: 7.18, vertikal: 5.44

KK liegend – Wertung – **Senioren_1w**

StandNr: 30

Chamson,, Martina #70225066

StartNr: 10



12. Juli 2020 10:35

SG_Absam


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **600.3** (572)
 Serien: 98.2 99.4 100.7 100.5 102.7 98.8
 Zähler: 33 26 1 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 2110 (18), 1487 (31), 1385 (51)
 beste Teiler 14.0 (20.) 106.8 (33.) 126.2 (54.)
 Trefferlage 1.91 mm rechts, 2.94 mm tief
 Streuwert 5.49, horizontal: 5.92, vertikal: 5.02




Serie 1:
 9.5 ↓ 10.3 * 9.4 ↘ 9.6 ↘ 9.9 ←
 10.1 ↙ 9.4 ← 10.0 ↙ 9.9 ← 10.1 →
 beste Teiler 482.9 (2.) 664.3 (10.) 716.6 (6.)
 Trefferlage 1.82 mm links, 4.50 mm tief
 Streuwert 5.93, horizontal: 7.19, vertikal: 4.31




Serie 2:
 10.1 ← 10.3 ↓ 9.4 ← 10.3 * 10.3 *
 9.6 ↘ 10.0 ↘ 8.3 ↘ 10.2 ↓ 10.9 *
 beste Teiler 14.0 (20.) 484.5 (14.) 500.5 (15.)
 Trefferlage 0.98 mm rechts, 4.77 mm tief
 Streuwert 6.26, horizontal: 7.87, vertikal: 4.07




Serie 3:
 10.6 * 10.1 ↘ 9.7 ↑ 10.1 → 10.2 ↓
 9.7 ↘ 10.4 * 10.4 * 9.7 ↓ 9.8 ↘
 beste Teiler 304.2 (21.) 402.0 (28.) 447.0 (27.)
 Trefferlage 3.21 mm rechts, 2.46 mm tief
 Streuwert 4.67, horizontal: 3.38, vertikal: 5.68




Serie 4:
 9.1 → 9.9 ← 10.8 * 10.5 * 10.6 *
 10.1 ↑ 10.3 * 9.5 ↘ 9.8 ↘ 9.9 →
 beste Teiler 106.8 (33.) 266.5 (35.) 356.7 (34.)
 Trefferlage 3.93 mm rechts, 1.34 mm tief
 Streuwert 5.27, horizontal: 5.98, vertikal: 4.45



Serie 5:
 9.9 ↓ 9.5 ↘ 10.4 * 10.5 * 9.7 ↘
 10.5 * 10.4 * 10.4 * 10.7 * 10.7 *
 beste Teiler 205.2 (49.) 214.2 (50.) 333.9 (44.)
 Trefferlage 3.29 mm rechts, 0.73 mm tief
 Streuwert 4.01, horizontal: 3.51, vertikal: 4.46



Serie 6:
 9.2 ↘ 9.6 ↘ 9.8 → 10.8 * 10.3 ↓
 9.7 ↙ 9.6 ↓ 10.0 ↓ 10.0 ↑ 9.8 ↖
 beste Teiler 126.2 (54.) 534.0 (55.) 764.1 (59.)
 Trefferlage 1.88 mm rechts, 3.82 mm tief
 Streuwert 6.08, horizontal: 5.61, vertikal: 6.51



KK liegend – Wertung – **Senioren_1w**

StandNr: 31

Kaspar,, Sonja #70108193

StartNr: 11



12. Juli 2020 10:29

SG_Mieming


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **599.1** (571)
 Serien: 101.1 100.6 100.9 95.4 100.8 100.3
 Zähler: 36 19 5 0 0 0 0 0 0
 Innenzehner: 21
 weiteste: 2085 (38), 1986 (6), 1916 (34)
 beste Teiler 99.1 (24.) 108.7 (41.) 127.0 (1.)
 Trefferlage 1.08 mm rechts, 0.98 mm tief
 Streuwert 6.39, horizontal: 7.39, vertikal: 5.20




Serie 1:
 10.8 * 10.5 * 10.3 ↗ 10.3 * 10.4 *
 8.5 ← 10.6 * 9.7 ↓ 10.6 * 9.4 →
 beste Teiler 127.0 (1.) 288.2 (9.) 319.7 (7.)
 Trefferlage 0.46 mm links, 0.85 mm tief
 Streuwert 6.44, horizontal: 7.96, vertikal: 4.43




Serie 2:
 9.9 ↘ 10.0 ↘ 10.7 * 9.9 ← 10.4 *
 9.3 ↘ 10.6 * 10.0 → 9.6 ↓ 10.2 ↘
 beste Teiler 182.6 (13.) 273.2 (17.) 442.7 (15.)
 Trefferlage 2.55 mm rechts, 3.33 mm tief
 Streuwert 4.88, horizontal: 5.98, vertikal: 3.44




Serie 3:
 10.7 * 9.9 ← 10.2 ↘ 10.8 * 9.3 ↓
 9.7 ↑ 10.0 ← 9.9 ← 10.2 ↓ 10.2 ↖
 beste Teiler 99.1 (24.) 202.4 (21.) 575.8 (23.)
 Trefferlage 4.04 mm links, 0.34 mm tief
 Streuwert 4.84, horizontal: 3.04, vertikal: 6.13



Serie 4:
 9.9 ↘ 9.1 ↘ 10.4 * 8.6 → 9.4 →
 9.9 ↗ 10.2 ↗ 8.3 → 9.1 ↘ 10.5 *
 beste Teiler 361.0 (40.) 408.4 (33.) 627.1 (37.)
 Trefferlage 5.39 mm rechts, 0.93 mm hoch
 Streuwert 8.56, horizontal: 10.00, vertikal: 6.82



Serie 5:
 10.8 * 8.8 ↘ 10.5 * 10.1 ↓ 10.0 ↖
 9.7 ↘ 10.6 * 9.7 ↘ 10.2 → 10.4 *
 beste Teiler 108.7 (41.) 300.3 (47.) 388.4 (43.)
 Trefferlage 1.47 mm rechts, 0.04 mm tief
 Streuwert 6.02, horizontal: 6.26, vertikal: 5.77



Serie 6:
 10.5 * 10.3 ↘ 9.6 ↘ 10.4 * 8.9 →
 10.3 * 10.4 * 10.1 ↘ 9.5 ← 10.3 ↓
 beste Teiler 394.1 (51.) 407.1 (54.) 414.7 (57.)
 Trefferlage 1.61 mm rechts, 2.26 mm tief
 Streuwert 5.92, horizontal: 7.45, vertikal: 3.84

Meyton Elektronik

KK liegend – Wertung – **Senioren_2m**

StandNr: 32

Adamer,, Klaus #70404028

StartNr: 12

12. Juli 2020 10:31

SG_Breitenbach

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **604.7** (577)

Serien: 100.8 101.9 102.3 98.6 99.6 101.5

Zähler: 37 23 0 0 0 0 0 0 0 0



Innenzehner: 22

weiteste: 1538 (39), 1377 (40), 1362 (45)

beste Teiler 71.8 (29.) 179.2 (17.) 274.3 (28.)

Trefferlage 0.79 mm rechts, 1.19 mm tief

Streuwert 5.40, horizontal: 6.27, vertikal: 4.36




Serie 1:

10.5 *	9.8 ↘	10.1 ↖	10.0 ↙	9.9 ←
10.0 ←	10.2 ↗	9.8 ↘	10.0 →	10.5 *

beste Teiler 333.4 (10.) 352.5 (1.) 594.1 (7.)

Trefferlage 0.47 mm rechts, 0.94 mm tief

Streuwert 5.32, horizontal: 6.52, vertikal: 3.76




Serie 2:

10.5 *	10.1 ↘	9.9 ↙	10.0 ↗	9.8 →
10.0 ↘	10.7 *	10.3 *	10.0 ←	10.6 *

beste Teiler 179.2 (17.) 317.0 (20.) 351.7 (11.)

Trefferlage 0.54 mm rechts, 0.04 mm tief

Streuwert 4.84, horizontal: 5.31, vertikal: 4.33



Serie 3:

9.7 →	10.5 *	10.4 *	10.1 ↘	9.9 →
10.4 *	9.6 ↓	10.6 *	10.9 *	10.2 →

beste Teiler 71.8 (29.) 274.3 (28.) 350.7 (22.)

Trefferlage 2.35 mm rechts, 0.98 mm tief

Streuwert 4.46, horizontal: 4.33, vertikal: 4.58




Serie 4:

10.6 *	9.9 ↘	10.4 *	10.0 →	9.9 →
10.6 *	9.7 ←	9.3 ←	9.0 ↘	9.2 →

beste Teiler 285.3 (31.) 304.0 (36.) 424.3 (33.)

Trefferlage 2.30 mm rechts, 2.90 mm tief

Streuwert 6.72, horizontal: 8.69, vertikal: 3.87




Serie 5:

9.8 ←	10.6 *	10.2 ↗	10.5 *	9.2 ↘
9.6 ↘	9.8 ↓	10.0 ↘	9.6 ↖	10.3 *

beste Teiler 289.3 (42.) 372.2 (44.) 482.7 (50.)

Trefferlage 1.03 mm rechts, 3.08 mm tief

Streuwert 5.88, horizontal: 6.73, vertikal: 4.88



Serie 6:

10.3 *	9.7 ←	9.7 ←	10.2 ↘	10.6 *
9.9 ↗	10.5 *	10.6 *	9.5 ↘	10.5 *

beste Teiler 279.8 (58.) 312.3 (55.) 331.6 (57.)

Trefferlage 1.96 mm links, 0.75 mm hoch

Streuwert 5.11, horizontal: 5.78, vertikal: 4.33

Meyton Elektronik

KK liegend – Wertung – **Senioren_2m**

StandNr: 33

Felderer,, Raimund #70404027

StartNr: 13



12. Juli 2020 10:36

SG_Breitenbach


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	600.0	(572)
Serien:	100.0 101.9 96.6 101.9 99.1 100.5	
Zähler:	34 24 2 0 0 0 0 0 0 0	
Innenzehner:	18	
weiteste:	1712 (11), 1604 (7), 1533 (44)	
beste Teiler	64.2 (17.) 181.8 (12.) 209.8 (8.)	
Trefferlage	0.43 mm rechts, 1.49 mm tief	
Streuwert	5.98, horizontal: 6.11, vertikal: 5.84	




Serie 1:	10.1 ↓	9.5 ↗	10.5 *	9.8 ↘	10.6 *
	9.6 ↘	8.9 ↙	10.7 *	10.2 ↙	10.1 ←
beste Teiler	209.8 (8.)	293.7 (5.)	331.6 (3.)		
Trefferlage	0.60 mm rechts, 2.46 mm tief				
Streuwert	6.10, horizontal: 6.75, vertikal: 5.37				




Serie 2:	8.8 ↑	10.7 *	9.7 ↘	10.6 *	9.9 ↘
	10.6 *	10.9 *	9.9 ←	10.6 *	10.2 ↘
beste Teiler	64.2 (17.)	181.8 (12.)	281.8 (19.)		
Trefferlage	0.37 mm links, 1.02 mm hoch				
Streuwert	5.67, horizontal: 5.06, vertikal: 6.22				




Serie 3:	9.5 ↓	10.2 ↙	9.8 ↘	9.4 ↑	9.6 ↓
	9.3 ↘	9.8 ↘	9.4 ↘	9.9 ↓	9.7 ↗
beste Teiler	562.4 (22.)	802.6 (29.)	923.9 (23.)		
Trefferlage	1.11 mm links, 0.72 mm tief				
Streuwert	7.70, horizontal: 7.28, vertikal: 8.10				



Serie 4:	9.7 ↘	10.0 ↘	10.5 *	10.6 *	10.1 ↙
	10.3 *	10.5 *	10.7 *	10.4 *	9.1 ↘
beste Teiler	222.2 (38.)	280.2 (34.)	373.2 (33.)		
Trefferlage	2.70 mm rechts, 3.29 mm tief				
Streuwert	4.20, horizontal: 4.01, vertikal: 4.38				



Serie 5:	9.5 ↘	10.5 *	10.2 ↘	9.0 ↘	10.1 ↘
	10.5 *	10.1 ↙	10.1 ↙	9.8 ↓	9.3 ←
beste Teiler	340.9 (46.)	349.3 (42.)	606.3 (43.)		
Trefferlage	0.34 mm links, 3.15 mm tief				
Streuwert	6.38, horizontal: 7.52, vertikal: 4.99				



Serie 6:	10.1 ↑	9.9 ←	10.4 *	10.1 →	10.6 *
	10.2 ↘	10.2 →	9.5 ←	10.1 ↑	9.4 ↓
beste Teiler	313.2 (55.)	411.2 (53.)	575.0 (56.)		
Trefferlage	1.10 mm rechts, 0.35 mm tief				
Streuwert	5.79, horizontal: 6.14, vertikal: 5.42				

Meyton Elektronik

KK liegend – Wertung – **Senioren_2m**

StandNr: 34

Schrettl,, Hans–Peter #70410001

StartNr: 14



12. Juli 2020 10:22

SG_Jenbach–Buch


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	599.8	(569)
Serien:	101.2 99.3 99.1 100.2 99.8 100.2	
Zähler:	33 23 4 0 0 0 0 0 0 0	
Innenzehner:	22	
weiteste:	1941 (11), 1850 (25), 1763 (49)	
beste Teiler	113.2 (3.) 132.0 (14.) 196.3 (59.)	
Trefferlage	1.63 mm rechts, 0.43 mm hoch	
Streuwert	6.12, horizontal: 6.58, vertikal: 5.63	




Serie 1:	10.1 →	9.8 ↗	10.8 *	10.4 *	10.4 *
	10.6 *	10.1 ↙	9.2 ↗	10.1 ↑	9.7 ↑
beste Teiler	113.2 (3.)	245.5 (6.)	442.6 (4.)		
Trefferlage	2.49 mm rechts, 2.22 mm hoch				
Streuwert	5.10, horizontal: 5.72, vertikal: 4.39				




Serie 2:	8.5 →	9.9 →	10.1 ←	10.8 *	9.6 ↓
	10.6 *	10.4 *	10.0 →	10.5 *	8.9 ↙
beste Teiler	132.0 (14.)	259.2 (16.)	373.1 (19.)		
Trefferlage	2.41 mm rechts, 1.81 mm tief				
Streuwert	6.98, horizontal: 8.12, vertikal: 5.62				




Serie 3:	10.0 →	10.4 *	10.4 *	9.6 ↘	8.6 ↙
	9.8 ←	9.4 ↑	9.7 →	10.6 *	10.6 *
beste Teiler	261.5 (30.)	276.5 (29.)	415.3 (22.)		
Trefferlage	0.48 mm links, 1.00 mm hoch				
Streuwert	7.03, horizontal: 7.31, vertikal: 6.74				




Serie 4:	10.6 *	9.9 →	10.2 ↑	10.1 ↗	10.4 *
	10.1 →	9.6 ↘	9.9 ↗	9.5 →	9.9 →
beste Teiler	279.8 (31.)	428.3 (35.)	587.5 (33.)		
Trefferlage	3.59 mm rechts, 2.15 mm hoch				
Streuwert	4.88, horizontal: 5.64, vertikal: 3.97				



Serie 5:	9.5 ↗	9.3 ↘	10.4 *	10.5 *	10.2 ↓
	10.6 *	9.4 ↘	10.7 *	8.7 ↗	10.5 *
beste Teiler	230.5 (48.)	251.6 (46.)	367.4 (44.)		
Trefferlage	2.58 mm rechts, 0.60 mm tief				
Streuwert	6.65, horizontal: 5.96, vertikal: 7.28				



Serie 6:	9.9 ↑	9.8 ↘	9.4 ↙	10.1 ↗	9.9 ←
	10.7 *	9.9 ↘	10.3 *	10.7 *	9.5 ←
beste Teiler	196.3 (59.)	212.6 (56.)	496.0 (58.)		
Trefferlage	0.80 mm links, 0.35 mm tief				
Streuwert	6.08, horizontal: 6.78, vertikal: 5.29				



KK liegend – Wertung – **Senioren_2m**

StandNr: 35

Sailer, Werner #770208395

StartNr: 15



12. Juli 2020 10:32

SG Kappl


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **600.5** (575)
 Serien: 97.1 98.1 102.5 101.3 102.5 99.0
 Zähler: 38 19 3 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 2081 (1), 2053 (4), 1912 (11)
 beste Teiler 77.1 (46.) 119.7 (26.) 266.3 (23.)
 Trefferlage 1.85 mm rechts, 0.07 mm tief
 Streuwert 5.96, horizontal: 5.36, vertikal: 6.51




Serie 1:
 8.3 ↘ 9.3 → 10.1 ↙ 8.4 ↘ 9.6 ↘
 10.5 * 10.1 ↘ 10.0 ↗ 10.3 ↖ 10.5 *
 beste Teiler 338.7 (10.) 342.0 (6.) 542.6 (9.)
 Trefferlage 4.78 mm rechts, 3.95 mm tief
 Streuwert 7.26, horizontal: 7.06, vertikal: 7.46




Serie 2:
 8.6 ↘ 10.5 * 9.8 ↑ 9.5 ↗ 9.8 ↘
 9.8 → 10.5 * 9.5 ↑ 10.1 ↓ 10.0 ↘
 beste Teiler 356.6 (17.) 372.0 (12.) 641.1 (19.)
 Trefferlage 3.82 mm rechts, 0.39 mm tief
 Streuwert 6.89, horizontal: 5.15, vertikal: 8.27




Serie 3:
 9.8 ↘ 10.1 → 10.6 * 10.3 * 9.6 ↑
 10.8 * 10.4 * 10.4 * 10.2 → 10.3 ↖
 beste Teiler 119.7 (26.) 266.3 (23.) 460.2 (28.)
 Trefferlage 0.54 mm rechts, 0.71 mm hoch
 Streuwert 4.66, horizontal: 4.00, vertikal: 5.23



Serie 4:
 10.5 * 10.5 * 10.0 ↑ 9.8 ↑ 10.3 *
 10.0 ↑ 10.5 * 9.9 ↖ 9.7 ↘ 10.1 ↘
 beste Teiler 324.0 (32.) 370.6 (31.) 371.3 (37.)
 Trefferlage 0.43 mm rechts, 1.80 mm hoch
 Streuwert 4.97, horizontal: 5.02, vertikal: 4.92



Serie 5:
 10.5 * 10.2 ↑ 10.1 ↖ 10.0 ↘ 10.1 ↖
 10.9 * 10.4 * 10.6 * 9.9 ↓ 9.8 ↓
 beste Teiler 77.1 (46.) 315.6 (48.) 385.4 (41.)
 Trefferlage 0.09 mm rechts, 1.16 mm tief
 Streuwert 4.65, horizontal: 3.50, vertikal: 5.56



Serie 6:
 9.9 ↑ 9.4 ↑ 9.6 ↗ 9.3 ↘ 10.1 ↑
 10.5 * 10.1 → 10.3 * 10.1 ↘ 9.7 ↖
 beste Teiler 368.6 (56.) 496.6 (58.) 667.6 (59.)
 Trefferlage 1.43 mm rechts, 2.56 mm hoch
 Streuwert 6.24, horizontal: 6.08, vertikal: 6.40

Meyton Elektronik

KK liegend – Wertung – **Senioren_2m**

StandNr: 36

Zangerl,, Ernst #70512018

StartNr: 16



12. Juli 2020 10:43

SG_See

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	603.6	(580)							
Serien:	101.3	101.6	100.5	96.5	103.2	100.5			
Zähler:	40	20	0	0	0	0	0	0	0
Innenzehner:	23								
weiteste:	1576 (52), 1559 (32), 1492 (38)								
beste Teiler	183.5 (10.)	228.4 (51.)	229.9 (41.)						
Trefferlage	0.03 mm links, 0.72 mm tief								
Streuwert	5.69, horizontal: 6.79, vertikal: 4.32								




Serie 1:

10.2 →	10.3 *	9.4 ↗	10.5 *	10.2 →
10.1 →	9.4 ↘	9.9 ←	10.6 *	10.7 *
beste Teiler	183.5 (10.)	277.8 (9.)	393.2 (4.)	
Trefferlage	3.39 mm rechts, 0.09 mm tief			
Streuwert	4.93, horizontal: 5.81, vertikal: 3.86			




Serie 2:

9.9 ←	10.2 ↑	9.8 ↑	9.9 ↘	10.6 *
10.5 *	10.2 ↑	10.5 *	9.9 ←	10.1 ←
beste Teiler	277.3 (15.)	342.3 (16.)	355.5 (18.)	
Trefferlage	1.25 mm links, 1.31 mm hoch			
Streuwert	4.78, horizontal: 5.07, vertikal: 4.48			




Serie 3:

9.4 ←	9.6 ←	10.6 *	10.0 ←	9.6 ↘
10.5 *	10.5 *	9.8 ↘	10.4 *	10.1 →
beste Teiler	276.2 (23.)	335.0 (26.)	366.6 (27.)	
Trefferlage	0.95 mm links, 1.14 mm tief			
Streuwert	5.81, horizontal: 7.32, vertikal: 3.74			




Serie 4:

9.1 →	9.0 ↘	10.1 ↖	10.2 ↓	9.7 ↓
9.3 ←	9.5 ↘	9.1 ↘	10.5 *	10.0 ↘
beste Teiler	396.0 (39.)	605.1 (34.)	674.7 (33.)	
Trefferlage	4.01 mm rechts, 4.53 mm tief			
Streuwert	7.09, horizontal: 9.08, vertikal: 4.26			



Serie 5:

10.7 *	10.0 ↗	10.2 ↗	10.3 *	10.4 *
10.4 *	10.4 *	10.3 *	10.2 ↖	10.3 *
beste Teiler	229.9 (41.)	419.4 (45.)	420.1 (47.)	
Trefferlage	1.74 mm links, 0.50 mm tief			
Streuwert	3.66, horizontal: 3.88, vertikal: 3.44			



Serie 6:

10.7 *	9.0 ←	9.7 ↖	10.3 *	10.2 ↑
10.7 *	9.5 ←	10.4 *	10.0 ↖	10.0 ↘
beste Teiler	228.4 (51.)	237.7 (56.)	441.7 (58.)	
Trefferlage	3.67 mm links, 0.62 mm hoch			
Streuwert	5.49, horizontal: 6.34, vertikal: 4.46			

Meyton Elektronik

KK liegend – Wertung – **Senioren_2m**
StandNr: 37
Zobl,, Gerhard #770208396

StartNr: 17
12. Juli 2020 10:42
SG_Tannheim

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **601.8** (569)

Serien: 101.0 100.0 99.1 100.1 100.2 101.4

Zähler: 31 27 2 0 0 0 0 0 0 0



Innenzehner: 23

weiteste: 1781 (30), 1623 (16), 1462 (45)

beste Teiler 86.1 (11.) 111.0 (54.) 145.8 (25.)

Trefferlage 0.28 mm rechts, 0.68 mm hoch

Streuwert 5.93, horizontal: 5.99, vertikal: 5.87




Serie 1:

9.8 ↙	9.8 ↘	10.3 *	10.4 *	9.5 ↗
9.9 ↘	10.4 *	10.6 *	10.6 *	9.7 →

beste Teiler 273.7 (9.) 299.6 (8.) 443.1 (4.)

Trefferlage 1.50 mm links, 1.33 mm hoch

Streuwert 5.42, horizontal: 5.59, vertikal: 5.25




Serie 2:

10.8 *	10.3 ↗	10.5 *	10.3 ←	9.8 ↗
8.9 ←	9.9 ↓	9.8 →	9.8 ↙	9.9 ←

beste Teiler 86.1 (11.) 327.5 (13.) 534.4 (12.)

Trefferlage 1.34 mm links, 0.11 mm tief

Streuwert 6.21, horizontal: 7.62, vertikal: 4.36




Serie 3:

9.7 ↓	9.3 ←	10.4 *	9.6 →	10.8 *
10.1 ←	10.6 *	9.5 ↓	10.4 *	8.7 ↗

beste Teiler 145.8 (25.) 274.8 (27.) 463.1 (29.)

Trefferlage 0.94 mm links, 0.42 mm hoch

Streuwert 7.20, horizontal: 6.88, vertikal: 7.51




Serie 4:

9.6 ↗	10.1 ↗	10.3 *	9.4 →	9.3 ↓
10.1 ↗	10.5 *	10.1 ↑	10.5 *	10.2 →

beste Teiler 336.7 (39.) 373.3 (37.) 514.3 (33.)

Trefferlage 3.99 mm rechts, 1.75 mm hoch

Streuwert 5.18, horizontal: 3.59, vertikal: 6.39




Serie 5:

10.6 *	10.5 *	9.9 ↓	10.4 *	9.1 ↓
9.2 ↘	9.5 ↙	9.7 →	10.8 *	10.5 *

beste Teiler 149.2 (49.) 262.5 (41.) 358.3 (42.)

Trefferlage 1.37 mm links, 1.99 mm tief

Streuwert 6.27, horizontal: 5.87, vertikal: 6.65



Serie 6:

9.9 ↘	9.9 →	9.9 ↑	10.8 *	10.4 *
10.6 *	9.8 ↘	10.3 *	10.2 ↗	9.6 ↗

beste Teiler 111.0 (54.) 295.1 (56.) 469.8 (55.)

Trefferlage 2.86 mm rechts, 2.67 mm hoch

Streuwert 4.50, horizontal: 4.21, vertikal: 4.77

Meyton Elektronik

KK liegend – Wertung – **Senioren_2w**

StandNr: 38

Pfandler,, Elisabeth #770208397

StartNr: 18



12. Juli 2020 10:45

SG_Zams


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **611.7** (584)
 Serien: 103.0 100.3 103.6 99.8 103.5 101.5
 Zähler: 45 14 1 0 0 0 0 0 0
 Innenzehner: 26
 weiteste: 1676 (13), 1294 (31), 1203 (35)
 beste Teiler 47.5 (42.) 137.3 (29.) 154.3 (10.)
 Trefferlage 0.00 mm , 0.76 mm tief
 Streuwert 4.87, horizontal: 5.10, vertikal: 4.62




Serie 1:
 10.7 * 10.4 * 10.1 ↘ 10.5 * 10.3 *
 9.9 ← 10.1 ↘ 10.2 ← 10.0 ↓ 10.8 *
 beste Teiler 154.3 (10.) 235.3 (1.) 399.2 (4.)
 Trefferlage 0.52 mm links, 2.60 mm tief
 Streuwert 3.73, horizontal: 4.60, vertikal: 2.58




Serie 2:
 9.9 ← 9.8 ↗ 8.9 ↘ 10.6 * 10.4 *
 10.3 * 10.2 ↑ 10.0 → 10.0 ↑ 10.2 ↓
 beste Teiler 286.1 (14.) 479.0 (15.) 492.5 (16.)
 Trefferlage 1.97 mm links, 1.77 mm hoch
 Streuwert 5.86, horizontal: 6.38, vertikal: 5.29




Serie 3:
 10.7 * 10.2 → 10.4 * 10.4 * 10.6 *
 10.4 * 10.6 * 9.8 ↑ 10.8 * 9.7 ↘
 beste Teiler 137.3 (29.) 203.0 (21.) 258.3 (25.)
 Trefferlage 2.64 mm rechts, 1.24 mm hoch
 Streuwert 3.55, horizontal: 2.69, vertikal: 4.24



Serie 4:
 9.3 ↘ 10.5 * 9.9 ↗ 10.3 ← 9.4 ↘
 9.7 ↘ 10.1 ↓ 10.2 ↑ 9.8 ↘ 10.6 *
 beste Teiler 261.1 (40.) 352.8 (32.) 534.4 (34.)
 Trefferlage 2.05 mm rechts, 0.72 mm tief
 Streuwert 6.02, horizontal: 5.76, vertikal: 6.27



Serie 5:
 10.1 ↓ 10.9 * 9.6 ← 10.7 * 10.1 ←
 10.6 * 9.9 ← 10.4 * 10.6 * 10.6 *
 beste Teiler 47.5 (42.) 217.8 (44.) 301.0 (50.)
 Trefferlage 3.51 mm links, 1.51 mm tief
 Streuwert 3.17, horizontal: 2.86, vertikal: 3.46



Serie 6:
 10.2 ↓ 10.6 * 10.2 → 9.8 ↓ 10.1 ←
 10.3 * 10.6 * 9.6 ↘ 10.1 → 10.0 ←
 beste Teiler 260.4 (52.) 270.2 (57.) 498.9 (56.)
 Trefferlage 1.32 mm rechts, 2.76 mm tief
 Streuwert 4.63, horizontal: 5.23, vertikal: 3.92

Meyton Elektronik

KK liegend – Wertung – **Senioren_1m**

StandNr: 39

Gufler, Hannes #770208398

StartNr: 19

12. Juli 2020 10:49

SG_Umhausen

Unterschrift des Schützen

Meyton Elektronik