





Ergebnis: **601.6** (573)  
 Serien: 100.2 102.0 99.9 102.4 98.8 98.3  
 Zähler: 34 25 1 0 0 0 0 0 0 0  
 Innenzehner: 20  
 weiteste: 1666 (22), 1432 (10), 1427 (49)  
 beste Teiler 59.8 (26.) 124.0 (57.) 131.0 (14.)  
 Trefferlage 1.10 mm links, 1.63 mm hoch  
 Streuwert 5.82, horizontal: 5.53, vertikal: 6.09




Serie 1:  
 10.1 ↓                      9.4 ↖                      10.5 \*                      10.7 \*                      10.0 ↑  
 10.2 ↙                      9.8 ↖                      10.6 \*                      9.7 →                      9.2 ↖  
 beste Teiler 183.9 (4.) 246.2 (8.) 393.1 (3.)  
 Trefferlage 1.68 mm links, 1.87 mm hoch  
 Streuwert 5.88, horizontal: 5.39, vertikal: 6.34




Serie 2:  
 10.5 \*                      10.4 \*                      9.7 ↑                      10.8 \*                      10.3 \*  
 10.0 →                      10.0 ↑                      10.1 ←                      10.3 \*                      9.9 →  
 beste Teiler 131.0 (14.) 377.9 (11.) 436.8 (12.)  
 Trefferlage 1.31 mm rechts, 2.61 mm hoch  
 Streuwert 4.26, horizontal: 4.68, vertikal: 3.79




Serie 3:  
 9.8 ↑                      8.9 ↙                      10.3 \*                      9.9 ↑                      9.6 ↗  
 10.9 \*                      10.7 \*                      9.6 ↗                      10.5 \*                      9.7 ↗  
 beste Teiler 59.8 (26.) 182.7 (27.) 326.0 (29.)  
 Trefferlage 0.77 mm rechts, 1.67 mm hoch  
 Streuwert 6.60, horizontal: 7.16, vertikal: 6.00



Serie 4:  
 10.0 ↖                      10.2 ↖                      9.6 ↖                      9.8 ↑                      10.3 ↓  
 10.4 \*                      10.2 ↘                      10.4 \*                      10.8 \*                      10.7 \*  
 beste Teiler 133.4 (39.) 171.3 (40.) 409.5 (36.)  
 Trefferlage 0.29 mm rechts, 2.92 mm hoch  
 Streuwert 4.25, horizontal: 3.02, vertikal: 5.20



Serie 5:  
 9.9 ↘                      10.1 ↖                      9.4 ↙                      10.6 \*                      10.1 ←  
 10.6 \*                      9.9 ↑                      9.8 ↓                      9.2 ↙                      9.2 ↖  
 beste Teiler 271.4 (46.) 296.2 (44.) 684.9 (42.)  
 Trefferlage 3.12 mm links, 0.99 mm tief  
 Streuwert 6.66, horizontal: 4.93, vertikal: 8.02



Serie 6:  
 9.8 ↑                      10.0 ↖                      9.2 ↖                      9.5 ↖                      9.2 ↖  
 10.1 ↖                      10.8 \*                      9.6 ↓                      9.5 ↘                      10.6 \*  
 beste Teiler 124.0 (57.) 311.0 (60.) 689.6 (56.)  
 Trefferlage 4.17 mm links, 1.73 mm hoch  
 Streuwert 6.62, horizontal: 6.06, vertikal: 7.13

Meyton Elektronik

**KK liegend – Wertung – Jungschützen**

StandNr: 31

**Greber., Alexander** #70804097

**StartNr: 4**

2. Juni 2019 10:37



SG\_Fügenberg

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **594.4** (569)  
 Serien: 102.0 98.1 98.7 100.0 97.1 98.5  
 Zähler: 30 29 1 0 0 0 0 0 0  
 Innenzehner: 15  
 weiteste: 1701 (41), 1501 (54), 1444 (3)  
 beste Teiler 111.2 (23.) 154.4 (4.) 169.9 (1.)  
 Trefferlage 0.50 mm links, 0.78 mm hoch  
 Streuwert 6.63, horizontal: 7.80, vertikal: 5.21




Serie 1:  
 10.7 \*                      10.6 \*                      9.1 ←                      10.8 \*                      10.1 ↗  
 10.4 \*                      9.9 ↖                      10.2 ↘                      10.1 ↓                      10.1 ↘  
 beste Teiler 154.4 (4.) 169.9 (1.) 320.7 (2.)  
 Trefferlage 2.57 mm links, 2.91 mm tief  
 Streuwert 4.32, horizontal: 5.28, vertikal: 3.07




Serie 2:  
 10.4 \*                      9.5 ←                      10.4 \*                      10.5 \*                      9.6 ←  
 9.9 ↘                      9.9 ↘                      9.4 ↗                      9.3 ↘                      9.2 ←  
 beste Teiler 362.3 (14.) 452.6 (13.) 473.2 (11.)  
 Trefferlage 2.76 mm links, 1.65 mm hoch  
 Streuwert 7.07, horizontal: 7.97, vertikal: 6.04




Serie 3:  
 10.1 ↑                      9.6 ↖                      10.8 \*                      10.2 ↘                      10.5 \*  
 9.9 ←                      9.3 →                      9.2 →                      9.2 ↗                      9.9 ↘  
 beste Teiler 111.2 (23.) 325.7 (25.) 582.4 (24.)  
 Trefferlage 2.88 mm rechts, 1.52 mm hoch  
 Streuwert 6.77, horizontal: 8.71, vertikal: 3.98



Serie 4:  
 9.9 ↘                      10.7 \*                      9.4 ↘                      10.0 ←                      10.0 ↓  
 9.7 →                      9.6 ↖                      10.3 \*                      10.1 →                      10.3 ↗  
 beste Teiler 232.8 (32.) 514.3 (38.) 541.6 (40.)  
 Trefferlage 0.47 mm links, 2.50 mm hoch  
 Streuwert 5.75, horizontal: 6.57, vertikal: 4.79



Serie 5:  
 8.8 ←                      9.4 ←                      9.5 ↗                      9.2 ←                      10.6 \*  
 10.2 →                      10.0 ↓                      10.7 \*                      9.2 ↑                      9.5 ↓  
 beste Teiler 209.1 (48.) 305.6 (45.) 631.6 (46.)  
 Trefferlage 2.27 mm links, 0.62 mm hoch  
 Streuwert 8.04, horizontal: 9.07, vertikal: 6.85



Serie 6:  
 9.8 ↗                      10.1 ↘                      10.4 \*                      9.1 ←                      10.0 ↗  
 9.9 ←                      9.2 ↗                      10.2 →                      9.2 →                      10.6 \*  
 beste Teiler 301.0 (60.) 451.8 (53.) 639.1 (58.)  
 Trefferlage 2.14 mm rechts, 1.33 mm hoch  
 Streuwert 6.98, horizontal: 8.48, vertikal: 5.06

Meyton Elektronik

**KK liegend** – Wertung – **Jungschützen**

StandNr: 32

**Wirtenberger,, Matteo** #70201088

**StartNr: 5**

2. Juni 2019 10:40



SG\_Absam

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **583.0** (557)  
 Serien: 93.3 97.6 99.7 98.2 96.2 98.0  
 Zähler: 25 30 4 0 0 1 0 0 0 0  
 Innenzehner: 14  
 weiteste: 4546 (8), 2137 (19), 2077 (23)  
 beste Teiler 127.4 (27.) 141.8 (2.) 317.0 (26.)  
 Trefferlage 0.97 mm rechts, 2.80 mm hoch  
 Streuwert 8.10, horizontal: 7.92, vertikal: 8.27




Serie 1:  
 10.0 → 10.8 \* 9.5 ↗ 9.3 ↘ 9.4 ↘  
 9.8 ← 9.9 → 5.3 ↘ 9.0 → 10.3 →  
 beste Teiler 141.8 (2.) 536.6 (10.) 764.1 (1.)  
 Trefferlage 1.14 mm links, 7.42 mm hoch  
 Streuwert 11.65, horizontal: 13.04, vertikal: 10.08




Serie 2:  
 10.3 \* 8.9 ↗ 10.4 \* 9.3 ↗ 10.1 ←  
 10.3 \* 9.4 → 10.5 \* 8.3 ↑ 10.1 ↗  
 beste Teiler 353.2 (18.) 451.8 (13.) 491.0 (16.)  
 Trefferlage 2.83 mm rechts, 5.50 mm hoch  
 Streuwert 6.77, horizontal: 6.26, vertikal: 7.25




Serie 3:  
 9.4 ↑ 10.2 ↑ 8.4 ↗ 9.5 ↘ 10.4 \*  
 10.6 \* 10.8 \* 10.0 ↗ 9.9 → 10.5 \*  
 beste Teiler 127.4 (27.) 317.0 (26.) 367.0 (30.)  
 Trefferlage 2.41 mm rechts, 3.65 mm hoch  
 Streuwert 6.40, horizontal: 5.03, vertikal: 7.53




Serie 4:  
 9.3 ↗ 9.6 ↘ 9.7 → 9.4 ↘ 9.1 ↗  
 10.5 \* 10.1 → 9.7 ↘ 10.5 \* 10.3 ↗  
 beste Teiler 329.8 (36.) 377.0 (39.) 549.2 (40.)  
 Trefferlage 3.73 mm rechts, 0.96 mm hoch  
 Streuwert 6.62, horizontal: 6.44, vertikal: 6.79



Serie 5:  
 9.5 ↘ 9.5 → 9.0 ← 9.3 ↓ 8.8 ↑  
 10.1 ↘ 9.8 → 9.6 ↑ 10.2 → 10.4 \*  
 beste Teiler 458.1 (50.) 629.3 (49.) 718.6 (46.)  
 Trefferlage 1.17 mm links, 1.55 mm hoch  
 Streuwert 8.30, horizontal: 8.32, vertikal: 8.28



Serie 6:  
 10.4 \* 9.4 ↗ 9.8 ↗ 9.7 ← 9.2 ↓  
 9.8 ← 9.9 ← 10.4 \* 9.4 ↓ 10.0 ↘  
 beste Teiler 407.8 (58.) 435.1 (51.) 768.0 (60.)  
 Trefferlage 0.80 mm links, 2.25 mm tief  
 Streuwert 6.90, horizontal: 6.19, vertikal: 7.55



**KK liegend** – Wertung – **Jungschützen**

StandNr: 28

**Isser,, Samuel** #70201030

**StartNr: 6**

2. Juni 2019 11:13



SG\_Absam

---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	<b>594.8</b>	(565)							
Serien:	96.6	99.0	99.1	99.8	100.7	99.6			
Zähler:	28	30	1	1	0	0	0	0	0
Innenzehner:	14								
weiteste:	2989 (1), 1739 (58), 1469 (17)								
beste Teiler	72.1 (41.) 143.1 (60.) 166.7 (38.)								
Trefferlage	1.13 mm links, 2.50 mm tief								
Streuwert	6.47, horizontal: 5.87, vertikal: 7.02								




Serie 1:

7.2 ↓	9.1 ↓	9.5 ↓	9.8 ↘	9.9 →
10.0 →	10.1 ↙	10.5 *	10.0 ↓	10.5 *
beste Teiler	328.8 (10.) 336.5 (8.) 668.7 (7.)			
Trefferlage	2.35 mm rechts, 7.94 mm tief			
Streuwert	7.06, horizontal: 4.40, vertikal: 8.96			




Serie 2:

9.8 ↖	9.7 ↙	9.4 ↘	9.7 ↓	10.6 *
10.4 *	9.1 ↘	10.7 *	9.8 ↙	9.8 ↓
beste Teiler	235.3 (18.) 308.6 (15.) 433.2 (16.)			
Trefferlage	2.44 mm links, 4.37 mm tief			
Streuwert	5.80, horizontal: 6.01, vertikal: 5.58			




Serie 3:

9.4 ↙	9.5 ↖	10.6 *	10.4 *	10.5 *
10.0 ↘	9.4 ↖	9.4 ↙	10.0 ↖	9.9 ↖
beste Teiler	311.5 (23.) 352.3 (25.) 467.0 (24.)			
Trefferlage	5.23 mm links, 1.96 mm hoch			
Streuwert	5.29, horizontal: 5.13, vertikal: 5.44			




Serie 4:

9.6 ↑	9.9 →	10.0 ↗	9.2 ↘	9.4 ↙
9.9 ↓	10.3 ↖	10.7 *	10.3 ↓	10.5 *
beste Teiler	166.7 (38.) 360.8 (40.) 531.4 (39.)			
Trefferlage	1.31 mm rechts, 0.67 mm tief			
Streuwert	6.32, horizontal: 5.90, vertikal: 6.71			



Serie 5:

10.9 *	10.0 ↓	9.8 ↓	9.9 ↙	9.9 ↖
10.1 ↖	10.6 *	9.9 ↗	9.7 ↓	9.9 ↖
beste Teiler	72.1 (41.) 295.1 (47.) 650.5 (46.)			
Trefferlage	1.96 mm links, 0.70 mm tief			
Streuwert	5.53, horizontal: 4.47, vertikal: 6.42			



Serie 6:

10.1 ↖	10.2 ↙	9.5 ↘	9.9 →	10.2 →
10.3 *	10.0 →	8.8 ↓	9.8 ↙	10.8 *
beste Teiler	143.1 (60.) 517.1 (56.) 597.5 (52.)			
Trefferlage	0.82 mm links, 3.27 mm tief			
Streuwert	6.19, horizontal: 6.91, vertikal: 5.37			

Meyton Elektronik

**KK liegend** – Wertung – **Jungschützinnen**

StandNr: 12

**Harrasser,, Pia** #70102039

**StartNr: 7**

2. Juni 2019 10:57

SG\_Haiming

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik



Ergebnis: **595.5** (568)

Serien: 98.9 99.8 98.0 100.1 95.9 102.8

Zähler: 33 22 5 0 0 0 0 0 0 0



Innenzehner: 16

weiteste: 2011 (3), 1990 (25), 1902 (43)

beste Teiler 97.0 (8.) 235.0 (9.) 239.0 (34.)

Trefferlage 0.67 mm rechts, 0.72 mm hoch

Streuwert 6.62, horizontal: 6.27, vertikal: 6.95




Serie 1:

10.0 ←	10.2 ↑	8.4 ↘	10.0 →	9.7 ↖
9.9 ↗	9.1 ↓	10.8 *	10.7 *	10.1 ↙

beste Teiler 97.0 (8.) 235.0 (9.) 640.5 (2.)

Trefferlage 1.94 mm links, 2.00 mm hoch

Streuwert 7.17, horizontal: 7.33, vertikal: 7.01




Serie 2:

10.0 ↗	10.3 *	10.4 *	9.7 ↘	9.9 ↘
10.3 *	9.5 ←	9.8 ↑	9.9 ↗	10.0 ↑

beste Teiler 406.2 (13.) 507.9 (16.) 511.4 (12.)

Trefferlage 0.01 mm rechts, 1.69 mm hoch

Streuwert 5.85, horizontal: 5.04, vertikal: 6.57




Serie 3:

10.3 *	9.9 ↑	10.2 ↙	10.0 ↘	8.5 ↓
10.5 *	10.1 ←	10.4 *	9.2 ↘	8.9 →

beste Teiler 359.9 (26.) 439.4 (28.) 487.6 (21.)

Trefferlage 1.04 mm rechts, 2.26 mm tief

Streuwert 7.67, horizontal: 7.17, vertikal: 8.14




Serie 4:

10.2 ↓	10.2 →	9.9 →	10.7 *	8.8 ↑
9.7 ↘	10.3 ↙	10.2 ←	10.3 *	9.8 ↗

beste Teiler 239.0 (34.) 525.6 (39.) 534.8 (37.)

Trefferlage 0.43 mm rechts, 2.38 mm hoch

Streuwert 6.06, horizontal: 5.46, vertikal: 6.61




Serie 5:

9.9 ↑	9.8 ↗	8.6 ↘	9.5 ↘	9.7 ↙
10.1 ↘	9.6 ↑	9.4 →	9.1 →	10.2 ↓

beste Teiler 611.2 (50.) 718.9 (46.) 828.5 (41.)

Trefferlage 4.06 mm rechts, 0.07 mm tief

Streuwert 8.06, horizontal: 7.62, vertikal: 8.48



Serie 6:

10.3 ↑	10.6 *	10.6 *	9.4 ↘	10.3 ↗
10.4 *	9.7 ↘	10.6 *	10.5 *	10.4 *

beste Teiler 256.3 (52.) 275.4 (53.) 316.0 (58.)

Trefferlage 0.42 mm rechts, 0.62 mm hoch

Streuwert 4.68, horizontal: 4.27, vertikal: 5.07

Meyton Elektronik

**KK liegend** – Wertung – **Jungschützinnen**

StandNr: 33

**Thum,, Julia** #70804065

**StartNr: 8**

2. Juni 2019 10:47



SG\_Fügenberg

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>582.7</b>	(556)
Serien:	98.0 97.2 98.0 97.9 98.9 92.7	
Zähler:	24 29 6 1 0 0 0 0 0 0	
Innenzehner:	10	
weiteste:	2953 (52), 2226 (54), 1743 (31)	
beste Teiler	130.8 (21.) 209.0 (20.) 241.8 (32.)	
Trefferlage	0.06 mm rechts, 2.51 mm hoch	
Streuwert	7.71, horizontal: 6.67, vertikal: 8.63	




Serie 1:	10.3 *	8.9 ↑	9.6 ←	9.0 ↑	10.3 ↙
	10.4 *	10.5 *	10.6 *	8.9 ↘	9.5 ↘
beste Teiler	303.5 (8.) 364.0 (7.) 445.5 (6.)				
Trefferlage	4.07 mm links, 5.77 mm hoch				
Streuwert	6.02, horizontal: 4.23, vertikal: 7.38				




Serie 2:	9.3 ↘	9.6 ↗	9.4 ↑	10.0 ↘	8.9 ↙
	9.6 ↘	10.0 ↓	9.8 ↘	9.9 →	10.7 *
beste Teiler	209.0 (20.) 723.8 (17.) 747.7 (14.)				
Trefferlage	1.79 mm rechts, 1.17 mm tief				
Streuwert	7.59, horizontal: 7.94, vertikal: 7.22				




Serie 3:	10.8 *	9.2 ↘	9.9 ↑	9.3 ↑	10.2 ↙
	9.5 ↗	10.4 *	10.1 ↗	9.2 ↑	9.4 ↗
beste Teiler	130.8 (21.) 456.7 (27.) 591.3 (25.)				
Trefferlage	1.39 mm rechts, 6.91 mm hoch				
Streuwert	5.44, horizontal: 5.40, vertikal: 5.47				



Serie 4:	8.8 ↘	10.6 *	9.7 ↙	10.3 ↘	9.8 ↓
	9.5 ←	10.0 →	9.5 ↙	9.4 ↘	10.3 *
beste Teiler	241.8 (32.) 509.3 (40.) 540.4 (34.)				
Trefferlage	1.33 mm links, 4.47 mm tief				
Streuwert	6.80, horizontal: 6.68, vertikal: 6.90				



Serie 5:	9.6 ↘	9.5 ↘	10.0 ↙	9.8 ↗	10.1 ↙
	10.1 →	9.5 ↘	10.4 *	9.9 ←	10.0 ↑
beste Teiler	403.4 (48.) 660.3 (46.) 693.1 (45.)				
Trefferlage	1.11 mm links, 1.08 mm hoch				
Streuwert	6.35, horizontal: 6.68, vertikal: 6.01				



Serie 6:	9.7 ↗	7.3 ↑	8.9 ↑	8.2 ↑	9.3 →
	10.0 →	9.7 ↗	9.4 ↙	10.0 →	10.2 ↙
beste Teiler	633.3 (60.) 727.5 (56.) 764.4 (59.)				
Trefferlage	3.73 mm rechts, 6.96 mm hoch				
Streuwert	9.73, horizontal: 6.98, vertikal: 11.85				

Meyton Elektronik

**KK liegend** – Wertung – **Jungschützinnen**

StandNr: 39

**Messner,, Helena** #70201125

**StartNr: 9**

2. Juni 2019 10:59



SG\_Absam

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **607.2** (580)  
 Serien: 100.3 102.4 101.7 101.3 100.1 101.4  
 Zähler: 41 18 1 0 0 0 0 0 0  
 Innenzehner: 22  
 weiteste: 1725 (45), 1259 (3), 1257 (36)  
 beste Teiler 39.4 (49.) 89.3 (32.) 206.5 (11.)  
 Trefferlage 1.50 mm links, 0.34 mm tief  
 Streuwert 5.16, horizontal: 5.16, vertikal: 5.15




Serie 1:  
 10.3 ↘ 10.0 → 9.4 ↓ 10.1 ↓ 10.7 \*  
 10.4 \* 9.9 ↓ 9.4 ↗ 10.3 \* 9.8 ↑  
 beste Teiler 210.7 (5.) 449.4 (6.) 492.7 (9.)  
 Trefferlage 0.16 mm rechts, 4.08 mm tief  
 Streuwert 5.15, horizontal: 4.30, vertikal: 5.89




Serie 2:  
 10.7 \* 10.6 \* 10.0 ↗ 10.5 \* 10.3 ←  
 9.9 → 10.3 \* 10.1 ← 10.1 ↖ 9.9 →  
 beste Teiler 206.5 (11.) 315.3 (12.) 379.7 (14.)  
 Trefferlage 0.35 mm rechts, 1.19 mm hoch  
 Streuwert 4.41, horizontal: 5.57, vertikal: 2.82




Serie 3:  
 10.6 \* 10.6 \* 10.3 \* 10.2 ↑ 10.6 \*  
 9.9 ↘ 10.0 ↘ 10.4 \* 9.4 ← 9.7 ↖  
 beste Teiler 286.2 (22.) 290.2 (21.) 301.5 (25.)  
 Trefferlage 3.86 mm links, 2.46 mm hoch  
 Streuwert 3.93, horizontal: 4.26, vertikal: 3.56



Serie 4:  
 10.0 ↖ 10.8 \* 10.2 ↓ 9.9 ↓ 10.6 \*  
 9.4 ↓ 10.6 \* 10.2 ↑ 9.9 ↓ 9.7 ↓  
 beste Teiler 89.3 (32.) 250.0 (35.) 255.0 (37.)  
 Trefferlage 0.88 mm rechts, 3.54 mm tief  
 Streuwert 4.78, horizontal: 2.64, vertikal: 6.23



Serie 5:  
 9.6 ↖ 10.5 \* 10.1 ← 10.3 \* 8.8 ←  
 10.4 \* 9.8 ← 10.1 ↖ 10.9 \* 9.6 ↖  
 beste Teiler 39.4 (49.) 388.8 (42.) 435.5 (46.)  
 Trefferlage 6.09 mm links, 0.59 mm hoch  
 Streuwert 4.68, horizontal: 5.01, vertikal: 4.33



Serie 6:  
 10.1 ↓ 10.6 \* 9.7 → 10.2 → 9.8 ←  
 10.4 \* 10.0 ↑ 10.4 \* 10.2 ↑ 10.0 ↖  
 beste Teiler 251.3 (52.) 462.5 (58.) 474.5 (56.)  
 Trefferlage 0.49 mm links, 1.34 mm hoch  
 Streuwert 4.98, horizontal: 5.56, vertikal: 4.31

Meyton Elektronik

**KK liegend** – Wertung – **Jungschützinnen**

StandNr: 36

**Biechl, Julia** #70201106

**StartNr: 10**

2. Juni 2019 11:14



SG\_Absam

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **609.3** (582)  
 Serien: 102.0 99.9 100.0 103.0 102.6 101.8  
 Zähler: 42 18 0 0 0 0 0 0 0  
 Innenzehner: 24  
 weiteste: 1532 (16), 1356 (26), 1237 (1)  
 beste Teiler 123.4 (7.) 136.4 (45.) 141.5 (59.)  
 Trefferlage 0.46 mm rechts, 0.44 mm hoch  
 Streuwert 5.04, horizontal: 4.79, vertikal: 5.29




Serie 1:  
 9.4 ↘ 10.4 \* 10.6 \* 9.9 ↙ 9.8 ↗  
 10.5 \* 10.8 \* 10.3 ↗ 10.0 ↙ 10.3 \*  
 beste Teiler 123.4 (7.) 284.0 (3.) 378.4 (6.)  
 Trefferlage 0.98 mm rechts, 1.46 mm tief  
 Streuwert 4.89, horizontal: 5.32, vertikal: 4.43




Serie 2:  
 10.1 ↗ 9.5 ↘ 10.6 \* 10.3 \* 10.3 ↙  
 9.0 ↘ 10.1 ↓ 10.1 ← 9.9 ↘ 10.0 ↑  
 beste Teiler 263.6 (13.) 519.5 (14.) 538.0 (15.)  
 Trefferlage 0.86 mm rechts, 1.29 mm tief  
 Streuwert 6.16, horizontal: 5.84, vertikal: 6.48




Serie 3:  
 9.7 ↘ 10.5 \* 10.6 \* 9.7 ← 9.7 ↘  
 9.3 ↘ 10.5 \* 9.7 → 10.4 \* 9.9 ↘  
 beste Teiler 264.0 (23.) 355.4 (22.) 378.1 (27.)  
 Trefferlage 0.51 mm links, 1.79 mm hoch  
 Streuwert 6.05, horizontal: 6.64, vertikal: 5.39



Serie 4:  
 10.2 ↓ 10.2 ↑ 10.0 ← 10.6 \* 10.3 →  
 10.0 → 10.4 \* 10.5 \* 10.4 \* 10.4 \*  
 beste Teiler 313.4 (34.) 362.4 (38.) 439.0 (37.)  
 Trefferlage 0.71 mm rechts, 0.96 mm tief  
 Streuwert 4.03, horizontal: 4.39, vertikal: 3.63



Serie 5:  
 10.3 \* 9.9 ↗ 9.9 ↘ 10.1 ↘ 10.8 \*  
 10.8 \* 10.1 ↓ 10.7 \* 9.7 ↘ 10.3 \*  
 beste Teiler 136.4 (45.) 146.8 (46.) 230.0 (48.)  
 Trefferlage 1.57 mm rechts, 0.28 mm tief  
 Streuwert 4.47, horizontal: 3.57, vertikal: 5.22



Serie 6:  
 10.0 ↑ 10.6 \* 10.2 ↑ 10.4 \* 9.6 ↘  
 10.2 ↘ 9.9 ↑ 9.8 ↑ 10.8 \* 10.3 ↘  
 beste Teiler 141.5 (59.) 284.2 (52.) 456.2 (54.)  
 Trefferlage 0.80 mm links, 4.90 mm hoch  
 Streuwert 3.54, horizontal: 2.66, vertikal: 4.24

Meyton Elektronik

**KK liegend** – Wertung – **Junioren**

StandNr: 11

**Fankhauser,, Thomas** #70804016

**StartNr: 11**

2. Juni 2019 10:33

SG\_Fügenberg



---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik




Ergebnis:	<b>572.9</b>	(546)
Serien:	93.9 96.5 96.9 93.9 94.0 97.7	
Zähler:	19 28 13 0 0 0 0 0 0 0	
Innenzehner:	7	
weiteste:	2150 (29), 2047 (25), 1986 (19)	
beste Teiler	156.4 (23.) 205.1 (24.) 319.0 (56.)	
Trefferlage	4.46 mm links, 4.73 mm hoch	
Streuwert	7.47, horizontal: 7.53, vertikal: 7.42	




Serie 1:	8.6 ↗	9.1 ↑	8.9 ↘	9.5 ←	9.8 ↙
	8.5 ←	10.1 ↘	9.6 ↘	10.2 ↘	9.6 ←
beste Teiler	562.5 (9.) 711.9 (7.) 954.0 (5.)				
Trefferlage	9.07 mm links, 3.79 mm hoch				
Streuwert	6.56, horizontal: 5.21, vertikal: 7.68				




Serie 2:	9.4 ←	9.2 ↓	9.9 ↗	10.0 ↗	10.0 ↘
	10.5 *	9.6 ↘	10.5 *	8.5 ↘	8.9 ↘
beste Teiler	329.6 (18.) 375.4 (16.) 735.2 (14.)				
Trefferlage	7.23 mm links, 2.42 mm hoch				
Streuwert	6.46, horizontal: 5.83, vertikal: 7.03				




Serie 3:	8.8 ↘	9.5 ↑	10.8 *	10.7 *	8.4 ↙
	10.5 *	9.8 ←	10.2 ↑	8.3 ↘	9.9 ↗
beste Teiler	156.4 (23.) 205.1 (24.) 328.0 (26.)				
Trefferlage	5.56 mm links, 3.51 mm hoch				
Streuwert	7.77, horizontal: 7.25, vertikal: 8.27				



Serie 4:	8.6 ←	9.3 ↘	9.6 ↘	9.6 ↑	9.4 ↗
	9.9 ←	9.1 ↑	8.6 ↘	10.1 ↘	9.7 ↑
beste Teiler	709.0 (39.) 853.2 (36.) 968.6 (40.)				
Trefferlage	6.09 mm links, 6.73 mm hoch				
Streuwert	7.02, horizontal: 7.50, vertikal: 6.51				



Serie 5:	8.8 ↗	9.3 ↘	10.0 ↘	9.1 ↘	9.1 ↘
	9.2 ↗	10.2 ↑	9.3 →	10.2 ↗	8.8 ↗
beste Teiler	609.6 (47.) 637.0 (49.) 763.9 (43.)				
Trefferlage	0.56 mm links, 8.22 mm hoch				
Streuwert	7.59, horizontal: 9.38, vertikal: 5.20				



Serie 6:	9.8 →	9.4 ↑	10.0 ↘	9.9 ↓	10.1 ↓
	10.6 *	8.5 ↑	9.0 ↗	10.0 ↓	10.4 *
beste Teiler	319.0 (56.) 479.8 (60.) 651.0 (55.)				
Trefferlage	1.75 mm rechts, 3.70 mm hoch				
Streuwert	7.23, horizontal: 4.21, vertikal: 9.31				

Meyton Elektronik

**KK liegend** – Wertung – **Männer**

StandNr: 35

**Rief, Daniel** #70201143

**StartNr: 12**

2. Juni 2019 10:27

SG\_Absam

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **608.7** (582)

Serien: 101.0 102.0 99.2 101.7 101.7 103.1

Zähler: 43 16 1 0 0 0 0 0 0 0



Innenzehner: 28

weiteste: 1614 (17), 1518 (29), 1429 (2)

beste Teiler 74.3 (13.) 77.3 (35.) 154.0 (58.)

Trefferlage 0.37 mm rechts, 0.00 mm

Streuwert 5.32, horizontal: 5.76, vertikal: 4.84




Serie 1:

10.6 *	9.2 →	10.2 ↘	9.7 ↙	10.0 ↘
10.6 *	10.0 →	9.9 ↘	10.3 →	10.5 *

beste Teiler 261.3 (1.) 295.0 (6.) 398.6 (10.)

Trefferlage 2.21 mm rechts, 1.78 mm tief

Streuwert 5.37, horizontal: 6.50, vertikal: 3.93




Serie 2:

10.4 *	9.8 →	10.9 *	10.2 ↘	10.0 ←
10.4 *	8.9 ↘	10.5 *	10.5 *	10.4 *

beste Teiler 74.3 (13.) 348.5 (19.) 391.2 (18.)

Trefferlage 1.71 mm links, 1.19 mm hoch

Streuwert 5.20, horizontal: 6.15, vertikal: 4.04




Serie 3:

10.1 ↖	10.1 ↘	9.5 →	10.7 *	10.6 *
9.7 ↖	9.6 →	10.6 *	9.1 ←	9.2 ↑

beste Teiler 222.7 (24.) 266.5 (28.) 297.7 (25.)

Trefferlage 0.11 mm rechts, 1.86 mm hoch

Streuwert 6.87, horizontal: 7.78, vertikal: 5.82




Serie 4:

10.7 *	10.1 →	10.3 ↘	9.7 ↘	10.9 *
10.1 ↘	9.7 ←	10.0 ↗	9.8 →	10.4 *

beste Teiler 77.3 (35.) 233.6 (31.) 435.1 (40.)

Trefferlage 2.56 mm rechts, 1.01 mm tief

Streuwert 4.86, horizontal: 5.12, vertikal: 4.59




Serie 5:

10.6 *	10.3 *	9.4 ↑	9.5 ←	10.6 *
10.5 *	10.3 *	10.4 *	10.1 ↘	10.0 →

beste Teiler 258.6 (45.) 260.8 (41.) 346.5 (46.)

Trefferlage 0.07 mm links, 1.63 mm hoch

Streuwert 4.98, horizontal: 4.99, vertikal: 4.96



Serie 6:

10.6 *	10.6 *	9.5 ↖	10.4 *	10.4 *
10.3 *	10.2 ↘	10.8 *	9.7 ↙	10.6 *

beste Teiler 154.0 (58.) 268.7 (51.) 277.9 (60.)

Trefferlage 0.86 mm links, 1.88 mm tief

Streuwert 4.17, horizontal: 3.07, vertikal: 5.05

Meyton Elektronik

**KK liegend** – Wertung – **Senioren\_1m**

StandNr: 13

**Gufler,, Hannes** #70119024

**StartNr: 13**

2. Juni 2019 10:44



SG\_Umhausen

---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	<b>594.9</b>	(568)							
Serien:	99.8	101.7	96.9	99.5	95.6	101.4			
Zähler:	33	22	5	0	0	0	0	0	0
Innenzehner:	22								
weiteste:	2186 (50), 2102 (49), 1965 (45)								
beste Teiler	107.0 (36.) 130.6 (52.) 137.3 (53.)								
Trefferlage	2.10 mm links, 1.99 mm hoch								
Streuwert	6.62, horizontal: 6.94, vertikal: 6.28								




Serie 1:

9.6 ↓	8.9 ↘	9.2 ↘	10.5 *	10.5 *
10.4 *	9.8 ↘	10.6 *	10.6 *	9.7 ↑
beste Teiler	272.3 (8.) 287.9 (9.) 375.5 (4.)			
Trefferlage	3.16 mm rechts, 2.12 mm tief			
Streuwert	6.21, horizontal: 5.41, vertikal: 6.91			




Serie 2:

9.9 ↘	10.6 *	10.3 *	9.6 ←	10.6 *
10.0 ←	10.0 ↗	10.6 *	10.2 ←	9.9 ↘
beste Teiler	267.1 (15.) 306.5 (12.) 317.2 (18.)			
Trefferlage	1.24 mm links, 0.46 mm hoch			
Streuwert	4.94, horizontal: 6.09, vertikal: 3.44			




Serie 3:

10.5 *	9.2 ↖	8.7 ←	9.5 ←	9.4 →
9.7 →	10.3 *	10.3 *	10.0 ↘	9.3 ↘
beste Teiler	383.2 (21.) 496.0 (28.) 499.9 (27.)			
Trefferlage	2.98 mm links, 0.79 mm hoch			
Streuwert	7.87, horizontal: 10.20, vertikal: 4.46			




Serie 4:

10.1 ↖	10.3 ↙	9.3 →	9.9 ↑	10.6 *
10.8 *	9.6 ↘	9.7 ↘	9.0 ↑	10.2 ↘
beste Teiler	107.0 (36.) 275.0 (35.) 545.2 (32.)			
Trefferlage	1.17 mm links, 4.58 mm hoch			
Streuwert	5.76, horizontal: 5.89, vertikal: 5.62			



Serie 5:

10.3 *	10.4 *	10.0 ↙	10.6 *	8.5 ↘
10.1 ←	9.9 ←	9.3 ↘	8.3 ↑	8.2 ↘
beste Teiler	304.0 (44.) 404.8 (42.) 491.2 (41.)			
Trefferlage	6.64 mm links, 4.82 mm hoch			
Streuwert	7.52, horizontal: 6.22, vertikal: 8.63			



Serie 6:

9.5 ↘	10.8 *	10.8 *	10.3 ↙	10.4 *
10.0 ↘	10.3 *	10.7 *	9.5 ↘	9.1 ↘
beste Teiler	130.6 (52.) 137.3 (53.) 222.2 (58.)			
Trefferlage	3.72 mm links, 3.46 mm hoch			
Streuwert	4.65, horizontal: 3.51, vertikal: 5.56			

Meyton Elektronik

**KK liegend** – Wertung – **Senioren\_1w**

StandNr: 14

**Kaspar,, Sonja** #70108193

**StartNr: 14**

2. Juni 2019 10:34

SG\_Mieming

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **593.5** (571)

Serien: 98.0 101.0 100.9 97.4 98.8 97.4

Zähler: 32 27 1 0 0 0 0 0 0 0



Innenzehner: 17

weiteste: 1858 (10), 1567 (7), 1551 (53)

beste Teiler 106.7 (16.) 224.1 (20.) 249.2 (31.)

Trefferlage 0.29 mm rechts, 1.81 mm hoch

Streuwert 6.59, horizontal: 6.70, vertikal: 6.48




Serie 1:

10.5 *	9.6 ↗	10.1 ↘	10.4 *	10.0 ↖
9.3 ↑	9.0 ↗	10.1 →	10.4 *	8.6 ↗

beste Teiler 358.2 (1.) 402.8 (4.) 413.9 (9.)

Trefferlage 4.13 mm rechts, 5.16 mm hoch

Streuwert 6.01, horizontal: 5.10, vertikal: 6.80




Serie 2:

9.5 ↗	9.6 ↘	10.5 *	10.2 ↓	9.4 ←
10.8 *	10.4 *	10.3 *	9.6 →	10.7 *

beste Teiler 106.7 (16.) 224.1 (20.) 325.5 (13.)

Trefferlage 1.76 mm rechts, 0.06 mm tief

Streuwert 5.83, horizontal: 6.81, vertikal: 4.65




Serie 3:

9.2 ↑	10.0 ←	10.4 *	9.8 ↖	10.6 *
9.6 ↙	10.2 ←	10.1 ↓	10.6 *	10.4 *

beste Teiler 288.1 (25.) 310.8 (29.) 434.7 (30.)

Trefferlage 2.60 mm links, 0.30 mm hoch

Streuwert 5.39, horizontal: 4.51, vertikal: 6.14




Serie 4:

10.6 *	9.6 ↖	9.6 ↖	9.4 ↘	9.4 ↖
9.4 →	9.2 ↘	9.9 →	9.9 ↖	10.4 *

beste Teiler 249.2 (31.) 467.0 (40.) 832.6 (39.)

Trefferlage 1.51 mm rechts, 0.62 mm hoch

Streuwert 7.58, horizontal: 7.89, vertikal: 7.26




Serie 5:

10.6 *	10.1 ↖	10.3 ←	9.1 ↖	9.0 ↑
9.3 ↗	10.1 ↖	10.2 ↘	10.3 ↓	9.8 ↘

beste Teiler 283.5 (41.) 546.8 (43.) 552.1 (49.)

Trefferlage 0.09 mm links, 2.70 mm hoch

Streuwert 6.81, horizontal: 6.99, vertikal: 6.63



Serie 6:

9.1 ↖	9.2 ←	9.0 ↖	10.3 *	10.3 *
9.8 ↘	9.5 ↖	10.2 ↘	10.0 →	10.0 ↓

beste Teiler 488.7 (54.) 501.9 (55.) 569.8 (58.)

Trefferlage 2.91 mm links, 2.13 mm hoch

Streuwert 7.09, horizontal: 6.98, vertikal: 7.20

Meyton Elektronik

**KK liegend** – Wertung – **Senioren\_1m**  
StandNr: 34  
**Flunger,, Guido** #70102006

**StartNr: 15**  
2. Juni 2019 10:32  
SG\_Haiming

---

---

Unterschrift des Schützen

Meyton Elektronik



Ergebnis: **581** (607.1)

Serien: 95 98 98 96 99 95

Zähler: 43 15 2 0 0 0 0 0 0 0



Innenzehner: 27

weiteste: 2389 (3), 1831 (35), 1533 (11)

beste Teiler 51.4 (50.) 51.7 (21.) 142.2 (47.)

Trefferlage 0.76 mm rechts, 0.02 mm tief

Streuwert 5.69, horizontal: 5.96, vertikal: 5.41




Serie 1:

10.6 *	9.5 ↓	8.0 →	10.4 *	9.5 ↓
10.3 *	10.3 *	10.2 ↘	10.1 ↓	9.7 →

beste Teiler 263.3 (1.) 462.3 (4.) 506.8 (6.)

Trefferlage 5.42 mm rechts, 4.02 mm tief

Streuwert 5.99, horizontal: 7.24, vertikal: 4.40




Serie 2:

9.0 →	10.0 ↖	10.7 *	10.6 *	10.3 *
10.7 *	10.4 *	10.2 ↗	10.7 *	9.9 ↖

beste Teiler 208.3 (16.) 211.8 (19.) 216.5 (13.)

Trefferlage 1.67 mm rechts, 1.43 mm hoch

Streuwert 4.82, horizontal: 5.78, vertikal: 3.61




Serie 3:

10.9 *	10.4 *	10.1 ↖	10.5 *	10.7 *
9.7 ↑	10.1 ←	10.2 ↑	9.9 →	10.2 →

beste Teiler 51.7 (21.) 229.4 (25.) 326.9 (24.)

Trefferlage 0.47 mm links, 1.33 mm hoch

Streuwert 4.45, horizontal: 4.71, vertikal: 4.16




Serie 4:

10.1 ↖	10.0 ↗	10.7 *	10.1 →	8.7 →
10.3 *	10.5 *	10.4 *	9.7 ↑	9.6 ↓

beste Teiler 161.1 (33.) 399.9 (37.) 426.8 (38.)

Trefferlage 3.08 mm rechts, 2.51 mm hoch

Streuwert 5.74, horizontal: 6.07, vertikal: 5.38




Serie 5:

10.3 ↑	10.7 *	10.1 ↖	10.4 *	10.2 ←
10.4 *	10.8 *	9.8 ↙	10.6 *	10.9 *

beste Teiler 51.4 (50.) 142.2 (47.) 171.2 (42.)

Trefferlage 2.05 mm links, 0.82 mm tief

Streuwert 3.37, horizontal: 3.40, vertikal: 3.35



Serie 6:

9.2 ↖	9.1 ↓	10.2 ↓	9.1 ↑	10.5 *
10.7 *	9.8 ↙	9.9 ↙	10.4 *	10.1 ↖

beste Teiler 224.4 (56.) 392.5 (55.) 452.0 (59.)

Trefferlage 3.06 mm links, 0.58 mm tief

Streuwert 6.71, horizontal: 4.29, vertikal: 8.46

Meyton Elektronik

**KK liegend** – Wertung – **Senioren\_1m**

StandNr: 16

**Floriani,, Meinhard** #70102004

**StartNr: 16**

2. Juni 2019 10:34



SG\_Haiming

---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	<b>597.8</b>	(568)
Serien:	99.0 97.9 99.3 103.1 101.2 97.3	
Zähler:	30 28 2 0 0 0 0 0 0 0	
Innenzehner:	16	
weiteste:	1678 (8), 1678 (18), 1440 (59)	
beste Teiler	127.2 (7.) 142.6 (44.) 143.5 (46.)	
Trefferlage	1.07 mm rechts, 1.93 mm tief	
Streuwert	6.03, horizontal: 5.25, vertikal: 6.72	




Serie 1:

9.7 ↘	9.3 ↓	10.2 ↘	10.6 *	9.8 ↑
9.7 ↖	10.8 *	8.9 ↓	9.9 ↗	10.1 ↓
beste Teiler	127.2 (7.)	307.0 (4.)	580.6 (3.)	
Trefferlage	1.77 mm rechts, 2.34 mm tief			
Streuwert	6.70, horizontal: 4.19, vertikal: 8.50			




Serie 2:

9.5 ↘	9.8 ↓	9.8 ↖	9.5 ↓	9.2 ↓
10.4 *	10.1 ↗	8.9 ↘	10.3 *	10.4 *
beste Teiler	427.8 (16.)	450.1 (20.)	483.8 (19.)	
Trefferlage	1.57 mm rechts, 4.90 mm tief			
Streuwert	6.44, horizontal: 5.64, vertikal: 7.15			




Serie 3:

9.5 ↗	9.9 ↗	10.1 ↓	9.8 ↘	9.7 ↘
9.6 ↑	9.6 ↘	10.4 *	10.4 *	10.3 *
beste Teiler	408.2 (29.)	436.6 (28.)	513.6 (30.)	
Trefferlage	3.18 mm rechts, 0.72 mm tief			
Streuwert	5.99, horizontal: 4.55, vertikal: 7.14			




Serie 4:

9.6 ↗	10.3 ↗	10.3 ↑	10.2 ↗	10.0 ↑
10.6 *	10.6 *	10.5 *	10.3 *	10.7 *
beste Teiler	201.9 (40.)	293.1 (36.)	316.1 (37.)	
Trefferlage	1.69 mm rechts, 0.28 mm hoch			
Streuwert	4.06, horizontal: 3.84, vertikal: 4.27			




Serie 5:

9.7 ↖	10.1 ←	10.3 →	10.8 *	10.3 *
10.8 *	9.6 ↗	10.1 ←	9.9 ↖	9.6 ←
beste Teiler	142.6 (44.)	143.5 (46.)	525.0 (45.)	
Trefferlage	2.47 mm links, 0.08 mm hoch			
Streuwert	5.22, horizontal: 6.41, vertikal: 3.67			



Serie 6:

9.5 ↓	10.2 ←	9.9 ↖	9.7 ↖	10.0 ↑
10.1 ↗	9.2 ↘	9.9 ↘	9.2 ↘	9.6 ↓
beste Teiler	591.5 (52.)	695.7 (56.)	743.4 (55.)	
Trefferlage	0.70 mm rechts, 3.98 mm tief			
Streuwert	6.99, horizontal: 5.88, vertikal: 7.95			



**KK liegend** – Wertung – **Senioren\_1m**

StandNr: 17

**Wirtenberger,, Christoph** #70201085

**StartNr: 17**

2. Juni 2019 10:43



SG\_Absam

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>616.3</b>	(588)
Serien:	105.4	102.3 102.3 103.1 101.1 102.1
Zähler:	48	12 0 0 0 0 0 0 0 0
Innenzehner:	27	
weiteste:	1368	(41), 1332 (60), 1280 (44)
beste Teiler	44.2	(49.) 70.4 (7.) 74.8 (10.)
Trefferlage	0.26 mm	links, 0.92 mm hoch
Streuwert	4.41,	horizontal: 4.75, vertikal: 4.03




Serie 1:	10.0 →	10.1 →	10.6 *	10.6 *	10.4 *
	10.8 *	10.9 *	10.5 *	10.6 *	10.9 *
beste Teiler	70.4	(7.) 74.8 (10.)	132.0 (6.)		
Trefferlage	1.85 mm rechts, 0.62 mm hoch				
Streuwert	2.58, horizontal: 3.31, vertikal: 1.54				




Serie 2:	10.5 *	9.7 ↗	10.2 ↘	10.6 *	10.7 *
	10.2 ↗	10.2 ↘	10.2 ↘	10.1 ↘	9.9 ↘
beste Teiler	196.9	(15.) 303.6 (14.)	390.6 (11.)		
Trefferlage	0.56 mm links, 2.86 mm hoch				
Streuwert	4.00, horizontal: 5.05, vertikal: 2.54				




Serie 3:	9.8 ↘	10.1 ↘	10.3 →	10.6 *	10.4 *
	10.1 ↘	10.3 ↓	9.9 →	10.3 ↗	10.5 *
beste Teiler	310.9	(24.) 379.0 (30.)	445.3 (25.)		
Trefferlage	1.84 mm rechts, 1.16 mm hoch				
Streuwert	4.28, horizontal: 4.49, vertikal: 4.05				



Serie 4:	10.4 *	10.3 ←	10.6 *	10.9 *	10.5 *
	10.3 *	10.3 ←	10.1 ↓	9.7 ↑	10.0 →
beste Teiler	79.6	(34.) 265.0 (33.)	374.1 (35.)		
Trefferlage	0.01 mm links, 0.05 mm tief				
Streuwert	4.29, horizontal: 3.69, vertikal: 4.81				



Serie 5:	9.2 ↓	9.9 ↘	10.6 *	9.4 →	10.4 *
	10.1 ↓	10.8 *	9.9 ←	10.9 *	9.9 ←
beste Teiler	44.2	(49.) 111.5 (47.)	287.3 (43.)		
Trefferlage	0.96 mm links, 1.34 mm tief				
Streuwert	5.88, horizontal: 6.26, vertikal: 5.49				



Serie 6:	10.7 *	10.2 ↘	10.5 *	9.9 ↘	10.6 *
	10.4 *	10.3 ↘	10.0 ←	10.2 ↘	9.3 ↘
beste Teiler	196.4	(51.) 317.4 (55.)	371.2 (53.)		
Trefferlage	3.75 mm links, 2.29 mm hoch				
Streuwert	3.85, horizontal: 3.83, vertikal: 3.88				

Meyton Elektronik

**KK liegend** – Wertung – **Senioren\_1m**

StandNr: 18

**Steinlechner,, Joachim** #70201078

**StartNr: 18**

2. Juni 2019 10:37



SG\_Absam

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>589.9</b>	(563)
Serien:	100.0 100.8 99.8 100.6 96.7 92.0	
Zähler:	28 27 5 0 0 0 0 0 0 0	
Innenzehner:	12	
weiteste:	1910 (58), 1909 (53), 1804 (50)	
beste Teiler	149.4 (40.) 159.2 (24.) 180.2 (14.)	
Trefferlage	0.84 mm links, 1.41 mm tief	
Streuwert	7.06, horizontal: 7.89, vertikal: 6.13	




Serie 1:	10.3 ↘	10.2 ←	10.1 ↓	9.8 ↘	10.1 ↑
	10.3 *	9.2 ↙	9.8 ↓	10.1 ↓	10.1 ↘
beste Teiler	505.6 (6.)	539.4 (1.)	635.2 (2.)		
Trefferlage	1.10 mm links, 3.20 mm tief				
Streuwert	5.41, horizontal: 5.61, vertikal: 5.21				




Serie 2:	9.6 ↗	9.5 →	10.1 ↓	10.7 *	10.6 *
	10.5 *	9.7 ↓	10.1 ↓	9.7 ←	10.3 ↘
beste Teiler	180.2 (14.)	302.7 (15.)	328.6 (16.)		
Trefferlage	0.27 mm rechts, 2.44 mm tief				
Streuwert	5.45, horizontal: 5.52, vertikal: 5.37				




Serie 3:	10.3 *	9.3 ↗	9.5 ↑	10.8 *	10.2 ↓
	9.8 ↙	9.9 ↗	10.6 *	10.1 ↓	9.3 →
beste Teiler	159.2 (24.)	273.2 (28.)	498.2 (21.)		
Trefferlage	1.67 mm rechts, 1.05 mm hoch				
Streuwert	6.39, horizontal: 6.31, vertikal: 6.46				



Serie 4:	10.0 →	10.7 *	9.0 →	10.6 *	9.9 →
	10.0 ↓	9.6 →	10.1 ↑	9.9 →	10.8 *
beste Teiler	149.4 (40.)	198.9 (32.)	296.5 (34.)		
Trefferlage	4.34 mm rechts, 1.57 mm tief				
Streuwert	5.01, horizontal: 6.11, vertikal: 3.57				



Serie 5:	10.0 ↘	10.1 ↘	9.0 ↗	9.7 ↘	10.5 *
	9.9 →	10.3 *	9.3 ←	9.2 ←	8.7 ↓
beste Teiler	324.7 (45.)	528.9 (47.)	705.2 (42.)		
Trefferlage	0.46 mm rechts, 2.46 mm tief				
Streuwert	8.15, horizontal: 9.54, vertikal: 6.47				



Serie 6:	9.0 ↙	9.9 ↓	8.6 ←	9.6 ↓	8.9 ←
	9.8 ←	9.0 ↘	8.6 ↘	8.9 ←	9.7 ←
beste Teiler	808.4 (52.)	919.9 (56.)	993.6 (60.)		
Trefferlage	10.72 mm links, 0.13 mm hoch				
Streuwert	7.34, horizontal: 5.36, vertikal: 8.88				

Meyton Elektronik

**KK liegend** – Wertung – **Männer**

StandNr: 19

**Isser, Wolfgang** #77042

**StartNr: 19**

2. Juni 2019 10:33

Absam



---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik




Ergebnis:	<b>585.3</b>	(555)
Serien:	99.6	100.0 95.4 97.8 96.7 95.8
Zähler:	21 33 6 0 0 0 0 0 0 0	
Innenzehner:	14	
weiteste:	2240 (46), 2047 (27), 1872 (28)	
beste Teiler	96.1 (8.) 271.4 (16.) 294.9 (24.)	
Trefferlage	1.40 mm links, 1.23 mm tief	
Streuwert	7.51, horizontal: 6.80, vertikal: 8.16	




Serie 1:	10.5 *	10.5 *	9.3 →	9.8 ↙	9.5 ↓
	9.6 ↙	9.7 ↑	10.8 *	9.9 ↙	10.0 ↓
beste Teiler	96.1 (8.)	359.4 (1.)	366.3 (2.)		
Trefferlage	1.09 mm links, 3.09 mm tief				
Streuwert	6.04, horizontal: 6.26, vertikal: 5.81				




Serie 2:	9.8 ↘	9.6 ↘	10.1 ↑	10.5 *	10.4 *
	10.6 *	9.2 ↘	9.4 ↘	9.9 ←	10.5 *
beste Teiler	271.4 (16.)	363.0 (14.)	392.5 (20.)		
Trefferlage	0.76 mm links, 1.25 mm tief				
Streuwert	6.34, horizontal: 6.10, vertikal: 6.57				




Serie 3:	9.6 ↗	9.5 ↗	10.6 *	10.6 *	9.5 ↖
	8.7 ↖	8.4 ↑	8.6 ↙	9.3 ←	10.6 *
beste Teiler	294.9 (24.)	298.9 (30.)	303.6 (23.)		
Trefferlage	4.41 mm links, 4.40 mm hoch				
Streuwert	8.45, horizontal: 8.04, vertikal: 8.85				



Serie 4:	10.0 ↑	9.7 ↙	9.0 ↙	10.5 *	9.8 ↘
	9.8 ←	9.8 ↖	10.2 ↖	9.4 ↓	9.6 ↑
beste Teiler	393.6 (34.)	563.8 (38.)	760.7 (31.)		
Trefferlage	2.27 mm links, 0.49 mm tief				
Streuwert	7.15, horizontal: 5.31, vertikal: 8.60				



Serie 5:	10.1 ↖	9.3 ↙	10.3 *	9.8 →	9.7 ↓
	8.2 ↘	9.6 ↘	9.5 ↑	10.0 →	10.2 ↓
beste Teiler	504.7 (43.)	606.7 (50.)	659.3 (41.)		
Trefferlage	1.56 mm rechts, 3.53 mm tief				
Streuwert	7.87, horizontal: 7.30, vertikal: 8.40				



Serie 6:	9.3 ↓	9.3 →	8.6 ↓	9.5 ↙	8.8 ↙
	9.9 ↑	10.6 *	9.5 ↑	10.4 *	9.9 ↓
beste Teiler	319.1 (57.)	452.5 (59.)	813.0 (56.)		
Trefferlage	1.44 mm links, 3.40 mm tief				
Streuwert	8.53, horizontal: 7.71, vertikal: 9.27				

Meyton Elektronik

**KK liegend** – Wertung – **Senioren\_1w**

StandNr: 20

**Schmid,, Ulli** #70506130

**StartNr: 20**

2. Juni 2019 10:33



SG\_Landeck

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **596.8** (572)  
 Serien: 97.8 99.1 99.4 99.4 99.8 101.3  
 Zähler: 33 26 1 0 0 0 0 0 0  
 Innenzehner: 17  
 weiteste: 1774 (14), 1541 (3), 1490 (54)  
 beste Teiler 110.3 (52.) 148.8 (27.) 192.8 (29.)  
 Trefferlage 2.45 mm links, 0.82 mm hoch  
 Streuwert 6.12, horizontal: 6.61, vertikal: 5.58




Serie 1:  
 9.4 ←                      9.5 ↘                      9.0 ↘                      10.1 ↗                      10.3 ↗  
 9.6 ↗                      10.1 ↗                      9.4 ←                      10.0 ←                      10.4 \*  
 beste Teiler 470.6 (10.) 557.9 (5.) 668.2 (7.)  
 Trefferlage 1.29 mm links, 0.23 mm tief  
 Streuwert 7.42, horizontal: 8.10, vertikal: 6.66




Serie 2:  
 10.4 \*                      9.5 ←                      9.6 ↓                      8.7 ↖                      9.5 ←  
 9.9 ←                      10.4 \*                      10.1 ←                      10.6 \*                      10.4 \*  
 beste Teiler 298.0 (19.) 454.3 (20.) 460.4 (17.)  
 Trefferlage 5.91 mm links, 0.87 mm tief  
 Streuwert 5.45, horizontal: 6.07, vertikal: 4.74




Serie 3:  
 9.3 →                      9.6 →                      10.1 ←                      9.4 ↗                      9.4 ↖  
 10.5 \*                      10.8 \*                      9.3 ↖                      10.7 \*                      10.3 ↗  
 beste Teiler 148.8 (27.) 192.8 (29.) 397.4 (26.)  
 Trefferlage 1.17 mm links, 3.69 mm hoch  
 Streuwert 6.43, horizontal: 8.22, vertikal: 3.88



Serie 4:  
 9.3 ↖                      10.2 ↗                      9.3 ↘                      10.1 ↘                      10.3 \*  
 10.7 \*                      9.8 ←                      9.8 ←                      10.2 ↓                      9.7 ↗  
 beste Teiler 232.1 (36.) 521.3 (35.) 562.8 (39.)  
 Trefferlage 2.38 mm links, 0.42 mm tief  
 Streuwert 6.19, horizontal: 6.65, vertikal: 5.69



Serie 5:  
 10.0 ↘                      10.4 \*                      10.2 ↗                      10.4 \*                      9.2 ↖  
 10.1 ↓                      9.8 ↓                      9.4 ↑                      9.8 ↖                      10.5 \*  
 beste Teiler 396.1 (50.) 461.3 (44.) 466.7 (42.)  
 Trefferlage 2.73 mm links, 0.02 mm hoch  
 Streuwert 5.92, horizontal: 5.44, vertikal: 6.37



Serie 6:  
 10.5 \*                      10.8 \*                      10.5 \*                      9.1 ↗                      9.7 ↖  
 10.2 ↑                      9.8 ↗                      10.4 \*                      10.1 ↗                      10.2 ↘  
 beste Teiler 110.3 (52.) 385.7 (51.) 394.7 (53.)  
 Trefferlage 1.25 mm links, 2.78 mm hoch  
 Streuwert 5.19, horizontal: 4.96, vertikal: 5.40

Meyton Elektronik

**KK liegend** – Wertung – **Senioren\_1w**

StandNr: 21

**Chamson,, Martina** #70201142

**StartNr: 21**

2. Juni 2019 10:41



SG\_Absam

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>602.4</b>	(574)
Serien:	101.0 101.1 99.9 100.6 101.0 98.8	
Zähler:	35 24 1 0 0 0 0 0 0	
Innenzehner:	19	
weiteste:	2091 (59), 1522 (31), 1467 (25)	
beste Teiler	72.8 (6.) 80.1 (18.) 88.7 (4.)	
Trefferlage	1.16 mm links, 0.45 mm tief	
Streuwert	5.85, horizontal: 5.39, vertikal: 6.28	




Serie 1:	9.5 ↓	9.8 ↙	9.9 ↑	10.8 *	10.1 ↘
	10.9 *	9.6 ↙	9.8 ↗	10.4 *	10.2 ↙
beste Teiler	72.8 (6.)	88.7 (4.)	414.7 (9.)		
Trefferlage	1.06 mm links, 1.85 mm tief				
Streuwert	5.50, horizontal: 3.85, vertikal: 6.75				




Serie 2:	9.6 ↖	10.4 *	10.2 ↓	9.8 →	9.2 →
	10.4 *	10.7 *	10.9 *	10.2 ↗	9.7 ↙
beste Teiler	80.1 (18.)	209.8 (17.)	425.6 (16.)		
Trefferlage	1.49 mm rechts, 0.20 mm tief				
Streuwert	5.74, horizontal: 5.84, vertikal: 5.63				




Serie 3:	10.2 ↑	9.3 ↙	10.4 *	9.7 ↙	9.1 ↓
	9.7 ↘	10.1 ↘	10.7 *	10.6 *	10.1 ↙
beste Teiler	215.8 (28.)	249.5 (29.)	441.8 (23.)		
Trefferlage	3.04 mm links, 1.63 mm tief				
Streuwert	5.93, horizontal: 4.86, vertikal: 6.84				



Serie 4:	9.0 ↓	10.4 *	10.0 →	10.3 *	10.2 ↙
	10.8 *	9.9 ←	9.9 ↙	9.9 →	10.2 →
beste Teiler	121.0 (36.)	468.2 (32.)	507.2 (34.)		
Trefferlage	0.87 mm rechts, 2.16 mm tief				
Streuwert	5.60, horizontal: 5.93, vertikal: 5.24				



Serie 5:	10.4 *	10.1 ←	10.1 ↘	9.8 ↓	10.8 *
	10.1 ↑	9.9 ↙	10.5 *	9.1 ←	10.2 ←
beste Teiler	121.0 (45.)	321.7 (48.)	435.6 (41.)		
Trefferlage	3.24 mm links, 0.81 mm tief				
Streuwert	4.98, horizontal: 5.58, vertikal: 4.29				



Serie 6:	9.9 ↖	10.0 ←	9.6 ↗	10.3 *	10.0 ↑
	10.7 *	9.7 ↑	10.6 *	8.3 ↑	9.7 ←
beste Teiler	232.0 (56.)	308.5 (58.)	518.3 (54.)		
Trefferlage	1.98 mm links, 3.98 mm hoch				
Streuwert	6.67, horizontal: 5.42, vertikal: 7.72				

Meyton Elektronik

**KK liegend** – Wertung – **Senioren\_2m**

StandNr: 22

**Fuchs,, Norbert** #70414008

**StartNr: 22**

2. Juni 2019 10:45



SG\_Langkampfen

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>599.9</b>	(571)
Serien:	98.0 102.3 100.1 98.3 101.4 99.8	
Zähler:	35 21 4 0 0 0 0 0 0	
Innenzehner:	24	
weiteste:	1933 (2), 1782 (39), 1747 (32)	
beste Teiler	125.5 (40.) 169.7 (14.) 192.2 (31.)	
Trefferlage	0.23 mm links, 0.24 mm hoch	
Streuwert	6.28, horizontal: 6.86, vertikal: 5.63	




Serie 1:	10.3 →	8.5 ↓	10.4 *	10.5 *	10.1 ↙
	10.0 ↓	9.6 →	9.5 ↘	8.8 →	10.3 ↗
beste Teiler	396.5 (4.)	448.3 (3.)	540.1 (1.)		
Trefferlage	5.22 mm rechts, 3.35 mm tief				
Streuwert	6.48, horizontal: 6.11, vertikal: 6.83				




Serie 2:	9.6 ↖	10.3 *	10.5 *	10.7 *	10.3 *
	10.5 *	10.0 ↙	10.3 *	9.6 ↗	10.5 *
beste Teiler	169.7 (14.)	349.0 (13.)	353.2 (16.)		
Trefferlage	1.53 mm links, 2.03 mm hoch				
Streuwert	4.31, horizontal: 3.92, vertikal: 4.66				




Serie 3:	9.1 ↑	9.5 ↖	10.5 *	9.6 ↘	10.4 *
	10.1 →	10.3 *	9.9 ↑	10.2 ↘	10.5 *
beste Teiler	331.9 (30.)	354.9 (23.)	453.2 (25.)		
Trefferlage	1.18 mm rechts, 1.98 mm hoch				
Streuwert	5.95, horizontal: 5.39, vertikal: 6.46				



Serie 4:	10.7 *	8.8 ↖	10.5 *	9.3 ↙	10.6 *
	9.9 ↘	9.3 →	9.7 ↘	8.7 ←	10.8 *
beste Teiler	125.5 (40.)	192.2 (31.)	275.1 (35.)		
Trefferlage	1.88 mm links, 1.17 mm tief				
Streuwert	7.85, horizontal: 10.16, vertikal: 4.48				



Serie 5:	9.4 ↖	9.4 ↑	10.6 *	10.5 *	10.2 ↖
	9.9 ↙	10.6 *	10.5 *	10.4 *	9.9 ↑
beste Teiler	273.1 (43.)	282.4 (47.)	340.0 (48.)		
Trefferlage	2.42 mm links, 3.23 mm hoch				
Streuwert	4.59, horizontal: 4.06, vertikal: 5.06				



Serie 6:	9.8 →	9.6 ←	10.1 ↙	10.6 *	10.2 ↙
	9.4 ←	9.3 ↘	10.6 *	10.3 ↗	9.9 ↖
beste Teiler	242.5 (54.)	308.8 (58.)	550.2 (59.)		
Trefferlage	1.99 mm links, 1.26 mm tief				
Streuwert	6.09, horizontal: 7.63, vertikal: 3.98				

Meyton Elektronik

**KK liegend** – Wertung – **Senioren\_2m**

StandNr: 23

**Jesner,, Martin** #70506037

**StartNr: 23**

2. Juni 2019 10:40

SG\_Landeck

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik



Ergebnis: **601.2** (574)

Serien: 100.8 100.0 101.0 100.6 97.5 101.3

Zähler: 36 22 2 0 0 0 0 0 0 0



Innenzehner: 23

weiteste: 2062 (11), 1633 (50), 1401 (42)

beste Teiler 31.0 (23.) 186.4 (51.) 218.9 (58.)

Trefferlage 0.88 mm links, 1.39 mm tief

Streuwert 5.87, horizontal: 6.04, vertikal: 5.69




Serie 1:

9.6 ↙	10.6 *	10.1 ↙	10.4 *	9.6 ↘
10.3 *	9.3 ↘	10.3 *	10.3 ↑	10.3 *

beste Teiler 296.4 (2.) 427.4 (4.) 485.1 (10.)

Trefferlage 1.69 mm links, 3.05 mm tief

Streuwert 4.99, horizontal: 4.98, vertikal: 5.01




Serie 2:

8.4 ↓	10.4 *	10.4 *	9.6 ↘	10.4 *
10.3 *	10.6 *	9.5 ↓	10.4 *	10.0 ↑

beste Teiler 298.6 (17.) 403.5 (19.) 424.6 (12.)

Trefferlage 2.10 mm links, 3.62 mm tief

Streuwert 6.18, horizontal: 3.13, vertikal: 8.15




Serie 3:

9.9 ←	10.6 *	10.9 *	9.4 ←	9.9 ↓
9.4 ←	10.6 *	10.1 →	10.6 *	9.6 ↘

beste Teiler 31.0 (23.) 246.2 (29.) 271.1 (22.)

Trefferlage 3.40 mm links, 1.65 mm tief

Streuwert 5.26, horizontal: 6.20, vertikal: 4.10




Serie 4:

10.6 *	9.4 ↗	10.1 ↙	10.4 *	10.0 ←
10.2 ↘	9.4 ←	10.3 ↘	10.4 *	9.8 ↓

beste Teiler 289.5 (31.) 411.7 (34.) 441.8 (39.)

Trefferlage 1.59 mm links, 0.07 mm hoch

Streuwert 5.60, horizontal: 5.73, vertikal: 5.46




Serie 5:

9.6 ↘	9.2 ↘	10.1 →	9.6 ↘	9.7 ↗
10.3 *	9.7 ↗	10.1 ↑	10.3 *	8.9 ↘

beste Teiler 485.5 (46.) 508.9 (49.) 667.7 (43.)

Trefferlage 2.60 mm rechts, 1.02 mm tief

Streuwert 7.23, horizontal: 8.08, vertikal: 6.27



Serie 6:

10.7 *	10.2 ↘	10.2 ↘	9.9 ↘	9.9 ↗
10.1 ↑	9.3 ←	10.7 *	10.6 *	9.7 ↗

beste Teiler 186.4 (51.) 218.9 (58.) 280.6 (59.)

Trefferlage 0.90 mm rechts, 0.89 mm hoch

Streuwert 5.43, horizontal: 6.43, vertikal: 4.19

Meyton Elektronik

**KK liegend** – Wertung – **Senioren\_2m**

StandNr: 24

**Sailer,, Werner** #70503074

**StartNr: 24**

2. Juni 2019 10:30



SG\_Kappl

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **606.1** (579)  
 Serien: 103.2 100.8 101.5 100.3 98.9 101.4  
 Zähler: 39 21 0 0 0 0 0 0 0  
 Innenzehner: 23  
 weiteste: 1479 (31), 1422 (20), 1389 (49)  
 beste Teiler 82.0 (50.) 82.3 (21.) 177.6 (3.)  
 Trefferlage 0.56 mm links, 1.91 mm tief  
 Streuwert 5.29, horizontal: 5.28, vertikal: 5.31




Serie 1:  
 10.5 \*                      10.2 ↗                      10.7 \*                      10.6 \*                      10.4 \*  
 10.4 \*                      10.1 ↘                      10.0 ↙                      10.1 ↘                      10.2 ↑  
 beste Teiler 177.6 (3.) 275.9 (4.) 392.0 (1.)  
 Trefferlage 0.21 mm rechts, 0.26 mm tief  
 Streuwert 4.02, horizontal: 3.30, vertikal: 4.64




Serie 2:  
 10.2 ↘                      10.7 \*                      10.2 ↓                      10.4 \*                      9.2 ↓  
 10.0 ↘                      9.6 ↑                      10.7 \*                      10.6 \*                      9.2 ↘  
 beste Teiler 199.2 (12.) 229.9 (18.) 300.4 (19.)  
 Trefferlage 0.72 mm links, 0.09 mm hoch  
 Streuwert 6.09, horizontal: 5.39, vertikal: 6.71




Serie 3:  
 10.8 \*                      10.2 ↘                      10.2 ↓                      10.4 \*                      10.2 ↓  
 9.8 ↓                      10.3 \*                      9.9 ↓                      9.9 ←                      9.8 ↙  
 beste Teiler 82.3 (21.) 409.5 (24.) 488.7 (27.)  
 Trefferlage 0.96 mm links, 4.50 mm tief  
 Streuwert 3.69, horizontal: 4.00, vertikal: 3.35



Serie 4:  
 9.1 ↘                      9.5 ↗                      10.4 \*                      10.6 \*                      10.7 \*  
 9.8 ↘                      9.9 ↘                      10.2 ↓                      9.7 ↘                      10.4 \*  
 beste Teiler 229.8 (35.) 264.5 (34.) 423.5 (33.)  
 Trefferlage 0.88 mm rechts, 0.25 mm tief  
 Streuwert 6.20, horizontal: 6.77, vertikal: 5.58



Serie 5:  
 10.2 ↙                      9.6 ↙                      9.5 ←                      10.1 ←                      10.3 \*  
 9.6 ↓                      9.8 →                      9.8 ↗                      9.2 ↓                      10.8 \*  
 beste Teiler 82.0 (50.) 515.1 (45.) 633.7 (41.)  
 Trefferlage 0.22 mm links, 2.76 mm tief  
 Streuwert 6.56, horizontal: 6.92, vertikal: 6.18



Serie 6:  
 10.5 \*                      9.5 ↓                      10.7 \*                      10.2 ↓                      10.4 \*  
 10.4 \*                      9.3 ←                      10.6 \*                      9.8 ↙                      10.0 ↙  
 beste Teiler 187.7 (53.) 246.6 (58.) 397.0 (51.)  
 Trefferlage 2.56 mm links, 3.76 mm tief  
 Streuwert 4.48, horizontal: 5.03, vertikal: 3.85

Meyton Elektronik

**KK liegend** – Wertung – **Senioren\_2m**

StandNr: 36

**Schrettl,, Hans–Peter** #70807087

**StartNr: 25**

2. Juni 2019 10:25



SG\_Jenbach–Buch

---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	<b>592.3</b>	(566)							
Serien:	98.2	98.2	98.8	99.3	97.0	100.8			
Zähler:	28	30	2	0	0	0	0	0	0
Innenzehner:	15								
weiteste:	2100 (5), 1607 (30), 1587 (41)								
beste Teiler	180.0 (22.)	211.1 (3.)	232.4 (54.)						
Trefferlage	0.69 mm rechts, 1.22 mm tief								
Streuwert	6.73, horizontal: 6.80, vertikal: 6.65								




Serie 1:

9.6 ↗	9.8 ↑	10.7 *	10.5 *	8.3 ↘
10.5 *	9.4 ↘	10.0 ↘	9.5 ↘	9.9 ↘
beste Teiler	211.1 (3.) 382.7 (4.) 385.2 (6.)			
Trefferlage	5.69 mm rechts, 1.77 mm tief			
Streuwert	6.38, horizontal: 5.15, vertikal: 7.40			




Serie 2:

9.7 ↘	10.3 ←	10.4 *	9.5 ↓	9.2 →
10.3 ↘	9.9 ↑	9.2 ↖	9.5 ↘	10.2 ↓
beste Teiler	414.7 (13.) 532.7 (12.) 539.4 (16.)			
Trefferlage	1.28 mm rechts, 2.35 mm tief			
Streuwert	6.92, horizontal: 7.42, vertikal: 6.37			




Serie 3:

9.9 ↖	10.7 *	9.2 ↘	10.2 ↘	10.1 ↑
10.3 *	10.3 *	9.1 ↖	10.1 ↘	8.9 ↓
beste Teiler	180.0 (22.) 485.6 (26.) 523.5 (27.)			
Trefferlage	0.74 mm rechts, 1.69 mm tief			
Streuwert	7.04, horizontal: 7.12, vertikal: 6.96			




Serie 4:

10.3 *	10.4 *	10.4 *	9.6 ←	9.8 ↙
10.1 ↑	9.9 ↘	9.4 ↓	9.8 ↙	9.6 ↓
beste Teiler	450.8 (32.) 460.6 (33.) 487.7 (31.)			
Trefferlage	3.62 mm links, 2.93 mm tief			
Streuwert	5.36, horizontal: 3.20, vertikal: 6.87			



Serie 5:

9.0 ↘	9.0 ↖	10.1 ↑	9.8 ↑	9.6 ↘
10.3 *	10.0 ↘	9.9 ↗	9.1 ↘	10.2 ↗
beste Teiler	482.4 (46.) 621.7 (50.) 677.2 (43.)			
Trefferlage	0.39 mm links, 2.99 mm hoch			
Streuwert	7.62, horizontal: 8.37, vertikal: 6.79			



Serie 6:

10.6 *	10.6 *	9.8 ↘	10.7 *	9.2 ↖
10.2 →	10.0 ↘	9.6 ↘	10.3 *	9.8 ↓
beste Teiler	232.4 (54.) 247.8 (52.) 256.4 (51.)			
Trefferlage	0.43 mm rechts, 1.54 mm tief			
Streuwert	5.82, horizontal: 6.35, vertikal: 5.25			

Meyton Elektronik

**KK liegend** – Wertung – **Senioren\_2m**

StandNr: 26

**Waibl, Emmerich** #70505002

**StartNr: 26**

2. Juni 2019 10:47



SG\_HSV\_Landeck

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik

Ergebnis:	<b>596.7</b>	(569)
Serien:	100.2 98.7 98.4 100.5 101.4 97.5	
Zähler:	31 27 2 0 0 0 0 0 0 0	
Innenzehner:	22	
weiteste:	1800 (51), 1748 (18), 1570 (34)	
beste Teiler	173.9 (29.) 214.1 (47.) 250.8 (4.)	
Trefferlage	2.47 mm rechts, 1.41 mm hoch	
Streuwert	6.15, horizontal: 6.43, vertikal: 5.86	




Serie 1:					
	10.4 *	10.2 →	9.7 ↘	10.6 *	9.6 →
	9.3 →	10.4 *	9.0 ←	10.5 *	10.5 *
beste Teiler	250.8 (4.)	343.2 (9.)	372.7 (10.)		
Trefferlage	1.35 mm rechts, 0.82 mm tief				
Streuwert	6.29, horizontal: 8.18, vertikal: 3.48				




Serie 2:					
	9.7 →	10.5 *	10.3 *	10.0 ↗	9.8 ↗
	9.9 ↘	10.0 ↗	8.8 ↑	9.2 ↗	10.5 *
beste Teiler	362.7 (20.)	399.5 (12.)	511.4 (13.)		
Trefferlage	5.14 mm rechts, 3.97 mm hoch				
Streuwert	5.33, horizontal: 4.76, vertikal: 5.85				




Serie 3:					
	9.4 ↗	10.5 *	9.3 ↑	9.2 →	9.8 →
	9.7 ↘	9.9 →	9.9 ↓	10.7 *	10.0 →
beste Teiler	173.9 (29.)	377.0 (22.)	797.3 (30.)		
Trefferlage	4.29 mm rechts, 3.44 mm hoch				
Streuwert	5.82, horizontal: 5.76, vertikal: 5.88				



Serie 4:					
	10.4 *	10.5 *	10.1 ↑	9.0 ↘	9.8 →
	9.7 ↘	10.3 *	10.6 *	10.6 *	9.5 ↓
beste Teiler	271.6 (38.)	305.0 (39.)	348.6 (32.)		
Trefferlage	1.24 mm rechts, 0.01 mm hoch				
Streuwert	6.18, horizontal: 5.59, vertikal: 6.71				



Serie 5:					
	10.5 *	9.8 ↘	9.7 ↓	9.4 →	10.3 *
	10.4 *	10.7 *	9.9 ↓	10.3 ↗	10.4 *
beste Teiler	214.1 (47.)	337.4 (41.)	405.7 (46.)		
Trefferlage	0.57 mm rechts, 0.91 mm tief				
Streuwert	5.31, horizontal: 5.77, vertikal: 4.82				



Serie 6:					
	8.7 ↑	10.1 ↗	9.0 ↗	10.1 ←	9.9 ↑
	9.7 →	10.3 *	10.5 *	10.1 →	9.1 ←
beste Teiler	355.4 (58.)	496.3 (57.)	650.1 (59.)		
Trefferlage	2.24 mm rechts, 2.81 mm hoch				
Streuwert	7.53, horizontal: 8.10, vertikal: 6.93				

**KK liegend** – Wertung – **Senioren\_2m**

StandNr: 27

**Felderer,, Raimund** #70404027

**StartNr: 27**

2. Juni 2019 10:39

SG\_Breitenbach



---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik




Ergebnis:	<b>581.4</b>	(553)
Serien:	96.3 96.5 97.2 95.5 98.8 97.1	
Zähler:	24 26 9 1 0 0 0 0 0 0	
Innenzehner:	12	
weiteste:	2438 (44), 2369 (6), 1956 (11)	
beste Teiler	66.8 (48.) 209.3 (16.) 254.6 (4.)	
Trefferlage	0.76 mm rechts, 0.35 mm tief	
Streuwert	8.17, horizontal: 8.52, vertikal: 7.80	




Serie 1:

9.9 ↘	9.1 →	10.0 ↗	10.6 *	9.3 ↘
8.0 ↓	9.6 ←	9.3 ↘	10.2 →	10.3 ↘
beste Teiler	254.6 (4.)	546.2 (10.)	640.7 (9.)	
Trefferlage	0.01 mm links, 0.97 mm tief			
Streuwert	8.96, horizontal: 8.95, vertikal: 8.97			




Serie 2:

8.5 ↘	9.4 ↘	8.9 ↘	9.2 →	9.6 ↑
10.7 *	10.0 ↙	9.0 →	10.6 *	10.6 *
beste Teiler	209.3 (16.)	254.9 (20.)	287.2 (19.)	
Trefferlage	6.94 mm rechts, 0.25 mm tief			
Streuwert	7.34, horizontal: 8.79, vertikal: 5.51			




Serie 3:

8.7 ↘	9.0 ↗	10.5 *	10.3 *	10.2 ↓
8.9 ↙	9.7 →	9.4 ↗	10.3 *	10.2 ↙
beste Teiler	359.9 (23.)	503.2 (29.)	514.8 (24.)	
Trefferlage	1.20 mm links, 0.39 mm hoch			
Streuwert	8.25, horizontal: 8.13, vertikal: 8.36			




Serie 4:

9.9 ↙	8.8 ↘	9.6 ↗	10.5 *	9.4 ↗
8.5 ↙	9.0 ↓	9.9 ←	9.9 →	10.0 ↓
beste Teiler	351.2 (34.)	763.0 (40.)	803.5 (39.)	
Trefferlage	2.18 mm links, 1.23 mm tief			
Streuwert	8.76, horizontal: 7.18, vertikal: 10.09			



Serie 5:

10.2 ↓	10.3 ↑	10.5 *	7.9 ↙	8.8 ↓
9.9 →	10.1 ↙	10.9 *	9.7 ↘	10.5 *
beste Teiler	66.8 (48.)	336.9 (43.)	373.4 (50.)	
Trefferlage	2.21 mm links, 2.24 mm tief			
Streuwert	7.84, horizontal: 7.68, vertikal: 8.00			



Serie 6:

10.0 ↗	9.5 ↘	9.4 ↗	9.6 ↗	9.9 →
9.3 ←	9.8 ↑	10.1 ↘	10.6 *	8.9 ↘
beste Teiler	308.1 (59.)	668.6 (58.)	764.9 (51.)	
Trefferlage	3.25 mm rechts, 2.21 mm hoch			
Streuwert	7.31, horizontal: 8.23, vertikal: 6.26			

Meyton Elektronik

**KK liegend** – Wertung – **Senioren\_2m**

StandNr: 28

**Adamer,, Klaus** #70404028

**StartNr: 28**

2. Juni 2019 10:23

SG\_Breitenbach

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **595.9** (570)

Serien: 99.9 102.8 98.7 99.1 97.0 98.4

Zähler: 33 24 3 0 0 0 0 0 0



Innenzehner: 17

weiteste: 2274 (57), 1935 (24), 1867 (4)

beste Teiler 181.7 (9.) 316.9 (59.) 337.2 (21.)

Trefferlage 0.87 mm links, 0.50 mm tief

Streuwert 6.42, horizontal: 6.33, vertikal: 6.52




Serie 1:

9.6 ↓	9.7 ←	10.4 *	8.6 ←	10.4 *
10.0 ←	10.2 ↓	10.5 *	10.7 *	9.8 ←

beste Teiler 181.7 (9.) 352.8 (8.) 422.9 (3.)

Trefferlage 4.24 mm links, 1.98 mm tief

Streuwert 5.64, horizontal: 6.49, vertikal: 4.65




Serie 2:

10.5 *	9.9 ↗	10.4 *	10.0 ↖	10.3 ↑
10.4 *	10.4 *	10.4 *	10.3 *	10.2 ↑

beste Teiler 393.4 (11.) 447.0 (17.) 454.2 (18.)

Trefferlage 2.79 mm links, 0.24 mm tief

Streuwert 3.58, horizontal: 2.73, vertikal: 4.27




Serie 3:

10.5 *	10.0 ↖	9.7 ↘	8.5 ↘	10.1 ↑
10.1 ↖	9.7 ↘	9.6 →	10.3 ↓	10.2 ↓

beste Teiler 337.2 (21.) 557.8 (29.) 561.6 (30.)

Trefferlage 3.22 mm rechts, 1.41 mm tief

Streuwert 6.68, horizontal: 6.65, vertikal: 6.72




Serie 4:

9.6 ↓	10.0 ↗	9.4 ↘	9.9 ←	9.8 ↑
10.4 *	10.3 *	9.8 ↑	10.4 *	9.5 ↖

beste Teiler 433.0 (39.) 468.1 (36.) 499.0 (37.)

Trefferlage 1.39 mm rechts, 2.30 mm hoch

Streuwert 6.16, horizontal: 5.95, vertikal: 6.35




Serie 5:

9.6 ↘	10.3 →	9.4 ←	9.4 ↓	9.5 ←
9.3 ↖	9.5 ↖	10.0 ↑	10.0 ↘	10.0 ↖

beste Teiler 547.2 (42.) 729.3 (48.) 737.0 (50.)

Trefferlage 3.32 mm links, 0.26 mm tief

Streuwert 7.30, horizontal: 7.23, vertikal: 7.37



Serie 6:

9.9 ↖	9.9 ↑	9.9 ↑	10.3 *	9.4 ↘
9.7 ↓	8.1 ↓	10.3 ↖	10.6 *	10.3 *

beste Teiler 316.9 (59.) 481.6 (54.) 500.0 (60.)

Trefferlage 0.49 mm rechts, 1.41 mm tief

Streuwert 7.65, horizontal: 5.62, vertikal: 9.25

Meyton Elektronik

**KK liegend** – Wertung – **Senioren\_2w**

StandNr: 29

**Pfandler,, Elisabeth** #70515056

**StartNr: 29**

2. Juni 2019 10:45



SG\_Zams

---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	<b>617.8</b>	(592)
Serien:	103.5	101.9 103.4 102.8 102.9 103.3
Zähler:	52 8	0 0 0 0 0 0 0 0
Innenzehner:	34	
weiteste:	1361 (10), 1319 (56), 1242 (11)	
beste Teiler	64.0 (8.)	79.3 (20.) 123.9 (26.)
Trefferlage	0.95 mm links, 1.44 mm hoch	
Streuwert	4.10, horizontal: 4.08, vertikal: 4.13	




Serie 1:

10.6 *	10.3 ↗	10.7 *	10.0 →	10.2 ↗
10.4 *	10.5 *	10.9 *	10.7 *	9.2 ↘
beste Teiler	64.0 (8.)	225.0 (9.)	230.3 (3.)	
Trefferlage	1.72 mm rechts, 2.04 mm hoch			
Streuwert	4.02, horizontal: 4.28, vertikal: 3.75			




Serie 2:

9.4 ↘	10.2 ↘	10.5 *	10.0 ↘	9.9 ↗
10.2 ↘	9.8 ↖	10.5 *	10.5 *	10.9 *
beste Teiler	79.3 (20.)	351.0 (13.)	356.2 (18.)	
Trefferlage	3.31 mm links, 1.70 mm hoch			
Streuwert	4.33, horizontal: 3.86, vertikal: 4.75			




Serie 3:

10.6 *	10.4 *	10.3 ↘	10.6 *	10.3 *
10.8 *	10.2 ↖	10.5 *	10.2 ↑	9.5 ↑
beste Teiler	123.9 (26.)	287.5 (24.)	302.0 (21.)	
Trefferlage	0.38 mm rechts, 1.81 mm hoch			
Streuwert	3.90, horizontal: 3.32, vertikal: 4.40			




Serie 4:

10.3 *	10.6 *	10.0 ↘	10.2 →	10.5 *
10.5 *	10.3 ↗	10.0 ↑	10.3 *	10.1 ↗
beste Teiler	279.6 (32.)	397.8 (36.)	399.9 (35.)	
Trefferlage	1.18 mm links, 2.04 mm hoch			
Streuwert	3.85, horizontal: 3.90, vertikal: 3.80			



Serie 5:

10.1 ↖	9.9 ↑	10.5 *	10.4 *	10.0 ↖
10.4 *	10.6 *	10.6 *	9.7 ↓	10.7 *
beste Teiler	202.1 (50.)	250.5 (48.)	286.2 (47.)	
Trefferlage	1.86 mm links, 0.20 mm hoch			
Streuwert	4.20, horizontal: 3.64, vertikal: 4.69			



Serie 6:

10.7 *	10.6 *	10.6 *	10.2 ↓	10.5 *
9.3 ↘	10.5 *	10.1 ↗	10.4 *	10.4 *
beste Teiler	236.9 (51.)	248.1 (53.)	311.0 (52.)	
Trefferlage	1.47 mm links, 0.83 mm hoch			
Streuwert	4.19, horizontal: 4.34, vertikal: 4.03			

Meyton Elektronik

**KK liegend** – Wertung – **Männer**

StandNr: 30

**Gstinig, Klaus** #902031397

**StartNr: 30**

2. Juni 2019 10:39



HSV Lienz

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>591.6</b>	(562)
Serien:	98.7 100.4 99.6 96.5 100.3 96.1	
Zähler:	26 30 4 0 0 0 0 0 0 0	
Innenzehner:	13	
weiteste:	1993 (52), 1842 (34), 1809 (13)	
beste Teiler	184.7 (31.) 218.1 (19.) 250.0 (18.)	
Trefferlage	0.12 mm links, 3.04 mm hoch	
Streuwert	6.51, horizontal: 7.03, vertikal: 5.95	




Serie 1:	10.3 ↘	9.8 ←	9.8 ↓	9.5 ↗	10.0 ↘
	9.3 ↑	10.5 *	9.9 →	9.8 →	9.8 →
beste Teiler	339.9 (7.)	544.2 (1.)	770.7 (5.)		
Trefferlage	2.83 mm rechts, 1.37 mm hoch				
Streuwert	6.35, horizontal: 5.89, vertikal: 6.78				




Serie 2:	10.0 ↑	9.6 ↗	8.7 ↑	10.2 ↓	10.1 ↘
	9.9 ←	10.4 *	10.6 *	10.7 *	10.2 ↙
beste Teiler	218.1 (19.)	250.0 (18.)	429.9 (17.)		
Trefferlage	0.22 mm rechts, 2.53 mm hoch				
Streuwert	6.07, horizontal: 5.02, vertikal: 6.96				




Serie 3:	9.5 ↙	10.5 *	9.7 ↘	10.3 *	10.4 *
	10.6 *	9.5 ↘	9.5 ↑	9.8 ↑	9.8 ↙
beste Teiler	256.2 (26.)	345.8 (22.)	450.4 (25.)		
Trefferlage	3.84 mm links, 3.61 mm hoch				
Streuwert	5.02, horizontal: 5.02, vertikal: 5.01				



Serie 4:	10.7 *	9.8 →	10.0 ↗	8.6 ↘	9.2 ↑
	9.3 ←	10.1 ←	9.2 ←	9.7 ↘	9.9 ↑
beste Teiler	184.7 (31.)	663.8 (37.)	786.0 (33.)		
Trefferlage	3.43 mm links, 2.71 mm hoch				
Streuwert	7.67, horizontal: 8.68, vertikal: 6.50				



Serie 5:	10.1 →	10.4 *	9.8 ↑	10.4 *	10.1 ↘
	8.9 →	10.3 *	9.8 ↑	9.9 ↑	10.6 *
beste Teiler	276.2 (50.)	432.6 (42.)	475.4 (44.)		
Trefferlage	2.37 mm rechts, 3.85 mm hoch				
Streuwert	5.13, horizontal: 5.56, vertikal: 4.66				



Serie 6:	10.1 ←	8.5 ↘	9.2 →	9.7 ↑	9.5 ↘
	10.2 ←	9.0 ↗	9.9 ↘	9.9 →	10.1 ↑
beste Teiler	606.8 (56.)	651.0 (51.)	713.7 (60.)		
Trefferlage	1.09 mm rechts, 4.17 mm hoch				
Streuwert	8.05, horizontal: 9.31, vertikal: 6.54				

Meyton Elektronik

**KK liegend** – Wertung – **Jungschützen**

StandNr: 37

**Höllrigl,, Matteo** #70201124

**StartNr: 76**

2. Juni 2019 10:24

SG\_Absam



---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **612.5** (586)  
 Serien: 102.4 102.2 102.1 100.2 104.0 101.6  
 Zähler: 46 14 0 0 0 0 0 0 0  
 Innenzehner: 26  
 weiteste: 1107 (53), 1100 (39), 1094 (1)  
 beste Teiler 63.6 (48.) 251.8 (58.) 255.0 (46.)  
 Trefferlage 0.40 mm rechts, 0.10 mm hoch  
 Streuwert 4.60, horizontal: 4.27, vertikal: 4.92




Serie 1:  
 9.6 ↘ 10.6 \* 9.7 ↘ 10.6 \* 10.4 \*  
 10.2 ↗ 10.6 \* 10.5 \* 9.9 ↗ 10.3 ↘  
 beste Teiler 297.1 (2.) 311.3 (7.) 320.9 (4.)  
 Trefferlage 2.80 mm rechts, 0.84 mm hoch  
 Streuwert 4.25, horizontal: 4.26, vertikal: 4.24




Serie 2:  
 10.0 ↘ 10.4 \* 10.4 \* 10.2 ↘ 10.5 \*  
 9.8 ↓ 10.2 ↓ 9.9 ↑ 10.4 \* 10.4 \*  
 beste Teiler 339.9 (15.) 433.1 (12.) 453.4 (13.)  
 Trefferlage 1.46 mm rechts, 0.88 mm tief  
 Streuwert 4.45, horizontal: 3.27, vertikal: 5.37




Serie 3:  
 10.0 ↓ 10.2 ↙ 10.0 ↗ 10.6 \* 10.4 \*  
 10.6 \* 10.2 ↘ 10.2 ↘ 9.9 ↘ 10.0 ↗  
 beste Teiler 271.2 (26.) 292.6 (24.) 406.0 (25.)  
 Trefferlage 0.39 mm rechts, 0.63 mm tief  
 Streuwert 4.57, horizontal: 4.12, vertikal: 4.98



Serie 4:  
 10.5 \* 10.1 ↗ 9.8 ↙ 10.1 ↓ 10.3 ↗  
 10.2 ↗ 9.7 ↖ 9.7 ↓ 9.6 ↑ 10.2 ↘  
 beste Teiler 364.2 (31.) 557.4 (35.) 576.5 (40.)  
 Trefferlage 0.08 mm rechts, 0.14 mm hoch  
 Streuwert 5.88, horizontal: 5.20, vertikal: 6.49



Serie 5:  
 10.0 ← 10.3 \* 10.4 \* 10.4 \* 10.6 \*  
 10.6 \* 10.5 \* 10.9 \* 10.2 ← 10.1 ←  
 beste Teiler 63.6 (48.) 255.0 (46.) 272.8 (45.)  
 Trefferlage 1.88 mm links, 0.04 mm hoch  
 Streuwert 3.31, horizontal: 3.93, vertikal: 2.54



Serie 6:  
 10.5 \* 10.1 ↘ 9.6 ↓ 10.6 \* 9.8 ↘  
 9.9 ↘ 10.3 \* 10.6 \* 9.9 ↗ 10.3 \*  
 beste Teiler 251.8 (58.) 290.4 (54.) 370.3 (51.)  
 Trefferlage 0.41 mm links, 1.13 mm hoch  
 Streuwert 5.08, horizontal: 4.08, vertikal: 5.92

Meyton Elektronik

**KK liegend** – Wertung – **Männer**

StandNr: 38

**Holznecht, Wolfgang** #70236032

**StartNr: 77**

2. Juni 2019 10:35

T – SG Hötting

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik