





Ergebnis:	570.4	(546)
Serien:	91.8 97.1 94.7 97.9 92.0 96.9	
Zähler:	21 27 10 1 1 0 0 0 0 0	
Innenzehner:	10	
weiteste:	3850 (48), 2461 (3), 2122 (40)	
beste Teiler	105.1 (22.) 247.3 (34.) 271.8 (47.)	
Trefferlage	1.22 mm links, 4.04 mm tief	
Streuwert	8.95, horizontal: 9.32, vertikal: 8.56	




Serie 1:	8.9 ←	9.5 ↘	7.9 ↓	9.9 ←	8.7 ↙
	10.4 *	9.3 ↘	9.0 ↘	8.5 ↓	9.7 ↙
beste Teiler	443.2 (6.)	876.3 (4.)	994.0 (10.)		
Trefferlage	3.18 mm links, 7.87 mm tief				
Streuwert	9.35, horizontal: 9.36, vertikal: 9.33				




Serie 2:	9.5 ↓	10.1 ↓	10.3 *	8.6 ↓	9.4 ↘
	9.0 ↗	9.9 ↓	9.6 ↓	10.1 ←	10.6 *
beste Teiler	274.9 (20.)	520.3 (13.)	653.9 (12.)		
Trefferlage	0.09 mm rechts, 3.23 mm tief				
Streuwert	7.83, horizontal: 5.38, vertikal: 9.68				




Serie 3:	8.9 ←	10.8 *	10.1 ↓	8.3 ←	9.2 ↘
	10.1 ↓	8.6 ←	9.0 ↗	10.1 ↓	9.6 ↗
beste Teiler	105.1 (22.)	679.7 (26.)	714.0 (23.)		
Trefferlage	7.54 mm links, 2.56 mm tief				
Streuwert	7.96, horizontal: 9.17, vertikal: 6.53				



Serie 4:	10.4 *	9.5 ↑	9.4 ↙	10.6 *	9.8 ↑
	10.4 *	10.3 *	10.0 ↗	9.2 ↓	8.3 ↓
beste Teiler	247.3 (34.)	473.1 (36.)	475.9 (31.)		
Trefferlage	1.02 mm links, 3.08 mm tief				
Streuwert	7.70, horizontal: 4.25, vertikal: 10.03				



Serie 5:	9.4 ↓	10.4 *	9.1 ↘	9.0 ↘	9.2 ↓
	8.3 ↓	10.6 *	6.1 →	10.0 →	9.9 ←
beste Teiler	271.8 (47.)	459.4 (42.)	781.1 (49.)		
Trefferlage	5.92 mm rechts, 6.15 mm tief				
Streuwert	11.00, horizontal: 12.78, vertikal: 8.86				



Serie 6:	9.8 ↓	8.8 ←	9.8 ↙	9.1 ←	10.1 ↑
	10.1 ↓	10.0 ↑	10.2 ↓	9.8 ↗	9.2 →
beste Teiler	587.9 (58.)	651.1 (55.)	672.2 (56.)		
Trefferlage	1.63 mm links, 1.34 mm tief				
Streuwert	7.90, horizontal: 8.94, vertikal: 6.69				

Meyton Elektronik

ISSF Prone Men – Wertung – Junioren

StandNr: 38

Bucher,, Manuel #70311005

StartNr: 5



28. Mai 2017 10:32

SG_Pillersee

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	600.0	(574)						
Serien:	96.3	99.2	101.8	100.3	101.9	100.5		
Zähler:	38	19	2	1	0	0	0	0
Innenzehner:	22							
weiteste:	2839 (6),	2280 (2),	1805 (20)					
beste Teiler	102.1 (27.)	108.7 (25.)	115.6 (12.)					
Trefferlage	0.96 mm links, 0.68 mm tief							
Streuwert	6.42, horizontal: 4.79, vertikal: 7.71							




Serie 1:

10.1 ↗	8.1 ↘	9.7 ↓	9.1 ↖	10.0 ↘
7.4 ↓	10.4 *	10.6 *	10.7 *	10.2 →
beste Teiler	207.1 (9.)	250.2 (8.)	446.0 (7.)	
Trefferlage	0.19 mm rechts, 4.01 mm tief			
Streuwert	9.60, horizontal: 5.29, vertikal: 12.51			




Serie 2:

9.7 ↑	10.8 *	9.5 ↓	10.5 *	10.0 ↑
9.5 ↙	10.5 *	10.1 ↖	9.9 ↘	8.7 ↖
beste Teiler	115.6 (12.)	339.6 (14.)	383.1 (17.)	
Trefferlage	1.90 mm links, 0.07 mm hoch			
Streuwert	6.83, horizontal: 6.10, vertikal: 7.48			




Serie 3:

9.8 ↖	10.4 *	10.3 ↑	9.5 ↑	10.8 *
10.2 ↗	10.8 *	10.7 *	9.8 ↘	9.5 ↓
beste Teiler	102.1 (27.)	108.7 (25.)	220.8 (28.)	
Trefferlage	0.64 mm rechts, 0.86 mm hoch			
Streuwert	5.30, horizontal: 3.86, vertikal: 6.43			




Serie 4:

9.6 ↓	9.7 ↑	10.0 ↖	10.2 →	10.7 *
10.1 ↖	10.4 *	10.3 *	10.1 ↘	9.2 ↗
beste Teiler	210.2 (35.)	435.2 (37.)	511.5 (38.)	
Trefferlage	0.05 mm rechts, 1.49 mm hoch			
Streuwert	5.94, horizontal: 4.86, vertikal: 6.85			



Serie 5:

10.3 ↖	10.4 *	10.1 ↗	10.8 *	9.2 ←
9.6 ↑	10.5 *	10.4 *	10.3 *	10.3 *
beste Teiler	125.3 (44.)	350.0 (47.)	437.9 (48.)	
Trefferlage	2.38 mm links, 0.53 mm hoch			
Streuwert	4.87, horizontal: 4.40, vertikal: 5.30			



Serie 6:

10.2 ↙	9.8 ↙	9.4 ↘	9.7 ↓	10.4 *
9.9 ←	10.3 *	10.5 *	10.1 ↑	10.2 ↙
beste Teiler	322.2 (58.)	459.0 (55.)	508.2 (57.)	
Trefferlage	2.38 mm links, 3.08 mm tief			
Streuwert	4.92, horizontal: 4.02, vertikal: 5.67			

Meyton Elektronik

ISSF Prone Men – Wertung – Männer

StandNr: 39

Fuchs,, Manfred #70425174

StartNr: 6



28. Mai 2017 10:28

SG_Wörgl


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	613.3	(587)
Serien:	101.2 99.6 102.3 103.6 102.6 104.0	
Zähler:	47 13 0 0 0 0 0 0 0	
Innenzehner:	29	
weiteste:	1378 (15), 1343 (6), 1143 (11)	
beste Teiler	7.0 (59.) 63.6 (31.) 81.8 (22.)	
Trefferlage	0.57 mm links, 0.10 mm hoch	
Streuwert	4.73, horizontal: 4.79, vertikal: 4.66	




Serie 1:	10.6 *	10.3 *	10.8 *	10.0 ↓	10.5 *
	9.3 ↘	10.3 *	9.7 ↘	9.7 ↘	10.0 ↓
beste Teiler	136.6 (3.)	269.0 (1.)	374.4 (5.)		
Trefferlage	3.38 mm links, 1.01 mm hoch				
Streuwert	4.92, horizontal: 4.43, vertikal: 5.36				




Serie 2:	9.5 ↘	10.3 *	10.0 ↗	10.7 *	9.2 ↑
	10.0 ↗	10.1 ↖	10.0 ↖	10.2 ↖	9.6 ↖
beste Teiler	214.1 (14.)	512.4 (12.)	577.3 (19.)		
Trefferlage	2.38 mm links, 2.03 mm hoch				
Streuwert	5.93, horizontal: 5.40, vertikal: 6.41				




Serie 3:	9.9 ↘	10.8 *	10.4 *	9.8 ↘	10.5 *
	10.6 *	10.2 ↗	9.7 →	9.7 →	10.7 *
beste Teiler	81.8 (22.)	225.3 (30.)	280.8 (26.)		
Trefferlage	2.30 mm rechts, 0.01 mm hoch				
Streuwert	4.64, horizontal: 5.06, vertikal: 4.18				



Serie 4:	10.9 *	10.5 *	10.6 *	10.1 ↓	10.1 ↘
	10.4 *	9.7 →	10.2 →	10.3 *	10.8 *
beste Teiler	63.6 (31.)	86.0 (40.)	302.6 (33.)		
Trefferlage	1.73 mm rechts, 0.94 mm tief				
Streuwert	3.73, horizontal: 4.50, vertikal: 2.76				



Serie 5:	10.0 ↘	10.7 *	10.5 *	10.6 *	10.2 ↓
	9.7 ↓	9.7 ↓	10.2 ↘	10.4 *	10.6 *
beste Teiler	182.5 (42.)	276.9 (44.)	279.8 (50.)		
Trefferlage	0.94 mm links, 2.23 mm tief				
Streuwert	4.26, horizontal: 3.18, vertikal: 5.11				



Serie 6:	10.0 ↘	10.5 *	10.6 *	10.2 ↘	10.7 *
	10.2 ←	10.5 *	10.0 ↘	10.9 *	10.4 *
beste Teiler	7.0 (59.)	176.8 (55.)	280.7 (53.)		
Trefferlage	0.79 mm links, 0.74 mm hoch				
Streuwert	3.65, horizontal: 4.25, vertikal: 2.94				

Meyton Elektronik

ISSF Prone Men – Wertung – Männer

StandNr: 28

Gstinig, Klaus #70608007

StartNr: 7



28. Mai 2017 11:55

SG_Lienz_HSV


Unterschrift des Schützen

Meyton Elektronik

Ergebnis:	607.9	(580)
Serien:	102.3 99.4 97.7 101.4 104.2 102.9	
Zähler:	40 20 0 0 0 0 0 0 0 0	
Innenzehner:	25	
weiteste:	1391 (24), 1294 (60), 1234 (34)	
beste Teiler	68.0 (59.) 120.8 (37.) 220.4 (43.)	
Trefferlage	2.10 mm rechts, 0.10 mm hoch	
Streuwert	5.02, horizontal: 4.98, vertikal: 5.05	




Serie 1:	10.6 *	10.3 ↗	10.2 →	9.5 ↘	10.7 *
	10.3 *	10.6 *	9.7 ↘	10.1 →	10.3 *
beste Teiler	224.3 (5.)	246.6 (1.)	299.2 (7.)		
Trefferlage	3.97 mm rechts, 0.11 mm tief				
Streuwert	3.79, horizontal: 4.51, vertikal: 2.90				



Serie 2:	9.7 ↘	9.5 →	10.4 *	9.8 →	9.9 ↗
	10.3 ↗	9.5 ↘	9.9 ↓	10.4 *	10.0 ↘
beste Teiler	455.8 (19.)	474.8 (13.)	547.3 (16.)		
Trefferlage	5.69 mm rechts, 1.25 mm tief				
Streuwert	4.67, horizontal: 4.11, vertikal: 5.17				




Serie 3:	9.6 ↘	10.2 ↓	9.9 ↑	9.2 →	10.1 ↑
	9.8 ↗	9.6 ↘	9.9 ↘	9.5 →	9.9 ↘
beste Teiler	629.4 (22.)	698.3 (25.)	817.0 (30.)		
Trefferlage	5.69 mm rechts, 0.17 mm hoch				
Streuwert	5.88, horizontal: 4.33, vertikal: 7.09				



Serie 4:	10.4 *	10.3 ↘	10.5 *	9.4 ↙	10.1 ↓
	10.3 ↓	10.8 *	10.0 ↘	10.1 ↘	9.5 ↑
beste Teiler	120.8 (37.)	332.4 (33.)	421.8 (31.)		
Trefferlage	1.54 mm links, 0.32 mm hoch				
Streuwert	5.32, horizontal: 4.53, vertikal: 6.01				



Serie 5:	10.5 *	10.4 *	10.7 *	10.0 ↘	10.6 *
	10.0 ↑	10.6 *	10.4 *	10.7 *	10.3 *
beste Teiler	220.4 (43.)	238.6 (49.)	252.2 (47.)		
Trefferlage	0.11 mm links, 1.29 mm hoch				
Streuwert	3.37, horizontal: 3.40, vertikal: 3.34				



Serie 6:	10.3 *	10.6 *	10.3 *	10.6 *	10.2 ↙
	10.3 *	9.8 ↑	10.6 *	10.9 *	9.3 ↘
beste Teiler	68.0 (59.)	278.0 (54.)	296.6 (58.)		
Trefferlage	1.10 mm links, 0.22 mm hoch				
Streuwert	4.54, horizontal: 3.21, vertikal: 5.56				

Meyton Elektronik

ISSF Prone Men – Wertung – Männer

StandNr: 20

Holznecht,, Wolfgang #70212431

StartNr: 8



28. Mai 2017 11:22

SG_Innsbrucker–HG


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	589.3	(560)
Serien:	96.5	97.8 99.2 96.8 98.9 100.1
Zähler:	27	26 7 0 0 0 0 0 0 0
Innenzehner:	12	
weiteste:	2316	(41), 2127 (38), 2067 (8)
beste Teiler	107.5	(50.) 115.2 (45.) 193.2 (25.)
Trefferlage	1.32 mm	links, 0.58 mm tief
Streuwert	7.30,	horizontal: 8.18, vertikal: 6.29




Serie 1:	9.2 ↘	10.2 ↘	10.6 *	8.8 →	10.0 ↗
	9.4 ←	9.4 ↘	8.4 ↙	10.4 *	10.1 ↘
beste Teiler	290.1	(3.) 407.7 (9.)	617.6 (2.)		
Trefferlage	1.67 mm	rechts, 2.74 mm tief			
Streuwert	8.45,	horizontal: 9.74, vertikal: 6.92			




Serie 2:	9.9 ↘	9.4 ←	8.9 ↙	10.3 ↙	9.9 ↙
	9.6 ↘	9.3 ↓	10.6 *	10.2 ↗	9.7 ↘
beste Teiler	285.8	(18.) 547.0 (14.)	584.0 (19.)		
Trefferlage	0.43 mm	links, 4.55 mm tief			
Streuwert	6.83,	horizontal: 8.16, vertikal: 5.16			




Serie 3:	9.8 ↘	9.7 ↖	9.8 ↖	10.2 ↖	10.7 *
	10.0 ↓	10.5 *	9.8 ↘	9.5 ↘	9.2 →
beste Teiler	193.2	(25.) 321.2 (27.)	615.4 (24.)		
Trefferlage	2.00 mm	rechts, 0.38 mm tief			
Streuwert	6.50,	horizontal: 7.28, vertikal: 5.62			



Serie 4:	8.9 ↓	9.9 ↙	9.8 ↓	10.1 ↓	9.7 ←
	10.1 ↓	10.1 ↖	8.3 ←	9.8 ↖	10.1 ←
beste Teiler	653.5	(40.) 675.1 (34.)	687.6 (36.)		
Trefferlage	5.46 mm	links, 3.61 mm tief			
Streuwert	6.77,	horizontal: 6.75, vertikal: 6.78			



Serie 5:	8.1 ↖	9.2 ↖	9.7 ↑	9.8 ↖	10.8 *
	10.1 ↖	9.6 ←	10.7 *	10.1 →	10.8 *
beste Teiler	107.5	(50.) 115.2 (45.)	219.2 (48.)		
Trefferlage	4.98 mm	links, 3.36 mm hoch			
Streuwert	6.67,	horizontal: 8.71, vertikal: 3.59			



Serie 6:	9.5 ↖	10.5 *	10.4 *	10.4 *	10.3 →
	10.5 *	9.5 ↗	8.9 ←	10.2 ↗	9.9 ↑
beste Teiler	332.2	(56.) 395.1 (52.)	424.5 (54.)		
Trefferlage	0.73 mm	links, 4.43 mm hoch			
Streuwert	5.55,	horizontal: 6.76, vertikal: 3.97			

Meyton Elektronik

ISSF Prone Men – Wertung – Männer

StandNr: 11

Perterer,, Rudolf #70302044

StartNr: 9



28. Mai 2017 10:32

SG_Fieberbrunn


Unterschrift des Schützen

Meyton Elektronik

Ergebnis:	616.2	(589)							
Serien:	103.0	104.5	100.4	102.6	103.5	102.2			
Zähler:	49	11	0	0	0	0	0	0	0
Innenzehner:	32								
weiteste:	1598 (23), 1387 (47), 996 (41)								
beste Teiler	46.2 (14.) 77.2 (45.) 82.2 (50.)								
Trefferlage	1.65 mm links, 1.83 mm hoch								
Streuwert	4.07, horizontal: 4.57, vertikal: 3.49								




Serie 1:	10.4 *	10.1 ↖	10.4 *	10.5 *	10.1 ↖
	10.4 *	10.6 *	10.1 ↗	10.3 *	10.1 ↖
beste Teiler	273.4 (7.) 326.3 (4.) 418.3 (6.)				
Trefferlage	0.80 mm links, 2.82 mm hoch				
Streuwert	3.31, horizontal: 4.63, vertikal: 0.73				




Serie 2:	10.6 *	10.7 *	10.3 *	10.9 *	10.3 *
	10.1 ↖	10.2 ↗	10.7 *	10.3 ↘	10.4 *
beste Teiler	46.2 (14.) 186.1 (12.) 227.7 (18.)				
Trefferlage	0.40 mm rechts, 1.05 mm hoch				
Streuwert	3.30, horizontal: 3.45, vertikal: 3.14				




Serie 3:	9.9 ↖	10.3 *	9.0 ↖	10.4 *	10.2 ↖
	10.3 *	10.1 ↘	9.7 ↗	10.4 *	10.1 ↗
beste Teiler	415.5 (29.) 473.8 (24.) 502.6 (26.)				
Trefferlage	1.61 mm links, 1.59 mm hoch				
Streuwert	5.70, horizontal: 5.95, vertikal: 5.43				



Serie 4:	10.2 ↘	10.0 ↖	10.7 *	10.1 ↗	10.6 *
	9.9 ↖	10.3 ↗	10.0 ↖	10.6 *	10.2 ↗
beste Teiler	194.6 (33.) 278.3 (39.) 301.5 (35.)				
Trefferlage	1.46 mm links, 3.58 mm hoch				
Streuwert	3.41, horizontal: 3.20, vertikal: 3.60				



Serie 5:	9.7 ↖	10.6 *	10.5 *	9.9 ↖	10.9 *
	10.7 *	9.2 ←	10.7 *	10.5 *	10.8 *
beste Teiler	77.2 (45.) 82.2 (50.) 185.1 (46.)				
Trefferlage	3.82 mm links, 0.31 mm hoch				
Streuwert	3.84, horizontal: 5.00, vertikal: 2.10				



Serie 6:	10.2 ←	9.9 ↖	9.8 ←	10.5 *	10.6 *
	10.6 *	9.9 ↖	10.3 *	10.6 *	9.8 ↗
beste Teiler	292.0 (56.) 317.1 (55.) 320.4 (59.)				
Trefferlage	2.63 mm links, 1.64 mm hoch				
Streuwert	4.24, horizontal: 4.61, vertikal: 3.84				

Meyton Elektronik

ISSF Prone Men – Wertung – Männer

StandNr: 12

Steinlechner,, Joachim #70201078

StartNr: 10



28. Mai 2017 10:36

SG_Absam


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	581.2	(551)
Serien:	98.3 99.7 98.4 96.0 94.0 94.8	
Zähler:	22 28 9 1 0 0 0 0 0 0	
Innenzehner:	17	
weiteste:	2956 (47), 1946 (48), 1922 (12)	
beste Teiler	183.8 (8.) 186.2 (14.) 200.8 (26.)	
Trefferlage	0.19 mm rechts, 1.14 mm hoch	
Streuwert	8.27, horizontal: 7.50, vertikal: 8.98	




Serie 1:	10.4 *	10.6 *	9.7 ↗	8.9 ↗	10.3 *
	9.2 ←	9.9 ↘	10.7 *	8.9 ↘	9.7 ↗
beste Teiler	183.8 (8.) 311.9 (2.) 447.5 (1.)				
Trefferlage	0.91 mm links, 5.27 mm hoch				
Streuwert	6.65, horizontal: 7.99, vertikal: 4.96				




Serie 2:	9.7 ↑	8.5 ↘	10.5 *	10.7 *	10.6 *
	9.7 →	10.0 →	9.0 ↑	10.5 *	10.5 *
beste Teiler	186.2 (14.) 277.6 (15.) 335.9 (20.)				
Trefferlage	0.14 mm rechts, 4.52 mm hoch				
Streuwert	6.23, horizontal: 5.43, vertikal: 6.93				




Serie 3:	9.1 ↘	9.2 ↑	9.5 ↘	9.6 ↘	9.7 ↓
	10.7 *	9.7 ↑	10.2 ↙	10.6 *	10.1 ↗
beste Teiler	200.8 (26.) 246.8 (29.) 584.0 (28.)				
Trefferlage	2.13 mm rechts, 1.26 mm hoch				
Streuwert	7.03, horizontal: 5.47, vertikal: 8.31				



Serie 4:	9.9 →	9.9 ↓	10.0 ←	9.0 ↘	9.8 ↓
	9.2 ↘	10.6 *	9.1 ↓	8.6 ↗	9.9 ↓
beste Teiler	302.7 (37.) 783.6 (33.) 817.9 (31.)				
Trefferlage	3.48 mm rechts, 4.61 mm tief				
Streuwert	7.63, horizontal: 6.40, vertikal: 8.69				



Serie 5:	8.7 ↓	9.8 →	10.3 *	9.5 ←	9.9 ↓
	10.7 *	7.3 ↘	8.5 ↙	10.3 *	9.0 ←
beste Teiler	238.1 (46.) 524.9 (43.) 526.0 (49.)				
Trefferlage	4.25 mm links, 1.02 mm tief				
Streuwert	10.47, horizontal: 9.91, vertikal: 11.01				



Serie 6:	8.6 ↘	9.4 ↗	10.2 ↘	9.5 ↑	8.9 ↑
	10.3 *	10.6 *	9.1 ↓	8.7 ↘	9.5 ↙
beste Teiler	314.1 (57.) 483.9 (56.) 624.8 (53.)				
Trefferlage	0.57 mm rechts, 1.42 mm hoch				
Streuwert	9.58, horizontal: 8.20, vertikal: 10.79				

Meyton Elektronik

ISSF Prone Men – *Wertung* – **Senioren1_w**

StandNr: 13

Sporer,, Angelika #70108138

StartNr: 11

28. Mai 2017 10:36

SG_Mieming

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **598.0** (567)

Serien: 101.2 98.5 99.1 98.9 100.5 99.8

Zähler: 31 25 4 0 0 0 0 0 0 0



Innenzehner: 20

weiteste: 1828 (30), 1826 (19), 1684 (48)

beste Teiler 146.6 (42.) 199.6 (26.) 206.0 (1.)

Trefferlage 0.20 mm links, 0.17 mm hoch

Streuwert 6.39, horizontal: 7.00, vertikal: 5.71




Serie 1:

10.7 *	9.9 ↙	10.4 *	9.4 ↘	9.8 ↘
10.7 *	10.2 →	10.5 *	10.4 *	9.2 ↑

beste Teiler 206.0 (1.) 210.8 (6.) 333.8 (8.)

Trefferlage 1.15 mm links, 1.58 mm hoch

Streuwert 5.65, horizontal: 4.79, vertikal: 6.40




Serie 2:

9.8 ↘	9.6 ↘	10.6 *	9.7 →	9.5 →
10.6 *	10.0 →	9.6 ←	8.7 ↖	10.4 *

beste Teiler 263.2 (13.) 270.7 (16.) 449.9 (20.)

Trefferlage 1.76 mm rechts, 1.20 mm tief

Streuwert 7.24, horizontal: 9.45, vertikal: 3.95




Serie 3:

9.6 ↘	10.1 →	10.2 →	9.8 ↑	9.8 ←
10.7 *	9.7 ↖	10.4 *	10.1 →	8.7 →

beste Teiler 199.6 (26.) 428.2 (28.) 621.4 (23.)

Trefferlage 2.86 mm rechts, 0.19 mm tief

Streuwert 6.62, horizontal: 7.89, vertikal: 5.04




Serie 4:

9.3 →	9.2 ↑	10.4 *	10.1 ↘	10.6 *
9.3 ←	10.6 *	8.9 ↘	9.9 ↖	10.6 *

beste Teiler 241.3 (37.) 284.2 (40.) 299.3 (35.)

Trefferlage 1.94 mm links, 1.64 mm hoch

Streuwert 7.03, horizontal: 8.01, vertikal: 5.89




Serie 5:

10.3 ↙	10.8 *	9.9 ↓	10.5 *	10.1 ↖
10.0 ↓	10.3 *	8.8 ↘	10.6 *	9.2 ↑

beste Teiler 146.6 (42.) 309.3 (49.) 349.0 (44.)

Trefferlage 1.49 mm links, 1.89 mm tief

Streuwert 6.12, horizontal: 3.65, vertikal: 7.84



Serie 6:

9.7 ↙	9.8 ↖	10.0 ↖	10.1 ↘	10.5 *
9.6 ↖	9.9 ↑	9.9 →	9.8 →	10.5 *

beste Teiler 349.9 (60.) 365.7 (55.) 700.1 (54.)

Trefferlage 1.26 mm links, 1.12 mm hoch

Streuwert 5.91, horizontal: 6.85, vertikal: 4.79

Meyton Elektronik

ISSF Prone Men – Wertung – Senioren1_w

StandNr: 14

Kaspar,, Sonja #70108193

StartNr: 12



28. Mai 2017 10:35

SG_Mieming


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	595.6	(573)
Serien:	100.0 100.3 99.4 99.7 98.6 97.6	
Zähler:	35 23 2 0 0 0 0 0 0 0	
Innenzehner:	12	
weiteste:	1827 (55), 1675 (43), 1573 (40)	
beste Teiler	27.4 (30.) 68.0 (32.) 98.6 (11.)	
Trefferlage	1.54 mm links, 1.32 mm hoch	
Streuwert	6.39, horizontal: 6.13, vertikal: 6.64	




Serie 1:	10.3 *	9.9 ←	9.3 ↖	10.4 *	10.0 ↖
	10.1 ↗	10.1 ↑	10.1 →	9.9 ↓	9.9 ↗
beste Teiler	467.6 (4.)	501.3 (1.)	646.0 (6.)		
Trefferlage	0.76 mm links, 2.09 mm hoch				
Streuwert	5.54, horizontal: 6.32, vertikal: 4.64				




Serie 2:	10.8 *	10.1 ←	10.0 ↑	9.7 ↑	9.2 ↓
	10.1 ↓	9.8 ↓	10.1 ↗	9.9 ←	10.6 *
beste Teiler	98.6 (11.)	280.6 (20.)	662.4 (12.)		
Trefferlage	1.22 mm links, 0.87 mm tief				
Streuwert	5.95, horizontal: 4.23, vertikal: 7.27				




Serie 3:	9.8 ↑	10.2 ↗	10.4 *	10.0 ←	10.5 *
	10.0 ↖	9.2 ↘	9.2 ↘	9.2 ↓	10.9 *
beste Teiler	27.4 (30.)	377.3 (25.)	464.9 (23.)		
Trefferlage	2.75 mm rechts, 0.55 mm tief				
Streuwert	6.72, horizontal: 5.78, vertikal: 7.55				



Serie 4:	10.1 ↓	10.9 *	9.1 ↖	10.1 ↙	10.2 ←
	10.1 ↖	10.0 ↑	10.0 ←	10.2 ↖	9.0 ↑
beste Teiler	68.0 (32.)	594.0 (35.)	596.6 (39.)		
Trefferlage	4.17 mm links, 2.79 mm hoch				
Streuwert	5.47, horizontal: 4.48, vertikal: 6.30				



Serie 5:	9.5 ↓	9.8 ↑	8.9 ↖	10.4 *	10.0 ↓
	10.3 ←	10.4 *	10.2 ↗	9.2 ↗	9.9 ↑
beste Teiler	435.4 (44.)	438.7 (47.)	548.7 (46.)		
Trefferlage	0.54 mm links, 2.69 mm hoch				
Streuwert	6.94, horizontal: 6.45, vertikal: 7.39				



Serie 6:	9.2 ↖	9.8 ↑	10.2 →	10.4 *	8.7 ←
	9.5 ←	10.7 *	10.2 ↓	9.1 ↖	9.8 ↙
beste Teiler	165.7 (57.)	461.0 (54.)	619.0 (53.)		
Trefferlage	5.32 mm links, 1.77 mm hoch				
Streuwert	6.93, horizontal: 6.88, vertikal: 6.97				

Meyton Elektronik

ISSF Prone Men – *Wertung* – **Senioren1_m**

StandNr: 15

Ladner,, Manfred #70503034

StartNr: 13



28. Mai 2017 10:36

SG_Kappl


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	614.6	(587)						
Serien:	101.7	102.7	104.4	102.0	102.4	101.4		
Zähler:	47	13	0	0	0	0	0	0
Innenzehner:	32							
weiteste:	1296 (5), 1137 (44), 1133 (40)							
beste Teiler	20.6 (24.)	149.8 (41.)	153.8 (23.)					
Trefferlage	1.28 mm links, 1.61 mm hoch							
Streuwert	4.26, horizontal: 4.37, vertikal: 4.15							




Serie 1:	10.6 *	10.6 *	10.0 ↗	9.8 ↘	9.3 ↘
	10.5 *	9.6 ↘	10.6 *	10.0 →	10.7 *
beste Teiler	170.4 (10.)	298.8 (1.)	310.6 (8.)		
Trefferlage	1.88 mm links, 2.53 mm hoch				
Streuwert	4.88, horizontal: 5.28, vertikal: 4.44				




Serie 2:	10.1 ←	10.2 ↘	10.2 ↘	10.4 *	9.9 ↘
	10.6 *	10.4 *	10.4 *	10.4 *	10.1 ↘
beste Teiler	304.1 (16.)	410.0 (18.)	417.0 (14.)		
Trefferlage	1.89 mm links, 0.02 mm hoch				
Streuwert	3.92, horizontal: 3.12, vertikal: 4.59				




Serie 3:	10.5 *	9.9 →	10.8 *	10.9 *	10.5 *
	10.3 *	10.4 *	10.2 ↘	10.3 *	10.6 *
beste Teiler	20.6 (24.)	153.8 (23.)	310.3 (30.)		
Trefferlage	0.49 mm rechts, 0.60 mm tief				
Streuwert	3.41, horizontal: 3.63, vertikal: 3.17				



Serie 4:	10.7 *	10.2 ←	10.5 *	10.2 ↘	10.4 *
	9.9 ↘	10.4 *	10.1 ↘	10.1 ←	9.5 ↘
beste Teiler	170.0 (31.)	341.6 (33.)	459.3 (35.)		
Trefferlage	2.77 mm links, 3.94 mm hoch				
Streuwert	3.28, horizontal: 2.76, vertikal: 3.73				



Serie 5:	10.8 *	10.6 *	10.0 ↗	9.5 ↘	10.3 *
	10.5 *	10.6 *	9.7 ↗	9.9 ↗	10.5 *
beste Teiler	149.8 (41.)	303.6 (42.)	312.6 (47.)		
Trefferlage	0.26 mm links, 2.43 mm hoch				
Streuwert	4.54, horizontal: 5.66, vertikal: 3.05				



Serie 6:	10.3 *	10.6 *	10.1 ↑	10.1 ←	10.4 *
	9.9 ↘	10.6 *	9.6 ↘	10.0 ←	9.8 ↑
beste Teiler	268.0 (57.)	286.2 (52.)	459.9 (55.)		
Trefferlage	1.37 mm links, 1.38 mm hoch				
Streuwert	4.96, horizontal: 5.15, vertikal: 4.76				

Meyton Elektronik

ISSF Prone Men – *Wertung* – **Senioren1_m**

StandNr: 16

Gufler, Hannes #191

StartNr: 14



28. Mai 2017 10:44

SG Umhausen


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **615.3** (587)
 Serien: 102.5 101.4 100.9 103.7 104.6 102.2
 Zähler: 47 13 0 0 0 0 0 0 0
 Innenzehner: 29
 weiteste: 1343 (21), 1246 (27), 1101 (3)
 beste Teiler 107.2 (2.) 112.0 (50.) 119.5 (40.)
 Trefferlage 0.94 mm links, 0.41 mm hoch
 Streuwert 4.43, horizontal: 4.55, vertikal: 4.31




Serie 1:
 10.6 * 10.8 * 9.6 ↖ 10.1 ↘ 10.2 ←
 10.4 * 10.0 ↙ 10.2 ↗ 9.9 ↗ 10.7 *
 beste Teiler 107.2 (2.) 213.7 (10.) 295.2 (1.)
 Trefferlage 3.30 mm links, 0.25 mm tief
 Streuwert 4.10, horizontal: 3.63, vertikal: 4.51




Serie 2:
 10.7 * 9.7 ↗ 10.0 ↗ 10.0 ↘ 9.9 ↗
 10.5 * 10.6 * 9.7 ↘ 9.7 ↘ 10.6 *
 beste Teiler 207.4 (11.) 261.5 (17.) 271.7 (20.)
 Trefferlage 0.39 mm links, 0.38 mm tief
 Streuwert 5.28, horizontal: 5.05, vertikal: 5.51



Serie 3:
 9.3 ↘ 9.9 ← 10.3 ↘ 10.2 ↘ 10.6 *
 10.2 ↘ 9.4 → 10.5 * 10.1 → 10.4 *
 beste Teiler 279.8 (25.) 331.3 (28.) 442.7 (30.)
 Trefferlage 0.25 mm rechts, 0.10 mm hoch
 Streuwert 5.72, horizontal: 6.67, vertikal: 4.58



Serie 4:
 10.2 ↑ 10.4 * 10.0 ↗ 10.3 * 10.3 *
 10.6 * 10.4 * 10.0 ↘ 10.7 * 10.8 *
 beste Teiler 119.5 (40.) 196.2 (39.) 268.8 (36.)
 Trefferlage 0.66 mm links, 1.34 mm hoch
 Streuwert 3.47, horizontal: 3.60, vertikal: 3.34



Serie 5:
 10.2 ↘ 10.1 ↗ 10.3 * 9.9 ↑ 10.6 *
 10.6 * 10.7 * 10.6 * 10.8 * 10.8 *
 beste Teiler 112.0 (50.) 127.2 (49.) 220.1 (47.)
 Trefferlage 0.96 mm links, 1.23 mm hoch
 Streuwert 3.22, horizontal: 2.62, vertikal: 3.72



Serie 6:
 10.4 * 9.9 ↘ 10.6 * 10.8 * 10.3 ↙
 9.7 → 9.8 ↑ 10.0 ↘ 10.3 ↓ 10.4 *
 beste Teiler 160.3 (54.) 303.5 (53.) 434.0 (60.)
 Trefferlage 0.59 mm links, 0.45 mm hoch
 Streuwert 4.80, horizontal: 4.90, vertikal: 4.69

Meyton Elektronik

ISSF Prone Men – *Wertung* – **Senioren1_m**

StandNr: 17

Melmer,, Christof #70108105

StartNr: 15

28. Mai 2017 10:37

SG_Mieming

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **576.6** (550)

Serien: 93.8 93.1 96.1 100.1 98.1 95.4

Zähler: 23 27 8 1 1 0 0 0 0 0



Innenzehner: 11

weiteste: 3553 (20), 2564 (59), 2379 (7)

beste Teiler 79.0 (36.) 224.7 (43.) 242.0 (47.)

Trefferlage 2.80 mm rechts, 0.20 mm hoch

Streuwert 8.70, horizontal: 9.61, vertikal: 7.67




Serie 1:

10.5 *	9.9 →	9.4 ↗	10.1 ↙	8.6 ↑
8.9 ↑	8.0 ←	8.7 →	9.5 ↓	10.2 ↖

beste Teiler 351.0 (1.) 588.5 (10.) 645.3 (4.)

Trefferlage 0.81 mm links, 2.86 mm hoch

Streuwert 10.30, horizontal: 10.89, vertikal: 9.67




Serie 2:

9.1 →	9.9 →	10.1 ↖	8.2 →	10.4 *
9.9 ←	8.6 ←	9.8 ↓	10.6 *	6.5 →

beste Teiler 301.4 (19.) 405.9 (15.) 719.8 (13.)

Trefferlage 3.71 mm rechts, 1.72 mm tief

Streuwert 11.68, horizontal: 16.02, vertikal: 4.01




Serie 3:

8.4 ↘	9.2 ↘	9.5 →	9.6 ↖	10.2 →
9.3 ↘	9.2 →	9.7 ↑	10.6 *	10.4 *

beste Teiler 314.3 (29.) 476.6 (30.) 570.2 (25.)

Trefferlage 6.81 mm rechts, 0.31 mm hoch

Streuwert 7.15, horizontal: 7.14, vertikal: 7.16




Serie 4:

10.0 ↖	9.5 ↗	10.3 *	10.2 ↘	9.6 ↘
10.9 *	10.3 ↘	10.1 ↑	10.0 ↑	9.2 →

beste Teiler 79.0 (36.) 492.0 (33.) 537.4 (37.)

Trefferlage 2.40 mm rechts, 3.12 mm hoch

Streuwert 5.58, horizontal: 6.35, vertikal: 4.68




Serie 5:

10.0 ↘	9.4 ↘	10.7 *	10.0 →	8.6 ↓
9.8 →	10.6 *	9.5 ↑	9.8 ↑	9.7 ↙

beste Teiler 224.7 (43.) 242.0 (47.) 752.1 (44.)

Trefferlage 2.48 mm rechts, 0.60 mm tief

Streuwert 7.34, horizontal: 5.25, vertikal: 8.96



Serie 6:

9.2 →	9.7 ↓	9.6 →	10.6 *	10.1 ↙
9.1 ↘	9.3 ↙	9.8 ↘	7.7 ↖	10.3 *

beste Teiler 313.1 (54.) 496.1 (60.) 691.8 (55.)

Trefferlage 2.21 mm rechts, 2.75 mm tief

Streuwert 9.18, horizontal: 8.81, vertikal: 9.53

Meyton Elektronik

ISSF Prone Men – *Wertung* – **Senioren1_m**

StandNr: 19

Flunger,, Guido #70102006

StartNr: 16



28. Mai 2017 10:33

SG_Haiming


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **598.6** (571)
 Serien: 96.3 100.7 100.4 98.3 101.7 101.2
 Zähler: 34 23 3 0 0 0 0 0 0 0
 Innenzehner: 21
 weiteste: 1964 (2), 1933 (16), 1622 (6)
 beste Teiler 57.6 (12.) 155.2 (44.) 193.5 (56.)
 Trefferlage 0.49 mm rechts, 0.33 mm hoch
 Streuwert 6.30, horizontal: 5.23, vertikal: 7.21




Serie 1:
 9.3 ↘ 8.5 ↑ 9.7 ↖ 9.7 ↑ 10.5 *
 8.9 ↑ 9.7 ↑ 9.7 ← 10.4 * 9.9 ↗
 beste Teiler 382.5 (5.) 437.5 (9.) 825.7 (10.)
 Trefferlage 1.33 mm links, 6.06 mm hoch
 Streuwert 7.18, horizontal: 6.16, vertikal: 8.06




Serie 2:
 10.0 ↖ 10.9 * 10.2 ↑ 10.3 * 9.7 ↗
 8.5 ↘ 10.4 * 10.3 * 9.9 ↓ 10.5 *
 beste Teiler 57.6 (12.) 375.1 (20.) 443.0 (17.)
 Trefferlage 1.78 mm rechts, 0.36 mm hoch
 Streuwert 6.20, horizontal: 5.38, vertikal: 6.93




Serie 3:
 9.6 ↘ 10.2 ↖ 10.7 * 9.7 ↑ 10.6 *
 9.4 ↖ 10.0 ← 10.6 * 10.2 ↘ 9.4 ↘
 beste Teiler 218.6 (23.) 261.7 (28.) 279.5 (25.)
 Trefferlage 0.13 mm rechts, 0.36 mm hoch
 Streuwert 6.10, horizontal: 5.52, vertikal: 6.63



Serie 4:
 9.4 ↗ 9.3 ↘ 9.9 ↓ 9.6 ↗ 10.3 *
 10.5 * 9.2 ↘ 9.9 ← 10.0 ↘ 10.2 ↙
 beste Teiler 326.8 (36.) 523.0 (35.) 607.7 (40.)
 Trefferlage 3.62 mm rechts, 2.32 mm tief
 Streuwert 6.46, horizontal: 6.32, vertikal: 6.61



Serie 5:
 10.0 ↓ 10.5 * 10.1 ↗ 10.8 * 9.7 ↘
 10.5 * 10.3 * 9.7 ↖ 9.5 ↑ 10.6 *
 beste Teiler 155.2 (44.) 287.8 (50.) 364.4 (42.)
 Trefferlage 0.22 mm rechts, 0.91 mm hoch
 Streuwert 5.21, horizontal: 2.88, vertikal: 6.79



Serie 6:
 10.1 ↖ 9.1 ↓ 10.5 * 10.4 * 10.4 *
 10.7 * 10.0 ↙ 10.0 ↓ 10.1 ← 9.9 ↘
 beste Teiler 193.5 (56.) 342.1 (53.) 413.6 (54.)
 Trefferlage 1.47 mm links, 3.38 mm tief
 Streuwert 4.85, horizontal: 3.56, vertikal: 5.86

Meyton Elektronik

ISSF Prone Men – Wertung – Senioren2_m

StandNr: 21

Zobl,, Gerhard #70717063

StartNr: 18



28. Mai 2017 10:35

SG_Tannheim


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **608.6** (583)
 Serien: 102.9 100.1 103.1 100.2 100.5 101.8
 Zähler: 44 15 1 0 0 0 0 0 0 0
 Innenzehner: 26
 weiteste: 1627 (55), 1535 (16), 1454 (31)
 beste Teiler 76.8 (32.) 87.3 (24.) 92.7 (38.)
 Trefferlage 0.57 mm links, 0.17 mm tief
 Streuwert 5.39, horizontal: 4.80, vertikal: 5.92




Serie 1:
 10.4 * 10.2 ↖ 10.4 * 10.6 * 10.5 *
 10.2 ↓ 10.3 ↗ 9.4 ↓ 10.7 * 10.2 ↓
 beste Teiler 234.9 (9.) 291.0 (4.) 373.1 (5.)
 Trefferlage 1.12 mm links, 3.01 mm tief
 Streuwert 3.74, horizontal: 3.01, vertikal: 4.36




Serie 2:
 10.4 * 10.4 * 10.4 * 10.8 * 9.2 ↓
 9.0 ↓ 9.6 ↖ 10.1 ↖ 10.1 ↖ 10.1 ↖
 beste Teiler 103.4 (14.) 403.7 (11.) 431.9 (13.)
 Trefferlage 0.23 mm links, 1.44 mm tief
 Streuwert 6.28, horizontal: 4.05, vertikal: 7.90




Serie 3:
 10.6 * 10.2 → 9.4 ↘ 10.8 * 10.3 ↗
 10.5 * 10.6 * 10.2 ↓ 10.4 * 10.1 ↑
 beste Teiler 87.3 (24.) 267.6 (27.) 287.0 (21.)
 Trefferlage 0.36 mm rechts, 1.37 mm tief
 Streuwert 4.36, horizontal: 4.49, vertikal: 4.23



Serie 4:
 9.1 ↓ 10.9 * 10.7 * 10.3 ↗ 9.3 ↗
 9.4 ↖ 9.5 ↘ 10.8 * 10.2 ↑ 10.0 ↘
 beste Teiler 76.8 (32.) 92.7 (38.) 218.0 (33.)
 Trefferlage 0.22 mm links, 1.69 mm tief
 Streuwert 6.62, horizontal: 6.63, vertikal: 6.61



Serie 5:
 9.9 ↖ 10.4 * 9.5 ↘ 10.3 * 10.1 ↑
 9.8 ↑ 10.5 * 9.9 ↗ 10.5 * 9.6 ↖
 beste Teiler 363.6 (49.) 374.2 (47.) 428.5 (42.)
 Trefferlage 0.04 mm links, 3.11 mm hoch
 Streuwert 5.26, horizontal: 5.72, vertikal: 4.76



Serie 6:
 10.1 ↑ 10.6 * 10.6 * 10.0 ↖ 8.9 ↖
 10.6 * 10.1 ← 10.8 * 10.7 * 9.4 ↑
 beste Teiler 135.7 (58.) 225.8 (59.) 246.9 (53.)
 Trefferlage 2.17 mm links, 3.37 mm hoch
 Streuwert 4.87, horizontal: 4.91, vertikal: 4.82

Meyton Elektronik



ISSF Prone Men – *Wertung* – **Senioren2_m**
StandNr: 22
Schrettl,, Hans–Peter #70405009

StartNr: 19
28. Mai 2017 10:28
SG_Brixlegg


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **584.1** (557)
 Serien: 99.2 98.3 92.9 98.2 95.7 99.8
 Zähler: 23 31 6 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2165 (28), 1980 (21), 1895 (29)
 beste Teiler 269.5 (53.) 281.7 (10.) 309.4 (32.)
 Trefferlage 0.32 mm links, 2.46 mm tief
 Streuwert 7.41, horizontal: 7.51, vertikal: 7.30




Serie 1:
 9.1 ↖ 9.7 ↗ 9.4 ↓ 10.3 * 10.3 *
 9.7 ↘ 9.7 ↘ 10.6 * 9.8 ↓ 10.6 *
 beste Teiler 281.7 (10.) 315.2 (8.) 503.8 (5.)
 Trefferlage 0.39 mm rechts, 2.58 mm tief
 Streuwert 6.60, horizontal: 5.30, vertikal: 7.69




Serie 2:
 9.7 ↓ 8.7 ↙ 10.4 * 10.1 ↗ 10.1 ↘
 9.6 ↑ 9.5 → 10.3 * 10.3 ↖ 9.6 ↙
 beste Teiler 408.9 (13.) 510.1 (18.) 537.4 (19.)
 Trefferlage 0.13 mm rechts, 1.97 mm tief
 Streuwert 7.13, horizontal: 6.78, vertikal: 7.46




Serie 3:
 8.5 ↙ 10.1 ↑ 10.3 ↘ 9.8 ↘ 9.6 ↗
 9.3 → 9.2 ↓ 8.2 ↖ 8.6 ↓ 9.3 ↙
 beste Teiler 559.1 (23.) 649.2 (22.) 944.6 (24.)
 Trefferlage 1.03 mm links, 5.57 mm tief
 Streuwert 9.86, horizontal: 10.57, vertikal: 9.08



Serie 4:
 8.7 ↖ 10.6 * 10.1 ↙ 9.9 ↓ 9.5 ↘
 10.1 ↓ 10.2 ↖ 9.9 → 9.8 ↖ 9.4 ↖
 beste Teiler 309.4 (32.) 623.9 (37.) 652.0 (33.)
 Trefferlage 2.96 mm links, 2.00 mm tief
 Streuwert 6.87, horizontal: 8.80, vertikal: 4.11



Serie 5:
 9.4 ↖ 10.0 ↘ 10.0 ↖ 9.8 ↘ 10.0 ↗
 9.7 ↓ 9.3 ↖ 9.1 ↖ 8.9 ↓ 9.5 →
 beste Teiler 729.8 (45.) 746.1 (43.) 779.6 (42.)
 Trefferlage 0.39 mm rechts, 0.17 mm tief
 Streuwert 8.45, horizontal: 7.72, vertikal: 9.12



Serie 6:
 9.6 ↘ 10.5 * 10.6 * 10.4 * 9.8 ↖
 9.6 ↖ 9.8 ↓ 9.2 ↘ 10.2 ↓ 10.1 ↘
 beste Teiler 269.5 (53.) 343.5 (52.) 422.0 (54.)
 Trefferlage 1.10 mm rechts, 2.46 mm tief
 Streuwert 5.94, horizontal: 5.92, vertikal: 5.95

Meyton Elektronik

ISSF Prone Men – *Wertung* – **Senioren1_m**

StandNr: 23

Kirchner,, Martin #70201110

StartNr: 20



28. Mai 2017 10:40

SG_Absam


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	603.9	(573)
Serien:	101.4	100.5 100.5 100.5 100.5 100.5
Zähler:	33	27 0 0 0 0 0 0 0 0
Innenzehner:	19	
weiteste:	1543	(29), 1469 (7), 1277 (38)
beste Teiler	97.4	(54.) 138.7 (34.) 147.8 (9.)
Trefferlage	0.55 mm	links, 1.10 mm hoch
Streuwert	5.53,	horizontal: 5.16, vertikal: 5.87




Serie 1:	9.8 ↗	9.9 ↑	10.5 *	10.4 *	9.7 ↖
	10.1 ↙	9.1 ↘	10.6 *	10.8 *	10.5 *
beste Teiler	147.8	(9.) 244.9 (8.)	381.2 (3.)		
Trefferlage	0.18 mm	links, 0.91 mm hoch			
Streuwert	5.62,	horizontal: 5.52, vertikal: 5.72			




Serie 2:	10.2 ↓	10.3 ↑	10.2 ↙	9.7 ↘	9.7 ↑
	9.7 ↘	10.5 *	9.9 ↘	10.4 *	9.9 ↙
beste Teiler	364.2	(17.) 447.4 (19.)	556.2 (12.)		
Trefferlage	0.17 mm	rechts, 0.14 mm tief			
Streuwert	5.73,	horizontal: 5.46, vertikal: 5.99			




Serie 3:	9.6 ↑	10.0 ↓	9.6 ↘	10.5 *	10.4 *
	10.4 *	10.7 *	10.1 ↑	9.0 ↘	10.2 ↙
beste Teiler	201.1	(27.) 365.0 (24.)	449.8 (25.)		
Trefferlage	0.98 mm	links, 0.89 mm hoch			
Streuwert	6.01,	horizontal: 5.30, vertikal: 6.65			



Serie 4:	9.9 ↘	10.0 ↑	9.9 ↘	10.8 *	10.4 *
	10.2 ↘	9.9 ↘	9.4 ↘	10.4 *	9.6 ↑
beste Teiler	138.7	(34.) 435.9 (39.)	443.1 (35.)		
Trefferlage	3.66 mm	links, 4.12 mm hoch			
Streuwert	4.20,	horizontal: 3.17, vertikal: 5.03			



Serie 5:	10.0 ↓	9.9 ↓	10.6 *	10.0 ↙	9.8 ↙
	10.0 ↙	9.7 ↗	10.2 ↙	10.5 *	9.8 ↘
beste Teiler	290.3	(43.) 370.5 (49.)	597.5 (48.)		
Trefferlage	0.71 mm	links, 2.18 mm tief			
Streuwert	5.41,	horizontal: 5.31, vertikal: 5.51			



Serie 6:	9.7 ↘	10.4 *	10.3 ↘	10.8 *	10.7 *
	9.9 ↗	9.8 ↗	9.8 ↘	9.4 ↗	9.7 ↑
beste Teiler	97.4	(54.) 212.1 (55.)	452.9 (52.)		
Trefferlage	2.05 mm	rechts, 3.01 mm hoch			
Streuwert	5.38,	horizontal: 5.34, vertikal: 5.42			

Meyton Elektronik

ISSF Prone Men – Wertung – Senioren2_w

StandNr: 24

Pfandler,, Elisabeth #70515056

StartNr: 21



28. Mai 2017 10:42

SG_Zams


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **590.0** (562)
 Serien: 99.1 97.1 97.5 97.6 98.6 100.1
 Zähler: 27 28 5 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 2163 (21), 1989 (40), 1813 (50)
 beste Teiler 46.3 (54.) 101.5 (6.) 317.5 (30.)
 Trefferlage 0.88 mm links, 1.14 mm hoch
 Streuwert 7.01, horizontal: 7.17, vertikal: 6.84




Serie 1:
 10.2 ↗ 10.4 * 9.9 ↘ 9.3 ↘ 9.9 ↖
 10.8 * 10.3 * 9.0 ↙ 9.5 ↓ 9.8 ↖
 beste Teiler 101.5 (6.) 439.2 (2.) 510.4 (7.)
 Trefferlage 3.39 mm links, 1.38 mm tief
 Streuwert 6.39, horizontal: 5.16, vertikal: 7.42




Serie 2:
 9.8 ↓ 9.6 ↙ 8.9 ↘ 9.8 ↖ 10.0 ↓
 8.9 ↗ 10.1 ↙ 10.4 * 9.5 ↑ 10.1 ←
 beste Teiler 431.2 (18.) 642.1 (20.) 694.0 (17.)
 Trefferlage 3.53 mm links, 0.67 mm hoch
 Streuwert 7.42, horizontal: 6.90, vertikal: 7.91




Serie 3:
 8.2 ↗ 10.1 ↑ 9.4 ↖ 9.3 ↗ 9.4 ←
 10.2 ↗ 10.2 → 10.1 → 10.0 ↑ 10.6 *
 beste Teiler 317.5 (30.) 605.1 (26.) 630.4 (27.)
 Trefferlage 1.21 mm rechts, 4.71 mm hoch
 Streuwert 7.32, horizontal: 7.97, vertikal: 6.61



Serie 4:
 9.6 ↗ 10.1 ← 9.9 ↘ 9.4 → 9.9 ↘
 10.5 * 9.9 ↑ 10.0 ↑ 9.8 ↖ 8.5 ←
 beste Teiler 351.7 (36.) 659.2 (32.) 745.1 (38.)
 Trefferlage 0.33 mm rechts, 2.06 mm hoch
 Streuwert 7.57, horizontal: 9.47, vertikal: 5.02



Serie 5:
 9.9 ↘ 10.3 ↑ 9.5 ↑ 10.3 * 10.5 *
 9.5 ↘ 9.4 ↘ 10.1 → 10.4 * 8.7 ↓
 beste Teiler 348.2 (45.) 401.4 (49.) 523.3 (44.)
 Trefferlage 0.35 mm links, 1.09 mm tief
 Streuwert 7.29, horizontal: 5.61, vertikal: 8.65



Serie 6:
 10.3 * 10.2 ↗ 9.9 ↖ 10.9 * 9.8 ↖
 10.0 ↖ 9.9 ↘ 9.5 ↗ 9.3 → 10.3 ↗
 beste Teiler 46.3 (54.) 517.1 (51.) 540.5 (60.)
 Trefferlage 0.41 mm rechts, 1.90 mm hoch
 Streuwert 5.97, horizontal: 7.41, vertikal: 4.05

Meyton Elektronik

ISSF Prone Men – Wertung – Senioren1_m

StandNr: 25

Profanter,, Hartl #70212430

StartNr: 22

28. Mai 2017 10:34

SG_Innsbrucker-HG

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **599.7** (573)

Serien: 101.4 98.3 99.8 102.2 100.9 97.1

Zähler: 34 25 1 0 0 0 0 0 0 0



Innenzehner: 23

weiteste: 2371 (53), 1480 (59), 1442 (12)

beste Teiler 117.3 (6.) 183.8 (31.) 225.8 (24.)

Trefferlage 1.15 mm links, 0.50 mm hoch

Streuwert 6.16, horizontal: 6.85, vertikal: 5.38




Serie 1:

10.0 ←	10.6 *	10.0 →	10.6 *	10.4 *
10.8 *	9.7 ←	9.4 →	9.4 ✓	10.5 *

beste Teiler 117.3 (6.) 309.5 (4.) 320.1 (2.)

Trefferlage 0.98 mm links, 1.56 mm tief

Streuwert 5.52, horizontal: 7.17, vertikal: 3.11




Serie 2:

10.3 *	9.1 →	9.9 →	10.3 *	10.3 *
9.3 →	9.6 ←	9.7 ←	9.8 ←	10.0 ✓

beste Teiler 492.6 (11.) 526.2 (14.) 527.5 (15.)

Trefferlage 0.91 mm rechts, 0.64 mm tief

Streuwert 6.93, horizontal: 8.89, vertikal: 4.12




Serie 3:

10.0 ←	10.3 →	10.0 ✓	10.7 *	9.9 →
9.7 ←	10.2 ←	9.3 ↘	10.5 *	9.2 ↓

beste Teiler 225.8 (24.) 364.5 (29.) 559.1 (22.)

Trefferlage 0.06 mm rechts, 2.80 mm tief

Streuwert 6.13, horizontal: 6.67, vertikal: 5.54




Serie 4:

10.7 *	9.8 ↘	10.7 *	10.2 ✓	10.3 *
9.4 ↘	10.5 *	10.3 *	10.4 *	9.9 ←

beste Teiler 183.8 (31.) 234.0 (33.) 337.6 (37.)

Trefferlage 2.19 mm links, 0.42 mm hoch

Streuwert 4.64, horizontal: 4.47, vertikal: 4.80




Serie 5:

10.0 ↘	9.7 ←	10.6 *	9.6 ↑	9.9 ←
10.5 *	10.4 *	9.6 ↘	10.6 *	10.0 ↑

beste Teiler 256.0 (43.) 275.1 (49.) 323.4 (46.)

Trefferlage 3.10 mm links, 2.82 mm hoch

Streuwert 4.77, horizontal: 4.85, vertikal: 4.69



Serie 6:

9.6 →	10.4 *	8.0 ↘	9.6 ←	9.8 ←
10.5 *	10.2 →	10.4 *	9.1 ↑	9.5 →

beste Teiler 366.6 (56.) 446.5 (52.) 462.3 (58.)

Trefferlage 1.63 mm links, 4.76 mm hoch

Streuwert 7.74, horizontal: 8.79, vertikal: 6.53

Meyton Elektronik

ISSF Prone Men – *Wertung* – **Senioren2_m**

StandNr: 26

Fuchs,, Norbert #70414008

StartNr: 23

28. Mai 2017 10:44

SG_Langkampfen

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **589.7** (565)

Serien: 102.1 101.9 93.2 94.4 101.0 97.1

Zähler: 32 23 3 2 0 0 0 0 0 0



Innenzehner: 15

weiteste: 3057 (25), 2568 (38), 2033 (29)

beste Teiler 97.1 (42.) 243.9 (30.) 252.6 (47.)

Trefferlage 0.44 mm links, 0.96 mm tief

Streuwert 7.46, horizontal: 6.52, vertikal: 8.29




Serie 1:

10.2 ↘	10.5 *	10.4 *	10.6 *	10.4 *
9.9 ↑	9.6 ↗	10.2 ↘	10.0 ↖	10.3 ↘

beste Teiler 310.0 (4.) 331.6 (2.) 454.9 (3.)

Trefferlage 0.79 mm links, 2.85 mm hoch

Streuwert 4.23, horizontal: 4.10, vertikal: 4.36




Serie 2:

10.0 ↗	10.5 *	10.0 ↓	10.5 *	10.6 *
10.3 *	10.0 →	9.9 ↙	10.3 *	9.8 ↑

beste Teiler 316.5 (15.) 356.9 (12.) 362.9 (14.)

Trefferlage 1.13 mm rechts, 0.15 mm tief

Streuwert 4.74, horizontal: 4.07, vertikal: 5.33




Serie 3:

10.2 ↙	10.2 ↑	9.4 ↘	9.2 ↓	7.1 ↘
9.6 ↓	10.1 ↙	8.4 ↖	8.4 ↘	10.6 *

beste Teiler 243.9 (30.) 569.1 (21.) 632.5 (22.)

Trefferlage 1.05 mm links, 3.41 mm tief

Streuwert 11.08, horizontal: 10.15, vertikal: 11.94




Serie 4:

10.1 ↙	9.5 ↑	10.1 ↗	9.4 ↖	10.2 ↓
8.7 ↙	9.2 ↓	7.7 ↘	9.9 ↓	9.6 ↓

beste Teiler 564.5 (35.) 670.5 (31.) 671.7 (33.)

Trefferlage 0.05 mm rechts, 6.75 mm tief

Streuwert 8.55, horizontal: 7.71, vertikal: 9.32




Serie 5:

9.5 ↘	10.8 *	9.6 ←	10.3 *	10.5 *
9.9 ↘	10.6 *	10.2 ↑	10.0 →	9.6 ↘

beste Teiler 97.1 (42.) 252.6 (47.) 394.4 (45.)

Trefferlage 1.54 mm links, 3.48 mm hoch

Streuwert 4.88, horizontal: 5.23, vertikal: 4.51



Serie 6:

10.0 →	10.5 *	9.8 ↘	10.1 ↖	9.6 ↗
9.5 ↑	9.9 ↓	9.0 ↙	9.5 ↓	9.2 ↖

beste Teiler 352.8 (52.) 699.7 (54.) 794.4 (51.)

Trefferlage 0.47 mm links, 1.81 mm tief

Streuwert 7.74, horizontal: 7.08, vertikal: 8.34

ISSF Prone Men – Wertung – Senioren1_m

StandNr: 27

Wirtenberger,, Christoph #70201085

StartNr: 24

28. Mai 2017 10:49

SG_Absam

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **585.4** (558)

Serien: 92.8 101.6 97.3 97.6 96.8 99.3

Zähler: 26 28 5 0 1 0 0 0 0 0



Innenzehner: 10

weiteste: 3273 (8), 2173 (41), 1851 (35)

beste Teiler 167.4 (58.) 210.3 (24.) 240.1 (12.)

Trefferlage 0.63 mm rechts, 1.96 mm tief

Streuwert 7.64, horizontal: 8.28, vertikal: 6.94




Serie 1:

10.0 ↖	10.1 ↙	8.8 ↘	8.7 ←	9.0 ↓
10.5 *	9.7 ←	6.9 ←	8.8 ↓	10.3 ↘

beste Teiler 328.0 (6.) 556.8 (10.) 649.0 (2.)

Trefferlage 4.76 mm links, 5.51 mm tief

Streuwert 10.40, horizontal: 12.98, vertikal: 6.92




Serie 2:

10.4 *	10.7 *	10.4 *	9.1 ←	9.9 ←
10.6 *	10.1 →	10.1 ↘	10.2 ↓	10.1 ↗

beste Teiler 240.1 (12.) 311.2 (16.) 432.8 (11.)

Trefferlage 0.71 mm links, 0.98 mm tief

Streuwert 5.30, horizontal: 6.29, vertikal: 4.07




Serie 3:

9.2 ↓	9.5 ↓	9.9 ↗	10.7 *	9.7 ↖
10.2 ←	9.6 ↗	9.8 ←	9.4 ↓	9.3 →

beste Teiler 210.3 (24.) 594.6 (26.) 806.2 (23.)

Trefferlage 0.41 mm links, 5.14 mm tief

Streuwert 6.58, horizontal: 6.95, vertikal: 6.18




Serie 4:

10.6 *	10.4 *	9.3 ↘	9.6 ↘	8.6 →
9.6 ↓	10.0 ←	9.9 ↓	9.8 →	9.8 ↑

beste Teiler 302.3 (31.) 441.6 (32.) 747.1 (37.)

Trefferlage 4.15 mm rechts, 3.12 mm tief

Streuwert 6.62, horizontal: 7.21, vertikal: 5.97




Serie 5:

8.2 ↗	10.3 ↙	10.4 *	9.7 ↗	10.0 →
10.0 ↗	9.7 ↓	9.6 ↑	9.9 →	9.0 ↘

beste Teiler 401.1 (43.) 542.4 (42.) 738.4 (45.)

Trefferlage 5.09 mm rechts, 2.16 mm hoch

Streuwert 7.31, horizontal: 5.50, vertikal: 8.75



Serie 6:

9.5 ↗	10.0 →	9.8 ↑	9.7 ↑	10.1 ↓
9.6 ↙	10.3 ↘	10.7 *	9.5 ←	10.1 ↓

beste Teiler 167.4 (58.) 548.3 (57.) 696.2 (55.)

Trefferlage 0.44 mm rechts, 0.83 mm hoch

Streuwert 6.52, horizontal: 6.29, vertikal: 6.74

ISSF Prone Men – *Wertung* – **Senioren1_m**

StandNr: 28

Floriani,, Meinhard #70102004

StartNr: 25



28. Mai 2017 10:33

SG_Haiming

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	595.3	(572)
Serien:	101.8 98.7 100.5 97.1 98.7 98.5	
Zähler:	34 24 2 0 0 0 0 0 0 0	
Innenzehner:	10	
weiteste:	1912 (13), 1902 (36), 1444 (55)	
beste Teiler	224.1 (21.) 259.2 (9.) 305.0 (22.)	
Trefferlage	1.43 mm rechts, 1.50 mm hoch	
Streuwert	6.24, horizontal: 6.35, vertikal: 6.13	




Serie 1:

9.9 ↘	10.3 ↗	10.2 ↘	10.6 *	9.9 ↗
10.2 ↘	10.0 ↗	10.4 *	10.6 *	9.7 →
beste Teiler	259.2 (9.)	320.9 (4.)	457.5 (8.)	
Trefferlage	2.71 mm rechts, 0.57 mm hoch			
Streuwert	4.45, horizontal: 3.31, vertikal: 5.35			




Serie 2:

10.6 *	10.0 ↘	8.6 →	10.2 ↙	10.0 ↘
10.0 ↗	10.0 ↗	9.3 ↙	9.9 ↖	10.1 →
beste Teiler	316.6 (11.)	616.3 (14.)	679.7 (20.)	
Trefferlage	0.64 mm rechts, 1.25 mm hoch			
Streuwert	7.20, horizontal: 8.39, vertikal: 5.77			




Serie 3:

10.7 *	10.6 *	9.3 ↗	9.9 ↗	10.1 ↘
10.0 ↙	10.1 ↗	9.9 →	10.4 *	9.5 →
beste Teiler	224.1 (21.)	305.0 (22.)	432.7 (29.)	
Trefferlage	2.68 mm rechts, 0.66 mm hoch			
Streuwert	5.54, horizontal: 5.27, vertikal: 5.80			




Serie 4:

9.7 ↘	10.3 *	9.9 →	9.8 ↙	9.2 ↘
8.6 ↗	9.6 ↖	9.4 ↖	10.4 *	10.2 →
beste Teiler	406.7 (39.)	481.9 (32.)	620.8 (40.)	
Trefferlage	0.89 mm links, 3.34 mm hoch			
Streuwert	7.63, horizontal: 7.34, vertikal: 7.91			



Serie 5:

9.9 ↘	10.0 →	10.3 ↘	9.4 →	10.0 ↘
10.0 ↗	10.0 →	9.8 ↗	9.2 ↗	10.1 ↖
beste Teiler	546.4 (43.)	688.1 (50.)	743.4 (46.)	
Trefferlage	2.62 mm rechts, 3.55 mm hoch			
Streuwert	5.79, horizontal: 6.07, vertikal: 5.50			



Serie 6:

10.0 ↗	9.6 ↗	10.1 ↘	10.5 *	9.1 →
9.8 ↘	9.5 ↘	9.5 ←	10.2 ↖	10.2 ↙
beste Teiler	391.2 (54.)	599.3 (60.)	599.8 (59.)	
Trefferlage	0.82 mm rechts, 0.32 mm tief			
Streuwert	6.94, horizontal: 7.22, vertikal: 6.65			

Meyton Elektronik

ISSF Prone Men – *Wertung* – **Senioren1_m**

StandNr: 18

Sailer, Werner #203

StartNr: 62



28. Mai 2017 10:37

SG_Kappl


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	612.2	(584)						
Serien:	101.1	104.0	103.3	101.8	100.6	101.4		
Zähler:	44	16	0	0	0	0	0	0
Innenzehner:	29							
weiteste:	1488 (42), 1350 (41), 1139 (2)							
beste Teiler	18.8 (18.)	108.4 (21.)	108.7 (28.)					
Trefferlage	0.31 mm rechts, 0.38 mm tief							
Streuwert	4.82, horizontal: 5.46, vertikal: 4.09							




Serie 1:	10.4 *	9.5 ↘	10.4 *	10.3 *	9.9 ↘
	9.9 →	10.5 *	9.6 ↘	10.2 ↑	10.4 *
beste Teiler	400.6 (7.)	410.5 (10.)	437.7 (3.)		
Trefferlage	1.77 mm rechts, 0.53 mm tief				
Streuwert	5.24, horizontal: 5.25, vertikal: 5.23				




Serie 2:	10.8 *	10.4 *	9.8 →	10.4 *	10.2 ↖
	10.0 →	10.7 *	10.9 *	10.3 *	10.5 *
beste Teiler	18.8 (18.)	156.0 (11.)	229.8 (17.)		
Trefferlage	1.18 mm rechts, 0.51 mm tief				
Streuwert	3.71, horizontal: 4.70, vertikal: 2.33				



Serie 3:	10.8 *	10.7 *	10.6 *	10.0 ↘	9.7 →
	10.0 →	10.5 *	10.8 *	9.6 ↓	10.6 *
beste Teiler	108.4 (21.)	108.7 (28.)	173.3 (22.)		
Trefferlage	1.47 mm rechts, 1.41 mm tief				
Streuwert	4.31, horizontal: 4.72, vertikal: 3.85				



Serie 4:	9.9 ↓	10.8 *	9.7 ↖	10.2 ↑	10.1 ↘
	10.0 ↖	10.5 *	10.3 *	10.3 *	10.0 ↖
beste Teiler	157.3 (32.)	334.9 (37.)	498.2 (38.)		
Trefferlage	3.80 mm links, 0.57 mm hoch				
Streuwert	3.97, horizontal: 2.93, vertikal: 4.79				



Serie 5:	9.3 →	9.1 →	10.4 *	10.4 *	10.2 ↖
	10.3 ↖	10.1 →	9.7 ↖	10.6 *	10.5 *
beste Teiler	250.5 (49.)	376.5 (50.)	463.7 (44.)		
Trefferlage	0.28 mm rechts, 0.47 mm hoch				
Streuwert	6.15, horizontal: 8.05, vertikal: 3.28				



Serie 6:	10.7 *	10.4 *	10.3 ↑	9.8 ↖	10.5 *
	9.7 →	10.1 →	10.2 ↘	9.9 ↓	9.8 ↓
beste Teiler	173.8 (51.)	328.4 (55.)	437.6 (52.)		
Trefferlage	0.98 mm rechts, 0.88 mm tief				
Streuwert	5.04, horizontal: 5.10, vertikal: 4.98				

Meyton Elektronik

ISSF Prone Men – *Wertung* – **Männer**

StandNr: 29

Gehring, Markus #257

StartNr: 68



28. Mai 2017 10:40

T – SG Tannheim


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	609.0	(581)
Serien:	100.0	101.6 102.2 101.8 101.8 101.6
Zähler:	42	17 1 0 0 0 0 0 0 0
Innenzehner:	33	
weiteste:	2131	(3), 1373 (29), 1328 (60)
beste Teiler	35.1	(38.) 105.5 (8.) 134.3 (25.)
Trefferlage	1.33 mm	links, 1.28 mm hoch
Streuwert	5.24,	horizontal: 5.36, vertikal: 5.11




Serie 1:	10.5 *	9.6 ↘	8.3 ↘	10.5 *	9.4 ↗
	9.5 ↗	10.3 *	10.8 *	10.5 *	10.6 *
beste Teiler	105.5 (8.)	281.3 (10.)	357.3 (1.)		
Trefferlage	0.49 mm	links, 3.92 mm	hoch		
Streuwert	6.57,	horizontal: 5.76,	vertikal: 7.29		




Serie 2:	10.3 *	10.7 *	10.0 ↓	10.6 *	9.9 ↘
	9.4 →	10.4 *	10.1 ↖	9.8 ↘	10.4 *
beste Teiler	238.3 (12.)	290.9 (14.)	433.6 (17.)		
Trefferlage	0.15 mm	rechts, 0.26 mm	tief		
Streuwert	5.29,	horizontal: 6.42,	vertikal: 3.83		




Serie 3:	10.7 *	10.3 ↑	10.3 *	10.3 *	10.8 *
	10.3 *	10.4 *	9.4 ↘	9.2 ↙	10.5 *
beste Teiler	134.3 (25.)	167.8 (21.)	381.1 (30.)		
Trefferlage	2.89 mm	links, 0.52 mm	tief		
Streuwert	4.68,	horizontal: 4.50,	vertikal: 4.86		



Serie 4:	10.0 ↓	10.4 *	10.2 ↗	10.2 ↑	9.7 ↗
	10.6 *	9.5 ↘	10.9 *	9.7 ↘	10.6 *
beste Teiler	35.1 (38.)	249.4 (36.)	312.2 (40.)		
Trefferlage	0.51 mm	links, 1.74 mm	hoch		
Streuwert	5.12,	horizontal: 5.25,	vertikal: 4.98		



Serie 5:	10.5 *	10.6 *	10.6 *	10.5 *	9.9 →
	9.3 ↘	9.8 ↘	10.5 *	9.6 ↘	10.5 *
beste Teiler	270.0 (42.)	312.6 (43.)	335.5 (50.)		
Trefferlage	1.68 mm	links, 1.91 mm	hoch		
Streuwert	5.00,	horizontal: 5.03,	vertikal: 4.98		



Serie 6:	10.4 *	10.3 *	10.2 →	9.6 ↙	10.4 *
	10.0 ←	10.6 *	10.2 ←	10.6 *	9.3 ↘
beste Teiler	244.5 (59.)	267.5 (57.)	435.1 (55.)		
Trefferlage	2.55 mm	links, 0.92 mm	hoch		
Streuwert	4.89,	horizontal: 5.68,	vertikal: 3.94		

Meyton Elektronik

ISSF Prone Men – Wertung – Junioren

StandNr: 40

Schöfbeck,, Marcel #70423062

StartNr: 69



28. Mai 2017 10:42

SG_Walchsee


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	578.6	(550)
Serien:	99.3 93.6 94.1 96.0 100.7 94.9	
Zähler:	20 33 5 1 1 0 0 0 0 0	
Innenzehner:	9	
weiteste:	3209 (24), 2663 (54), 1943 (12)	
beste Teiler	47.0 (1.) 54.2 (9.) 82.3 (30.)	
Trefferlage	1.16 mm links, 3.13 mm hoch	
Streuwert	8.12, horizontal: 5.86, vertikal: 9.87	




Serie 1:					
	10.9 *	9.9 →	10.4 *	9.9 ↓	9.9 ↓
	9.0 ↓	10.1 ↙	8.9 ↙	10.9 *	9.4 ↙
beste Teiler	47.0 (1.)	54.2 (9.)	470.9 (3.)		
Trefferlage	2.23 mm links, 5.37 mm tief				
Streuwert	5.86, horizontal: 5.57, vertikal: 6.13				




Serie 2:					
	9.2 ↓	8.5 ↘	9.1 ↓	9.9 ↘	9.2 ↗
	9.4 ↑	9.1 ↓	9.8 ←	9.7 ↗	9.7 ↘
beste Teiler	835.9 (14.)	884.1 (18.)	981.4 (20.)		
Trefferlage	0.75 mm links, 1.33 mm tief				
Streuwert	9.61, horizontal: 6.37, vertikal: 12.01				




Serie 3:					
	9.9 ↑	9.9 ↓	9.6 ↑	6.9 ↑	9.9 ↗
	8.7 ↑	9.8 ↑	9.0 ↑	9.6 ↙	10.8 *
beste Teiler	82.3 (30.)	820.7 (21.)	843.7 (22.)		
Trefferlage	2.64 mm links, 8.75 mm hoch				
Streuwert	8.47, horizontal: 3.48, vertikal: 11.46				



Serie 4:					
	9.3 ↘	9.6 ↘	10.2 ↘	9.7 ↗	8.9 ↑
	10.7 *	8.9 ↗	9.3 ↑	10.2 →	9.2 ↑
beste Teiler	202.5 (36.)	566.4 (39.)	593.8 (33.)		
Trefferlage	3.21 mm rechts, 6.99 mm hoch				
Streuwert	6.60, horizontal: 5.92, vertikal: 7.22				



Serie 5:					
	10.3 ↑	9.2 ↑	10.1 ↑	10.4 *	9.9 ↗
	10.0 →	10.5 *	10.0 ↑	10.1 →	10.2 ↘
beste Teiler	323.8 (47.)	409.6 (44.)	539.6 (41.)		
Trefferlage	0.99 mm rechts, 4.60 mm hoch				
Streuwert	4.39, horizontal: 4.27, vertikal: 4.51				



Serie 6:					
	9.0 ↘	10.0 ↘	9.4 ↙	7.6 ↘	10.4 *
	9.7 ←	9.2 ↑	10.0 ↑	9.3 ↙	10.3 *
beste Teiler	401.0 (55.)	516.4 (60.)	761.5 (52.)		
Trefferlage	5.57 mm links, 5.15 mm hoch				
Streuwert	8.00, horizontal: 5.98, vertikal: 9.61				

Meyton Elektronik

ISSF Prone Men – Wertung – Senioren1_m

StandNr: 20

Manfred, Schafferer #4

StartNr: 70



28. Mai 2017 10:27

Absam


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	585.8	(558)
Serien:	99.8 97.4 99.5 99.7 95.3 94.1	
Zähler:	26 27 6 1 0 0 0 0 0 0	
Innenzehner:	12	
weiteste:	2747 (13), 2180 (60), 1982 (49)	
beste Teiler	152.1 (9.) 162.8 (17.) 189.6 (56.)	
Trefferlage	2.33 mm links, 0.94 mm tief	
Streuwert	7.52, horizontal: 7.70, vertikal: 7.33	




Serie 1:					
10.0 →	10.3 *	9.1 ↙	10.1 ↗	9.6 ↑	
9.9 ↙	10.4 *	10.3 ↑	10.8 *	9.3 ↓	
beste Teiler	152.1 (9.)	459.3 (7.)	485.6 (2.)		
Trefferlage	0.97 mm rechts, 0.31 mm tief				
Streuwert	6.47, horizontal: 5.82, vertikal: 7.06				




Serie 2:					
9.6 ↘	9.8 ↘	7.5 ↘	10.5 *	9.5 ↓	
9.8 ↘	10.7 *	10.0 ←	10.0 ↙	10.0 →	
beste Teiler	162.8 (17.)	400.8 (14.)	722.5 (20.)		
Trefferlage	4.72 mm links, 1.70 mm hoch				
Streuwert	7.95, horizontal: 9.17, vertikal: 6.50				




Serie 3:					
9.6 ↘	10.3 ↘	9.7 ↑	10.7 *	8.6 ↓	
10.7 *	10.3 *	9.9 ↑	10.2 ↑	9.5 ↘	
beste Teiler	191.3 (26.)	200.3 (24.)	518.7 (27.)		
Trefferlage	0.14 mm links, 1.15 mm hoch				
Streuwert	6.93, horizontal: 4.88, vertikal: 8.50				



Serie 4:					
9.6 ↘	9.9 ↙	9.2 ↙	10.4 *	9.7 ↘	
10.1 ↓	10.1 ↙	9.6 ↘	10.6 *	10.5 *	
beste Teiler	287.6 (39.)	350.8 (40.)	441.0 (34.)		
Trefferlage	4.85 mm links, 0.77 mm tief				
Streuwert	5.19, horizontal: 4.16, vertikal: 6.04				



Serie 5:					
9.8 ↗	9.8 ↙	9.5 ↘	10.0 ←	10.0 ↓	
9.8 ←	9.1 ↓	9.5 ←	8.5 ↙	9.3 ↘	
beste Teiler	731.2 (45.)	775.4 (44.)	896.2 (46.)		
Trefferlage	5.64 mm links, 2.58 mm tief				
Streuwert	7.61, horizontal: 7.32, vertikal: 7.89				



Serie 6:					
10.0 →	10.0 ↘	8.7 ↙	8.8 ↙	8.8 ↓	
10.7 *	9.3 ↘	9.8 ↘	9.8 ↘	8.2 ↘	
beste Teiler	189.6 (56.)	770.4 (52.)	772.5 (51.)		
Trefferlage	0.37 mm rechts, 4.87 mm tief				
Streuwert	9.50, horizontal: 11.16, vertikal: 7.49				

Meyton Elektronik

ISSF Prone Men – *Wertung* – **Senioren2_m**

StandNr: 39

Waibl, Emmerich #70505002

StartNr: 71

28. Mai 2017 12:16

SG_HSV_Landeck

Unterschrift des Schützen

Meyton Elektronik