





Ergebnis: **608.6** (584)  
 Serien: 101.3 102.9 101.2 98.6 101.3 103.3  
 Zähler: 45 14 1 0 0 0 0 0 0  
 Innenzehner: 21  
 weiteste: 1668 (33), 1253 (27), 1208 (36)  
 beste Teiler 57.5 (14.) 81.0 (25.) 114.2 (6.)  
 Trefferlage 0.36 mm rechts, 0.07 mm hoch  
 Streuwert 5.13, horizontal: 5.26, vertikal: 5.01




Serie 1:  
 10.1 → 10.1 ↖ 10.7 \* 9.7 ↘ 9.6 ↗  
 10.8 \* 10.4 \* 10.2 ↗ 9.6 ↘ 10.1 ↘  
 beste Teiler 114.2 (6.) 183.3 (3.) 425.8 (7.)  
 Trefferlage 3.38 mm rechts, 0.14 mm tief  
 Streuwert 4.77, horizontal: 4.76, vertikal: 4.78




Serie 2:  
 10.3 → 9.9 ↗ 10.6 \* 10.9 \* 10.0 ↗  
 10.2 ↖ 10.4 \* 10.1 ↗ 10.3 \* 10.2 ↖  
 beste Teiler 57.5 (14.) 289.7 (13.) 468.8 (17.)  
 Trefferlage 1.04 mm links, 1.29 mm hoch  
 Streuwert 4.10, horizontal: 4.76, vertikal: 3.31




Serie 3:  
 9.9 ↖ 9.8 → 9.9 ← 10.2 ↘ 10.8 \*  
 10.1 ↘ 9.4 ↗ 10.6 \* 10.3 \* 10.2 ↖  
 beste Teiler 81.0 (25.) 301.5 (28.) 481.0 (29.)  
 Trefferlage 1.24 mm links, 2.02 mm tief  
 Streuwert 5.20, horizontal: 6.21, vertikal: 3.93




Serie 4:  
 10.6 \* 9.7 ↘ 8.9 ↗ 10.1 → 10.0 ↖  
 9.4 ↖ 10.1 ↗ 9.6 ↘ 9.5 ↗ 10.7 \*  
 beste Teiler 217.0 (40.) 316.1 (31.) 672.6 (34.)  
 Trefferlage 0.31 mm rechts, 2.86 mm hoch  
 Streuwert 6.90, horizontal: 6.24, vertikal: 7.50



Serie 5:  
 10.6 \* 10.2 ↘ 10.3 \* 9.5 → 9.7 ↘  
 10.1 ↘ 10.2 ↖ 10.5 \* 10.2 ↘ 10.0 ↑  
 beste Teiler 257.2 (41.) 322.0 (48.) 496.7 (43.)  
 Trefferlage 2.05 mm rechts, 1.83 mm tief  
 Streuwert 4.80, horizontal: 4.10, vertikal: 5.41



Serie 6:  
 10.4 \* 10.1 ↖ 10.5 \* 10.1 → 10.6 \*  
 10.4 \* 10.2 ← 10.6 \* 10.4 \* 10.0 ↖  
 beste Teiler 279.7 (58.) 295.4 (55.) 360.8 (53.)  
 Trefferlage 1.25 mm links, 0.29 mm hoch  
 Streuwert 3.88, horizontal: 4.47, vertikal: 3.18



**KK liegend** – Wertung – **Junioren**

StandNr: 21

**Fankhauser,, Thomas** #70804016

**StartNr: 1**

13. Mai 2018 10:31



SG\_Fügenberg / SG Fügenberg 1

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **603.8** (576)  
 Serien: 102.2 100.3 98.9 99.6 100.9 101.9  
 Zähler: 37 22 1 0 0 0 0 0 0  
 Innenzehner: 19  
 weiteste: 1778 (22), 1490 (36), 1389 (35)  
 beste Teiler 101.7 (52.) 105.4 (32.) 134.6 (45.)  
 Trefferlage 0.33 mm links, 0.02 mm hoch  
 Streuwert 5.76, horizontal: 6.41, vertikal: 5.02




Serie 1:  
 10.5 \*                      10.2 ↗                      10.2 →                      10.6 \*                      10.1 →  
 9.9 ↗                      9.6 ↘                      10.7 \*                      10.2 ✓                      10.2 →  
 beste Teiler 168.7 (8.) 261.2 (4.) 352.5 (1.)  
 Trefferlage 1.54 mm rechts, 2.04 mm hoch  
 Streuwert 4.20, horizontal: 4.88, vertikal: 3.38




Serie 2:  
 9.7 ←                      9.5 ↘                      10.0 ↘                      10.1 ↘                      10.2 ←  
 10.3 ↘                      10.4 \*                      9.5 ↗                      9.9 ↓                      10.7 \*  
 beste Teiler 213.9 (20.) 452.9 (17.) 534.8 (16.)  
 Trefferlage 1.66 mm links, 0.28 mm hoch  
 Streuwert 5.79, horizontal: 5.18, vertikal: 6.33




Serie 3:  
 9.3 ↘                      8.7 ←                      10.2 ↘                      9.4 ↑                      10.2 ↘  
 9.8 ↘                      10.3 \*                      10.3 \*                      10.6 \*                      10.1 ←  
 beste Teiler 292.7 (29.) 483.2 (28.) 516.7 (27.)  
 Trefferlage 1.83 mm links, 0.25 mm hoch  
 Streuwert 7.01, horizontal: 7.63, vertikal: 6.33



Serie 4:  
 10.8 \*                      10.8 \*                      10.1 ←                      9.6 ↑                      9.2 →  
 9.1 ←                      10.2 ↘                      10.8 \*                      9.3 ✓                      9.7 ✓  
 beste Teiler 105.4 (32.) 151.1 (38.) 155.7 (31.)  
 Trefferlage 1.43 mm links, 1.18 mm tief  
 Streuwert 6.90, horizontal: 7.90, vertikal: 5.73



Serie 5:  
 9.7 ←                      9.9 ✓                      10.7 \*                      9.5 ↘                      10.8 \*  
 10.4 \*                      9.9 ↘                      10.2 ✓                      9.7 ←                      10.1 ↘  
 beste Teiler 134.6 (45.) 234.9 (43.) 446.2 (46.)  
 Trefferlage 2.22 mm links, 3.23 mm tief  
 Streuwert 4.91, horizontal: 6.01, vertikal: 3.48



Serie 6:  
 10.2 ↗                      10.8 \*                      10.2 ←                      10.6 \*                      10.4 \*  
 9.7 →                      9.2 ↗                      10.6 \*                      10.5 \*                      9.7 →  
 beste Teiler 101.7 (52.) 241.8 (54.) 256.5 (58.)  
 Trefferlage 3.59 mm rechts, 1.95 mm hoch  
 Streuwert 4.35, horizontal: 5.60, vertikal: 2.56

Meyton Elektronik

**KK liegend** – Wertung – **Senioren\_1m**

StandNr: 22

**Floriani,, Meinhard** #70102004

**StartNr: 2**

13. Mai 2018 10:34



SG\_Haiming / SG Haiming 1

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>588.0</b>	(559)					
Serien:	95.3	95.0	100.8	96.8	99.7	100.4	
Zähler:	22	36	1	1	0	0	0
Innenzehner:	14						
weiteste:	2645 (20), 2167 (8), 1563 (17)						
beste Teiler	85.1 (50.) 221.1 (57.) 260.0 (51.)						
Trefferlage	1.21 mm links, 1.30 mm hoch						
Streuwert	7.26, horizontal: 8.36, vertikal: 5.95						




Serie 1:	9.8 ↓	9.4 ↗	9.5 ↖	9.7 ↗	10.2 ↘
	9.1 ↘	10.2 →	8.2 →	9.5 →	9.7 ↗
beste Teiler	582.9 (5.) 612.2 (7.) 945.9 (1.)				
Trefferlage	5.60 mm rechts, 0.86 mm tief				
Streuwert	8.02, horizontal: 8.74, vertikal: 7.23				




Serie 2:	9.4 →	9.3 ↗	9.3 ↘	9.9 →	10.2 ←
	10.5 *	9.0 ↑	9.4 ↖	10.4 *	7.6 ↖
beste Teiler	400.5 (16.) 415.5 (19.) 633.4 (15.)				
Trefferlage	2.60 mm links, 1.66 mm hoch				
Streuwert	9.59, horizontal: 11.53, vertikal: 7.15				




Serie 3:	9.5 ↗	9.5 ←	10.6 *	9.7 ↖	10.6 *
	9.5 ↖	10.3 *	10.2 ↓	10.3 *	10.6 *
beste Teiler	288.0 (23.) 304.2 (25.) 307.5 (30.)				
Trefferlage	3.19 mm links, 1.54 mm hoch				
Streuwert	5.20, horizontal: 6.35, vertikal: 3.71				



Serie 4:	9.6 ←	10.0 →	9.1 ←	9.3 ↑	10.6 *
	9.6 ←	9.2 ↘	10.1 ↓	9.6 ↖	9.7 ↑
beste Teiler	272.4 (35.) 691.0 (38.) 772.0 (32.)				
Trefferlage	4.29 mm links, 4.08 mm hoch				
Streuwert	6.62, horizontal: 6.72, vertikal: 6.51				



Serie 5:	9.9 ←	10.5 *	9.9 ←	10.2 →	9.5 ↖
	9.7 ←	10.4 *	9.7 ↑	9.1 ↗	10.8 *
beste Teiler	85.1 (50.) 363.6 (42.) 476.1 (47.)				
Trefferlage	1.75 mm links, 1.50 mm hoch				
Streuwert	6.36, horizontal: 7.46, vertikal: 5.03				



Serie 6:	10.6 *	9.9 ↓	9.9 →	9.7 ↘	9.6 ↖
	10.6 *	10.7 *	10.1 ↗	9.5 ↖	9.8 ↖
beste Teiler	221.1 (57.) 260.0 (51.) 276.3 (56.)				
Trefferlage	1.06 mm links, 0.07 mm tief				
Streuwert	5.91, horizontal: 6.20, vertikal: 5.59				

Meyton Elektronik

**KK liegend** – Wertung – **Senioren\_1m**

StandNr: 23

**Flunger,, Guido** #70102006

**StartNr: 3**

13. Mai 2018 10:30



SG\_Haiming / SG Haiming 1

---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	<b>584.4</b>	(556)
Serien:	100.0 95.9 98.2 98.5 94.4 97.4	
Zähler:	24 30 4 2 0 0 0 0 0 0	
Innenzehner:	13	
weiteste:	2519 (17), 2492 (38), 1934 (45)	
beste Teiler	202.4 (27.) 211.4 (7.) 280.4 (4.)	
Trefferlage	0.76 mm links, 2.15 mm hoch	
Streuwert	7.63, horizontal: 8.15, vertikal: 7.07	




Serie 1:

9.6 ↘	10.1 ↓	9.4 →	10.6 *	9.7 ↘
10.4 *	10.7 *	9.7 ↓	9.6 ↙	10.2 ↑
beste Teiler	211.4 (7.) 280.4 (4.) 433.2 (6.)			
Trefferlage	1.00 mm rechts, 2.12 mm tief			
Streuwert	6.03, horizontal: 5.39, vertikal: 6.62			




Serie 2:

9.9 →	10.0 ↘	9.1 ↘	9.8 ↑	10.4 *
8.6 ↑	7.8 ↘	9.9 ↑	10.5 *	9.9 ↙
beste Teiler	392.0 (19.) 457.1 (15.) 783.9 (12.)			
Trefferlage	1.29 mm links, 5.26 mm hoch			
Streuwert	8.40, horizontal: 8.03, vertikal: 8.74			




Serie 3:

9.6 ↘	9.8 ↑	8.7 →	10.2 ↙	9.1 ↘
10.1 ↗	10.7 *	10.3 *	9.9 →	9.8 ↙
beste Teiler	202.4 (27.) 492.8 (28.) 627.9 (24.)			
Trefferlage	0.52 mm links, 3.35 mm hoch			
Streuwert	7.19, horizontal: 8.43, vertikal: 5.68			




Serie 4:

10.5 *	9.3 ↘	10.2 ↓	9.5 ↙	10.3 *
10.5 *	10.1 ↙	7.8 ↗	10.2 →	10.1 ↘
beste Teiler	359.5 (36.) 373.0 (31.) 521.4 (35.)			
Trefferlage	0.51 mm links, 1.60 mm hoch			
Streuwert	7.89, horizontal: 7.98, vertikal: 7.80			



Serie 5:

8.7 ↘	9.1 ↘	9.5 ↘	9.3 ↗	8.5 →
10.0 ↗	10.0 ←	9.7 ←	9.7 ↙	9.9 ↘
beste Teiler	754.5 (47.) 771.9 (46.) 836.3 (50.)			
Trefferlage	0.73 mm links, 3.30 mm hoch			
Streuwert	9.07, horizontal: 11.02, vertikal: 6.55			



Serie 6:

9.6 ←	9.1 ↘	9.9 →	10.4 *	9.1 ↘
10.4 *	10.5 *	9.9 ↘	9.2 ↘	9.3 ↘
beste Teiler	329.5 (57.) 443.8 (56.) 457.2 (54.)			
Trefferlage	2.51 mm links, 1.54 mm hoch			
Streuwert	7.56, horizontal: 8.84, vertikal: 6.01			

Meyton Elektronik

**KK liegend** – Wertung – **Senioren\_2m**

StandNr: 24

**Fuchs,, Norbert** #1000000220

**StartNr: 4**

13. Mai 2018 10:40

SG\_Langkampfen / SG Langkampfen 1



---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **578.3** (550)  
 Serien: 99.8 95.2 94.5 96.3 96.2 96.3  
 Zähler: 19 32 9 0 0 0 0 0 0  
 Innenzehner: 11  
 weiteste: 2259 (38), 2172 (57), 1914 (45)  
 beste Teiler 230.5 (53.) 276.0 (35.) 290.1 (34.)  
 Trefferlage 2.55 mm rechts, 0.17 mm tief  
 Streuwert 8.07, horizontal: 9.87, vertikal: 5.74




Serie 1:  
 10.4 \* 9.8 ← 10.0 ← 8.7 ↖ 10.6 \*  
 10.2 ↗ 10.3 → 10.0 ↗ 10.2 ↘ 9.6 ↖  
 beste Teiler 314.1 (5.) 445.5 (1.) 549.9 (7.)  
 Trefferlage 3.84 mm links, 1.69 mm hoch  
 Streuwert 5.83, horizontal: 6.93, vertikal: 4.46




Serie 2:  
 9.2 ↙ 9.5 ↓ 9.0 → 9.9 ← 8.9 ↖  
 9.9 ↓ 10.3 \* 9.7 ↗ 9.9 → 8.9 ↘  
 beste Teiler 488.0 (17.) 808.0 (16.) 855.7 (19.)  
 Trefferlage 1.48 mm rechts, 1.71 mm tief  
 Streuwert 8.86, horizontal: 10.28, vertikal: 7.16




Serie 3:  
 9.0 ↘ 9.6 ↗ 9.3 ↖ 10.4 \* 9.4 ↖  
 9.2 ← 8.7 → 9.3 ← 9.8 ← 9.8 ↗  
 beste Teiler 444.0 (24.) 905.4 (30.) 919.4 (29.)  
 Trefferlage 1.88 mm links, 3.71 mm hoch  
 Streuwert 8.77, horizontal: 10.47, vertikal: 6.63




Serie 4:  
 9.2 → 9.4 → 10.3 \* 10.6 \* 10.6 \*  
 9.2 → 10.3 \* 8.1 → 9.8 ↓ 8.8 ↘  
 beste Teiler 276.0 (35.) 290.1 (34.) 481.4 (33.)  
 Trefferlage 8.14 mm rechts, 1.93 mm tief  
 Streuwert 6.72, horizontal: 7.99, vertikal: 5.16



Serie 5:  
 9.9 → 9.8 ← 10.1 ↗ 10.2 → 8.6 →  
 10.0 → 9.8 ← 8.6 → 9.5 ↖ 9.7 →  
 beste Teiler 627.7 (44.) 652.5 (43.) 799.8 (46.)  
 Trefferlage 4.30 mm rechts, 0.04 mm tief  
 Streuwert 8.04, horizontal: 10.59, vertikal: 4.11



Serie 6:  
 10.3 \* 9.7 ↙ 10.7 \* 9.4 ↘ 9.8 →  
 9.3 ↘ 8.2 → 9.6 → 9.0 → 10.3 \*  
 beste Teiler 230.5 (53.) 499.3 (51.) 501.7 (60.)  
 Trefferlage 7.14 mm rechts, 2.79 mm tief  
 Streuwert 6.76, horizontal: 8.28, vertikal: 4.79



**KK liegend** – Wertung – **Jungschützen**

**StartNr: 5**

StandNr: 25

13. Mai 2018 10:34



**Einwaller,, Dominic** #1000000221 SG\_Sportschützen\_Scheffau / SG Sportschützen Scheffau 1

---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	<b>590.6</b>	(566)
Serien:	98.0 97.5 96.5 98.7 100.8 99.1	
Zähler:	30 26 4 0 0 0 0 0 0	
Innenzehner:	13	
weiteste:	2336 (17), 1738 (5), 1644 (37)	
beste Teiler	116.8 (26.) 290.0 (15.) 316.7 (45.)	
Trefferlage	1.22 mm links, 1.05 mm hoch	
Streuwert	6.93, horizontal: 5.50, vertikal: 8.12	




Serie 1:

9.6 ↙	10.3 *	10.1 →	9.7 ↓	8.8 ↑
10.1 ↗	10.3 ↗	10.0 ↓	9.0 ↗	10.1 ↘
beste Teiler	494.3 (2.) 537.7 (7.) 662.5 (10.)			
Trefferlage	2.77 mm rechts, 0.74 mm hoch			
Streuwert	7.18, horizontal: 5.34, vertikal: 8.64			




Serie 2:

10.1 ↑	8.9 ←	10.1 ←	10.5 *	10.6 *
9.3 ↑	8.0 ↑	9.6 ↘	10.1 ↓	10.3 *
beste Teiler	290.0 (15.) 361.6 (14.) 526.2 (20.)			
Trefferlage	2.72 mm links, 5.63 mm hoch			
Streuwert	7.06, horizontal: 5.55, vertikal: 8.30			




Serie 3:

9.7 ↘	9.1 ↓	9.6 ↙	9.1 ↓	9.5 ↓
10.8 *	10.4 *	9.2 ↑	9.6 ↘	9.5 ↘
beste Teiler	116.8 (26.) 468.1 (27.) 968.2 (21.)			
Trefferlage	1.62 mm links, 1.94 mm tief			
Streuwert	8.21, horizontal: 5.41, vertikal: 10.28			




Serie 4:

10.0 ↑	9.7 ←	10.4 *	9.9 ↘	10.4 *
9.5 ↓	8.9 ↓	9.6 ↘	10.0 ←	10.3 ↑
beste Teiler	435.1 (35.) 463.1 (33.) 551.0 (40.)			
Trefferlage	3.11 mm links, 0.51 mm hoch			
Streuwert	6.57, horizontal: 4.81, vertikal: 7.95			



Serie 5:

10.5 *	10.3 →	10.5 *	10.1 ↑	10.6 *
9.1 ←	10.0 ↙	10.2 ↓	9.7 →	9.8 ↗
beste Teiler	316.7 (45.) 362.7 (43.) 368.7 (41.)			
Trefferlage	0.15 mm links, 0.90 mm tief			
Streuwert	5.85, horizontal: 6.71, vertikal: 4.83			



Serie 6:

9.8 ↙	9.7 ↘	9.5 ↓	10.4 *	9.8 ↘
10.2 ↑	10.0 ↗	10.3 *	9.6 ↗	9.8 ↑
beste Teiler	411.6 (54.) 481.3 (58.) 617.3 (56.)			
Trefferlage	2.50 mm links, 2.27 mm hoch			
Streuwert	5.93, horizontal: 3.71, vertikal: 7.52			

Meyton Elektronik

**KK liegend** – Wertung – **Jungschützinnen**

StandNr: 26

**Thum,, Julia** #70804065

**StartNr: 6**

13. Mai 2018 10:37



SG\_Fügenberg / SG Fügenberg 1

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>585.0</b>	(559)
Serien:	92.9 94.9 101.4 102.9 95.8 97.1	
Zähler:	27 26 6 1 0 0 0 0 0 0	
Innenzehner:	16	
weiteste:	2557 (9), 2096 (10), 2028 (42)	
beste Teiler	127.0 (57.) 253.1 (34.) 310.0 (54.)	
Trefferlage	1.20 mm links, 2.94 mm hoch	
Streuwert	7.48, horizontal: 4.66, vertikal: 9.50	




Serie 1:	9.1 ↓	10.4 *	10.4 *	9.1 ↑	9.5 ↗
	10.0 ↑	8.8 ↑	9.5 ↑	7.8 ↑	8.3 ↑
beste Teiler	407.0 (3.)	436.9 (2.)	778.4 (6.)		
Trefferlage	1.80 mm rechts, 9.42 mm hoch				
Streuwert	8.44, horizontal: 4.59, vertikal: 11.01				




Serie 2:	9.7 ↑	9.5 ↘	8.9 ↑	9.3 ↘	9.7 ↘
	9.9 ↓	8.9 ↓	9.8 ↓	10.1 ↙	9.1 ↓
beste Teiler	703.4 (19.)	875.9 (16.)	884.8 (18.)		
Trefferlage	2.40 mm links, 0.42 mm hoch				
Streuwert	8.76, horizontal: 4.06, vertikal: 11.70				




Serie 3:	10.0 ←	9.8 ↓	10.3 ←	10.4 *	10.1 ↓
	9.6 ↘	10.5 *	10.4 *	10.4 *	9.9 ↓
beste Teiler	366.5 (27.)	404.6 (29.)	432.2 (24.)		
Trefferlage	1.37 mm links, 3.93 mm tief				
Streuwert	4.25, horizontal: 4.23, vertikal: 4.27				



Serie 4:	10.1 ↓	10.3 ↓	10.1 ↓	10.6 *	10.3 *
	10.3 ↓	10.5 *	10.5 *	10.5 *	9.7 ↘
beste Teiler	253.1 (34.)	333.8 (38.)	370.7 (37.)		
Trefferlage	0.06 mm rechts, 2.09 mm tief				
Streuwert	3.98, horizontal: 3.78, vertikal: 4.17				



Serie 5:	9.6 ↘	8.4 ↑	9.6 ↙	10.1 ↘	9.9 ↑
	10.1 ↘	10.5 *	9.2 ↘	9.3 ↘	9.1 ↘
beste Teiler	338.9 (47.)	660.4 (44.)	704.3 (46.)		
Trefferlage	4.00 mm links, 4.88 mm hoch				
Streuwert	7.47, horizontal: 5.84, vertikal: 8.80				



Serie 6:	9.1 ↘	9.4 ↑	10.3 *	10.6 *	8.4 ↑
	9.0 ↑	10.8 *	9.3 ↑	10.4 *	9.8 ↑
beste Teiler	127.0 (57.)	310.0 (54.)	442.7 (59.)		
Trefferlage	1.31 mm links, 8.98 mm hoch				
Streuwert	5.38, horizontal: 4.07, vertikal: 6.43				

Meyton Elektronik

**KK liegend** – Wertung – **Jungschützinnen**

StandNr: 27

**Hafner,, Lisa** #1000000044

**StartNr: 7**

13. Mai 2018 10:41



SG\_Umhausen / SG Umhausen 1

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>601.5</b>	(572)							
Serien:	99.3	98.8	100.9	100.8	101.1	100.6			
Zähler:	36	20	4	0	0	0	0	0	0
Innenzehner:	25								
weiteste:	2214	(35), 1868	(10), 1757	(1)					
beste Teiler	116.4	(43.)	135.6	(5.)	157.3	(6.)			
Trefferlage	0.28 mm	rechts,	1.64 mm	hoch					
Streuwert	6.11,	horizontal:	5.72,	vertikal:	6.48				




Serie 1:	8.8 ↖	10.1 ↘	9.7 ↗	10.2 ↗	10.8 *	
	10.8 *	9.8 ↗	9.9 ↘	10.6 *	8.6 ↘	
beste Teiler	135.6	(5.)	157.3	(6.)	301.4	(9.)
Trefferlage	1.13 mm	rechts,	2.05 mm	hoch		
Streuwert	7.28,	horizontal:	6.37,	vertikal:	8.08	




Serie 2:	9.2 ←	10.0 ↘	10.2 ↘	10.7 *	10.0 ↗	
	10.3 *	8.9 ↗	9.2 ↘	9.7 ↓	10.6 *	
beste Teiler	234.1	(14.)	300.9	(20.)	493.9	(16.)
Trefferlage	1.20 mm	links,	0.34 mm	hoch		
Streuwert	7.15,	horizontal:	7.79,	vertikal:	6.44	




Serie 3:	10.2 ↘	10.4 *	9.8 ↗	10.3 *	9.9 ↗	
	9.0 ↗	10.5 *	9.9 →	10.6 *	10.3 *	
beste Teiler	279.6	(29.)	339.6	(27.)	468.9	(22.)
Trefferlage	3.49 mm	rechts,	1.79 mm	hoch		
Streuwert	4.93,	horizontal:	4.02,	vertikal:	5.70	



Serie 4:	10.4 *	10.2 ↑	10.6 *	9.8 ↑	8.2 ↖	
	9.7 ↑	10.7 *	10.5 *	10.2 ↘	10.5 *	
beste Teiler	174.0	(37.)	293.8	(33.)	325.9	(38.)
Trefferlage	1.24 mm	links,	4.22 mm	hoch		
Streuwert	5.85,	horizontal:	4.26,	vertikal:	7.09	



Serie 5:	10.5 *	9.6 ↘	10.8 *	10.0 ↖	10.4 *	
	9.6 ↗	9.4 ↖	9.9 ↖	10.6 *	10.3 *	
beste Teiler	116.4	(43.)	243.7	(49.)	383.0	(41.)
Trefferlage	1.13 mm	links,	0.45 mm	hoch		
Streuwert	5.67,	horizontal:	5.80,	vertikal:	5.54	



Serie 6:	10.3 *	10.6 *	9.9 ↖	10.3 ↗	10.6 *	
	9.3 ↑	9.6 ↘	10.0 →	9.6 ↗	10.4 *	
beste Teiler	285.2	(52.)	319.3	(55.)	440.8	(60.)
Trefferlage	0.67 mm	rechts,	0.98 mm	hoch		
Streuwert	5.88,	horizontal:	5.05,	vertikal:	6.60	

**KK liegend** – Wertung – **Juniorinnen**

StandNr: 28

**Leopold,, Magdalena** #70802029

**StartNr: 8**

13. Mai 2018 10:31

SG\_Aschau / SG Aschau 1



---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik




Ergebnis:	<b>598.1</b>	(571)
Serien:	95.5	100.9 97.4 100.1 100.2 104.0
Zähler:	35	22 2 1 0 0 0 0 0 0
Innenzehner:	22	
weiteste:	2695	(9), 1697 (7), 1629 (10)
beste Teiler	146.5	(45.) 148.4 (48.) 160.0 (11.)
Trefferlage	0.91 mm	links, 0.74 mm hoch
Streuwert	6.56,	horizontal: 5.75, vertikal: 7.28




Serie 1:	9.9 ↘	9.3 ↘	10.6 *	10.6 *	10.4 *
	10.2 ↗	8.8 ↑	9.2 ↗	7.6 ↘	8.9 ↘
beste Teiler	275.3	(3.) 282.4 (4.) 409.6 (5.)			
Trefferlage	3.24 mm	links, 7.46 mm hoch			
Streuwert	7.93,	horizontal: 8.05, vertikal: 7.80			




Serie 2:	10.8 *	9.8 →	10.1 ↓	10.6 *	9.5 ↓
	10.4 *	10.3 →	9.5 ↘	9.9 ↓	10.0 ↘
beste Teiler	160.0	(11.) 277.3 (14.) 444.3 (16.)			
Trefferlage	1.52 mm	rechts, 3.75 mm tief			
Streuwert	4.85,	horizontal: 5.27, vertikal: 4.40			




Serie 3:	10.3 *	10.6 *	9.3 ↓	9.5 ↓	9.5 ↓
	9.4 ↙	10.0 ↘	9.0 ↑	9.7 ↑	10.1 ↑
beste Teiler	254.5	(22.) 522.4 (21.) 688.0 (30.)			
Trefferlage	1.83 mm	links, 0.80 mm tief			
Streuwert	7.52,	horizontal: 4.82, vertikal: 9.48			



Serie 4:	10.1 ↑	9.7 ↗	10.1 ←	10.4 *	10.3 *
	9.9 ↗	10.0 ↗	10.1 →	10.2 ↙	9.3 ↓
beste Teiler	432.5	(34.) 497.9 (35.) 635.8 (39.)			
Trefferlage	0.93 mm	rechts, 0.63 mm hoch			
Streuwert	5.85,	horizontal: 5.61, vertikal: 6.08			



Serie 5:	9.2 ↘	9.1 ↘	9.3 ↙	9.5 ↘	10.8 *
	10.4 *	10.6 *	10.8 *	10.1 →	10.4 *
beste Teiler	146.5	(45.) 148.4 (48.) 317.4 (47.)			
Trefferlage	2.16 mm	links, 1.06 mm hoch			
Streuwert	6.48,	horizontal: 6.87, vertikal: 6.07			



Serie 6:	10.2 ↓	10.5 *	10.7 *	9.7 ↑	9.7 ↓
	10.6 *	10.7 *	10.7 *	10.6 *	10.6 *
beste Teiler	167.6	(58.) 171.8 (53.) 181.6 (57.)			
Trefferlage	0.70 mm	links, 0.11 mm tief			
Streuwert	3.90,	horizontal: 1.81, vertikal: 5.21			

Meyton Elektronik

**KK liegend** – Wertung – **Juniorinnen**

StandNr: 29

**Rangger,, Patricia** #800134

**StartNr: 9**

13. Mai 2018 10:27



SG\_Mieming / SG Mieming 1

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>605.2</b>	(578)
Serien:	99.2 100.0 99.2 101.8 103.5 101.5	
Zähler:	39 20 1 0 0 0 0 0 0	
Innenzehner:	24	
weiteste:	1767 (3), 1541 (11), 1395 (22)	
beste Teiler	125.8 (52.) 160.4 (34.) 162.8 (28.)	
Trefferlage	0.55 mm links, 0.75 mm hoch	
Streuwert	5.55, horizontal: 5.91, vertikal: 5.17	




Serie 1:	10.3 *	9.6 ↘	8.7 ↗	10.2 ↗	10.0 ↓
	9.8 →	9.2 ←	10.3 *	10.7 *	10.4 *
beste Teiler	178.0 (9.)	471.6 (10.)	490.9 (1.)		
Trefferlage	2.07 mm rechts, 0.85 mm hoch				
Streuwert	6.77, horizontal: 7.56, vertikal: 5.88				




Serie 2:	9.0 ↗	10.3 ↖	10.1 ↘	10.4 *	10.1 ↖
	9.3 ↑	10.0 ←	10.4 *	10.3 *	10.1 ↘
beste Teiler	431.0 (18.)	451.2 (14.)	481.1 (19.)		
Trefferlage	1.34 mm rechts, 1.68 mm hoch				
Streuwert	6.04, horizontal: 5.98, vertikal: 6.11				




Serie 3:	9.9 →	9.2 ←	10.0 ↓	9.7 ↗	10.3 *
	9.8 ↑	9.7 ↑	10.7 *	10.0 ←	9.9 ↖
beste Teiler	162.8 (28.)	525.0 (25.)	753.2 (29.)		
Trefferlage	0.79 mm links, 1.54 mm hoch				
Streuwert	6.35, horizontal: 7.00, vertikal: 5.63				



Serie 4:	10.2 ↖	10.0 ↖	9.5 ↙	10.8 *	10.5 *
	9.7 ↑	10.7 *	9.8 ↗	9.9 ←	10.7 *
beste Teiler	160.4 (34.)	179.6 (37.)	203.0 (40.)		
Trefferlage	1.53 mm links, 0.87 mm hoch				
Streuwert	5.12, horizontal: 5.37, vertikal: 4.85				



Serie 5:	10.7 *	9.7 ↖	10.6 *	10.5 *	10.5 *
	10.4 *	9.7 ←	10.3 *	10.4 *	10.7 *
beste Teiler	194.2 (50.)	200.8 (41.)	291.4 (43.)		
Trefferlage	2.01 mm links, 0.80 mm hoch				
Streuwert	3.78, horizontal: 4.72, vertikal: 2.50				



Serie 6:	9.3 ↙	10.8 *	9.9 ↖	10.0 ↖	10.3 ←
	10.2 ↘	9.7 ↓	10.7 *	10.6 *	10.0 ↖
beste Teiler	125.8 (52.)	233.1 (58.)	319.0 (59.)		
Trefferlage	2.43 mm links, 1.25 mm tief				
Streuwert	5.13, horizontal: 4.10, vertikal: 5.98				

**KK liegend** – Wertung – **Männer**

StandNr: 30

**Holz knecht,, Wolfgang** #70209010

**StartNr: 10**

13. Mai 2018 10:28

SG\_Hötting-Ibk / SG Hötting-Ibk 1

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **620.7** (594)

Serien: 102.6 103.7 102.7 104.1 103.8 103.8

Zähler: 54 6 0 0 0 0 0 0 0 0



Innenzehner: 42

weiteste: 1175 (9), 1086 (7), 1011 (14)

beste Teiler 107.2 (38.) 125.9 (41.) 179.7 (59.)

Trefferlage 1.11 mm links, 0.35 mm tief

Streuwert 3.72, horizontal: 4.03, vertikal: 3.39




Serie 1:

10.6 *	10.4 *	10.4 *	10.3 *	10.4 *
10.6 *	9.6 →	10.4 *	9.5 ←	10.4 *

beste Teiler 247.3 (1.) 282.9 (6.) 404.7 (8.)

Trefferlage 0.55 mm links, 0.11 mm hoch

Streuwert 4.65, horizontal: 5.81, vertikal: 3.09




Serie 2:

10.6 *	10.6 *	10.7 *	9.7 →	10.1 ↗
10.3 ↙	10.4 *	10.2 →	10.7 *	10.4 *

beste Teiler 207.0 (19.) 231.6 (13.) 262.9 (11.)

Trefferlage 0.71 mm rechts, 0.39 mm hoch

Streuwert 3.86, horizontal: 4.44, vertikal: 3.17




Serie 3:

10.4 *	10.5 *	9.7 ←	10.6 *	10.2 ↘
10.3 *	10.6 *	10.0 ↙	10.3 *	10.1 ↙

beste Teiler 250.8 (24.) 302.2 (27.) 337.3 (22.)

Trefferlage 3.10 mm links, 1.69 mm tief

Streuwert 3.51, horizontal: 3.12, vertikal: 3.86




Serie 4:

9.8 ↘	10.5 *	10.5 *	10.3 ↙	10.4 *
10.4 *	10.4 *	10.8 *	10.6 *	10.4 *

beste Teiler 107.2 (38.) 307.2 (39.) 323.5 (33.)

Trefferlage 0.12 mm links, 1.11 mm tief

Streuwert 3.49, horizontal: 3.48, vertikal: 3.49




Serie 5:

10.8 *	10.3 *	10.3 *	9.9 ↙	10.2 ←
10.3 *	10.3 *	10.5 *	10.7 *	10.5 *

beste Teiler 125.9 (41.) 228.7 (49.) 323.2 (48.)

Trefferlage 1.21 mm links, 0.73 mm tief

Streuwert 3.43, horizontal: 3.82, vertikal: 3.00



Serie 6:

10.6 *	10.1 ↘	10.5 *	10.2 ↘	10.6 *
10.1 ↙	10.1 ↘	10.5 *	10.7 *	10.4 *

beste Teiler 179.7 (59.) 286.1 (55.) 302.8 (51.)

Trefferlage 2.40 mm links, 0.88 mm hoch

Streuwert 3.11, horizontal: 2.24, vertikal: 3.79

Meyton Elektronik

**KK liegend** – Wertung – **Männer**

StandNr: 32

**Steinlechner,, Joachim** #800012

**StartNr: 12**

13. Mai 2018 10:29



SG\_Absam / SG Absam 1

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>602.2</b>	(575)
Serien:	101.7 101.4 100.8 98.8 100.8 98.7	
Zähler:	36 23 1 0 0 0 0 0 0	
Innenzehner:	22	
weiteste:	1888 (57), 1519 (33), 1480 (49)	
beste Teiler	107.8 (44.) 127.6 (51.) 140.5 (10.)	
Trefferlage	1.69 mm rechts, 1.59 mm tief	
Streuwert	5.70, horizontal: 5.58, vertikal: 5.81	




Serie 1:	9.8 ↗	10.5 *	10.7 *	9.8 ←	10.0 ↘
	10.4 *	9.3 →	10.0 ↙	10.4 *	10.8 *
beste Teiler	140.5 (10.)	234.5 (3.)	327.0 (2.)		
Trefferlage	0.43 mm links, 1.43 mm hoch				
Streuwert	5.20, horizontal: 6.55, vertikal: 3.35				




Serie 2:	10.2 →	10.3 *	10.3 *	10.6 *	10.3 *
	9.6 ↙	9.9 →	10.4 *	10.0 ↓	9.8 ↘
beste Teiler	281.1 (14.)	408.0 (18.)	506.1 (12.)		
Trefferlage	2.04 mm rechts, 1.77 mm tief				
Streuwert	4.66, horizontal: 4.66, vertikal: 4.65				




Serie 3:	9.3 ↑	10.2 ↘	9.5 ↓	10.4 *	9.9 ↓
	10.7 *	9.9 ↓	10.4 *	9.8 ↘	10.7 *
beste Teiler	186.7 (30.)	239.7 (26.)	426.2 (28.)		
Trefferlage	1.09 mm rechts, 1.98 mm tief				
Streuwert	5.57, horizontal: 3.46, vertikal: 7.08				



Serie 4:	9.2 ↑	9.6 ↑	9.1 ↘	10.6 *	9.4 ↓
	10.2 ←	10.0 ↘	10.4 *	10.3 ←	10.0 ↗
beste Teiler	258.0 (34.)	479.2 (38.)	537.4 (39.)		
Trefferlage	1.78 mm rechts, 0.29 mm hoch				
Streuwert	6.99, horizontal: 6.16, vertikal: 7.73				



Serie 5:	10.6 *	10.3 *	9.5 ←	10.8 *	10.2 ↓
	9.9 ↓	10.2 ←	9.6 →	9.1 →	10.6 *
beste Teiler	107.8 (44.)	265.6 (50.)	273.4 (41.)		
Trefferlage	0.78 mm rechts, 1.98 mm tief				
Streuwert	5.79, horizontal: 7.59, vertikal: 3.04				



Serie 6:	10.8 *	9.3 ↓	9.9 →	10.3 →	9.7 ↓
	10.3 ↓	8.6 ↓	10.4 *	9.3 ↓	10.1 →
beste Teiler	127.6 (51.)	401.6 (58.)	552.3 (56.)		
Trefferlage	4.89 mm rechts, 5.52 mm tief				
Streuwert	5.09, horizontal: 3.73, vertikal: 6.16				

Meyton Elektronik

**KK liegend** – Wertung – **Senioren\_2m**

StandNr: 33

**Schrettl,, Hans–Peter** #70410001

**StartNr: 13**

13. Mai 2018 10:23

SG\_Brixlegg / SG Brixlegg 1

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik



Ergebnis: **593.5** (565)

Serien: 95.6 95.9 102.4 95.6 102.3 101.7

Zähler: 33 20 6 1 0 0 0 0 0 0



Innenzehner: 19

weiteste: 2489 (40), 2062 (37), 1950 (14)

beste Teiler 71.3 (29.) 175.5 (13.) 180.5 (58.)

Trefferlage 0.44 mm links, 2.88 mm hoch

Streuwert 6.78, horizontal: 7.41, vertikal: 6.08




Serie 1:

9.7 ↗	9.1 ↖	9.9 ↓	9.4 ↘	8.7 →
10.3 *	9.2 ↘	9.5 ↑	9.9 ↑	9.9 →

beste Teiler 484.1 (6.) 806.4 (9.) 817.7 (10.)

Trefferlage 5.37 mm rechts, 1.36 mm hoch

Streuwert 7.63, horizontal: 7.11, vertikal: 8.13




Serie 2:

9.9 ↗	10.4 *	10.7 *	8.5 ↗	8.7 ↗
9.6 →	9.8 ↗	8.9 ↘	8.9 ↖	10.5 *

beste Teiler 175.5 (13.) 369.7 (20.) 430.8 (12.)

Trefferlage 2.82 mm rechts, 6.45 mm hoch

Streuwert 7.66, horizontal: 8.77, vertikal: 6.36




Serie 3:

10.2 ↗	10.6 *	9.0 ↖	10.3 *	10.4 *
10.1 ↗	10.0 ←	10.3 *	10.9 *	10.6 *

beste Teiler 71.3 (29.) 252.0 (30.) 258.7 (22.)

Trefferlage 1.70 mm links, 2.21 mm hoch

Streuwert 4.68, horizontal: 5.85, vertikal: 3.09




Serie 4:

9.3 ←	9.7 ↖	10.7 *	10.2 ↘	9.9 ↑
10.2 ↖	8.4 ←	9.5 ↑	9.9 ↖	7.8 ↖

beste Teiler 219.2 (33.) 572.4 (36.) 626.6 (34.)

Trefferlage 6.96 mm links, 4.50 mm hoch

Streuwert 7.44, horizontal: 7.48, vertikal: 7.41




Serie 5:

10.0 ←	9.8 ↖	10.2 ↗	10.1 ↑	10.7 *
10.3 ↖	10.5 *	10.5 *	10.1 ←	10.1 ↘

beste Teiler 219.1 (45.) 328.7 (48.) 391.3 (47.)

Trefferlage 1.45 mm links, 1.25 mm hoch

Streuwert 4.34, horizontal: 5.28, vertikal: 3.12



Serie 6:

9.5 ↗	10.4 *	10.3 *	10.6 *	9.5 ↑
10.4 *	10.0 ←	10.7 *	10.2 ↗	10.1 ↗

beste Teiler 180.5 (58.) 265.1 (54.) 435.4 (56.)

Trefferlage 0.73 mm links, 1.52 mm hoch

Streuwert 5.06, horizontal: 3.88, vertikal: 6.02

Meyton Elektronik

**KK liegend** – Wertung – **Senioren\_1w**

StandNr: 34

**Kaspar,, Sonja** #800024

**StartNr: 14**

13. Mai 2018 10:31



SG\_Mieming / SG Mieming 1

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>598.1</b>	(570)
Serien:	98.7 100.0 98.9 101.3 100.4 98.8	
Zähler:	31 28 1 0 0 0 0 0 0	
Innenzehner:	15	
weiteste:	1740 (51), 1461 (7), 1355 (15)	
beste Teiler	127.0 (35.) 138.3 (12.) 190.9 (20.)	
Trefferlage	1.04 mm rechts, 0.56 mm tief	
Streuwert	6.14, horizontal: 6.73, vertikal: 5.49	




Serie 1:	10.2 ↘	9.6 ↗	9.4 →	10.4 *	10.5 *
	9.9 ↘	9.1 ↗	10.3 ↓	9.8 ↗	9.5 ↗
beste Teiler	389.9 (5.) 412.9 (4.) 533.8 (8.)				
Trefferlage	4.05 mm rechts, 1.21 mm tief				
Streuwert	6.25, horizontal: 6.49, vertikal: 6.00				




Serie 2:	9.8 →	10.8 *	10.2 ↘	10.3 *	9.3 →
	9.6 ↘	10.2 ↓	9.4 ←	9.7 ↑	10.7 *
beste Teiler	138.3 (12.) 190.9 (20.) 509.0 (14.)				
Trefferlage	2.83 mm rechts, 0.27 mm hoch				
Streuwert	6.07, horizontal: 7.12, vertikal: 4.80				




Serie 3:	9.6 →	9.3 ↗	10.5 *	10.1 ↘	10.5 *
	10.0 ↓	9.6 ↗	9.4 ↖	10.1 ↑	9.8 ↗
beste Teiler	359.4 (25.) 362.1 (23.) 681.7 (29.)				
Trefferlage	1.97 mm rechts, 0.13 mm hoch				
Streuwert	6.63, horizontal: 7.56, vertikal: 5.54				



Serie 4:	10.5 *	10.2 ↗	10.3 *	10.2 ↑	10.8 *
	9.3 ↓	10.0 ←	10.0 ↗	10.2 ↑	9.8 ↗
beste Teiler	127.0 (35.) 394.0 (31.) 515.5 (33.)				
Trefferlage	1.33 mm links, 1.18 mm tief				
Streuwert	5.30, horizontal: 4.29, vertikal: 6.15				



Serie 5:	9.6 ↗	10.7 *	10.5 *	10.2 ↓	9.5 ↖
	9.8 →	9.7 →	10.5 *	10.1 ↘	9.8 ↑
beste Teiler	204.2 (42.) 331.0 (43.) 372.7 (48.)				
Trefferlage	1.39 mm rechts, 0.52 mm tief				
Streuwert	5.74, horizontal: 5.89, vertikal: 5.58				



Serie 6:	8.8 ←	9.8 ↘	9.4 ↓	9.8 ↑	9.8 ↗
	9.6 ←	10.7 *	10.3 ↓	10.5 *	10.1 ↖
beste Teiler	227.1 (57.) 336.4 (59.) 537.6 (58.)				
Trefferlage	2.63 mm links, 0.87 mm tief				
Streuwert	6.89, horizontal: 7.63, vertikal: 6.06				

**KK liegend** – Wertung – **Senioren\_1m**

StandNr: 35

**Larcher,, Martin** #1000000222

**StartNr: 15**

13. Mai 2018 10:42

SG\_Mieming / SG Mieming 1

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **615.5** (589)

Serien: 101.9 103.8 102.3 101.3 103.2 103.0

Zähler: 49 11 0 0 0 0 0 0 0



Innenzehner: 27

weiteste: 1398 (39), 1048 (59), 999 (40)

beste Teiler 34.9 (13.) 52.2 (45.) 133.0 (32.)

Trefferlage 0.24 mm rechts, 1.49 mm tief

Streuwert 4.24, horizontal: 5.07, vertikal: 3.19




Serie 1:

10.7 *	10.0 ↘	10.1 ←	9.8 ↓	10.3 *
10.3 *	9.9 ←	10.3 *	10.3 ↓	10.2 ↓

beste Teiler 219.0 (1.) 504.3 (6.) 505.2 (8.)

Trefferlage 0.26 mm links, 3.05 mm tief

Streuwert 4.12, horizontal: 4.58, vertikal: 3.61




Serie 2:

9.7 ↘	10.6 *	10.9 *	10.0 ↓	10.5 *
10.6 *	10.2 ↑	10.3 *	10.6 *	10.4 *

beste Teiler 34.9 (13.) 263.7 (19.) 275.1 (12.)

Trefferlage 0.91 mm rechts, 1.27 mm tief

Streuwert 3.62, horizontal: 3.59, vertikal: 3.65




Serie 3:

9.9 ←	10.3 ↗	10.6 *	10.0 →	10.8 *
10.2 ↘	9.8 ←	10.4 *	10.2 ↘	10.1 →

beste Teiler 134.5 (25.) 279.2 (23.) 417.1 (28.)

Trefferlage 1.28 mm rechts, 0.09 mm hoch

Streuwert 4.54, horizontal: 6.02, vertikal: 2.26




Serie 4:

10.3 ←	10.8 *	10.2 ↓	10.2 ←	9.7 ←
10.6 *	10.2 ↘	10.4 *	9.2 →	9.7 →

beste Teiler 133.0 (32.) 272.3 (36.) 403.0 (38.)

Trefferlage 1.45 mm rechts, 1.01 mm tief

Streuwert 5.34, horizontal: 7.12, vertikal: 2.54




Serie 5:

10.3 ↓	10.3 →	10.5 *	10.2 ←	10.9 *
10.5 *	10.0 ←	10.0 ←	10.5 *	10.0 ↙

beste Teiler 52.2 (45.) 361.1 (43.) 383.5 (49.)

Trefferlage 1.50 mm links, 2.16 mm tief

Streuwert 3.73, horizontal: 4.51, vertikal: 2.74



Serie 6:

9.9 ↗	10.3 ↓	10.3 *	10.6 *	10.5 *
10.6 *	9.9 ↙	10.7 *	9.6 ↙	10.6 *

beste Teiler 206.1 (58.) 275.9 (54.) 281.4 (56.)

Trefferlage 0.41 mm links, 1.57 mm tief

Streuwert 4.17, horizontal: 4.44, vertikal: 3.89

Meyton Elektronik

**KK liegend** – Wertung – **Senioren\_1m**

StandNr: 36

**Melmer,, Christof** #1000000223

**StartNr: 16**

13. Mai 2018 10:37

SG\_Mieming / SG Mieming 1

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **598.3** (572)

Serien: 101.5 99.6 98.5 101.4 95.6 101.7

Zähler: 37 19 3 1 0 0 0 0 0 0



Innenzehner: 19

weiteste: 3005 (45), 2018 (41), 1802 (46)

beste Teiler 176.7 (43.) 186.3 (56.) 244.6 (47.)

Trefferlage 0.92 mm links, 1.75 mm hoch

Streuwert 6.36, horizontal: 6.96, vertikal: 5.70




Serie 1:

10.2 ↘	10.1 ↘	10.3 *	10.3 *	10.2 ↗
10.0 ←	9.9 ↗	9.9 ↗	10.2 ←	10.4 *

beste Teiler 458.1 (10.) 523.4 (4.) 524.6 (3.)

Trefferlage 0.01 mm rechts, 1.92 mm hoch

Streuwert 4.67, horizontal: 4.64, vertikal: 4.71




Serie 2:

10.3 *	9.5 →	10.3 *	9.6 ↘	9.7 →
9.8 →	9.9 ↗	10.2 ↘	10.2 ←	10.1 ←

beste Teiler 505.7 (13.) 505.9 (11.) 589.0 (18.)

Trefferlage 1.48 mm rechts, 1.71 mm hoch

Streuwert 5.90, horizontal: 7.27, vertikal: 4.09




Serie 3:

10.5 *	9.8 ↘	10.2 ↘	8.8 →	10.3 ↘
9.3 ←	9.7 ↘	9.4 ↘	10.3 *	10.2 ←

beste Teiler 356.5 (21.) 502.2 (29.) 556.4 (25.)

Trefferlage 2.54 mm links, 1.99 mm tief

Streuwert 6.90, horizontal: 7.98, vertikal: 5.63




Serie 4:

10.1 ↘	10.5 *	10.0 ←	10.1 ↘	10.5 *
9.6 ↗	10.4 *	9.9 ↗	9.8 ←	10.5 *

beste Teiler 322.9 (35.) 346.7 (32.) 378.0 (40.)

Trefferlage 0.62 mm links, 3.31 mm hoch

Streuwert 4.49, horizontal: 5.24, vertikal: 3.57




Serie 5:

8.4 ↗	10.5 *	10.7 *	10.1 →	7.2 ↘
8.7 ↘	10.6 *	9.1 ↘	10.5 *	9.8 ←

beste Teiler 176.7 (43.) 244.6 (47.) 349.3 (49.)

Trefferlage 3.62 mm links, 5.42 mm hoch

Streuwert 9.44, horizontal: 10.77, vertikal: 7.90



Serie 6:

10.3 ↗	10.5 *	9.9 ←	10.0 ↑	10.4 *
10.7 *	9.8 ↘	10.0 ↑	10.3 *	9.8 ↘

beste Teiler 186.3 (56.) 335.7 (52.) 478.0 (55.)

Trefferlage 0.22 mm links, 0.15 mm hoch

Streuwert 4.92, horizontal: 4.14, vertikal: 5.60

Meyton Elektronik

**KK liegend** – Wertung – **Senioren\_2m**

StandNr: 37

**Sailer,, Werner** #1000000059

**StartNr: 17**

13. Mai 2018 10:29

SG\_Kappl



---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik




Ergebnis:	<b>598.2</b>	(571)
Serien:	98.8 100.9 98.5 101.9 100.2 97.9	
Zähler:	34 23 3 0 0 0 0 0 0 0	
Innenzehner:	18	
weiteste:	1806 (55), 1762 (2), 1629 (15)	
beste Teiler	168.8 (32.) 170.3 (8.) 190.6 (7.)	
Trefferlage	2.31 mm links, 0.19 mm hoch	
Streuwert	6.12, horizontal: 6.52, vertikal: 5.68	




Serie 1:

9.4 ↖	8.7 ↘	10.0 ↓	9.6 ↘	9.5 ↓
10.3 *	10.7 *	10.7 *	9.8 ↖	10.1 ↗
beste Teiler	170.3 (8.)	190.6 (7.)	512.4 (6.)	
Trefferlage	0.69 mm links, 3.53 mm tief			
Streuwert	6.71, horizontal: 6.21, vertikal: 7.17			




Serie 2:

10.7 *	10.6 *	10.2 ←	10.2 ←	8.9 ←
10.4 *	10.5 *	10.0 →	10.0 ↘	9.4 ↖
beste Teiler	233.2 (11.)	303.0 (12.)	350.6 (17.)	
Trefferlage	3.41 mm links, 0.23 mm hoch			
Streuwert	5.55, horizontal: 6.81, vertikal: 3.91			




Serie 3:

9.5 ↓	10.2 ←	9.6 ↖	9.4 ←	9.1 ←
10.0 ↗	9.8 ↘	10.2 ←	10.7 *	10.0 ↘
beste Teiler	225.8 (29.)	582.5 (28.)	639.6 (22.)	
Trefferlage	4.03 mm links, 0.00 mm			
Streuwert	6.44, horizontal: 6.74, vertikal: 6.13			




Serie 4:

10.6 *	10.7 *	10.3 ←	10.5 *	10.2 ↗
10.3 *	9.8 ←	9.6 ←	9.8 ↘	10.1 ←
beste Teiler	168.8 (32.)	270.3 (31.)	377.1 (34.)	
Trefferlage	3.31 mm links, 1.53 mm hoch			
Streuwert	4.22, horizontal: 4.83, vertikal: 3.50			



Serie 5:

10.2 ↗	10.5 *	9.9 ↗	10.6 *	10.4 *
9.9 ↘	9.0 ←	10.2 ↘	9.1 →	10.4 *
beste Teiler	306.2 (44.)	325.6 (42.)	421.7 (50.)	
Trefferlage	1.37 mm links, 1.26 mm tief			
Streuwert	6.22, horizontal: 7.73, vertikal: 4.18			



Serie 6:

10.4 *	10.6 *	10.0 ↓	9.9 ←	8.7 ↗
9.4 ↗	9.4 ↘	9.9 ↘	9.8 ←	9.8 ↗
beste Teiler	301.0 (52.)	421.2 (51.)	786.2 (53.)	
Trefferlage	1.04 mm links, 4.20 mm hoch			
Streuwert	6.85, horizontal: 7.36, vertikal: 6.31			

Meyton Elektronik

**KK liegend** – Wertung – **Senioren\_2w**

StandNr: 38

**Pfandler,, Elisabeth** #70515056

**StartNr: 18**

13. Mai 2018 10:46



SG\_Zams / SG Zams 1

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **598.0** (571)  
 Serien: 101.1 99.8 98.3 98.9 99.7 100.2  
 Zähler: 34 23 3 0 0 0 0 0 0 0  
 Innenzehner: 19  
 weiteste: 1903 (30), 1765 (59), 1693 (48)  
 beste Teiler 145.1 (3.) 159.6 (41.) 169.7 (27.)  
 Trefferlage 1.80 mm links, 1.30 mm tief  
 Streuwert 6.11, horizontal: 5.33, vertikal: 6.81




Serie 1:  
 10.4 \*                      9.9 ↓                      10.8 \*                      10.0 ←                      9.2 ↓  
 9.7 ↓                      10.4 \*                      10.0 ↑                      10.2 ←                      10.5 \*  
 beste Teiler 145.1 (3.) 365.9 (10.) 408.6 (7.)  
 Trefferlage 2.13 mm links, 2.67 mm tief  
 Streuwert 5.04, horizontal: 3.01, vertikal: 6.46




Serie 2:  
 9.6 ↑                      10.5 \*                      10.5 \*                      10.2 ↘                      9.9 ←  
 9.8 ↘                      10.6 \*                      9.6 ↘                      9.0 ↙                      10.1 ↓  
 beste Teiler 300.4 (17.) 329.1 (12.) 341.0 (13.)  
 Trefferlage 0.86 mm rechts, 2.54 mm tief  
 Streuwert 6.20, horizontal: 5.96, vertikal: 6.42




Serie 3:  
 10.1 ←                      9.8 ←                      10.1 ↘                      10.4 \*                      10.2 ↓  
 9.4 ↓                      10.7 \*                      9.0 ↙                      10.0 ↑                      8.6 ↙  
 beste Teiler 169.7 (27.) 413.4 (24.) 575.3 (25.)  
 Trefferlage 3.64 mm links, 4.36 mm tief  
 Streuwert 6.40, horizontal: 5.69, vertikal: 7.03



Serie 4:  
 9.3 ←                      10.1 ←                      9.8 ↘                      9.5 ↙                      9.8 ↘  
 9.4 ↑                      10.2 ↑                      10.1 ←                      10.4 \*                      10.3 \*  
 beste Teiler 429.7 (39.) 511.0 (40.) 617.7 (37.)  
 Trefferlage 3.91 mm links, 1.73 mm hoch  
 Streuwert 5.88, horizontal: 6.11, vertikal: 5.65



Serie 5:  
 10.8 \*                      9.9 →                      9.7 ↘                      10.3 \*                      10.5 \*  
 10.2 ↘                      9.5 ↓                      8.8 ↘                      10.3 \*                      9.7 ↘  
 beste Teiler 159.6 (41.) 368.1 (45.) 492.8 (44.)  
 Trefferlage 0.10 mm rechts, 1.28 mm tief  
 Streuwert 6.55, horizontal: 5.91, vertikal: 7.13



Serie 6:  
 10.5 \*                      9.8 ↘                      10.0 ↑                      10.3 ↓                      9.9 ↑  
 10.3 \*                      9.8 ↓                      10.4 \*                      8.7 ↑                      10.5 \*  
 beste Teiler 354.1 (51.) 367.6 (60.) 475.9 (58.)  
 Trefferlage 2.07 mm links, 1.30 mm hoch  
 Streuwert 6.03, horizontal: 4.01, vertikal: 7.52

**KK liegend** – Wertung – **Senioren\_2m**

StandNr: 39

**Waibl, Emmerich** #1000000224

**StartNr: 19**

13. Mai 2018 10:44

HSV Landeck

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik