





Ergebnis:	383	(399.3)
Serien:	97 95 96 95	
Zähler:	23 17 0 0 0 0 0 0 0 0	
Innenzehner:	10	
weiteste:	1470 (18), 1439 (7), 1423 (36)	
beste Teiler	275.9 (34.) 297.5 (40.) 300.7 (25.)	
Trefferlage	1.22 mm links, 0.74 mm hoch	
Streuwert	5.99, horizontal: 5.50, vertikal: 6.44	




Serie 1:					
10.0 ↗	10.5 *	10.5 *	10.1 →	10.4 *	
10.3 *	9.2 ↘	9.3 ↑	10.3 ↖	9.8 ↘	
beste Teiler	338.2 (3.)	362.9 (2.)	413.3 (5.)		
Trefferlage	0.35 mm rechts, 3.35 mm hoch				
Streuwert	5.55, horizontal: 4.67, vertikal: 6.31				



Serie 2:					
10.0 ↓	10.0 ↓	9.9 ↓	9.5 ↙	9.8 ↘	
10.4 *	9.9 ←	9.1 ↘	10.2 ↑	10.3 ↓	
beste Teiler	432.0 (16.)	533.1 (20.)	561.4 (19.)		
Trefferlage	4.38 mm links, 1.21 mm tief				
Streuwert	5.66, horizontal: 4.45, vertikal: 6.65				



Serie 3:					
10.4 *	10.1 ↑	10.0 ↖	9.6 ↑	10.6 *	
9.2 ↖	9.7 ↘	10.3 ↓	9.7 ↖	10.1 ↖	
beste Teiler	300.7 (25.)	424.1 (21.)	545.7 (28.)		
Trefferlage	2.59 mm links, 2.36 mm hoch				
Streuwert	5.70, horizontal: 5.49, vertikal: 5.91				





Serie 4:					
10.0 ↓	9.9 ↑	9.8 ↑	10.6 *	10.5 *	
9.2 ↘	9.4 ↙	10.2 ↓	9.9 →	10.6 *	
beste Teiler	275.9 (34.)	297.5 (40.)	356.3 (35.)		
Trefferlage	1.70 mm rechts, 1.50 mm tief				
Streuwert	6.08, horizontal: 5.80, vertikal: 6.35				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **345** (360.5)
 Serien: 88 85 84 88
 Zähler: 8 18 7 5 2 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3640 (13), 3533 (8), 3166 (30)
 beste Teiler 464.5 (3.) 468.1 (5.) 510.2 (21.)
 Trefferlage 6.31 mm links, 1.23 mm hoch
 Streuwert 11.98, horizontal: 14.27, vertikal: 9.12




Serie 1:
 9.7 ↓ 7.3 ↘ 10.4 * 9.0 ↘ 10.4 *
 9.6 ↗ 9.1 ↗ 6.5 ↖ 10.1 ↖ 9.8 ↖
 beste Teiler 464.5 (3.) 468.1 (5.) 717.2 (9.)
 Trefferlage 0.33 mm links, 0.70 mm tief
 Streuwert 12.90, horizontal: 13.94, vertikal: 11.77



Serie 2:
 7.1 ↖ 9.5 ↖ 6.4 ↖ 8.4 ← 9.0 ↓
 10.1 ↗ 9.8 ↖ 8.7 ↗ 10.1 ← 9.6 ←
 beste Teiler 650.7 (16.) 674.5 (19.) 906.0 (17.)
 Trefferlage 10.64 mm links, 4.77 mm hoch
 Streuwert 11.32, horizontal: 12.44, vertikal: 10.07





Serie 3:
 10.3 * 9.3 ↘ 8.8 ← 7.2 ← 9.7 ↖
 7.1 ← 8.6 ← 9.1 ↗ 10.1 ↓ 7.0 ←
 beste Teiler 510.2 (21.) 712.4 (29.) 1018.9 (25.)
 Trefferlage 11.15 mm links, 0.47 mm hoch
 Streuwert 12.55, horizontal: 16.46, vertikal: 6.64




Serie 4:
 9.6 ↗ 9.3 ← 9.9 ↓ 9.8 ← 10.0 ←
 9.1 ↘ 8.1 ← 8.6 ↖ 8.4 ↗ 9.9 →
 beste Teiler 780.9 (35.) 841.6 (33.) 877.6 (40.)
 Trefferlage 3.14 mm links, 0.40 mm hoch
 Streuwert 10.54, horizontal: 12.86, vertikal: 7.55

Unterschrift des Schützen


Ergebnis:	367	(382.9)
Serien:	96 85 93 93	
Zähler:	14 19 7 0 0 0 0 0 0 0	
Innenzehner:	7	
weiteste:	2222 (27), 2205 (13), 1980 (18)	
beste Teiler	254.0 (39.) 278.2 (1.) 303.7 (37.)	
Trefferlage	1.10 mm links, 1.42 mm hoch	
Streuwert	8.73, horizontal: 8.90, vertikal: 8.54	




Serie 1:	10.6 *	10.3 *	10.2 ↖	9.9 ↘	10.1 ↓
	10.4 *	9.1 ↙	9.8 ←	9.1 ↗	10.2 ↘
beste Teiler	278.2 (1.) 458.5 (6.) 505.7 (2.)				
Trefferlage	2.65 mm links, 0.08 mm hoch				
Streuwert	6.18, horizontal: 5.53, vertikal: 6.77				



Serie 2:	8.9 ↗	9.7 →	8.2 ↘	8.5 ↘	9.2 ↓
	9.1 ↘	8.5 →	8.5 ↗	9.3 ↓	9.7 ←
beste Teiler	966.9 (12.) 1005.6 (20.) 1353.0 (19.)				
Trefferlage	0.61 mm rechts, 4.48 mm hoch				
Streuwert	11.84, horizontal: 12.05, vertikal: 11.64				



Serie 3:	10.1 ↗	10.3 *	9.6 ↓	10.2 ↘	10.4 *
	9.5 ↓	8.2 ↗	9.0 ↓	9.5 ↓	9.4 ↗
beste Teiler	443.6 (25.) 528.6 (22.) 614.8 (24.)				
Trefferlage	2.64 mm rechts, 2.76 mm tief				
Streuwert	8.37, horizontal: 7.58, vertikal: 9.09				





Serie 4:	9.1 ←	10.0 ↑	8.6 ←	10.0 ←	9.3 ↘
	9.8 ↘	10.6 *	9.9 ↗	10.6 *	9.5 ↗
beste Teiler	254.0 (39.) 303.7 (37.) 766.3 (32.)				
Trefferlage	5.01 mm links, 3.90 mm hoch				
Streuwert	6.54, horizontal: 8.48, vertikal: 3.70				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **360** (378.6)
 Serien: 91 89 92 88
 Zähler: 15 14 8 2 1 0 0 0 0 0
 Innenzehner: 10
 weiteste: 3772 (15), 2597 (23), 2542 (10)
 beste Teiler 189.2 (9.) 270.4 (21.) 310.1 (20.)
 Trefferlage 1.06 mm rechts, 0.96 mm tief
 Streuwert 10.10, horizontal: 13.11, vertikal: 5.70




Serie 1:
 9.0 → 10.1 → 9.7 → 10.4 * 9.2 →
 8.5 ← 10.2 ↑ 9.8 → 10.7 * 7.8 →
 beste Teiler 189.2 (9.) 466.0 (4.) 601.1 (7.)
 Trefferlage 5.73 mm rechts, 0.97 mm hoch
 Streuwert 8.92, horizontal: 11.82, vertikal: 4.40



Serie 2:
 10.5 * 9.2 ← 10.1 ↘ 10.5 * 6.2 →
 8.6 ↓ 8.9 ← 9.6 → 9.3 ↘ 10.6 *
 beste Teiler 310.1 (20.) 381.1 (14.) 395.9 (11.)
 Trefferlage 1.81 mm rechts, 3.10 mm tief
 Streuwert 11.78, horizontal: 15.48, vertikal: 6.15





Serie 3:
 10.6 * 10.3 * 7.7 → 10.0 ← 9.5 →
 9.8 ← 10.5 * 10.1 ↓ 8.0 → 9.4 ←
 beste Teiler 270.4 (21.) 330.0 (27.) 483.0 (22.)
 Trefferlage 2.42 mm rechts, 0.22 mm tief
 Streuwert 9.63, horizontal: 12.63, vertikal: 5.10




Serie 4:
 9.0 ← 9.8 ↘ 10.4 * 8.9 ↘ 8.8 ↘
 8.8 ← 10.4 * 9.8 ← 9.8 ↓ 8.1 ←
 beste Teiler 453.5 (37.) 465.9 (33.) 904.4 (32.)
 Trefferlage 5.71 mm links, 1.50 mm tief
 Streuwert 9.35, horizontal: 11.30, vertikal: 6.87

Unterschrift des Schützen


Ergebnis:	387	(405.9)
Serien:	97 96 96 98	
Zähler:	28 11 1 0 0 0 0 0 0 0	
Innenzehner:	20	
weiteste:	1644 (13), 1502 (16), 1428 (9)	
beste Teiler	14.8 (39.) 139.3 (27.) 164.1 (17.)	
Trefferlage	2.43 mm links, 0.43 mm tief	
Streuwert	5.23, horizontal: 6.27, vertikal: 3.92	




Serie 1:	9.3 ↘	9.5 ←	10.1 ↙	10.6 *	10.3 *
	10.6 *	10.5 *	10.4 *	9.2 ←	10.7 *
beste Teiler	203.9 (10.)	244.6 (4.)	319.9 (6.)		
Trefferlage	4.85 mm links, 0.85 mm hoch				
Streuwert	4.69, horizontal: 5.54, vertikal: 3.66				



Serie 2:	10.7 *	10.6 *	8.9 ←	10.4 *	10.0 ↘
	9.1 →	10.7 *	9.7 ↓	10.6 *	10.0 ↘
beste Teiler	164.1 (17.)	189.0 (11.)	252.1 (19.)		
Trefferlage	1.62 mm rechts, 1.77 mm tief				
Streuwert	6.22, horizontal: 8.01, vertikal: 3.65				



Serie 3:	10.7 *	9.9 ↖	10.3 *	9.6 ←	10.6 *
	9.9 ↙	10.8 *	10.2 ↑	10.1 ↓	9.5 ←
beste Teiler	139.3 (27.)	213.7 (21.)	266.8 (25.)		
Trefferlage	2.89 mm links, 1.19 mm tief				
Streuwert	4.78, horizontal: 5.50, vertikal: 3.94				



Serie 4:	10.3 ↙	10.1 ↑	10.7 *	10.6 *	10.4 *
	9.2 ←	10.0 ↘	9.8 ←	10.9 *	10.4 *
beste Teiler	14.8 (39.)	164.2 (33.)	270.2 (34.)		
Trefferlage	3.61 mm links, 0.37 mm hoch				
Streuwert	4.36, horizontal: 4.35, vertikal: 4.38				

Unterschrift des Schützen

Meyton Elektronik