





Ergebnis: **377** (393.6)
 Serien: 90 96 94 97
 Zähler: 20 17 3 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2090 (3), 1822 (6), 1666 (26)
 beste Teiler 118.1 (28.) 143.9 (17.) 178.3 (24.)
 Trefferlage 2.17 mm links, 2.03 mm hoch
 Streuwert 6.84, horizontal: 6.45, vertikal: 7.21




Serie 1:
 9.5 ↖ 10.2 ↙ 8.3 ↑ 9.8 ← 9.0 ↘
 8.7 ↑ 9.1 ↑ 10.4 * 9.6 ↗ 9.3 ↖
 beste Teiler 453.9 (8.) 635.1 (2.) 951.1 (4.)
 Trefferlage 2.29 mm links, 8.94 mm hoch
 Streuwert 7.22, horizontal: 6.83, vertikal: 7.60



Serie 2:
 9.7 ↑ 9.6 ↙ 10.0 ↙ 10.2 ↘ 10.2 ↑
 10.0 ← 10.8 * 10.5 * 9.3 ↘ 9.7 ↑
 beste Teiler 143.9 (17.) 336.0 (18.) 574.2 (14.)
 Trefferlage 1.63 mm links, 1.11 mm hoch
 Streuwert 5.95, horizontal: 5.41, vertikal: 6.44



Serie 3:
 9.2 ← 9.7 ↘ 10.4 * 10.7 * 10.1 ↘
 8.9 ↘ 9.9 ← 10.8 * 9.5 ↙ 10.0 ↘
 beste Teiler 118.1 (28.) 178.3 (24.) 452.2 (23.)
 Trefferlage 5.17 mm links, 2.49 mm tief
 Streuwert 5.66, horizontal: 5.44, vertikal: 5.88





Serie 4:
 10.5 * 9.8 ↗ 10.3 ↘ 10.0 ↘ 10.1 →
 10.1 ↘ 9.0 ← 10.5 * 10.4 * 9.8 ↖
 beste Teiler 339.4 (31.) 369.2 (38.) 428.9 (39.)
 Trefferlage 0.41 mm rechts, 0.58 mm hoch
 Streuwert 5.90, horizontal: 7.54, vertikal: 3.56


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (386.8)
 Serien: 92 93 91 94
 Zähler: 17 16 7 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2283 (29), 1962 (35), 1905 (19)
 beste Teiler 56.2 (28.) 183.6 (40.) 262.6 (37.)
 Trefferlage 0.79 mm rechts, 2.04 mm tief
 Streuwert 8.16, horizontal: 7.72, vertikal: 8.58




Serie 1:
 9.9 ↙ 10.2 ↘ 9.3 ↘ 9.9 ↘ 10.2 ↗
 10.3 ↘ 10.6 * 8.9 ↗ 8.8 ↓ 9.3 →
 beste Teiler 314.0 (7.) 536.3 (6.) 572.1 (5.)
 Trefferlage 0.92 mm rechts, 4.02 mm tief
 Streuwert 7.44, horizontal: 8.24, vertikal: 6.55



Serie 2:
 9.9 ↓ 10.1 ↗ 9.3 ↑ 9.2 ↘ 10.4 *
 8.9 ↘ 10.0 ↘ 10.4 * 8.6 ↘ 10.1 ↗
 beste Teiler 419.2 (18.) 422.0 (15.) 647.8 (20.)
 Trefferlage 0.32 mm links, 2.40 mm tief
 Streuwert 8.12, horizontal: 6.77, vertikal: 9.28



Serie 3:
 8.7 ↓ 10.4 * 9.2 ↘ 9.2 ↘ 9.0 ↗
 9.2 ↘ 10.4 * 10.9 * 8.1 ↗ 9.9 ↖
 beste Teiler 56.2 (28.) 409.7 (22.) 423.0 (27.)
 Trefferlage 0.16 mm rechts, 1.66 mm tief
 Streuwert 9.88, horizontal: 10.13, vertikal: 9.63





Serie 4:
 9.1 ↗ 10.0 ↗ 9.3 ↘ 9.4 → 8.5 ↘
 10.3 ↘ 10.6 * 10.0 ↓ 9.6 ↓ 10.7 *
 beste Teiler 183.6 (40.) 262.6 (37.) 522.0 (36.)
 Trefferlage 2.42 mm rechts, 0.09 mm tief
 Streuwert 7.93, horizontal: 6.08, vertikal: 9.41


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **349** (368.9)
 Serien: 77 93 93 86
 Zähler: 12 14 7 5 2 0 0 0 0 0
 Innenzehner: 7
 weiteste: 3647 (6), 3285 (10), 3020 (36)
 beste Teiler 63.5 (17.) 183.3 (29.) 193.6 (35.)
 Trefferlage 1.36 mm links, 0.04 mm hoch
 Streuwert 11.83, horizontal: 10.55, vertikal: 12.97




Serie 1:
 9.5 ↘ 8.5 ↖ 8.7 ← 9.7 ↙ 9.3 ↙
 6.4 ↑ 8.6 ↖ 7.7 ↙ 7.2 ↗ 6.8 ↙
 beste Teiler 998.7 (4.) 1192.7 (1.) 1342.6 (5.)
 Trefferlage 9.67 mm links, 0.98 mm hoch
 Streuwert 15.86, horizontal: 11.27, vertikal: 19.39



Serie 2:
 9.1 → 10.4 * 10.5 * 8.5 ↗ 8.6 ↓
 10.2 ↘ 10.9 * 9.1 ↗ 10.0 ↓ 9.6 ↑
 beste Teiler 63.5 (17.) 325.2 (13.) 428.0 (12.)
 Trefferlage 3.90 mm rechts, 0.17 mm hoch
 Streuwert 8.37, horizontal: 6.30, vertikal: 10.02



Serie 3:
 10.2 ↘ 7.9 ← 10.6 * 9.6 ↓ 10.0 ↑
 10.3 ↖ 10.6 * 8.8 ← 10.7 * 9.9 ↓
 beste Teiler 183.3 (29.) 308.3 (23.) 320.1 (27.)
 Trefferlage 4.66 mm links, 2.01 mm tief
 Streuwert 7.38, horizontal: 8.81, vertikal: 5.59





Serie 4:
 8.5 → 9.4 ↓ 9.3 ↑ 9.9 ← 10.7 *
 7.2 ↗ 9.3 ↘ 7.5 ↓ 9.5 ↑ 9.7 →
 beste Teiler 193.6 (35.) 842.7 (34.) 996.4 (40.)
 Trefferlage 4.97 mm rechts, 1.03 mm hoch
 Streuwert 12.01, horizontal: 8.59, vertikal: 14.66


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **356** (375.8)
 Serien: 84 89 91 92
 Zähler: 11 17 9 3 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2692 (12), 2599 (1), 2442 (22)
 beste Teiler 204.0 (33.) 213.3 (13.) 258.2 (17.)
 Trefferlage 1.96 mm links, 0.38 mm tief
 Streuwert 9.97, horizontal: 8.69, vertikal: 11.10




Serie 1:
 7.7 → 9.6 ← 8.4 ↖ 10.1 ← 8.7 ↓
 8.5 ↖ 8.8 → 9.7 ↖ 8.7 ↑ 9.4 ↑
 beste Teiler 642.2 (4.) 1039.8 (8.) 1076.0 (2.)
 Trefferlage 1.41 mm links, 4.28 mm hoch
 Streuwert 12.15, horizontal: 13.91, vertikal: 10.09



Serie 2:
 9.5 ↗ 7.6 ↓ 10.7 * 10.0 ← 9.5 ↖
 8.9 ↖ 10.6 * 9.5 ↑ 8.9 ↑ 9.8 →
 beste Teiler 213.3 (13.) 258.2 (17.) 742.7 (14.)
 Trefferlage 2.16 mm links, 1.59 mm hoch
 Streuwert 9.82, horizontal: 7.50, vertikal: 11.69



Serie 3:
 10.1 ↓ 7.9 ↓ 9.1 ↗ 8.1 ↓ 9.6 ↗
 10.1 ↖ 10.3 ← 10.2 ← 9.4 ↓ 9.9 ↖
 beste Teiler 560.6 (27.) 590.1 (28.) 657.7 (21.)
 Trefferlage 3.84 mm links, 7.43 mm tief
 Streuwert 7.90, horizontal: 2.70, vertikal: 10.84





Serie 4:
 9.1 ↓ 9.8 ↗ 10.7 * 8.1 ↗ 9.7 ↑
 9.5 ↑ 9.4 → 10.1 ↖ 10.2 ↗ 9.9 ↗
 beste Teiler 204.0 (33.) 584.2 (39.) 706.9 (38.)
 Trefferlage 0.43 mm links, 0.00 mm
 Streuwert 8.85, horizontal: 7.94, vertikal: 9.68


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **332** (351.4)
 Serien: 82 76 94 80
 Zähler: 8 11 13 3 3 2 0 0 0 0
 Innenzehner: 4
 weiteste: 4770 (31), 4203 (20), 3651 (5)
 beste Teiler 235.4 (21.) 297.0 (28.) 350.1 (8.)
 Trefferlage 0.20 mm rechts, 9.01 mm tief
 Streuwert 13.12, horizontal: 10.94, vertikal: 14.99




Serie 1:
 8.8 ↓ 8.0 ↓ 9.9 ← 7.4 ↘ 6.4 →
 8.4 ↘ 9.9 ↙ 10.5 * 9.5 ← 8.9 ↙
 beste Teiler 350.1 (8.) 847.1 (3.) 877.4 (7.)
 Trefferlage 3.63 mm rechts, 11.29 mm tief
 Streuwert 11.99, horizontal: 13.94, vertikal: 9.64



Serie 2:
 9.5 ↘ 8.1 ↗ 6.6 ↓ 8.0 → 8.5 ↙
 7.9 ↙ 9.9 ↙ 7.5 ↗ 9.4 ↓ 5.7 ↓
 beste Teiler 825.8 (17.) 1133.4 (11.) 1208.9 (19.)
 Trefferlage 0.98 mm links, 8.05 mm tief
 Streuwert 17.40, horizontal: 11.79, vertikal: 21.59



Serie 3:
 10.7 * 8.5 ↙ 10.4 * 10.2 ↙ 9.8 ↘
 10.1 ↘ 8.5 ↙ 10.6 * 10.1 ↙ 9.9 ↙
 beste Teiler 235.4 (21.) 297.0 (28.) 446.3 (23.)
 Trefferlage 4.31 mm links, 3.77 mm tief
 Streuwert 6.48, horizontal: 3.63, vertikal: 8.41





Serie 4:
 5.0 ↓ 8.4 ↓ 9.7 ↘ 8.3 ↙ 9.4 ↗
 6.8 ↓ 9.0 ↙ 8.7 ↘ 10.1 → 8.4 →
 beste Teiler 689.5 (39.) 975.7 (33.) 1247.6 (35.)
 Trefferlage 2.48 mm rechts, 12.92 mm tief
 Streuwert 14.46, horizontal: 11.36, vertikal: 17.01


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **335** (351.9)
 Serien: 86 91 80 78
 Zähler: 7 13 11 7 1 1 0 0 0 0
 Innenzehner: 4
 weiteste: 4603 (36), 3743 (6), 3190 (38)
 beste Teiler 236.4 (2.) 240.1 (16.) 267.2 (11.)
 Trefferlage 2.17 mm links, 2.33 mm hoch
 Streuwert 14.10, horizontal: 12.18, vertikal: 15.79




Serie 1:
 9.5 ↘ 10.7 * 8.5 ↙ 9.4 ↖ 10.3 →
 6.3 ↗ 8.5 ↙ 8.5 ← 9.1 ↘ 9.9 ↓
 beste Teiler 236.4 (2.) 545.7 (5.) 860.4 (10.)
 Trefferlage 4.15 mm links, 0.53 mm tief
 Streuwert 12.94, horizontal: 12.39, vertikal: 13.46



Serie 2:
 10.6 * 8.1 ↙ 10.3 ↗ 8.0 ↙ 7.6 ↑
 10.7 * 10.5 * 10.2 → 9.5 ← 9.1 ↓
 beste Teiler 240.1 (16.) 267.2 (11.) 331.0 (17.)
 Trefferlage 2.56 mm links, 1.69 mm tief
 Streuwert 10.85, horizontal: 9.01, vertikal: 12.42



Serie 3:
 7.3 ↗ 7.4 ↙ 7.9 ↖ 8.3 ↖ 8.1 ↖
 9.7 ↘ 8.8 → 9.5 ↗ 9.3 ↘ 8.0 ↓
 beste Teiler 1034.5 (26.) 1159.4 (28.) 1284.4 (29.)
 Trefferlage 2.68 mm links, 2.69 mm hoch
 Streuwert 15.53, horizontal: 14.40, vertikal: 16.58





Serie 4:
 7.5 ↖ 8.8 → 9.5 ↘ 9.4 → 9.6 ↖
 5.2 ↑ 9.8 ↗ 7.0 ↖ 7.4 ↓ 8.1 ←
 beste Teiler 907.4 (37.) 1093.3 (35.) 1176.1 (33.)
 Trefferlage 0.70 mm rechts, 8.87 mm hoch
 Streuwert 17.05, horizontal: 13.64, vertikal: 19.88


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (392.2)
 Serien: 93 93 94 93
 Zähler: 18 17 5 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2112 (5), 2009 (16), 1872 (27)
 beste Teiler 173.4 (14.) 210.7 (20.) 252.2 (15.)
 Trefferlage 0.41 mm rechts, 1.63 mm hoch
 Streuwert 7.34, horizontal: 6.50, vertikal: 8.09




Serie 1:
 9.6 ← 10.3 ↗ 10.4 * 10.0 ↓ 8.3 ↗
 10.3 ↘ 9.9 ← 10.4 * 8.9 ← 9.1 ↘
 beste Teiler 410.0 (8.) 465.9 (3.) 506.0 (6.)
 Trefferlage 2.35 mm links, 0.44 mm tief
 Streuwert 8.19, horizontal: 8.28, vertikal: 8.11



Serie 2:
 9.8 ↗ 9.8 ↓ 9.9 ↓ 10.7 * 10.6 *
 8.4 ↑ 10.1 → 9.6 ↗ 9.8 ↑ 10.7 *
 beste Teiler 173.4 (14.) 210.7 (20.) 252.2 (15.)
 Trefferlage 1.01 mm rechts, 2.32 mm hoch
 Streuwert 6.87, horizontal: 4.33, vertikal: 8.69



Serie 3:
 10.4 * 9.2 → 9.8 ↖ 10.2 ↘ 10.2 →
 10.1 ↑ 8.6 ↑ 9.4 ← 9.9 ↓ 10.4 *
 beste Teiler 462.4 (30.) 466.1 (21.) 589.1 (24.)
 Trefferlage 0.06 mm rechts, 1.65 mm hoch
 Streuwert 7.38, horizontal: 7.43, vertikal: 7.32





Serie 4:
 9.9 ↑ 10.1 ↓ 10.1 ↘ 9.1 ↑ 8.7 ↑
 10.3 ↗ 9.4 ↘ 9.3 ↑ 10.6 * 9.9 →
 beste Teiler 299.4 (39.) 547.7 (36.) 666.3 (33.)
 Trefferlage 2.92 mm rechts, 3.01 mm hoch
 Streuwert 7.27, horizontal: 4.94, vertikal: 9.02


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (389.9)
 Serien: 96 92 97 88
 Zähler: 21 14 3 1 1 0 0 0 0 0
 Innenzehner: 8
 weiteste: 3490 (40), 3036 (15), 2150 (35)
 beste Teiler 240.5 (14.) 248.1 (16.) 254.6 (25.)
 Trefferlage 1.48 mm rechts, 3.03 mm hoch
 Streuwert 8.09, horizontal: 9.26, vertikal: 6.71




Serie 1:
 10.3 ↖ 10.0 ↑ 10.3 ↗ 9.7 ↗ 10.2 ↘
 8.8 ↗ 9.5 ↓ 10.0 → 10.4 * 10.2 ↗
 beste Teiler 470.9 (9.) 486.7 (3.) 489.7 (1.)
 Trefferlage 2.97 mm rechts, 2.28 mm hoch
 Streuwert 6.02, horizontal: 5.93, vertikal: 6.11



Serie 2:
 9.8 ← 10.0 ↖ 8.9 ↙ 10.7 * 7.2 ↗
 10.6 * 9.9 ↘ 10.2 ↘ 10.4 * 9.4 ↗
 beste Teiler 240.5 (14.) 248.1 (16.) 446.3 (19.)
 Trefferlage 0.34 mm rechts, 2.83 mm hoch
 Streuwert 9.27, horizontal: 10.58, vertikal: 7.75



Serie 3:
 10.6 * 10.0 ↖ 9.7 ↑ 10.5 * 10.6 *
 10.1 ↖ 10.3 → 10.1 ↑ 9.3 ↗ 9.9 ↑
 beste Teiler 254.6 (25.) 290.8 (21.) 345.6 (24.)
 Trefferlage 1.63 mm rechts, 4.13 mm hoch
 Streuwert 4.25, horizontal: 4.93, vertikal: 3.43





Serie 4:
 9.0 ← 9.8 → 10.5 * 10.0 ← 8.3 ←
 9.6 ↑ 9.4 ↑ 9.6 → 9.5 ↑ 6.6 →
 beste Teiler 328.9 (33.) 780.0 (34.) 904.8 (32.)
 Trefferlage 1.00 mm rechts, 2.89 mm hoch
 Streuwert 11.83, horizontal: 14.01, vertikal: 9.15


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **355** (373.1)
 Serien: 87 91 91 86
 Zähler: 10 20 6 3 1 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3634 (4), 2691 (38), 2443 (20)
 beste Teiler 75.5 (25.) 238.6 (2.) 239.5 (16.)
 Trefferlage 0.58 mm rechts, 4.94 mm hoch
 Streuwert 10.04, horizontal: 10.72, vertikal: 9.32




Serie 1:
 9.4 → 10.7 * 9.3 ← 6.4 ↑ 9.4 ←
 8.3 ↖ 9.7 ↖ 9.1 → 8.5 ← 10.3 ↑
 beste Teiler 238.6 (2.) 516.1 (10.) 993.4 (7.)
 Trefferlage 3.90 mm links, 5.04 mm hoch
 Streuwert 12.01, horizontal: 12.32, vertikal: 11.70



Serie 2:
 10.2 ↖ 10.1 ↖ 9.3 → 9.2 ↙ 9.3 →
 10.7 * 8.8 ← 9.2 ↑ 10.1 ↗ 7.9 ↑
 beste Teiler 239.5 (16.) 573.0 (11.) 651.8 (19.)
 Trefferlage 0.87 mm links, 4.26 mm hoch
 Streuwert 9.38, horizontal: 9.32, vertikal: 9.43



Serie 3:
 10.5 * 9.3 ← 10.4 ↖ 9.2 ↑ 10.9 *
 9.5 ↗ 9.4 ↓ 9.2 → 8.7 ↙ 8.3 ↗
 beste Teiler 75.5 (25.) 353.8 (21.) 479.7 (23.)
 Trefferlage 0.98 mm links, 2.41 mm hoch
 Streuwert 9.45, horizontal: 9.54, vertikal: 9.35





Serie 4:
 9.3 ↗ 9.6 ↗ 10.2 ↗ 7.9 → 8.9 ↑
 9.5 ↗ 9.1 ↑ 7.6 → 9.8 ↗ 9.9 ↑
 beste Teiler 603.6 (33.) 811.5 (40.) 894.0 (39.)
 Trefferlage 8.10 mm rechts, 8.05 mm hoch
 Streuwert 7.83, horizontal: 8.82, vertikal: 6.69


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **357** (373.3)
 Serien: 88 89 88 92
 Zähler: 10 21 7 0 2 0 0 0 0 0
 Innenzehner: 6
 weiteste: 3766 (23), 3373 (16), 2295 (37)
 beste Teiler 262.1 (22.) 273.0 (14.) 329.5 (29.)
 Trefferlage 1.73 mm rechts, 0.06 mm hoch
 Streuwert 10.63, horizontal: 12.91, vertikal: 7.70




Serie 1:
 9.4 ↗ 9.7 ↓ 9.3 ↓ 8.4 ↗ 9.7 ↖
 9.5 ← 10.4 * 8.6 ↙ 8.4 ↙ 9.4 →
 beste Teiler 406.8 (7.) 967.3 (5.) 993.3 (2.)
 Trefferlage 0.66 mm links, 1.56 mm tief
 Streuwert 10.54, horizontal: 11.96, vertikal: 8.90



Serie 2:
 9.9 ↗ 9.5 ↖ 9.7 ↗ 10.6 * 9.9 ↘
 6.7 ↗ 9.5 ↓ 9.0 ← 10.1 ↙ 9.4 →
 beste Teiler 273.0 (14.) 645.8 (19.) 807.0 (11.)
 Trefferlage 2.12 mm rechts, 1.49 mm hoch
 Streuwert 10.62, horizontal: 12.62, vertikal: 8.14



Serie 3:
 9.5 ↙ 10.6 * 6.2 → 8.6 ↘ 9.0 ↖
 9.8 ↗ 9.1 ↗ 8.4 ↙ 10.5 * 10.0 ↑
 beste Teiler 262.1 (22.) 329.5 (29.) 780.8 (30.)
 Trefferlage 1.91 mm rechts, 1.35 mm hoch
 Streuwert 12.66, horizontal: 16.00, vertikal: 8.02





Serie 4:
 8.2 → 10.5 * 10.2 ↖ 9.4 ↗ 9.3 →
 9.2 ← 8.1 → 9.1 ↙ 10.0 ↓ 10.5 *
 beste Teiler 366.5 (32.) 384.6 (40.) 602.9 (33.)
 Trefferlage 3.55 mm rechts, 1.00 mm tief
 Streuwert 9.81, horizontal: 12.39, vertikal: 6.25


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **366** (381.9)
 Serien: 90 92 93 91
 Zähler: 15 16 9 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2264 (31), 2189 (11), 2151 (5)
 beste Teiler 251.2 (14.) 298.2 (4.) 314.6 (38.)
 Trefferlage 1.02 mm links, 2.52 mm hoch
 Streuwert 8.96, horizontal: 8.85, vertikal: 9.06




Serie 1:
 8.4 ↙ 9.9 ↑ 9.1 ↗ 10.6 * 8.3 ↖
 9.0 ↓ 9.3 ← 9.9 ↖ 9.6 ↖ 10.0 ↖
 beste Teiler 298.2 (4.) 772.6 (10.) 804.6 (2.)
 Trefferlage 7.04 mm links, 0.90 mm tief
 Streuwert 8.57, horizontal: 9.01, vertikal: 8.10



Serie 2:
 8.2 ↓ 9.5 ↖ 10.0 ↗ 10.6 * 10.1 ↖
 8.3 ↑ 10.2 → 9.4 → 9.1 ↗ 9.9 ↖
 beste Teiler 251.2 (14.) 635.5 (17.) 666.9 (15.)
 Trefferlage 0.59 mm rechts, 1.54 mm hoch
 Streuwert 9.53, horizontal: 8.20, vertikal: 10.69



Serie 3:
 10.1 ↖ 10.0 ↓ 9.2 ↗ 9.4 ↖ 9.5 ↗
 8.5 ↖ 10.5 * 9.9 ↑ 10.4 * 9.9 ↖
 beste Teiler 379.2 (27.) 432.7 (29.) 677.8 (21.)
 Trefferlage 0.34 mm links, 1.02 mm hoch
 Streuwert 7.93, horizontal: 8.98, vertikal: 6.71





Serie 4:
 8.1 ↗ 10.5 * 8.5 ↖ 8.5 ↑ 8.4 ↗
 10.2 ↖ 9.4 ↖ 10.6 * 10.5 * 10.4 *
 beste Teiler 314.6 (38.) 329.9 (39.) 351.8 (32.)
 Trefferlage 2.71 mm rechts, 8.42 mm hoch
 Streuwert 7.95, horizontal: 7.12, vertikal: 8.70


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **339** (360.0)
 Serien: 87 83 85 84
 Zähler: 10 11 10 7 1 1 0 0 0 0
 Innenzehner: 7
 weiteste: 4625 (16), 3699 (7), 3065 (28)
 beste Teiler 229.1 (30.) 265.6 (3.) 281.1 (12.)
 Trefferlage 7.06 mm links, 2.78 mm hoch
 Streuwert 12.04, horizontal: 13.34, vertikal: 10.59




Serie 1:
 9.4 ↘ 9.5 ↑ 10.6 * 10.4 * 8.7 ↙
 10.5 * 6.3 ↙ 8.9 → 9.8 ↘ 8.8 ↘
 beste Teiler 265.6 (3.) 371.3 (6.) 462.6 (4.)
 Trefferlage 4.83 mm links, 1.09 mm hoch
 Streuwert 11.54, horizontal: 10.19, vertikal: 12.75



Serie 2:
 7.5 ← 10.6 * 9.9 ↓ 8.9 ↓ 10.4 *
 5.2 ↙ 8.5 ↘ 8.8 → 9.6 ↘ 9.8 ↘
 beste Teiler 281.1 (12.) 421.8 (15.) 863.9 (13.)
 Trefferlage 6.51 mm links, 2.18 mm tief
 Streuwert 14.23, horizontal: 17.22, vertikal: 10.40



Serie 3:
 7.4 ← 10.1 → 8.7 ↗ 10.1 ↙ 7.4 ↑
 9.0 ← 8.4 ← 7.1 ← 9.0 ↘ 10.7 *
 beste Teiler 229.1 (30.) 663.4 (22.) 695.4 (24.)
 Trefferlage 9.24 mm links, 6.97 mm hoch
 Streuwert 11.89, horizontal: 14.06, vertikal: 9.23





Serie 4:
 8.6 ↘ 7.7 ↘ 10.0 ↓ 7.9 ↘ 9.7 ↗
 7.7 ↘ 10.4 * 9.6 → 8.7 ← 9.7 ↘
 beste Teiler 407.8 (37.) 745.3 (33.) 979.6 (35.)
 Trefferlage 7.67 mm links, 5.26 mm hoch
 Streuwert 10.81, horizontal: 12.69, vertikal: 8.53


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **352** (371.6)
 Serien: 88 89 86 89
 Zähler: 8 20 8 4 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3199 (20), 2797 (21), 2687 (33)
 beste Teiler 188.4 (38.) 226.8 (7.) 363.0 (24.)
 Trefferlage 0.45 mm rechts, 3.26 mm tief
 Streuwert 10.45, horizontal: 11.70, vertikal: 9.02




Serie 1:
 9.3 ↓ 9.5 ↙ 9.4 ← 8.8 ↑ 8.5 ↓
 9.5 ↘ 10.7 * 10.5 * 8.5 ↘ 8.9 ←
 beste Teiler 226.8 (7.) 388.9 (8.) 1146.3 (2.)
 Trefferlage 5.51 mm links, 6.23 mm tief
 Streuwert 8.36, horizontal: 5.85, vertikal: 10.27



Serie 2:
 9.4 ↗ 9.6 ↘ 9.5 ← 9.2 ↘ 8.8 →
 9.7 ← 10.3 ↑ 10.1 ↘ 9.4 → 7.0 ←
 beste Teiler 500.3 (17.) 713.8 (18.) 974.0 (16.)
 Trefferlage 1.25 mm rechts, 0.35 mm hoch
 Streuwert 11.15, horizontal: 14.62, vertikal: 5.91



Serie 3:
 7.5 ↙ 9.3 → 8.9 ↘ 10.5 * 9.8 ↑
 9.7 ↘ 9.5 ↙ 9.7 ← 7.9 ↘ 9.5 →
 beste Teiler 363.0 (24.) 940.2 (25.) 963.5 (26.)
 Trefferlage 2.45 mm rechts, 5.89 mm tief
 Streuwert 10.41, horizontal: 10.98, vertikal: 9.81





Serie 4:
 8.3 ↖ 9.0 ↖ 7.6 ↘ 9.2 ↓ 9.8 ↘
 10.1 ↘ 10.4 * 10.7 * 8.2 → 9.4 ↘
 beste Teiler 188.4 (38.) 413.4 (37.) 684.4 (36.)
 Trefferlage 3.63 mm rechts, 1.28 mm tief
 Streuwert 11.16, horizontal: 13.01, vertikal: 8.92


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **353** (376.2)
 Serien: 90 92 83 88
 Zähler: 12 13 11 4 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2700 (2), 2667 (29), 2526 (25)
 beste Teiler 220.0 (20.) 276.4 (35.) 316.2 (3.)
 Trefferlage 2.83 mm rechts, 1.62 mm hoch
 Streuwert 9.78, horizontal: 11.35, vertikal: 7.91




Serie 1:
 10.5 * 7.6 ← 10.6 * 8.9 ↘ 9.4 ↖
 10.1 ↙ 9.8 ↘ 10.1 ↙ 9.9 ← 8.9 ↗
 beste Teiler 316.2 (3.) 362.0 (1.) 649.5 (8.)
 Trefferlage 2.61 mm links, 0.15 mm tief
 Streuwert 9.56, horizontal: 11.28, vertikal: 7.46



Serie 2:
 9.1 ↖ 8.3 → 10.4 * 10.0 → 8.8 ↗
 9.9 ↓ 8.9 ↑ 10.1 ↖ 10.4 * 10.7 *
 beste Teiler 220.0 (20.) 432.9 (19.) 474.5 (13.)
 Trefferlage 2.46 mm rechts, 3.65 mm hoch
 Streuwert 8.38, horizontal: 8.18, vertikal: 8.58





Serie 3:
 8.9 ↗ 9.4 ↗ 9.4 ↘ 7.8 ← 7.8 →
 10.0 ↓ 8.9 ↙ 9.7 → 7.6 → 9.7 →
 beste Teiler 774.1 (26.) 974.4 (28.) 1010.5 (30.)
 Trefferlage 6.81 mm rechts, 0.04 mm tief
 Streuwert 12.05, horizontal: 14.92, vertikal: 8.25




Serie 4:
 8.9 → 8.9 ↑ 8.9 → 9.8 ↓ 10.6 *
 9.7 ↗ 9.7 ↙ 9.3 ↖ 10.0 ↑ 8.8 →
 beste Teiler 276.4 (35.) 735.8 (39.) 899.9 (34.)
 Trefferlage 4.66 mm rechts, 3.03 mm hoch
 Streuwert 8.59, horizontal: 9.32, vertikal: 7.79

Unterschrift des Schützen


Ergebnis: **347** (365.1)
 Serien: 78 88 88 93
 Zähler: 12 13 9 5 0 0 0 1 0 0
 Innenzehner: 6
 weiteste: 6381 (6), 3198 (10), 2995 (14)
 beste Teiler 156.2 (21.) 270.8 (35.) 291.2 (20.)
 Trefferlage 3.83 mm links, 0.61 mm tief
 Streuwert 12.89, horizontal: 12.63, vertikal: 13.15




Serie 1:
 9.4 ↖ 7.6 ↘ 10.4 * 8.4 ↗ 8.1 ↘
 3.0 ↙ 10.0 ↘ 7.8 ↘ 9.8 ↓ 7.0 ↗
 beste Teiler 404.2 (3.) 725.6 (7.) 904.0 (9.)
 Trefferlage 6.76 mm links, 2.73 mm hoch
 Streuwert 19.94, horizontal: 20.16, vertikal: 19.72



Serie 2:
 8.5 ↙ 9.8 ↙ 10.1 ↑ 7.2 ↓ 10.4 *
 9.1 ↑ 9.9 ↗ 8.4 ↓ 8.8 ↘ 10.6 *
 beste Teiler 291.2 (20.) 470.5 (15.) 641.3 (13.)
 Trefferlage 2.07 mm links, 4.91 mm tief
 Streuwert 10.90, horizontal: 7.68, vertikal: 13.37



Serie 3:
 10.8 * 8.6 ↘ 9.9 ↑ 10.5 * 8.9 ↘
 9.8 ↘ 9.8 ↓ 9.0 ↙ 7.3 ↙ 9.5 ↘
 beste Teiler 156.2 (21.) 330.2 (24.) 870.0 (23.)
 Trefferlage 3.48 mm links, 2.72 mm tief
 Streuwert 10.40, horizontal: 11.03, vertikal: 9.74





Serie 4:
 9.7 ↑ 10.1 ↘ 9.4 ↖ 8.7 ↖ 10.6 *
 10.1 ↗ 10.0 ↘ 8.7 ↘ 9.1 ↖ 10.3 ↑
 beste Teiler 270.8 (35.) 486.7 (40.) 645.6 (32.)
 Trefferlage 3.00 mm links, 2.46 mm hoch
 Streuwert 8.03, horizontal: 9.51, vertikal: 6.21

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	364	(384.3)
Serien:	91 93 91 89	
Zähler:	14 18 6 2 0 0 0 0 0 0	
Innenzehner:	8	
weiteste:	3136 (40), 2401 (6), 2153 (18)	
beste Teiler	40.8 (4.) 135.6 (26.) 274.9 (11.)	
Trefferlage	3.24 mm links, 0.57 mm tief	
Streuwert	8.74, horizontal: 7.75, vertikal: 9.63	




Serie 1:

8.8 ↙	9.7 ↗	10.5 *	10.9 *	10.1 ↘
7.9 ↙	10.2 ↘	9.0 ↘	9.2 ←	9.7 ↗
beste Teiler	40.8 (4.)	359.1 (3.)	622.9 (7.)	
Trefferlage	3.38 mm links, 1.36 mm tief			
Streuwert	9.02, horizontal: 8.20, vertikal: 9.77			




Serie 2:

10.6 *	10.2 →	8.9 ←	9.8 ←	10.6 *
9.9 ↗	9.4 ←	8.3 ↙	10.2 ←	10.3 ↙
beste Teiler	274.9 (11.)	295.4 (15.)	540.0 (20.)	
Trefferlage	5.42 mm links, 1.44 mm tief			
Streuwert	6.83, horizontal: 7.57, vertikal: 6.00			



Serie 3:

9.9 ↘	9.8 ↘	9.1 ↓	8.8 ↑	9.4 ↓
10.8 *	9.5 ↙	10.4 *	9.3 ↙	9.2 ←
beste Teiler	135.6 (26.)	444.6 (28.)	864.7 (21.)	
Trefferlage	2.63 mm links, 3.36 mm tief			
Streuwert	8.21, horizontal: 5.76, vertikal: 10.08			





Serie 4:

9.7 ↑	9.8 ↖	10.6 *	9.3 ↙	10.5 *
8.3 ↙	8.8 ↑	10.1 ←	9.8 →	7.0 ↑
beste Teiler	291.2 (33.)	350.0 (35.)	648.9 (38.)	
Trefferlage	1.53 mm links, 3.87 mm hoch			
Streuwert	10.73, horizontal: 9.67, vertikal: 11.69			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **333** (351.5)
 Serien: 80 82 85 86
 Zähler: 6 16 10 3 3 2 0 0 0 0
 Innenzehner: 2
 weiteste: 4357 (11), 4123 (16), 3826 (10)
 beste Teiler 388.9 (18.) 444.8 (12.) 483.2 (39.)
 Trefferlage 1.09 mm links, 7.84 mm tief
 Streuwert 13.36, horizontal: 13.69, vertikal: 13.02




Serie 1:
 9.7 ← 7.1 ↘ 8.9 ↗ 9.6 ↓ 7.0 ↘
 9.9 ↓ 9.2 ↓ 8.3 → 8.5 ↗ 6.2 ↓
 beste Teiler 853.5 (6.) 986.8 (1.) 1069.2 (4.)
 Trefferlage 0.34 mm links, 12.54 mm tief
 Streuwert 13.86, horizontal: 13.99, vertikal: 13.73



Serie 2:
 5.5 ↗ 10.4 * 9.5 ↖ 9.8 ↓ 10.0 ↓
 5.8 ↗ 8.4 ↖ 10.5 * 8.8 ↓ 8.7 ↓
 beste Teiler 388.9 (18.) 444.8 (12.) 758.1 (15.)
 Trefferlage 7.35 mm links, 13.48 mm tief
 Streuwert 12.04, horizontal: 11.03, vertikal: 12.96



Serie 3:
 8.4 ↖ 9.4 ↑ 9.3 ↖ 7.4 ← 10.3 →
 9.7 → 9.5 ↑ 10.2 ↖ 8.8 ↓ 6.2 →
 beste Teiler 487.6 (25.) 564.3 (28.) 1013.7 (26.)
 Trefferlage 1.14 mm rechts, 2.86 mm hoch
 Streuwert 13.88, horizontal: 15.39, vertikal: 12.20





Serie 4:
 6.8 ← 9.9 → 9.3 ↘ 9.4 ↓ 8.1 ↘
 9.5 ↖ 9.0 ↓ 9.4 ↘ 10.3 ↑ 8.8 ↓
 beste Teiler 483.2 (39.) 847.5 (32.) 1172.0 (36.)
 Trefferlage 2.16 mm rechts, 8.21 mm tief
 Streuwert 10.93, horizontal: 14.03, vertikal: 6.49


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **356** (375.8)
 Serien: 88 89 88 91
 Zähler: 13 14 11 0 2 0 0 0 0 0
 Innenzehner: 8
 weiteste: 3764 (34), 3254 (14), 2387 (40)
 beste Teiler 216.8 (8.) 248.0 (38.) 324.0 (18.)
 Trefferlage 1.31 mm rechts, 4.92 mm hoch
 Streuwert 9.90, horizontal: 10.17, vertikal: 9.62




Serie 1:
 9.3 ↓ 8.9 ↑ 9.8 ↑ 10.4 * 8.8 →
 9.8 → 8.5 ↘ 10.7 * 9.6 ← 8.8 →
 beste Teiler 216.8 (8.) 440.2 (4.) 930.0 (3.)
 Trefferlage 3.40 mm rechts, 3.50 mm hoch
 Streuwert 9.11, horizontal: 8.40, vertikal: 9.76



Serie 2:
 9.9 → 9.5 ← 10.5 * 6.9 ↗ 10.4 *
 8.6 ↑ 9.0 ↘ 10.5 * 8.5 → 10.2 ↗
 beste Teiler 324.0 (18.) 386.6 (13.) 451.7 (15.)
 Trefferlage 3.05 mm rechts, 6.11 mm hoch
 Streuwert 10.23, horizontal: 11.37, vertikal: 8.94



Serie 3:
 8.6 → 8.9 ← 9.5 ↑ 8.1 ↘ 9.3 ←
 9.8 ↘ 10.1 ↘ 8.8 ↘ 9.5 ↗ 10.2 ↑
 beste Teiler 623.3 (30.) 652.6 (27.) 939.2 (26.)
 Trefferlage 0.71 mm links, 4.19 mm hoch
 Streuwert 10.21, horizontal: 11.40, vertikal: 8.85



Serie 4:
 9.5 ← 10.1 ↓ 10.5 * 6.2 ↗ 9.7 ←
 10.4 * 10.2 ↘ 10.6 * 9.2 ↑ 8.0 ↑
 beste Teiler 248.0 (38.) 329.8 (33.) 442.0 (36.)
 Trefferlage 0.48 mm links, 5.90 mm hoch
 Streuwert 11.04, horizontal: 10.09, vertikal: 11.92

Unterschrift des Schützen